R3850-1.3 u 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Northeastern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data

- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables

- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.



** Includes Alaska and Hawaii

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	**Number in Books**	**Percent in Books**
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume I*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102046	3.1	10	1	1	3	3	5	6	13
20-34	80456	3.5	20	<1	1	3	3	5	8	24
35-49	28043	4.6	31	1	1	3	5	9	13	29
50-64	18563	5.3	36	1	1	4	6	10	14	31
65+	15959	5.9	42	1	1	4	7	11	16	35
B. *Operated*										
0-19 YRS	41546	2.7	10	<1	<1	2	3	5	7	14
20-34	91782	3.2	7	<1	1	3	4	6	7	12
35-49	40413	3.8	13	<1	<1	3	5	8	10	17
50-64	30626	4.5	19	<1	1	3	6	10	12	19
65+	24543	5.5	31	<1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100227	4.6	41	1	1	3	5	7	12	39
20-34	73424	5.7	53	1	1	3	6	12	20	37
35-49	70400	6.4	49	1	1	4	7	13	19	36
50-64	117098	6.8	47	1	2	5	8	13	18	36
65+	280274	8.7	72	2	2	7	11	17	23	53
B. *Operated*										
0-19 YRS	37128	5.6	84	<1	1	3	6	12	21	60
20-34	109238	5.2	40	1	1	4	6	9	13	36
35-49	77468	6.8	62	1	1	5	8	13	20	45
50-64	101448	8.8	96	1	1	6	11	19	27	57
65+	183519	12.0	146	1	2	9	15	26	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245067	3.7	21	1	1	3	4	6	10	24
B. *Operated*	228910	3.6	13	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	641423	7.1	60	1	2	5	9	14	20	44
B. *Operated*	508801	8.6	104	1	1	6	11	19	28	63
1. SINGLE DX	473977	3.7	17	<1	1	3	4	7	10	20
2. MULTIPLE DX	1150224	7.8	80	1	1	5	9	16	24	53
A. NOT OPERATED	886490	6.2	52	1	1	4	7	13	18	39
B. OPERATED	737711	7.1	81	<1	1	4	8	16	23	53
TOTAL 0-19 YRS	280947	3.9	32	1	1	3	4	6	10	31
20-34	354900	4.4	31	<1	1	3	5	8	12	29
35-49	216324	5.8	46	1	1	4	7	11	17	36
50-64	267735	7.2	64	1	1	5	9	15	21	44
65+	504295	9.7	100	1	2	7	12	20	28	64
GRAND TOTAL	**1624201**	**6.6**	**65**	**1**	**1**	**4**	**8**	**14**	**21**	**46**

312 Hospitals, Northeastern Region, January-December 1986

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48472	3.3	20	<1	1	2	4	6	8	23
20-34	80456	3.5	20	<1	1	3	3	5	8	24
35-49	28043	4.6	31	1	1	3	5	9	13	29
50-64	18563	5.3	36	1	1	4	6	10	14	31
65+	15959	5.9	42	1	1	4	7	11	16	35
B. *Operated*										
0-19 YRS	41533	2.7	10	<1	<1	2	3	5	7	14
20-34	91782	3.2	7	<1	1	3	4	6	7	12
35-49	40413	3.8	13	<1	<1	3	5	8	10	17
50-64	30626	4.5	19	<1	1	3	6	10	12	19
65+	24543	5.5	31	<1	1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59501	4.7	54	1	1	3	5	9	14	55
20-34	73424	5.7	53	1	1	3	6	12	20	37
35-49	70400	6.4	49	1	1	4	7	13	19	36
50-64	117098	6.8	47	1	2	5	8	13	18	36
65+	280274	8.7	72	2	2	7	11	17	23	53
B. *Operated*										
0-19 YRS	35964	5.0	60	<1	1	3	6	11	18	45
20-34	109238	5.2	40	1	1	4	6	9	13	36
35-49	77468	6.8	62	1	1	5	8	13	20	45
50-64	101448	8.8	96	1	1	6	11	19	27	57
65+	183519	12.0	146	1	2	9	15	26	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191493	4.0	26	<1	1	3	4	7	11	27
B. *Operated*	228897	3.6	13	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	600697	7.3	62	1	2	5	9	15	21	45
B. *Operated*	507637	8.6	102	1	1	6	11	19	28	62
1. SINGLE DX	420390	3.8	19	<1	1	3	4	7	10	22
2. MULTIPLE DX	1108334	7.9	81	1	1	5	10	17	24	54
A. NOT OPERATED	792190	6.5	56	1	1	4	8	13	19	41
B. OPERATED	736534	7.1	80	<1	1	4	8	16	23	52
TOTAL 0-19 YRS	185470	3.9	37	<1	1	2	4	7	11	34
20-34	354900	4.4	31	<1	1	3	5	8	12	29
35-49	216324	5.8	46	1	1	4	7	11	17	36
50-64	267735	7.2	64	1	1	5	9	15	21	44
65+	504295	9.7	100	1	2	7	12	20	28	64
GRAND TOTAL	**1528724**	**6.8**	**67**	**1**	**1**	**4**	**8**	**14**	**21**	**47**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	923	2.8	4	1	1	2	3	5	6	11
20-34	418	3.1	4	1	1	3	4	5	7	10
35-49	172	3.0	3	1	1	3	4	5	6	9
50-64	115	3.7	12	1	1	3	4	6	8	21
65+	58	3.7	5	<1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	16	6.4	62	1	2	4	5	9	27	35
20-34	42	4.6	4	2	2	4	6	8	8	9
35-49	16	6.8	7	3	4	6	8	10	12	13
50-64	7	5.7	15	2	2	5	6	12	14	14
65+	5	10.8	137	2	2	7	15	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1470	3.4	8	1	1	3	4	6	8	15
20-34	811	3.8	12	1	1	3	5	7	10	17
35-49	462	4.3	12	1	2	3	5	7	10	19
50-64	525	4.6	11	1	2	4	6	9	11	16
65+	980	6.2	36	2	2	5	7	12	15	31
B. *Operated*										
0-19 YRS	40	7.0	60	2	2	5	8	11	15	50
20-34	84	8.1	90	2	3	6	8	15	22	61
35-49	72	11.6	140	2	3	8	13	25	49	90
50-64	83	11.4	154	2	3	7	13	24	32	73
65+	113	14.4	216	2	4	10	16	30	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1686	3.0	5	1	1	2	4	5	7	11
B. *Operated*	86	5.8	24	2	2	5	7	9	11	34
2. MULTIPLE DX										
A. *Not Operated*	4248	4.4	17	1	1	3	5	8	11	20
B. *Operated*	392	11.1	152	2	3	7	12	23	41	85
1. SINGLE DX	1772	3.1	6	1	1	3	4	6	7	11
2. MULTIPLE DX	4640	4.9	32	1	1	3	6	9	13	29
A. NOT OPERATED	5934	4.0	14	1	1	3	5	7	10	18
B. OPERATED	478	10.2	133	2	3	7	11	22	34	82
TOTAL 0-19 YRS	2449	3.2	8	1	1	3	4	6	8	14
20-34	1355	3.9	15	1	1	3	5	7	9	19
35-49	722	4.8	28	1	1	3	5	8	13	29
50-64	730	5.2	32	1	2	4	6	10	14	26
65+	1156	6.9	59	2	2	5	8	13	19	47
GRAND TOTAL	**6412**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	18.0	719	1	1	6	33	58	58	58
20-34	18	13.0	41	5	6	13	14	17	27	34
35-49	18	8.6	17	3	3	8	11	15	17	17
50-64	5	9.0	3	7	7	9	10	11	11	11
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	3	7.0	13	3	3	8	9	10	10	10
20-34	16	15.4	209	1	2	11	21	38	49	54
35-49	14	9.0	29	1	2	8	13	17	18	18
50-64	10	10.0	45	2	2	8	14	21	22	22
65+	8	9.6	14	2	4	10	12	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	13.1	84	1	3	11	16	25	33	35
20-34	51	15.7	332	3	4	9	19	35	41	94
35-49	67	15.8	147	4	5	14	20	28	34	74
50-64	46	19.9	460	3	4	11	27	56	88	99+
65+	66	13.5	160	4	4	10	15	20	28	76
B. *Operated*										
0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	37	23.9	309	5	8	19	32	55	70	99+
35-49	50	18.2	293	4	5	14	23	46	57	99+
50-64	39	20.6	290	3	5	16	25	42	78	99+
65+	73	18.1	227	2	6	16	21	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	11.3	79	3	4	9	14	17	21	58
B. *Operated*	51	11.2	89	2	2	9	14	21	26	54
2. MULTIPLE DX										
A. *Not Operated*	244	15.8	246	3	4	11	18	31	44	94
B. *Operated*	202	19.5	270	3	5	15	24	43	62	99+
1. SINGLE DX	97	11.2	84	2	3	9	14	17	26	56
2. MULTIPLE DX	446	17.5	259	3	5	13	21	36	57	99+
A. NOT OPERATED	290	15.1	221	3	4	11	17	29	41	91
B. OPERATED	253	17.8	244	2	4	14	22	39	56	99+
TOTAL 0-19 YRS	24	12.5	156	1	3	10	15	25	42	58
20-34	122	17.8	278	3	5	13	22	40	55	96
35-49	149	15.1	179	3	4	12	17	29	41	91
50-64	100	18.6	339	3	4	12	22	44	78	99+
65+	148	15.6	190	3	5	12	18	29	39	98
GRAND TOTAL	**543**	**16.4**	**234**	**3**	**4**	**12**	**20**	**34**	**54**	**98**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	18.5	1047	<1	<1	3	35	67	67	67
20-34	7	6.4	40	1	1	3	13	15	15	15
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	9.2	134	1	1	5	9	30	32	32
35-49	4	4.8	5	2	2	5	6	7	7	7
50-64	5	4.4	24	<1	<1	2	6	13	13	13
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	5	12	12	13	15	15	15	15
20-34	8	12.6	172	1	2	11	23	77	99+	99+
35-49	4	7.5	22	3	3	6	10	14	14	14
50-64	6	7.2	5	5	5	7	8	11	11	11
65+	12	10.1	27	4	4	10	13	17	20	21
B. *Operated*										
0-19 YRS	7	19.4	466	2	2	13	30	56	61	61
20-34	21	24.5	253	4	5	21	40	45	52	58
35-49	17	25.9	216	4	10	24	36	56	84	99+
50-64	17	18.4	367	<1	1	10	25	47	63	70
65+	17	22.8	324	1	4	19	34	64	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.8	320	<1	1	3	10	26	59	67
B. *Operated*	17	5.8	57	<1	<1	3	7	12	25	32
2. MULTIPLE DX										
A. *Not Operated*	32	10.1	56	3	4	9	14	18	39	99+
B. *Operated*	79	22.7	295	2	4	19	35	53	63	99+
1. SINGLE DX	30	7.5	168	<1	<1	3	8	15	32	67
2. MULTIPLE DX	111	19.0	258	2	4	15	31	45	61	99+
A. NOT OPERATED	45	10.0	127	1	1	8	14	17	47	99+
B. OPERATED	96	19.7	294	1	2	16	32	47	61	99+
TOTAL 0-19 YRS	14	17.0	482	<1	<1	8	19	62	66	67
20-34	42	17.0	236	1	2	12	25	43	51	99+
35-49	25	19.6	237	2	3	17	32	44	69	99+
50-64	30	12.9	250	<1	1	8	13	36	50	70
65+	30	17.0	237	1	4	14	21	45	66	99+
GRAND TOTAL	**141**	**16.6**	**260**	**1**	**2**	**12**	**22**	**43**	**61**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	2.4	2	1	1	2	3	4	5	7
20-34	47	2.7	1	1	2	3	3	4	5	5
35-49	9	2.7	1	1	1	3	3	4	4	4
50-64	5	2.8	2	1	1	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	69	1.1		1	1	1	1	1	2	3
20-34	12	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	3.0	3	1	1	3	4	5	6	9
20-34	123	3.5	12	1	2	3	4	5	6	18
35-49	42	3.5	3	1	2	3	4	5	7	9
50-64	26	4.2	2	2	3	4	5	6	7	7
65+	13	5.3	10	1	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	42	1.6	3	1	1	1	1	4	6	8
20-34	10	2.7	6	1	1	2	3	6	9	9
35-49	2	10.5	5	9	9	10	12	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	11.0	8	9	9	11	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	2.5	2	1	1	2	3	4	4	6
B. *Operated*	82	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	522	3.3	5	1	1	3	4	5	6	10
B. *Operated*	57	2.5	9	1	1	1	2	8	9	13
1. SINGLE DX	271	2.1	2	1	1	2	3	4	4	6
2. MULTIPLE DX	579	3.2	6	1	1	3	4	5	7	10
A. NOT OPERATED	711	3.1	4	1	1	3	4	5	6	10
B. OPERATED	139	1.6	4	1	1	1	1	3	7	12
TOTAL 0-19 YRS	556	2.5	3	1	1	2	3	4	6	9
20-34	192	3.1	9	1	1	3	4	5	6	10
35-49	54	3.6	5	1	1	3	4	6	9	12
50-64	32	3.9	2	2	2	4	5	6	7	7
65+	16	5.9	13	1	2	5	9	11	12	13
GRAND TOTAL	**850**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	4.4	9	1	2	4	5	9	11	15
20-34	12	4.6	3	3	3	4	6	7	8	8
35-49	17	8.8	76	2	3	6	9	14	31	40
50-64	12	6.9	82	2	2	4	5	17	32	35
65+	39	11.1	169	2	3	7	11	20	50	58
B. *Operated*										
0-19 YRS	18	7.0	24	1	2	7	10	13	16	18
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	6.2	41	2	2	4	7	12	15	29
20-34	190	9.2	48	2	3	8	11	17	27	34
35-49	284	11.3	79	3	4	9	13	20	30	50
50-64	639	11.1	71	3	4	9	13	19	28	50
65+	2903	13.0	85	4	5	11	15	23	30	66
B. *Operated*										
0-19 YRS	51	13.9	151	2	4	10	14	33	38	68
20-34	90	21.5	301	3	6	16	29	49	71	99+
35-49	117	19.7	206	5	7	16	27	42	64	99+
50-64	256	21.7	275	5	7	15	30	46	54	87
65+	920	21.9	265	6	8	17	28	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	5.5	37	1	2	4	6	10	13	40
B. *Operated*	24	7.0	23	1	2	6	10	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	4510	11.7	81	3	4	10	14	21	29	57
B. *Operated*	1434	21.4	262	6	7	16	28	46	66	99+
1. SINGLE DX	368	5.6	36	1	2	4	7	11	14	39
2. MULTIPLE DX	5944	14.0	141	3	4	11	17	28	40	84
A. NOT OPERATED	4854	11.3	80	3	4	9	14	20	28	57
B. OPERATED	1458	21.1	261	5	7	16	28	46	66	99+
TOTAL 0-19 YRS	827	6.2	42	2	2	4	7	12	15	35
20-34	295	12.7	157	2	3	8	15	29	36	79
35-49	418	13.5	129	3	4	10	17	29	40	99+
50-64	908	14.0	152	4	5	10	15	30	42	72
65+	3864	15.1	143	5	6	12	17	29	42	96
GRAND TOTAL	**6312**	**13.5**	**139**	**3**	**4**	**10**	**16**	**28**	**39**	**81**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	6.3	13	2	2	6	9	11	12	17
20-34	20	5.8	13	2	2	5	8	11	14	15
35-49	22	6.6	18	2	3	5	10	14	14	14
50-64	17	6.6	23	3	3	5	8	12	18	22
65+	15	5.9	9	3	3	5	7	9	13	15
B. *Operated*										
0-19 YRS	9	8.8	16	2	2	11	11	12	13	13
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	28.0		28	28	28	28	28	28	28
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	7.9	15	2	3	8	11	12	14	17
20-34	68	7.6	49	1	2	6	9	12	17	40
35-49	55	7.8	36	2	2	6	10	15	18	30
50-64	96	8.9	34	3	3	8	12	17	23	68
65+	193	11.2	108	4	5	8	13	22	30	85
B. *Operated*										
0-19 YRS	12	12.8	159	1	2	11	14	29	46	49
20-34	24	20.4	249	2	4	17	31	54	68	99+
35-49	21	14.6	92	2	3	17	21	28	29	30
50-64	36	18.1	254	5	6	14	20	48	68	99+
65+	83	22.3	312	4	5	17	28	48	69	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	6.3	14	2	2	6	9	11	13	18
B. *Operated*	14	8.0	55	1	1	8	11	14	25	28
2. MULTIPLE DX										
A. *Not Operated*	551	9.2	59	2	3	8	11	15	23	41
B. *Operated*	176	19.6	260	3	4	16	25	47	61	99+
1. SINGLE DX	236	6.4	16	2	2	6	9	11	13	19
2. MULTIPLE DX	727	11.7	127	2	3	9	14	24	36	80
A. NOT OPERATED	773	8.4	48	2	3	7	11	14	19	36
B. OPERATED	190	18.8	254	2	4	15	24	45	58	99+
TOTAL 0-19 YRS	308	7.4	21	2	2	7	10	12	13	19
20-34	115	9.8	112	1	2	6	11	20	35	72
35-49	99	9.2	55	2	3	7	13	19	28	30
50-64	149	10.9	101	3	3	8	13	21	32	99+
65+	292	14.1	188	3	4	9	16	30	44	85
GRAND TOTAL	**963**	**10.4**	**105**	**2**	**3**	**8**	**12**	**19**	**30**	**73**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	438	3.6	5	1	2	3	4	6	8	11
20-34	250	3.9	5	1	2	3	5	7	8	12
35-49	65	3.8	5	1	2	3	5	7	8	11
50-64	8	4.1	8	1	1	4	5	9	10	10
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	11	3.7	1	3	3	4	4	5	5	5
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	219	4.3	9	1	2	4	5	8	10	19
20-34	162	4.9	12	1	2	4	6	10	12	19
35-49	71	6.1	43	2	2	5	7	10	13	47
50-64	23	5.9	13	2	2	5	8	12	14	14
65+	19	7.5	17	2	3	6	11	14	15	16
B. *Operated*										
0-19 YRS	7	5.0	5	3	3	4	7	8	8	8
20-34	11	9.5	81	1	3	7	26	99+	99+	99+
35-49	5	10.0	87	3	3	8	13	26	26	26
50-64	1	5.0		5	5	5	5	5	5	5
65+	10	16.7	83	7	8	16	19	30	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	763	3.7	5	1	2	3	5	6	8	11
B. *Operated*	16	3.9	1	2	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	494	5.0	16	1	2	4	6	9	12	19
B. *Operated*	34	10.6	78	3	3	8	16	27	81	99+
1. SINGLE DX	779	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX	528	5.3	22	1	2	4	6	10	13	26
A. NOT OPERATED	1257	4.2	10	1	2	4	5	7	10	14
B. OPERATED	50	8.5	63	3	3	5	11	26	38	99+
TOTAL 0-19 YRS	675	3.9	6	1	2	3	5	6	9	12
20-34	427	4.4	10	1	2	4	5	8	11	22
35-49	142	5.2	28	1	2	4	6	9	11	28
50-64	32	5.4	11	1	2	5	7	11	14	14
65+	31	10.2	57	2	3	8	14	17	22	39
GRAND TOTAL	**1307**	**4.4**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.4	6	1	1	3	4	6	9	12
20-34	49	4.7	7	1	2	4	7	8	9	12
35-49	23	5.0	4	2	3	5	6	8	9	9
50-64	26	4.5	9	1	1	4	6	8	10	13
65+	48	6.2	19	1	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	5	6.2	5	4	4	5	8	9	9	9
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	25.0		25	25	25	25	25	25	25
65+	4	9.0	22	3	3	9	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	353	4.2	22	1	2	3	5	7	8	15
20-34	126	6.1	20	2	2	5	8	12	17	21
35-49	75	8.7	76	2	3	7	11	14	20	59
50-64	151	7.7	34	2	3	6	9	13	17	35
65+	522	9.0	56	2	3	7	11	17	23	37
B. *Operated*										
0-19 YRS	8	5.5	6	2	3	5	7	9	10	10
20-34	18	10.6	59	3	4	9	12	21	30	35
35-49	12	11.5	77	2	2	10	15	25	30	31
50-64	22	16.1	161	5	6	12	19	40	47	48
65+	66	16.3	201	4	5	11	25	46	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	4.3	9	1	1	3	5	8	10	15
B. *Operated*	13	8.5	42	2	2	8	12	16	23	25
2. MULTIPLE DX										
A. *Not Operated*	1227	7.1	45	2	2	5	8	14	18	33
B. *Operated*	126	14.3	157	2	4	10	19	36	47	99+
1. SINGLE DX	302	4.5	11	1	1	3	6	8	11	15
2. MULTIPLE DX	1353	7.8	60	2	2	6	9	15	22	46
A. NOT OPERATED	1516	6.6	39	1	2	5	8	13	17	32
B. OPERATED	139	13.8	149	2	4	10	16	33	47	99+
TOTAL 0-19 YRS	509	4.0	17	1	2	3	5	7	8	14
20-34	195	6.2	23	2	2	5	8	12	15	23
35-49	111	8.2	64	2	3	6	10	15	21	47
50-64	200	8.3	54	2	3	6	10	14	23	45
65+	640	9.5	73	2	3	7	11	19	25	53
GRAND TOTAL	**1655**	**7.2**	**53**	**2**	**2**	**5**	**8**	**14**	**19**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.3	6	1	2	4	6	8	9	10
20-34	105	5.8	14	1	2	5	7	11	13	18
35-49	41	6.6	8	2	3	6	8	10	13	13
50-64	15	8.9	22	2	3	8	13	16	17	18
65+	8	6.3	9	2	3	6	7	11	12	12
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	6.4	63	<1	<1	3	9	20	24	24
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.4	13	1	2	4	7	10	12	18
20-34	174	8.0	40	2	3	7	10	14	21	37
35-49	74	6.8	28	2	3	5	8	12	17	28
50-64	66	8.5	30	2	3	7	10	16	20	28
65+	64	10.0	105	3	4	8	12	18	43	99+
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	7.8	47	1	1	6	13	18	21	21
35-49	11	8.5	61	1	1	8	10	19	28	29
50-64	16	13.3	194	1	1	11	17	21	48	59
65+	15	13.7	74	2	5	12	18	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	6.0	13	2	2	5	8	11	13	17
B. *Operated*	13	5.8	45	<1	<1	2	9	14	22	24
2. MULTIPLE DX										
A. *Not Operated*	408	8.0	45	2	3	6	9	15	21	42
B. *Operated*	54	11.0	104	1	1	9	16	21	30	58
1. SINGLE DX	209	6.0	15	1	2	5	8	11	13	19
2. MULTIPLE DX	462	8.3	53	2	3	7	10	16	22	43
A. NOT OPERATED	604	7.3	36	2	2	6	9	13	17	31
B. OPERATED	67	10.0	96	1	1	8	14	21	29	54
TOTAL 0-19 YRS	60	4.9	10	1	2	4	6	9	11	17
20-34	297	7.2	32	1	2	6	9	13	18	27
35-49	129	6.8	24	1	2	6	8	11	15	28
50-64	98	9.3	57	2	3	7	12	17	21	44
65+	87	10.3	93	3	4	8	13	20	30	99+
GRAND TOTAL	**671**	**7.6**	**42**	**2**	**2**	**6**	**9**	**15**	**19**	**34**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	258	3.5	3	1	1	3	4	6	7	10
20-34	90	4.4	7	1	2	4	5	8	10	14
35-49	12	6.8	6	3	4	6	9	10	11	11
50-64	5	2.6	1	2	2	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	2	10.0	32	6	6	10	14	14	14	14
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	14.0	2	13	13	14	15	15	15	15
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	556	3.8	5	1	2	3	5	6	8	12
20-34	171	4.5	8	1	2	4	6	8	9	14
35-49	24	5.9	19	2	2	5	7	9	15	23
50-64	5	6.6	7	4	4	5	9	10	10	10
65+	9	15.7	264	3	3	9	22	44	49	49
B. *Operated*										
0-19 YRS	9	4.4	5	1	2	4	5	8	9	9
20-34	8	9.3	23	3	3	9	14	15	15	15
35-49	8	17.0	231	5	6	11	20	43	52	52
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	16.0		16	16	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	3.8	5	1	2	3	5	6	8	11
B. *Operated*	6	11.0	13	6	6	11	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	765	4.1	11	1	2	3	5	7	9	13
B. *Operated*	27	10.3	97	2	3	8	14	18	26	52
1. SINGLE DX	371	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	792	4.4	15	1	2	3	5	7	9	19
A. NOT OPERATED	1130	4.0	9	1	2	3	5	7	9	12
B. OPERATED	33	10.4	81	3	3	9	14	17	21	52
TOTAL 0-19 YRS	825	3.7	5	1	2	3	5	6	7	11
20-34	270	4.6	9	1	2	4	6	8	11	15
35-49	46	8,4	66	2	3	6	9	15	21	52
50-64	11	5.2	11	2	2	4	8	10	11	11
65+	11	15.0	217	3	3	9	17	41	48	49
GRAND TOTAL	**1163**	**4.2**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	4	4	4	7	8	8	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	79	1.3	1	<1	<1	<1	1	2	3	8
20-34	221	1.4	1	<1	<1	1	2	3	3	5
35-49	62	2.0	6	<1	<1	1	2	5	6	14
50-64	21	1.3		<1	<1	1	2	2	3	3
65+	6	2.0	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	11	<1	<1	<1	<1	8	9	9
20-34	7	1.1		<1	<1	<1	<1	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.5	5	<1	<1	2	3	6	8	9
20-34	94	2.0	5	<1	<1	1	2	4	6	13
35-49	43	3.1	12	<1	<1	1	4	9	11	15
50-64	19	2.3	5	<1	<1	1	3	4	8	11
65+	7	2.3	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.2	11	1	1	4	7	8	8	8
B. *Operated*	389	1.5	2	<1	<1	1	1	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	14	1.6	5	<1	<1	<1	<1	3	8	9
B. *Operated*	180	2.4	7	<1	<1	1	3	5	9	14
1. SINGLE DX	394	1.5	2	<1	<1	1	1	3	4	9
2. MULTIPLE DX	194	2.3	7	<1	<1	1	2	5	9	14
A. NOT OPERATED	19	2.3	7	<1	<1	<1	2	8	9	9
B. OPERATED	569	1.8	3	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	105	1.7	3	<1	<1	<1	1	4	6	9
20-34	324	1.6	2	<1	<1	1	2	3	4	8
35-49	106	2.5	9	<1	<1	1	3	5	9	15
50-64	40	1.8	3	<1	<1	1	2	3	4	11
65+	13	2.2	1	<1	1	2	3	4	4	4
GRAND TOTAL	**588**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1201	2.7	2	1	1	2	3	4	5	8
20-34	221	3.2	6	1	1	3	4	6	8	12
35-49	80	3.2	7	1	1	3	4	6	7	15
50-64	43	3.4	6	1	1	3	4	7	8	13
65+	27	3.3	3	1	1	4	4	5	6	8
B. *Operated*										
0-19 YRS	28	3.2	5	<1	<1	3	4	6	9	9
20-34	9	3.3	36	<1	<1	1	2	13	19	19
35-49	8	7.4	37	1	1	5	12	16	17	17
50-64	7	19.6	518	1	1	10	24	59	67	67
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1572	3.2	8	1	1	3	4	5	7	13
20-34	546	4.7	23	1	1	3	5	9	13	28
35-49	325	5.1	23	1	1	4	6	11	16	33
50-64	307	4.5	12	1	2	4	5	8	10	20
65+	530	5.6	44	2	2	4	6	10	13	43
B. *Operated*										
0-19 YRS	48	5.4	43	<1	<1	4	6	11	17	40
20-34	80	16.9	357	1	3	11	23	38	70	97
35-49	63	21.1	391	3	3	17	25	45	79	98
50-64	37	11.6	103	2	3	9	18	23	44	99+
65+	36	11.7	77	3	3	9	14	29	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1572	2.8	3	1	1	2	4	5	6	9
B. *Operated*	54	6.0	101	<1	<1	3	6	15	21	65
2. MULTIPLE DX										
A. *Not Operated*	3280	4.1	19	1	1	3	5	7	10	22
B. *Operated*	264	14.3	261	1	2	9	20	35	56	99+
1. SINGLE DX	1626	2.9	7	1	1	2	4	5	6	11
2. MULTIPLE DX	3544	4.9	44	1	1	3	5	9	14	39
A. NOT OPERATED	4852	3.7	15	1	1	3	4	6	9	19
B. OPERATED	318	12.9	243	1	1	8	19	30	48	99+
TOTAL 0-19 YRS	2849	3.0	7	1	1	3	4	5	6	11
20-34	856	5.4	64	1	1	3	6	10	20	36
35-49	476	6.9	100	1	1	4	7	17	24	84
50-64	394	5.3	35	1	2	4	6	10	15	27
65+	595	5.8	46	1	2	4	7	10	14	50
GRAND TOTAL	**5170**	**4.3**	**33**	**1**	**1**	**3**	**4**	**8**	**11**	**29**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.0	10	1	2	4	6	10	11	15
20-34	31	4.5	8	1	1	4	6	9	11	12
35-49	16	6.2	22	1	2	4	10	14	15	15
50-64	11	5.4	37	1	1	3	8	15	20	21
65+										
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.1	26	1	1	7	10	14	16	18
20-34	18	6.6	10	2	3	6	8	11	13	13
35-49	23	5.6	12	2	2	5	8	11	12	13
50-64	14	6.8	18	2	2	5	10	14	15	15
65+	13	8.4	117	2	2	5	10	20	38	42
B. *Operated*										
0-19 YRS										
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	2	10.0	72	4	4	10	16	16	16	16
65+	3	8.3	57	3	3	5	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.1	15	1	2	4	7	11	13	19
B. *Operated*	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	94	6.8	30	2	2	5	10	13	15	31
B. *Operated*	9	8.1	37	2	2	5	15	17	17	17
1. SINGLE DX	90	5.1	14	1	2	4	7	11	13	19
2. MULTIPLE DX	103	6.9	30	2	2	5	10	14	15	29
A. NOT OPERATED	182	6.0	23	1	2	4	8	12	14	20
B. OPERATED	11	7.9	30	2	3	6	13	16	17	17
TOTAL 0-19 YRS	57	6.0	18	1	1	4	9	13	15	18
20-34	52	5.3	9	1	2	5	7	10	12	13
35-49	41	6.0	17	2	2	4	9	13	14	15
50-64	27	6.4	28	1	2	5	10	15	17	21
65+	16	8.4	101	2	2	5	10	17	34	42
GRAND TOTAL	**193**	**6.1**	**24**	**1**	**2**	**5**	**8**	**12**	**15**	**20**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	4.9	7	1	2	4	6	9	10	11
20-34	75	4.8	6	2	2	4	6	8	8	15
35-49	8	4.9	2	2	3	5	6	7	7	7
50-64	7	4.7	21	<1	<1	2	9	12	12	12
65+	3	8.0	37	<1	<1	11	12	12	12	12
B. *Operated*										
0-19 YRS	6	5.3	15	<1	<1	5	8	11	11	11
20-34	21	3.7	11	<1	<1	2	5	9	11	11
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	5.9	10	2	3	5	8	10	12	17
20-34	96	5.8	10	1	2	5	7	11	12	15
35-49	23	7.4	21	2	3	7	8	15	18	18
50-64	14	13.0	214	1	2	8	12	35	51	56
65+	20	8.7	92	1	1	6	10	31	66	99+
B. *Operated*										
0-19 YRS	6	4.8	5	2	2	5	6	8	8	8
20-34	30	4.7	22	<1	<1	4	8	12	21	99+
35-49	10	7.1	58	<1	<1	3	14	19	23	23
50-64	4	8.3	104	<1	<1	4	15	23	23	23
65+	7	24.1	754	1	1	21	28	71	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.9	8	1	2	4	6	9	11	15
B. *Operated*	33	3.7	11	<1	<1	2	6	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	201	6.8	36	1	2	6	8	11	16	47
B. *Operated*	57	7.8	147	<1	1	4	9	22	28	98
1. SINGLE DX	176	4.7	8	<1	1	4	6	9	11	14
2. MULTIPLE DX	258	7.0	60	1	2	5	8	13	20	78
A. NOT OPERATED	344	6.0	25	1	2	5	7	11	13	33
B. OPERATED	90	6.3	100	<1	<1	3	8	15	23	92
TOTAL 0-19 YRS	110	5.4	9	1	2	5	7	10	11	14
20-34	222	5.1	11	1	1	5	7	9	12	17
35-49	45	6.4	26	1	1	5	8	14	18	23
50-64	26	9.6	145	<1	1	6	11	22	38	56
65+	31	12.0	257	1	1	7	16	32	77	99+
GRAND TOTAL	**434**	**6.1**	**40**	**1**	**1**	**5**	**7**	**11**	**15**	**41**

312 Hospitals, Northeastern Region, January-December 1986

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	5	3.2	15	<1	<1	1	5	10	10	10
35-49	8	3.6	19	1	1	1	5	11	13	13
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	7.8	30	1	1	7	12	16	16	16
50-64	4	25.0	1174	2	2	11	44	76	76	76
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.4	15	<1	<1	3	6	9	14	17
20-34	27	15.5	324	1	2	7	19	43	50	73
35-49	34	14.4	346	1	2	7	14	48	63	73
50-64	35	8.3	36	1	2	7	12	15	27	99+
65+	71	12.6	119	3	4	10	15	20	36	68
B. *Operated*										
0-19 YRS	3	40.3	1057	15	15	29	65	77	77	77
20-34	24	29.0	539	4	5	31	42	83	99+	99+
35-49	40	20.1	288	2	6	14	27	46	62	71
50-64	40	19.7	364	1	2	15	26	49	62	82
65+	40	22.3	479	1	2	16	26	52	74	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	13	<1	1	2	6	9	12	13
B. *Operated*	12	12.4	426	<1	1	7	12	34	70	76
2. MULTIPLE DX										
A. *Not Operated*	202	11.1	163	1	2	7	13	22	40	75
B. *Operated*	147	22.4	419	1	3	17	31	55	77	99+
1. SINGLE DX	30	7.2	188	<1	1	3	8	12	16	76
2. MULTIPLE DX	349	15.9	301	1	2	10	20	40	60	98
A. NOT OPERATED	220	10.5	154	1	1	7	13	20	38	74
B. OPERATED	159	21.7	424	1	2	15	30	55	76	99+
TOTAL 0-19 YRS	41	7.0	156	<1	<1	3	7	14	22	77
20-34	57	19.8	448	<1	1	12	35	58	82	99+
35-49	88	15.5	290	1	1	9	18	38	60	72
50-64	81	14.7	275	1	2	9	20	36	60	94
65+	112	15.9	267	1	3	11	18	36	49	87
GRAND TOTAL	**379**	**15.2**	**297**	**1**	**2**	**9**	**19**	**39**	**59**	**93**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	7	7.0	80	<1	1	4	6	23	27	27
35-49										
50-64	2	10.0	8	8	8	10	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	23	2	2	2	7	13	13	13
20-34	6	7.0	15	4	4	5	9	13	14	14
35-49	4	3.3	8	<1	<1	2	5	7	7	7
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	3	6.3	25	1	1	7	10	11	11	11
B. *Operated*										
0-19 YRS	5	6.8	16	2	2	9	10	11	11	11
20-34	3	22.0	91	13	13	21	29	32	32	32
35-49	3	12.3	50	6	6	11	18	20	20	20
50-64	3	22.3	65	15	15	21	28	31	31	31
65+	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.2	10	1	1	3	5	9	10	10
B. *Operated*	13	6.2	48	<1	2	3	6	15	25	27
2. MULTIPLE DX										
A. *Not Operated*	20	5.6	15	<1	1	5	8	12	13	14
B. *Operated*	15	14.9	84	2	3	13	21	31	32	32
1. SINGLE DX	19	5.5	35	<1	1	3	6	11	20	27
2. MULTIPLE DX	35	9.6	65	1	2	7	13	21	29	32
A. NOT OPERATED	26	5.2	14	1	1	5	7	11	13	14
B. OPERATED	28	10.9	84	2	2	8	17	25	31	32
TOTAL 0-19 YRS	15	4.7	15	1	2	3	8	11	12	13
20-34	19	8.8	78	1	2	5	12	25	30	32
35-49	9	7.1	36	<1	<1	6	10	16	20	20
50-64	7	14.3	83	5	6	12	19	29	31	31
65+	4	9.8	64	1	1	9	15	20	20	20
GRAND TOTAL	**54**	**8.1**	**58**	**1**	**2**	**5**	**11**	**20**	**26**	**32**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	6	1	1	4	6	8	8	8
20-34	11	5.3	8	2	2	4	8	9	10	10
35-49	9	6.6	70	<1	1	3	7	20	28	28
50-64	3	4.7	22	1	1	3	8	10	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	4	4.0	9	<1	<1	4	6	7	7	7
20-34	73	3.9	16	<1	1	3	4	10	13	19
35-49	50	3.3	17	<1	<1	2	4	8	13	20
50-64	15	4.2	39	1	1	2	4	6	21	26
65+	8	6.0	33	1	1	4	7	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	7.5	34	1	2	5	14	16	18	19
20-34	84	13.9	144	1	2	10	20	30	42	50
35-49	100	12.8	119	1	3	10	17	24	32	62
50-64	44	10.1	49	2	2	8	15	21	22	28
65+	32	7.3	17	2	2	7	9	14	15	15
B. *Operated*										
0-19 YRS	7	15.1	158	<1	2	10	24	35	37	37
20-34	233	18.6	156	2	5	17	24	36	44	82
35-49	228	19.5	199	2	4	18	24	37	47	82
50-64	66	14.8	111	1	2	15	22	30	34	41
65+	31	14.5	184	1	1	12	21	32	46	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.2	24	1	1	4	7	9	10	28
B. *Operated*	150	3.9	19	<1	1	2	4	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	278	11.8	103	1	2	9	16	24	30	50
B. *Operated*	565	18.2	171	2	3	17	24	35	44	77
1. SINGLE DX	183	4.1	20	<1	1	2	5	9	13	24
2. MULTIPLE DX	843	16.1	158	2	3	14	22	32	41	65
A. NOT OPERATED	311	11.1	99	1	2	8	15	23	30	50
B. OPERATED	715	15.2	174	1	1	14	22	32	41	66
TOTAL 0-19 YRS	37	7.9	59	<1	1	5	10	16	25	37
20-34	401	14.6	156	1	2	13	21	31	41	63
35-49	387	15.4	183	1	1	13	21	32	42	68
50-64	128	11.7	92	1	2	9	20	25	30	39
65+	73	10.1	102	1	2	7	14	22	28	52
GRAND TOTAL	**1026**	**14.0**	**154**	**1**	**2**	**11**	**21**	**30**	**38**	**62**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	12.5	145	4	4	12	21	21	21	21
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	4	9.5	62	4	4	6	14	21	21	21
B. *Operated*	3	8.7	74	1	1	7	15	18	18	18
1. SINGLE DX	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX	7	9.1	56	1	2	7	15	20	21	21
A. NOT OPERATED	5	8.8	49	4	4	6	11	21	21	21
B. OPERATED	4	7.8	53	1	1	6	12	18	18	18
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	7.6	61	1	1	5	10	21	21	21
65+	2	13.0	50	8	8	13	18	18	18	18
GRAND TOTAL	**9**	**8.3**	**45**	**1**	**2**	**6**	**10**	**20**	**21**	**21**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	8	8.3	92	2	2	4	10	25	30	30
65+	9	10.7	113	1	2	6	15	29	30	30
B. *Operated*										
0-19 YRS	5	3.8	2	2	2	4	5	5	5	5
20-34	10	4.0	29	1	1	2	3	12	19	19
35-49	33	5.2	28	1	1	2	9	14	16	21
50-64	103	5.2	66	<1	1	2	6	13	18	46
65+	93	6.5	90	1	1	3	7	13	21	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	12.2	62	5	5	9	17	25	25	25
35-49	27	8.2	89	1	1	6	8	17	24	49
50-64	58	8.3	41	1	2	7	10	16	21	37
65+	95	10.3	173	1	2	7	13	20	30	83
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	10	10.0	135	<1	<1	6	15	28	37	37
35-49	78	15.4	229	1	1	12	22	35	45	75
50-64	355	13.3	184	1	2	11	16	31	45	72
65+	483	12.0	180	1	2	8	16	29	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	8.9	86	1	2	5	10	28	30	30
B. *Operated*	244	5.6	67	<1	1	3	6	13	19	41
2. MULTIPLE DX										
A. *Not Operated*	186	9.4	116	1	2	7	11	19	23	70
B. *Operated*	928	12.8	185	1	1	9	16	29	44	79
1. SINGLE DX	264	5.8	69	1	1	3	7	14	20	38
2. MULTIPLE DX	1114	12.2	175	1	2	8	16	28	40	79
A. NOT OPERATED	206	9.3	112	1	2	7	11	20	25	63
B. OPERATED	1172	11.3	169	1	1	7	15	26	38	74
TOTAL 0-19 YRS	8	3.5	2	1	1	4	5	5	5	5
20-34	26	8.0	81	<1	1	5	12	20	27	37
35-49	140	11.4	171	1	1	6	16	26	39	68
50-64	524	11.1	154	1	1	8	14	23	37	65
65+	680	11.0	168	1	1	7	14	26	37	81
GRAND TOTAL	**1378**	**11.0**	**161**	**1**	**1**	**7**	**14**	**25**	**37**	**74**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	4	3.8	8	<1	<1	3	6	7	7	7
65+	6	5.0	9	2	2	4	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34	2	21.5	113	14	14	21	29	29	29	29
35-49	3	12.0	73	4	4	11	18	21	21	21
50-64	15	11.2	79	<1	<1	11	15	25	31	33
65+	17	8.4	139	<1	1	4	11	19	39	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	10	13.2	270	1	2	7	16	39	56	56
50-64	34	9.2	48	2	2	7	13	20	26	29
65+	99	7.3	32	2	2	6	9	15	19	30
B. *Operated*										
0-19 YRS										
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49	40	13.5	185	1	2	12	16	24	30	82
50-64	128	18.8	173	2	5	15	26	36	45	71
65+	280	16.3	158	2	3	14	23	35	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.7	7	<1	1	4	6	8	10	10
B. *Operated*	37	10.5	109	<1	1	9	13	24	32	49
2. MULTIPLE DX										
A. *Not Operated*	144	8.2	52	2	2	6	10	17	22	33
B. *Operated*	450	16.7	166	2	3	14	23	35	44	99
1. SINGLE DX	49	9.1	90	<1	1	5	12	21	29	49
2. MULTIPLE DX	594	14.6	152	2	3	12	20	32	41	76
A. NOT OPERATED	156	7.9	50	2	2	6	9	16	21	32
B. OPERATED	487	16.2	164	2	3	14	22	35	43	92
TOTAL 0-19 YRS										
20-34	5	13.4	107	1	1	14	18	29	29	29
35-49	55	13.1	184	1	2	11	16	23	32	81
50-64	181	16.0	157	2	3	13	22	33	40	62
65+	402	13.6	140	2	2	10	19	31	41	83
GRAND TOTAL	**643**	**14.2**	**149**	**2**	**2**	**11**	**20**	**32**	**41**	**70**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64	4	7.5	74	1	1	4	13	20	20	20
65+	3	12.0	1	11	11	12	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	13.9	43	5	6	14	17	24	25	25
50-64	14	11.1	44	3	3	10	17	21	23	23
65+	27	11.8	44	1	2	12	15	21	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	8.9	83	1	2	6	9	27	31	32
50-64	39	6.3	15	1	2	6	9	11	14	18
65+	126	8.8	56	2	2	6	12	18	23	38
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	6	19.7	85	11	11	18	24	34	35	35
35-49	51	16.4	159	3	4	13	21	32	45	62
50-64	224	17.9	155	4	6	15	22	34	43	62
65+	732	19.0	158	6	8	16	23	33	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	8.8	41	1	2	8	12	18	20	20
B. *Operated*	50	12.0	43	2	3	12	15	22	25	27
2. MULTIPLE DX										
A. *Not Operated*	180	8.2	50	2	2	6	10	16	22	33
B. *Operated*	1014	18.7	157	5	7	16	23	33	44	81
1. SINGLE DX	58	11.6	43	2	3	11	15	21	24	27
2. MULTIPLE DX	1194	17.1	155	3	5	14	22	32	42	77
A. NOT OPERATED	188	8.2	49	2	2	6	11	17	22	33
B. OPERATED	1064	18.4	153	5	7	15	23	33	43	80
TOTAL 0-19 YRS	2	12.5	145	4	4	12	21	21	21	21
20-34	7	17.0	121	1	3	14	23	33	35	35
35-49	74	14.7	137	3	3	12	18	27	43	59
50-64	281	15.8	146	3	4	13	19	32	40	59
65+	888	17.3	153	4	5	15	22	31	42	85
GRAND TOTAL	**1252**	**16.8**	**151**	**3**	**5**	**14**	**21**	**31**	**42**	**74**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	11.5	5	10	10	11	13	13	13	13
50-64	1	11.0		11	11	11	11	11	11	11
65+	2	16.0	32	12	12	16	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	6	6.7	27	2	2	4	11	15	15	15
65+	12	11.2	82	4	5	10	12	20	35	38
B. *Operated*										
0-19 YRS										
20-34	1	22.0		22	22	22	22	22	22	22
35-49	12	17.3	271	7	7	11	17	39	62	66
50-64	33	23.2	299	8	8	17	28	53	60	70
65+	73	20.8	227	9	10	16	25	37	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	13.2	16	10	10	12	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	20	9.1	63	1	2	7	12	14	26	38
B. *Operated*	119	21.1	248	8	9	16	25	41	59	94
1. SINGLE DX	5	13.2	16	10	10	12	15	20	20	20
2. MULTIPLE DX	139	19.4	239	5	7	15	23	38	55	92
A. NOT OPERATED	20	9.1	63	1	2	7	12	14	26	38
B. OPERATED	124	20.8	241	8	9	16	24	41	58	93
TOTAL 0-19 YRS										
20-34	1	22.0		22	22	22	22	22	22	22
35-49	16	14.9	223	2	6	10	16	27	55	66
50-64	40	20.5	287	3	6	14	24	50	59	70
65+	87	19.3	212	6	9	15	24	37	45	97
GRAND TOTAL	**144**	**19.2**	**232**	**5**	**7**	**14**	**23**	**38**	**54**	**91**

312 Hospitals, Northeastern Region, January-December 1986

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	5.7	14	<1	1	5	7	12	13	13
65+	13	7.3	31	<1	1	8	10	15	18	19
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	8.3	11	3	3	8	10	13	13	13
35-49	25	8.6	5	4	7	8	10	12	12	12
50-64	198	10.4	23	2	7	10	12	16	19	31
65+	280	10.5	24	2	7	10	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	12	8.8	150	1	2	4	10	25	42	45
50-64	90	7.6	52	1	1	6	9	16	22	40
65+	332	10.0	142	1	2	7	12	20	31	77
B. *Operated*										
0-19 YRS	4	11.8	46	3	3	13	17	18	18	18
20-34	19	13.2	134	1	5	11	14	25	44	54
35-49	204	13.2	57	6	7	10	16	22	28	44
50-64	1155	13.7	69	7	8	11	16	22	29	46
65+	4083	16.8	120	7	8	14	20	29	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.5	23	<1	1	5	10	13	15	19
B. *Operated*	510	10.3	23	2	7	10	12	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	435	9.5	124	1	2	6	12	19	27	58
B. *Operated*	5465	16.0	109	7	8	13	19	28	35	63
1. SINGLE DX	535	10.2	23	1	6	10	12	15	19	30
2. MULTIPLE DX	5900	15.5	113	5	7	13	18	27	35	62
A. NOT OPERATED	460	9.3	119	1	2	6	11	19	26	55
B. OPERATED	5975	15.5	104	7	8	13	18	27	34	61
TOTAL 0-19 YRS	6	9.8	36	3	3	8	16	18	18	18
20-34	25	12.0	108	2	3	10	13	15	37	54
35-49	241	12.5	58	4	6	10	15	22	27	45
50-64	1455	12.8	65	4	7	11	15	21	27	42
65+	4708	15.9	120	5	7	13	19	28	36	70
GRAND TOTAL	**6435**	**15.0**	**107**	**4**	**7**	**12**	**18**	**26**	**34**	**61**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.7	32	1	1	4	10	12	12	12
50-64	10	3.8	10	<1	<1	3	5	9	10	10
65+	14	3.6	12	<1	<1	2	5	8	12	13
B. *Operated*										
0-19 YRS										
20-34	5	9.2	22	<1	<1	11	12	13	13	13
35-49	36	8.3	18	2	3	8	11	14	16	18
50-64	143	10.4	30	2	3	10	14	17	20	25
65+	208	9.6	32	1	1	10	12	16	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	7	4.7	12	1	1	3	7	10	11	11
50-64	82	8.5	70	1	2	6	10	16	21	49
65+	216	9.9	109	1	2	7	12	21	29	66
B. *Operated*										
0-19 YRS										
20-34	13	12.4	34	1	2	14	16	19	21	21
35-49	91	13.6	102	2	3	12	16	22	30	62
50-64	620	14.1	57	4	7	13	17	23	28	41
65+	1810	16.6	136	3	5	14	21	30	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.9	12	<1	<1	3	5	10	12	13
B. *Operated*	392	9.8	30	1	2	10	13	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	308	9.3	96	1	2	7	12	19	28	54
B. *Operated*	2534	15.9	116	3	6	14	19	28	36	62
1. SINGLE DX	419	9.4	31	1	2	10	12	16	18	24
2. MULTIPLE DX	2842	15.2	118	2	4	13	19	27	35	62
A. NOT OPERATED	335	8.9	92	1	1	6	11	18	27	53
B. OPERATED	2926	15.1	109	2	5	13	18	26	34	59
TOTAL 0-19 YRS										
20-34	21	10.3	37	<1	1	11	14	18	20	21
35-49	137	11.6	82	1	3	10	15	18	24	53
50-64	855	12.8	58	2	4	12	16	21	27	40
65+	2248	15.3	131	2	4	13	19	28	36	67
GRAND TOTAL	**3261**	**14.4**	**111**	**2**	**4**	**12**	**18**	**26**	**33**	**58**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	2.5	6	1	1	2	4	6	6	6
65+	5	6.6	25	2	2	4	11	13	13	13
B. *Operated*										
0-19 YRS	4	10.5	50	6	6	7	14	21	21	21
20-34	3	6.0	4	4	4	6	7	8	8	8
35-49	15	5.0	18	<1	1	4	7	12	12	12
50-64	22	9.3	76	1	1	7	15	22	27	32
65+	16	9.9	79	<1	1	8	16	24	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	16	8.7	57	1	1	8	10	18	27	31
50-64	32	10.5	115	1	1	7	13	25	38	46
65+	102	9.2	69	2	2	6	12	19	23	47
B. *Operated*										
0-19 YRS	7	11.4	215	1	1	7	13	37	43	43
20-34	9	12.9	154	<1	<1	7	21	33	33	33
35-49	51	14.7	97	4	5	13	17	25	33	56
50-64	157	17.0	164	2	4	14	22	35	41	67
65+	413	15.6	118	3	4	14	20	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.1	18	1	1	3	8	12	13	13
B. *Operated*	60	8.3	58	1	1	7	11	21	24	31
2. MULTIPLE DX										
A. *Not Operated*	151	9.4	77	1	2	7	12	19	25	46
B. *Operated*	637	15.8	129	2	4	14	20	29	38	56
1. SINGLE DX	70	7.8	53	1	1	6	11	20	23	31
2. MULTIPLE DX	788	14.6	125	2	3	12	19	28	36	55
A. NOT OPERATED	161	9.1	74	1	2	7	11	19	24	45
B. OPERATED	697	15.2	127	2	4	13	20	29	36	55
TOTAL 0-19 YRS	11	11.1	144	1	2	7	13	30	42	43
20-34	13	10.8	114	<1	1	7	15	32	33	33
35-49	83	11.7	88	1	1	11	16	20	31	51
50-64	215	14.9	156	1	2	12	19	32	38	56
65+	536	14.2	114	2	3	12	19	27	34	54
GRAND TOTAL	**858**	**14.0**	**123**	**2**	**3**	**12**	**19**	**28**	**36**	**53**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	6	3.3	8	1	1	2	7	7	7	7
65+	9	6.3	14	1	1	7	9	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	13	14.3	166	2	3	13	17	29	48	52
65+	33	10.4	57	1	1	9	17	20	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	14	8.0	32	1	2	7	13	16	18	19
50-64	86	7.8	45	1	1	6	11	15	22	31
65+	219	9.8	73	2	2	7	12	21	26	35
B. *Operated*										
0-19 YRS										
20-34	3	25.0	39	20	20	23	30	32	32	32
35-49	57	13.3	156	1	2	11	18	24	32	80
50-64	265	17.8	165	2	5	15	22	36	46	71
65+	624	18.8	137	3	6	16	24	34	42	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.9	12	1	1	5	7	10	11	11
B. *Operated*	48	11.2	87	1	1	9	17	21	24	52
2. MULTIPLE DX										
A. *Not Operated*	321	9.1	64	1	2	7	12	19	25	34
B. *Operated*	949	18.2	147	3	6	16	23	34	43	62
1. SINGLE DX	65	9.6	75	1	1	8	14	19	22	49
2. MULTIPLE DX	1270	15.9	142	2	4	13	21	31	38	61
A. NOT OPERATED	338	8.9	62	1	2	7	12	18	25	34
B. OPERATED	997	17.9	147	3	5	15	23	34	42	62
TOTAL 0-19 YRS										
20-34	5	17.6	137	1	1	20	25	32	32	32
35-49	75	11.8	132	1	1	10	16	24	27	71
50-64	370	15.2	154	1	2	13	20	30	42	69
65+	885	16.1	134	2	4	13	22	31	37	57
GRAND TOTAL	**1335**	**15.6**	**140**	**2**	**3**	**13**	**21**	**31**	**38**	**61**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	16	3.5	5	1	2	3	4	5	9	11
50-64	41	3.8	4	1	1	3	5	7	8	8
65+	36	7.0	83	<1	1	4	8	15	17	53
B. *Operated*										
0-19 YRS										
20-34	5	7.6	24	1	1	9	12	12	12	12
35-49	57	6.6	26	1	1	6	10	14	16	19
50-64	291	7.6	36	<1	1	7	11	14	19	29
65+	231	7.6	45	<1	1	7	11	15	19	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	5	4.6	8	2	2	5	6	9	9	9
35-49	130	8.6	60	1	2	6	12	20	27	34
50-64	708	8.5	65	1	2	6	11	18	25	37
65+	1060	9.9	83	2	2	7	13	20	28	47
B. *Operated*										
0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	23	16.2	112	4	7	11	22	33	39	39
35-49	323	12.7	122	2	3	10	16	27	34	53
50-64	1873	12.4	107	2	3	10	16	24	31	61
65+	2939	13.4	116	2	3	11	17	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	5.0	37	1	1	3	6	8	14	38
B. *Operated*	584	7.5	38	<1	1	7	11	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	1907	9.3	75	1	2	7	12	20	27	43
B. *Operated*	5161	13.0	113	2	3	11	17	25	32	57
1. SINGLE DX	677	7.2	39	<1	1	6	10	14	18	30
2. MULTIPLE DX	7068	12.0	105	2	2	10	16	24	31	54
A. NOT OPERATED	2000	9.1	74	1	2	7	12	19	26	43
B. OPERATED	5745	12.5	108	1	2	10	16	25	32	55
TOTAL 0-19 YRS	7	6.0	6	3	3	5	8	10	10	10
20-34	33	13.1	104	1	2	11	16	30	38	39
35-49	526	10.8	99	1	2	9	14	23	30	46
50-64	2913	10.9	93	1	2	9	14	22	29	51
65+	4266	12.2	107	2	2	10	16	24	32	54
GRAND TOTAL	**7745**	**11.6**	**101**	**1**	**2**	**9**	**15**	**23**	**30**	**53**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	7	2.7	4	<1	<1	2	5	5	5	5
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	6	2.3	5	1	1	2	2	7	7	7
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	6.1	18	<1	1	6	10	12	13	13
35-49	28	5.0	24	<1	<1	2	9	12	14	19
50-64	92	7.9	65	<1	1	3	14	18	24	33
65+	80	6.7	66	<1	1	2	11	17	20	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	13	8.7	198	1	1	4	9	24	48	53
50-64	43	7.5	140	<1	1	4	8	18	55	99+
65+	58	6.6	40	<1	1	5	9	14	20	94
B. *Operated*										
0-19 YRS	7	7.4	4	5	5	8	9	10	10	10
20-34	11	12.6	96	1	2	10	16	28	35	36
35-49	64	14.5	160	1	2	12	20	28	40	66
50-64	277	13.8	182	1	1	12	18	31	40	95
65+	314	12.1	144	1	1	10	16	30	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.1	5	<1	<1	2	5	6	7	8
B. *Operated*	213	6.9	57	<1	1	3	11	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	117	7.1	92	1	1	4	8	15	33	99+
B. *Operated*	673	13.0	159	1	1	11	18	30	40	95
1. SINGLE DX	233	6.6	54	<1	1	2	11	16	19	30
2. MULTIPLE DX	790	12.1	154	1	1	10	16	29	40	99
A. NOT OPERATED	137	6.5	81	<1	1	4	8	14	26	99+
B. OPERATED	886	11.6	141	1	1	10	16	27	37	71
TOTAL 0-19 YRS	9	6.8	4	4	4	7	8	10	10	10
20-34	28	8.2	57	1	1	8	10	16	23	36
35-49	112	10.7	139	<1	1	7	14	24	36	59
50-64	416	11.7	158	1	1	9	16	27	36	92
65+	458	10.4	122	<1	1	8	15	26	38	96
GRAND TOTAL	**1023**	**10.9**	**136**	**1**	**1**	**8**	**15**	**25**	**36**	**75**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	3	1	1	3	4	6	6	7
20-34	7	7.1	106	1	1	4	6	25	30	30
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	9.0	72	3	3	9	15	15	15	15
65+	1	9.0		9	9	54	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	23	6.7	28	2	2	5	9	12	17	26
20-34	14	7.2	125	<1	2	4	5	19	38	44
35-49	28	6.8	47	<1	1	5	8	17	19	31
50-64	55	6.5	32	<1	1	5	9	14	19	26
65+	42	7.4	51	<1	1	6	9	16	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.9	10	<1	1	5	5	9	12	15
20-34	10	7.0	20	1	1	7	8	13	17	17
35-49	2	10.5	13	8	8	10	13	13	13	13
50-64	29	7.0	147	1	1	4	8	15	18	66
65+	49	10.5	196	1	1	6	11	27	45	70
B. *Operated*										
0-19 YRS	26	13.2	280	1	1	7	15	30	60	68
20-34	11	11.0	43	3	5	10	19	46	92	99+
35-49	31	20.4	360	2	3	13	34	48	63	68
50-64	62	11.6	117	1	2	9	17	29	42	99+
65+	161	11.5	147	1	2	8	14	27	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.5	30	1	1	3	5	10	28	99+
B. *Operated*	162	6.9	46	<1	1	5	8	15	19	37
2. MULTIPLE DX										
A. *Not Operated*	122	7.9	121	1	1	5	9	14	25	67
B. *Operated*	291	12.6	176	1	2	9	15	31	46	86
1. SINGLE DX	194	6.5	44	1	1	5	8	15	20	41
2. MULTIPLE DX	413	11.2	164	1	2	7	13	29	42	69
A. NOT OPERATED	154	7.2	104	1	1	5	8	14	28	70
B. OPERATED	453	10.6	137	1	2	7	13	26	37	68
TOTAL 0-19 YRS	101	7.1	94	1	1	5	8	14	23	63
20-34	42	8.1	73	1	2	6	10	20	35	99+
35-49	63	13.4	244	1	1	7	16	36	47	67
50-64	148	8.8	95	1	1	6	12	21	29	99+
65+	253	10.6	141	1	2	7	12	23	42	66
GRAND TOTAL	**607**	**9.7**	**130**	**1**	**1**	**6**	**12**	**22**	**36**	**68**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	4	5.5	14	3	3	4	8	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.8	67	1	1	2	10	18	18	18
20-34	32	3.9	9	1	1	3	5	9	12	13
35-49	70	3.8	10	1	1	3	6	8	9	15
50-64	91	4.0	11	<1	<1	3	6	8	10	18
65+	62	5.5	24	1	1	4	9	12	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.5	13	10	10	12	15	15	15	15
35-49	8	5.4	42	<1	1	3	5	16	21	21
50-64	10	10.3	114	1	1	6	13	28	36	36
65+	10	7.2	43	1	1	5	9	18	21	21
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	15	3.9	7	<1	<1	4	6	7	8	9
35-49	47	5.7	24	1	2	5	8	10	16	25
50-64	76	6.5	37	1	1	5	8	14	22	26
65+	137	7.4	58	1	1	5	10	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	12	1	1	3	4	10	11	11
B. *Operated*	259	4.3	15	<1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	30	8.1	65	1	1	5	10	20	21	36
B. *Operated*	277	6.7	44	1	1	5	8	14	21	36
1. SINGLE DX	266	4.3	14	<1	1	3	6	9	12	18
2. MULTIPLE DX	307	6.8	46	1	1	5	9	15	21	36
A. NOT OPERATED	37	7.3	57	1	1	4	10	19	21	36
B. OPERATED	536	5.5	31	<1	1	4	7	12	16	31
TOTAL 0-19 YRS	6	4.7	44	1	1	2	4	17	18	18
20-34	52	4.1	11	1	1	3	5	9	12	15
35-49	129	4.7	17	1	1	4	6	9	11	23
50-64	177	5.4	30	<1	1	4	7	12	17	26
65+	209	6.8	48	1	1	5	9	14	20	37
GRAND TOTAL	**573**	**5.7**	**33**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	7.0	47	2	2	4	11	17	17	17
B. *Operated*										
0-19 YRS	7	3.4	7	<1	<1	2	6	7	7	7
20-34	20	3.4	12	<1	<1	2	5	8	11	14
35-49	47	2.6	20	<1	<1	2	2	4	5	31
50-64	102	2.0	4	<1	<1	1	2	3	6	12
65+	196	2.5	8	<1	<1	1	2	5	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	7.3	12	2	3	6	10	12	12	12
35-49	10	12.6	258	1	1	7	16	39	53	53
50-64	6	4.2	32	<1	<1	1	6	14	15	15
65+	33	5.5	19	<1	<1	5	7	10	17	19
B. *Operated*										
0-19 YRS										
20-34	18	5.5	17	<1	1	6	7	11	13	14
35-49	40	5.1	33	<1	<1	2	7	14	19	23
50-64	136	5.0	47	<1	<1	2	6	12	18	38
65+	548	5.9	86	<1	1	3	6	13	21	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.4	37	2	2	4	9	17	17	17
B. *Operated*	372	2.4	9	<1	<1	1	2	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	56	6.8	66	<1	<1	6	8	15	19	51
B. *Operated*	742	5.7	75	<1	<1	3	7	13	20	47
1. SINGLE DX	377	2.5	9	<1	<1	1	2	5	9	16
2. MULTIPLE DX	798	5.7	74	<1	<1	3	7	13	20	49
A. NOT OPERATED	61	6.8	63	<1	1	6	8	15	18	50
B. OPERATED	1114	4.6	55	<1	<1	2	5	11	17	36
TOTAL 0-19 YRS	7	3.4	7	<1	<1	2	6	7	7	7
20-34	45	4.8	15	<1	<1	4	7	11	13	14
35-49	97	4.7	56	<1	<1	2	4	11	20	43
50-64	245	3.7	31	<1	<1	2	4	9	14	25
65+	781	5.0	66	<1	<1	2	5	12	18	43
GRAND TOTAL	**1175**	**4.7**	**56**	**<1**	**<1**	**2**	**5**	**11**	**17**	**36**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	3.8	2	1	2	4	5	5	5	5
50-64	15	4.0	4	1	1	4	6	6	7	7
65+	19	4.2	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	70	4.1	7	<1	<1	4	6	7	10	13
35-49	548	4.5	6	<1	1	4	6	7	8	12
50-64	877	4.8	10	<1	1	5	6	8	9	12
65+	905	5.3	7	1	2	5	7	8	9	13
2. MULTIPLE DX										
A. *Nct Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	5.5	41	<1	<1	3	9	15	15	15
35-49	49	7.3	50	1	1	5	10	15	26	33
50-64	109	8.3	98	<1	1	5	10	20	24	56
65+	172	9.4	91	1	2	6	12	20	30	62
B. *Operated*										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	89	5.8	23	1	1	5	7	9	10	33
35-49	759	5.7	12	1	2	5	7	9	11	21
50-64	1795	6.6	23	1	2	6	8	11	13	25
65+	3090	7.4	34	2	3	6	8	12	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.0	4	1	1	4	6	7	7	7
B. *Operated*	2401	4.9	8	<1	1	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	335	8.7	87	1	1	6	11	19	26	60
B. *Operated*	5736	6.9	28	1	3	6	8	11	14	30
1. SINGLE DX	2447	4.9	8	<1	1	5	6	8	9	12
2. MULTIPLE DX	6071	7.0	31	1	2	6	8	11	15	33
A. NOT OPERATED	381	8.1	79	1	1	5	10	18	25	56
B. OPERATED	8137	6.3	23	1	2	6	8	10	13	24
TOTAL 0-19 YRS	6	4.8	4	2	2	5	6	8	8	8
20-34	164	5.0	17	<1	1	5	6	8	10	19
35-49	1366	5.2	11	1	1	5	7	9	10	16
50-64	2796	6.1	23	1	2	5	7	10	12	24
65+	4186	7.0	32	2	2	6	8	11	15	33
GRAND TOTAL	**8518**	**6.4**	**26**	**1**	**2**	**6**	**8**	**10**	**13**	**27**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.7	6	4	4	7	8	9	9	9
35-49	5	6.2	99	<1	<1	2	8	24	24	24
50-64	11	4.0	7	1	1	4	6	8	8	8
65+	5	3.4		3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	33	4.3	11	<1	1	3	6	9	11	12
35-49	74	6.0	95	1	1	4	7	10	13	67
50-64	48	4.8	15	<1	<1	4	6	11	14	15
65+	24	5.1	19	1	2	4	5	9	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.7	55	1	1	4	8	19	25	25
35-49	34	3.9	14	<1	1	3	6	8	10	19
50-64	33	6.5	30	1	1	5	8	12	20	25
65+	42	8.7	57	1	2	7	12	16	20	43
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	54	8.5	23	1	2	9	12	15	17	22
35-49	110	9.1	64	1	2	7	12	20	27	70
50-64	103	9.9	72	1	2	8	13	20	24	45
65+	130	9.0	112	1	1	6	10	19	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	22	1	1	3	6	8	13	24
B. *Operated*	179	5.3	48	1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	118	6.6	40	1	1	5	8	15	19	31
B. *Operated*	398	9.2	76	1	2	7	12	19	25	51
1. SINGLE DX	203	5.2	45	1	1	4	7	10	13	22
2. MULTIPLE DX	516	8.6	69	1	1	6	11	18	24	46
A. NOT OPERATED	142	6.2	37	1	1	4	8	14	19	27
B. OPERATED	577	8.0	70	1	1	6	10	17	22	48
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	99	6.9	25	1	1	6	10	13	16	24
35-49	223	7.2	71	1	1	5	9	14	21	59
50-64	195	7.7	52	1	1	6	10	16	21	37
65+	201	8.3	88	1	2	5	9	18	26	47
GRAND TOTAL	**719**	**7.6**	**64**	**1**	**1**	**6**	**10**	**16**	**21**	**41**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0		4	4	4	4	4	4	4
50-64	6	4.0	4	2	2	3	4	8	8	8
65+	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-19 YRS										
20-34	9	5.7	2	3	4	5	7	8	8	8
35-49	36	6.1	4	2	4	6	7	8	10	11
50-64	138	5.6	7	1	1	6	7	8	9	14
65+	126	5.9	15	<1	1	6	8	9	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.4	3	2	2	3	4	6	6	6
35-49	7	9.3	43	3	3	7	15	19	19	19
50-64	26	8.0	129	<1	<1	3	9	21	29	53
65+	72	6.3	35	1	1	5	7	13	20	33
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	6.7	21	2	2	6	8	10	18	21
35-49	136	6.8	15	2	3	6	8	10	14	26
50-64	534	8.0	40	1	2	7	9	13	17	35
65+	821	9.4	88	1	2	8	11	16	22	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.0	3	<1	1	3	4	5	7	8
B. *Operated*	309	5.8	9	1	1	6	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	110	6.8	56	1	1	5	7	16	21	42
B. *Operated*	1507	8.7	64	1	2	7	10	14	20	46
1. SINGLE DX	331	5.6	10	1	1	6	7	8	10	14
2. MULTIPLE DX	1617	8.5	64	1	2	7	10	15	20	46
A. NOT OPERATED	132	6.1	49	1	1	4	7	15	20	38
B. OPERATED	1816	8.2	56	1	2	7	9	14	18	44
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	30	5.6	13	2	2	5	7	8	10	21
35-49	181	6.8	14	2	3	6	8	10	14	23
50-64	704	7.5	37	1	2	7	8	12	16	32
65+	1031	8.7	76	1	2	7	10	15	20	49
GRAND TOTAL	**1948**	**8.0**	**56**	**1**	**2**	**7**	**9**	**14**	**18**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	14	1.9	1	1	1	2	2	3	4	5
50-64	12	3.0	3	1	1	3	4	6	6	6
65+	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	18	6.6	4	4	5	6	7	10	11	11
35-49	25	6.7	5	3	4	7	8	9	10	11
50-64	35	8.6	34	<1	1	8	11	14	19	31
65+	24	13.4	311	3	5	8	11	23	67	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	22	6.1	45	1	1	3	9	16	23	24
50-64	91	5.3	29	1	1	3	8	12	13	31
65+	96	8.7	56	1	2	7	11	18	22	40
B. *Operated*										
0-19 YRS	8	7.1	3	5	5	7	8	10	10	10
20-34	35	8.1	12	4	5	8	9	11	16	21
35-49	116	11.0	62	5	5	9	12	18	24	48
50-64	348	13.7	120	5	6	10	16	25	32	62
65+	347	15.3	93	6	7	13	20	28	35	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	2	1	1	2	3	5	6	6
B. *Operated*	104	8.9	90	2	4	7	9	11	18	69
2. MULTIPLE DX										
A. *Not Operated*	212	6.9	45	1	1	5	9	15	21	34
B. *Operated*	854	13.7	99	5	6	11	17	25	32	62
1. SINGLE DX	136	7.4	77	1	1	6	8	11	15	66
2. MULTIPLE DX	1066	12.3	96	2	4	10	15	23	31	58
A. NOT OPERATED	244	6.3	42	1	1	4	9	13	20	33
B. OPERATED	958	13.2	100	5	6	10	16	24	32	62
TOTAL 0-19 YRS	12	7.6	8	5	5	7	8	11	14	15
20-34	55	7.4	10	4	5	7	9	10	12	21
35-49	177	9.0	55	1	2	8	11	16	23	42
50-64	486	11.5	107	1	2	9	15	21	30	54
65+	472	13.7	103	2	5	11	18	26	33	72
GRAND TOTAL	**1202**	**11.8**	**96**	**2**	**3**	**9**	**15**	**22**	**29**	**59**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	6.7	4	5	5	6	8	9	9	9
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	4	2.5	4	<1	<1	2	4	5	5	5
35-49	5	5.0	9	2	2	4	7	9	9	9
50-64	10	6.2	44	<1	<1	2	12	16	17	17
65+	27	10.0	126	2	2	8	11	22	31	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	5	3.6	3	2	2	4	5	6	6	6
65+	25	7.5	32	1	2	6	10	17	18	20
B. *Operated*										
0-19 YRS										
20-34	8	16.6	270	<1	1	8	33	39	41	41
35-49	15	10.2	94	2	3	7	11	19	35	40
50-64	32	11.9	76	2	3	9	16	22	33	37
65+	121	13.0	170	2	3	9	17	26	41	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	8	<1	1	4	6	8	9	9
B. *Operated*	48	7.9	86	<1	1	6	10	15	24	57
2. MULTIPLE DX										
A. *Not Operated*	34	6.5	27	1	2	5	7	16	18	20
B. *Operated*	176	12.7	150	2	3	9	17	26	38	87
1. SINGLE DX	56	7.4	76	<1	1	5	10	14	22	55
2. MULTIPLE DX	210	11.7	135	2	2	8	16	25	36	76
A. NOT OPERATED	42	6.1	24	1	2	5	7	15	17	20
B. OPERATED	224	11.7	140	2	2	8	15	25	36	72
TOTAL 0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	14	10.8	197	<1	<1	5	9	36	40	41
35-49	24	8.1	67	2	3	6	8	19	25	40
50-64	48	9.6	70	1	2	8	14	21	26	37
65+	176	11.7	144	2	2	8	15	24	31	87
GRAND TOTAL	**266**	**10.8**	**125**	**2**	**2**	**8**	**14**	**23**	**32**	**63**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	13	3.7	8	<1	1	3	5	7	10	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	172	5.9	21	<1	1	5	9	12	16	18
65+	578	5.1	12	1	1	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	8.5	5	7	7	8	10	10	10	10
50-64	65	6.5	98	1	1	4	7	12	21	65
65+	396	9.7	114	1	2	7	12	21	32	72
B. *Operated*										
0-19 YRS	4	9.0	26	2	2	10	12	14	14	14
20-34	1	8.0		8	8	8	8	8	8	8
35-49	13	7.2	12	1	3	8	9	11	13	14
50-64	593	8.6	60	1	2	6	11	17	24	43
65+	3694	8.5	55	2	2	6	10	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.7	8	<1	1	3	6	7	10	11
B. *Operated*	754	5.3	14	1	1	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	466	9.2	111	1	2	6	11	20	32	68
B. *Operated*	4305	8.5	56	2	2	6	11	16	22	39
1. SINGLE DX	769	5.2	14	1	1	5	7	10	12	18
2. MULTIPLE DX	4771	8.6	61	2	2	6	11	17	23	41
A. NOT OPERATED	481	9.1	109	1	2	6	11	20	31	66
B. OPERATED	5059	8.0	51	1	2	6	10	16	21	37
TOTAL 0-19 YRS	5	8.4	21	2	2	9	12	14	14	14
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	19	6.2	14	<1	1	7	9	10	12	14
50-64	832	7.9	56	1	2	6	10	16	21	39
65+	4681	8.2	56	1	2	6	10	16	21	39
GRAND TOTAL	**5540**	**8.1**	**56**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.8	9	1	1	3	5	8	11	12
20-34	91	3.6	20	1	1	2	4	7	11	29
35-49	35	2.6	6	1	1	2	3	6	9	11
50-64	14	2.7	2	<1	1	3	4	4	5	5
65+	13	5.7	14	1	2	5	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	10	4	4	5	8	11	11	11
20-34	15	3.9	5	<1	1	4	5	7	8	9
35-49	3	6.0	7	4	4	5	8	9	9	9
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	2	16.0	50	11	11	16	21	21	21	21
B. *Operated*										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	65	5.8	47	1	1	4	8	12	17	92
35-49	38	6.2	27	1	1	4	9	15	16	20
50-64	22	7.5	34	1	1	6	9	18	20	21
65+	19	6.1	18	1	2	5	9	12	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	3	2	2	4	6	6	6	6
B. *Operated*	172	3.5	15	1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	26	5.7	18	1	2	5	7	11	13	21
B. *Operated*	148	6.2	35	1	1	4	9	14	17	50
1. SINGLE DX	177	3.5	14	1	1	2	4	7	10	20
2. MULTIPLE DX	174	6.1	33	1	1	4	9	13	17	43
A. NOT OPERATED	31	5.5	16	1	2	5	6	10	11	21
B. OPERATED	320	4.7	26	1	1	3	6	11	14	25
TOTAL 0-19 YRS	29	4.5	8	1	1	4	6	9	11	12
20-34	173	4.5	30	1	1	3	5	9	13	46
35-49	77	4.5	20	1	1	3	5	12	15	19
50-64	38	5.6	26	1	1	4	9	13	18	21
65+	34	6.5	22	1	2	5	9	12	16	21
GRAND TOTAL	**351**	**4.8**	**25**	**1**	**1**	**3**	**6**	**11**	**14**	**22**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	4.1	13	<1	<1	3	6	10	11	11
65+	6	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	15	2.3	2	<1	1	2	3	5	5	5
35-49	70	3.0	8	1	1	2	4	5	11	15
50-64	406	3.8	21	1	1	2	4	8	12	21
65+	740	3.8	12	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	6.3	20	2	2	5	6	14	15	15
50-64	31	6.8	80	1	1	3	8	22	27	37
65+	179	7.5	68	1	1	5	9	16	25	46
B. *Operated*										
0-19 YRS	5	5.2	53	1	1	2	7	18	18	18
20-34	16	12.1	373	1	1	3	12	52	61	63
35-49	97	5.9	35	1	1	4	7	14	22	26
50-64	841	6.5	60	1	1	4	7	15	20	40
65+	3135	7.2	67	1	2	5	8	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.9	8	<1	1	4	6	7	10	11
B. *Operated*	1233	3.7	15	1	1	3	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	217	7.4	68	1	1	5	9	16	25	44
B. *Operated*	4094	7.1	66	1	2	4	8	16	21	40
1. SINGLE DX	1248	3.7	15	1	1	3	4	7	10	19
2. MULTIPLE DX	4311	7.1	66	1	2	4	8	16	22	40
A. NOT OPERATED	232	7.1	65	1	1	5	8	15	25	43
B. OPERATED	5327	6.3	56	1	1	4	7	14	20	36
TOTAL 0-19 YRS	7	5.3	39	1	1	2	8	16	18	18
20-34	32	7.1	207	<1	1	2	4	15	52	63
35-49	174	4.7	25	1	1	3	5	12	15	25
50-64	1286	5.6	49	1	1	3	6	13	19	35
65+	4060	6.6	59	1	2	4	8	15	20	37
GRAND TOTAL	**5559**	**6.3**	**57**	**1**	**1**	**4**	**7**	**14**	**20**	**37**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	12	<1	<1	1	3	9	11	11
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	6.0	35	<1	<1	4	8	16	16	16
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	7	14.3	280	6	6	8	10	44	52	52
20-34	7	6.4	8	2	2	7	9	10	10	10
35-49	47	7.2	12	1	1	8	9	11	13	15
50-64	77	8.1	13	1	2	8	10	13	14	16
65+	86	7.9	18	1	2	8	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.7	12	<1	<1	2	5	9	11	11
20-34	2	4.0		4	4	4	4	4	4	4
35-49	14	5.4	15	1	1	4	8	11	13	14
50-64	60	7.3	46	1	1	5	9	16	23	34
65+	93	10.8	146	2	3	7	13	21	36	71
B. *Operated*										
0-19 YRS	18	12.9	115	2	4	9	13	33	36	37
20-34	9	17.6	269	2	4	10	26	45	53	53
35-49	59	9.2	22	1	2	9	11	16	19	20
50-64	291	12.5	97	2	4	10	15	21	26	63
65+	588	14.1	119	3	5	12	17	24	32	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.8	17	<1	<1	3	4	10	14	16
B. *Operated*	224	8.0	23	1	2	8	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	179	8.8	98	1	1	6	11	17	25	42
B. *Operated*	965	13.3	109	2	4	11	16	23	30	65
1. SINGLE DX	240	7.7	24	1	2	8	10	13	15	17
2. MULTIPLE DX	1144	12.6	110	2	3	10	15	22	30	63
A. NOT OPERATED	195	8.3	93	1	1	6	11	16	24	41
B. OPERATED	1189	12.3	97	2	4	10	15	21	28	62
TOTAL 0-19 YRS	43	9.1	116	<1	1	6	11	23	36	52
20-34	18	11.7	166	2	3	8	10	30	45	53
35-49	121	7.9	19	1	2	8	10	13	16	20
50-64	433	10.9	79	1	2	9	13	19	25	42
65+	769	13.0	115	2	3	11	16	23	31	65
GRAND TOTAL	**1384**	**11.7**	**98**	**2**	**3**	**10**	**14**	**21**	**28**	**59**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	6	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	13	7.8	363	1	1	2	3	19	61	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	17	1.9	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	15	7.3	314	1	1	2	4	7	55	71
1. SINGLE DX	17	1.9	1	1	1	2	3	3	3	3
2. MULTIPLE DX	15	7.3	314	1	1	2	4	7	55	71
A. NOT OPERATED										
B. OPERATED	32	4.4	150	1	1	2	3	5	7	71
TOTAL 0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	19	6.1	249	1	1	2	3	5	42	71
GRAND TOTAL	**32**	**4.4**	**150**	**1**	**1**	**2**	**3**	**5**	**7**	**71**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.3	68	1	2	5	9	23	26	26
20-34	12	5.7	23	<1	1	5	7	13	17	18
35-49	10	6.4	53	1	1	4	7	17	26	26
50-64	23	8.3	55	1	2	5	12	17	24	32
65+	24	9.7	87	1	2	6	13	22	29	40
B. *Operated*										
0-19 YRS	27	10.2	81	2	2	9	13	18	31	43
20-34	31	8.1	27	2	2	7	10	14	20	24
35-49	30	10.7	52	2	2	10	15	18	20	36
50-64	54	13.4	59	2	4	14	16	24	28	38
65+	25	13.9	110	2	2	10	18	33	37	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.7	102	1	1	4	6	19	52	99+
20-34	32	5.9	24	1	1	5	7	12	19	22
35-49	63	10.3	135	1	1	6	12	24	41	54
50-64	108	12.5	219	1	2	8	18	30	50	99+
65+	134	13.2	117	3	4	11	16	27	46	99+
B. *Operated*										
0-19 YRS	45	17.2	218	2	5	12	25	55	99+	99+
20-34	41	15.9	113	3	5	13	21	28	31	60
35-49	71	14.7	97	4	6	11	19	28	44	89
50-64	127	20.6	332	3	6	15	24	49	71	94
65+	131	23.1	236	5	7	19	32	48	55	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	8.1	60	1	2	5	12	19	26	38
B. *Operated*	167	11.5	66	2	2	10	15	20	29	42
2. MULTIPLE DX										
A. *Not Operated*	366	11.3	146	1	2	8	14	26	44	99+
B. *Operated*	415	19.5	236	4	6	15	25	45	56	99+
1. SINGLE DX	243	10.4	66	1	2	9	14	20	26	40
2. MULTIPLE DX	781	15.7	210	2	3	12	20	37	51	99+
A. NOT OPERATED	442	10.8	132	1	2	7	14	25	40	99+
B. OPERATED	582	17.2	200	2	5	13	21	37	50	88
TOTAL 0-19 YRS	108	12.0	161	1	2	9	15	38	56	99+
20-34	116	10.0	75	1	2	7	13	22	26	43
35-49	174	11.9	105	1	2	9	15	23	38	53
50-64	312	15.6	242	2	3	12	19	36	50	99
65+	314	17.1	189	3	4	13	21	37	50	68
GRAND TOTAL	**1024**	**14.4**	**181**	**2**	**3**	**11**	**18**	**32**	**48**	**99**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	5	7.6	33	2	2	5	12	16	16	16
20-34	3	4.3		4	4	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	49.0		49	49	74	99+	99+	99+	99+
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	12.8	46	6	6	11	17	22	22	22
50-64	3	8.7	32	4	4	7	13	15	15	15
65+	5	10.6	41	4	4	10	13	21	21	21
B. *Operated*										
0-19 YRS	6	13.7	41	6	6	13	18	22	23	23
20-34	8	21.8	702	4	5	14	18	66	86	86
35-49	6	17.0	148	7	7	13	20	38	40	40
50-64	12	24.3	400	3	9	19	24	60	72	74
65+	19	25.6	289	4	8	26	32	48	60	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		1	1	1	2	2	2	2
B. *Operated*	12	6.9	23	2	3	5	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	14	13.3	137	4	4	10	19	49	87	99+
B. *Operated*	51	22.3	327	4	7	17	27	47	68	86
1. SINGLE DX	17	5.3	23	1	1	4	6	15	16	16
2. MULTIPLE DX	65	20.3	297	4	6	15	25	48	70	98
A. NOT OPERATED	19	10.2	128	1	1	7	14	35	74	99+
B. OPERATED	63	19.3	304	3	4	15	24	44	59	84
TOTAL 0-19 YRS	14	12.3	157	1	2	10	18	49	87	99+
20-34	12	16.2	515	4	4	9	16	39	79	86
35-49	13	12.2	111	1	2	10	16	26	37	40
50-64	16	20.3	349	3	4	15	22	51	68	74
65+	27	20.8	267	1	4	16	28	46	52	69
GRAND TOTAL	**82**	**17.2**	**277**	**2**	**3**	**13**	**21**	**44**	**59**	**95**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	8	<1	<1	2	4	8	10	10
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	5	2.6	2	2	2	2	3	5	5	5
50-64										
65+	6	2.8	1	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	8	4.4	12	1	1	3	5	10	12	12
20-34	34	3.8	5	1	2	3	4	8	9	11
35-49	38	3.5	3	1	2	3	4	5	8	10
50-64	38	5.0	22	1	2	4	4	9	18	23
65+	15	6.7	36	1	3	5	7	16	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	14	<1	<1	1	2	11	11	11
20-34	6	6.3	79	<1	<1	2	7	22	24	24
35-49	3	2.3		2	2	2	3	3	3	3
50-64	21	6.6	28	1	1	6	9	14	18	21
65+	24	11.7	129	<1	1	9	18	23	33	53
B. *Operated*										
0-19 YRS	27	14.4	267	3	4	8	15	45	52	70
20-34	55	5.1	21	2	2	4	5	9	11	32
35-49	77	4.9	10	2	2	4	6	8	13	17
50-64	90	7.6	46	2	3	5	9	16	24	35
65+	90	10.4	114	2	3	7	12	23	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.8	4	<1	<1	2	4	5	7	10
B. *Operated*	133	4.4	14	1	2	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	67	7.4	75	<1	<1	4	10	18	23	48
B. *Operated*	339	7.9	77	2	3	5	8	16	25	50
1. SINGLE DX	160	4.1	13	1	2	3	4	8	10	23
2. MULTIPLE DX	406	7.8	76	1	2	5	9	17	24	51
A. NOT OPERATED	94	6.1	58	<1	<1	3	9	16	21	40
B. OPERATED	472	6.9	62	2	2	4	7	14	22	49
TOTAL 0-19 YRS	59	8.4	157	<1	<1	5	8	16	40	68
20-34	100	4.6	18	1	2	4	5	8	10	28
35-49	123	4.3	8	1	2	4	5	8	10	16
50-64	149	6.8	38	2	2	4	8	15	22	34
65+	135	9.9	106	2	3	6	12	21	27	54
GRAND TOTAL	**566**	**6.8**	**61**	**1**	**2**	**4**	**8**	**15**	**21**	**49**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	5	2.4	4	<1	<1	1	4	5	5	5
50-64	27	4.0	12	<1	<1	3	6	9	11	14
65+	29	7.3	83	1	1	4	10	13	20	48
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	8	8.0	25	<1	<1	10	12	13	13	13
35-49	31	4.4	13	<1	1	3	6	10	11	16
50-64	52	5.2	28	<1	<1	3	8	12	16	26
65+	72	5.7	42	<1	<1	3	8	12	16	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	44	<1	<1	2	5	8	19	32
20-34	96	7.1	29	1	1	6	10	15	17	27
35-49	496	9.1	78	2	2	6	12	19	25	51
50-64	1810	9.7	77	1	2	7	13	21	26	44
65+	3242	10.9	98	2	3	8	14	22	29	51
B. *Operated*										
0-19 YRS	39	12.7	216	<1	1	8	14	36	42	71
20-34	136	12.0	181	1	2	8	15	29	38	91
35-49	628	11.4	148	1	2	8	14	24	34	74
50-64	2160	12.4	140	1	2	9	16	26	37	60
65+	3546	14.0	160	1	2	10	18	29	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.4	45	<1	1	3	7	11	13	44
B. *Operated*	166	5.4	31	<1	<1	3	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	5667	10.3	89	2	2	7	13	22	28	50
B. *Operated*	6509	13.2	154	1	2	10	17	28	38	68
1. SINGLE DX	231	5.4	35	<1	1	3	8	12	14	32
2. MULTIPLE DX	12176	11.8	126	1	2	9	15	25	34	60
A. NOT OPERATED	5732	10.2	89	2	2	7	13	22	28	49
B. OPERATED	6675	13.0	152	1	2	10	17	28	38	67
TOTAL 0-19 YRS	66	9.3	159	<1	<1	5	9	27	37	67
20-34	243	9.9	119	1	2	7	12	21	31	72
35-49	1160	10.2	116	1	2	7	13	22	29	60
50-64	4049	11.0	112	1	2	8	14	23	32	54
65+	6889	12.4	132	2	2	9	16	26	35	64
GRAND TOTAL	**12407**	**11.7**	**125**	**1**	**2**	**9**	**15**	**25**	**33**	**59**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	4	4
20-34	15	1.4	1	<1	1	1	2	3	3	3
35-49	7	4.1	5	1	1	4	6	8	8	8
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	48	5.2	11	<1	1	5	7	9	12	13
20-34	115	5.2	13	1	1	5	7	9	11	18
35-49	36	4.3	9	<1	1	4	7	8	10	11
50-64	29	5.1	17	<1	<1	3	7	11	14	16
65+	13	5.9	33	<1	1	2	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	7	1	2	4	7	9	9	9
20-34	31	7.7	63	1	1	4	10	19	27	30
35-49	24	6.7	60	<1	1	4	10	12	21	37
50-64	19	7.1	34	1	1	7	10	14	20	24
65+	21	12.8	122	1	3	11	18	26	37	47
B. *Operated*										
0-19 YRS	30	11.2	50	3	4	9	16	24	24	25
20-34	99	10.6	107	1	1	8	13	22	32	55
35-49	61	12.5	202	1	2	7	16	31	43	68
50-64	61	11.4	92	1	2	9	16	25	30	46
65+	52	16.3	118	2	4	15	22	38	42	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.7	9	<1	<1	1	3	6	11	13
B. *Operated*	241	5.1	13	<1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	104	8.1	68	1	1	6	11	18	25	42
B. *Operated*	303	12.2	122	1	2	9	16	26	37	59
1. SINGLE DX	274	4.8	13	<1	1	4	7	9	11	16
2. MULTIPLE DX	407	11.2	111	1	2	8	14	24	32	54
A. NOT OPERATED	137	6.8	59	<1	1	4	10	15	23	38
B. OPERATED	544	9.1	86	1	1	7	11	20	27	49
TOTAL 0-19 YRS	96	6.7	32	<1	1	6	9	13	22	25
20-34	260	7.4	62	1	1	6	9	15	22	48
35-49	128	8.6	123	<1	1	6	10	18	36	64
50-64	110	9.0	69	1	1	7	12	22	26	38
65+	87	13.9	117	1	2	12	18	30	41	80
GRAND TOTAL	**681**	**8.6**	**81**	**1**	**1**	**6**	**11**	**19**	**27**	**48**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	8	<1	<1	2	5	7	9	12
20-34	3	11.3	22	6	6	13	14	15	15	15
35-49	4	20.5	234	5	5	20	33	36	36	36
50-64	7	2.9	3	<1	<1	2	4	6	6	6
65+	5	7.6	39	1	1	6	13	16	16	16
B. *Operated*										
0-19 YRS	35	6.3	68	<1	<1	2	8	13	29	35
20-34	8	22.4	109	5	9	21	26	38	42	42
35-49	4	20.8	235	7	7	17	32	41	41	41
50-64	8	3.4	7	<1	<1	3	5	7	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	26	<1	1	4	6	10	15	25
20-34	13	13.0	154	1	2	8	19	32	40	42
35-49	13	5.7	28	1	1	4	9	14	16	17
50-64	29	7.6	65	1	1	5	9	17	28	36
65+	139	9.4	75	1	2	7	12	18	29	55
B. *Operated*										
0-19 YRS	64	19.9	265	1	3	16	26	42	49	75
20-34	25	26.7	180	6	9	30	37	45	47	49
35-49	16	22.2	346	1	2	17	35	52	56	58
50-64	37	16.8	404	3	3	8	24	60	76	99+
65+	107	15.0	185	2	4	10	19	32	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.9	57	<1	<1	3	6	14	23	36
B. *Operated*	57	9.0	115	<1	<1	5	11	25	34	42
2. MULTIPLE DX										
A. *Not Operated*	222	8.6	72	1	2	6	11	17	28	47
B. *Operated*	249	18.2	257	2	4	12	26	42	49	77
1. SINGLE DX	98	7.7	92	<1	<1	4	9	22	32	42
2. MULTIPLE DX	471	13.7	192	1	2	9	17	33	44	76
A. NOT OPERATED	263	8.2	70	<1	1	6	10	17	28	46
B. OPERATED	306	16.5	243	<1	2	11	24	40	47	76
TOTAL 0-19 YRS	149	11.4	190	<1	<1	6	15	32	42	68
20-34	49	21.4	186	3	5	21	31	41	45	49
35-49	37	16.1	253	1	1	9	28	40	49	58
50-64	81	11.0	237	<1	1	6	10	33	56	93
65+	253	11.7	128	2	3	8	15	26	37	54
GRAND TOTAL	**569**	**12.6**	**180**	**<1**	**1**	**8**	**16**	**32**	**42**	**73**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	8	<1	1	3	4	9	11	11
20-34	7	3.3	4	1	1	3	5	7	7	7
35-49	8	11.8	275	<1	1	4	16	41	48	48
50-64	6	3.3	5	2	2	3	3	8	8	8
65+	17	3.8	37	<1	<1	1	3	15	20	21
B. *Operated*										
0-19 YRS	12	12.3	182	<1	1	5	25	34	36	36
20-34	17	12.2	164	<1	1	7	25	32	37	39
35-49	13	12.8	236	1	1	6	26	36	44	46
50-64	10	18.2	416	2	2	7	34	52	58	58
65+	11	6.3	13	2	2	6	8	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.1	128	<1	<1	2	5	15	33	50
20-34	28	6.4	28	1	1	5	8	10	20	26
35-49	37	7.7	122	1	1	3	9	20	37	50
50-64	41	9.3	128	1	1	7	12	20	27	64
65+	213	8.4	101	1	1	4	11	19	26	52
B. *Operated*										
0-19 YRS	39	31.2	370	4	8	33	42	62	73	99+
20-34	55	31.4	433	2	5	30	41	61	67	89
35-49	81	31.8	384	4	6	31	39	58	70	92
50-64	88	25.0	355	2	3	26	37	53	57	94
65+	197	20.7	359	2	3	13	33	45	67	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.8	58	<1	1	2	4	10	20	47
B. *Operated*	63	12.3	195	1	1	6	22	34	41	56
2. MULTIPLE DX										
A. *Not Operated*	339	8.1	101	1	1	4	10	19	26	51
B. *Operated*	460	25.7	393	2	4	25	37	54	66	93
1. SINGLE DX	118	8.8	144	<1	1	4	8	28	35	51
2. MULTIPLE DX	799	18.2	344	1	2	10	29	44	57	80
A. NOT OPERATED	394	7.7	97	1	1	4	9	18	25	51
B. OPERATED	523	24.1	388	2	3	20	36	53	65	91
TOTAL 0-19 YRS	88	17.6	370	<1	1	9	33	48	58	90
20-34	107	20.0	398	1	2	10	33	51	61	81
35-49	139	22.4	414	1	1	18	35	49	60	83
50-64	145	19.2	336	1	2	12	32	50	57	86
65+	438	13.7	253	1	2	7	17	35	46	77
GRAND TOTAL	**917**	**17.0**	**328**	**1**	**2**	**9**	**29**	**43**	**55**	**79**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.3		<1	<1	1	1	2	3	3
20-34	7	3.0	5	1	1	2	5	6	6	6
35-49	18	5.5	24	<1	<1	4	9	14	16	16
50-64	29	4.4	20	<1	<1	2	8	10	12	19
65+	40	6.5	28	1	1	4	10	12	20	21
B. *Operated*										
0-19 YRS	13	5.7	86	<1	<1	3	5	13	32	36
20-34	39	6.2	48	<1	1	4	9	12	17	39
35-49	70	5.2	47	<1	<1	3	7	11	18	39
50-64	138	4.7	20	<1	<1	3	7	11	15	20
65+	152	6.1	44	<1	1	4	9	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.2	17	5	5	8	14	14	14	14
20-34	38	7.3	62	1	1	5	10	13	17	47
35-49	78	7.1	39	1	1	6	9	14	22	31
50-64	232	8.5	82	1	1	6	10	18	27	54
65+	562	11.5	134	2	2	8	14	25	37	75
B. *Operated*										
0-19 YRS	17	19.7	442	2	3	11	29	40	69	84
20-34	72	19.4	266	2	5	13	24	42	59	68
35-49	135	14.2	218	2	3	11	17	32	50	99+
50-64	440	12.0	135	1	2	9	16	25	36	66
65+	898	15.5	180	2	3	12	20	33	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	5.0	23	<1	1	3	8	11	15	21
B. *Operated*	412	5.5	38	<1	<1	3	7	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	916	10.2	112	1	2	7	13	23	30	65
B. *Operated*	1562	14.6	181	2	3	11	19	32	43	77
1. SINGLE DX	516	5.4	35	<1	<1	3	8	12	16	25
2. MULTIPLE DX	2478	13.0	160	1	2	9	17	28	40	71
A. NOT OPERATED	1020	9.7	105	1	2	7	12	22	29	64
B. OPERATED	1974	12.7	165	1	2	9	16	28	40	69
TOTAL 0-19 YRS	46	10.4	240	<1	<1	5	11	34	39	84
20-34	156	12.4	191	1	1	8	14	35	42	67
35-49	301	9.7	137	<1	1	7	12	21	32	90
50-64	839	9.6	105	1	1	7	13	20	28	56
65+	1652	13.0	158	1	2	10	17	28	41	72
GRAND TOTAL	**2994**	**11.7**	**146**	**1**	**2**	**8**	**15**	**26**	**37**	**67**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	23	3.0	7	<1	1	2	4	8	9	10
20-34	98	2.6	2	<1	1	2	4	5	5	7
35-49	127	2.8	3	1	1	3	4	5	5	10
50-64	129	2.8	3	1	1	3	4	5	6	9
65+	93	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	5	4.2	14	1	1	2	7	10	10	10
B. *Operated*										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	21	3.9	7	<1	1	4	5	8	9	9
35-49	59	3.1	5	1	1	3	4	6	7	12
50-64	116	3.4	6	1	1	3	4	6	8	13
65+	159	4.1	8	1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*	470	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	10	3.0	9	<1	<1	1	5	8	10	10
B. *Operated*	359	3.7	7	1	1	3	5	7	9	14
1. SINGLE DX	477	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	369	3.7	7	1	1	3	5	7	9	14
A. NOT OPERATED	17	2.5	6	<1	<1	1	3	6	9	10
B. OPERATED	829	3.2	5	1	1	3	4	6	7	12
TOTAL 0-19 YRS	29	3.1	8	<1	<1	2	4	8	9	10
20-34	121	2.8	3	<1	1	2	4	5	6	9
35-49	190	2.9	4	1	1	2	4	5	6	11
50-64	247	3.1	4	1	1	3	4	6	7	11
65+	259	3.7	6	1	1	3	5	7	8	14
GRAND TOTAL	**846**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	4	2.0	1	<1	<1	1	3	3	3	3
50-64	20	1.3	1	<1	<1	<1	1	2	3	4
65+	16	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-19 YRS	12	2.8	5	<1	<1	2	4	6	7	7
20-34	15	8.7	54	<1	<1	8	12	21	24	25
35-49	64	3.2	11	<1	<1	<1	5	9	10	11
50-64	167	2.8	10	<1	<1	1	3	8	10	14
65+	168	3.2	15	<1	<1	1	3	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	9	4.1	8	<1	<1	3	6	8	9	9
35-49	7	3.9	5	<1	<1	4	6	7	7	7
50-64	39	3.4	10	<1	<1	2	4	7	10	16
65+	97	4.8	17	<1	1	4	7	10	14	19
B. *Operated*										
0-19 YRS	16	5.1	12	<1	1	6	8	11	69	99+
20-34	39	7.6	24	<1	1	7	11	14	16	20
35-49	95	6.5	25	<1	<1	6	10	13	16	20
50-64	385	6.4	53	<1	<1	5	9	14	16	30
65+	968	7.7	56	<1	1	6	11	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.7	2	<1	<1	<1	2	4	5	6
B. *Operated*	426	3.2	15	<1	<1	1	4	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	154	4.3	14	<1	<1	3	6	9	11	18
B. *Operated*	1503	7.3	52	<1	<1	6	10	15	20	34
1. SINGLE DX	468	3.1	14	<1	<1	1	4	9	10	17
2. MULTIPLE DX	1657	7.0	49	<1	<1	5	10	15	19	34
A. NOT OPERATED	196	3.8	12	<1	<1	2	5	8	11	18
B. OPERATED	1929	6.4	47	<1	<1	4	9	14	19	32
TOTAL 0-19 YRS	30	4.0	10	<1	1	3	7	9	12	99+
20-34	65	7.2	30	<1	<1	7	10	15	18	24
35-49	170	5.0	21	<1	<1	4	9	11	14	18
50-64	611	5.0	40	<1	<1	2	8	12	15	23
65+	1249	6.8	50	<1	<1	5	10	15	20	34
GRAND TOTAL	**2125**	**6.1**	**44**	**<1**	**<1**	**4**	**9**	**14**	**18**	**31**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	49	1.7	2	<1	1	1	2	2	5	7
20-34	31	3.7	12	<1	<1	2	6	8	13	13
35-49	41	4.2	10	<1	<1	4	7	8	9	14
50-64	37	4.7	25	<1	1	3	6	9	14	27
65+	20	4.9	20	<1	<1	4	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34										
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	4	3.0	2	<1	<1	3	4	4	4	4
65+	2	4.5	13	2	2	4	7	7	7	7
B. *Operated*										
0-19 YRS	34	4.5	55	1	1	2	3	9	27	31
20-34	13	3.9	13	<1	1	2	5	10	12	12
35-49	29	6.9	43	1	1	4	9	18	23	24
50-64	77	7.2	57	1	1	7	9	13	17	49
65+	72	8.7	42	1	1	8	12	19	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*	178	3.6	14	<1	<1	2	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	10	4.2	7	<1	<1	4	7	8	9	9
B. *Operated*	225	7.0	49	1	1	5	9	17	20	29
1. SINGLE DX	183	3.5	13	<1	<1	2	5	8	10	17
2. MULTIPLE DX	235	6.9	48	1	1	5	9	16	20	28
A. NOT OPERATED	15	3.3	7	<1	1	3	4	7	9	9
B. OPERATED	403	5.5	36	<1	1	3	8	12	18	26
TOTAL 0-19 YRS	85	2.8	24	<1	1	2	2	5	7	30
20-34	44	3.8	12	<1	<1	2	5	8	12	13
35-49	74	5.2	25	<1	<1	4	8	10	17	24
50-64	120	6.2	46	1	1	5	8	11	17	37
65+	95	7.7	39	1	1	7	11	17	21	24
GRAND TOTAL	**418**	**5.4**	**35**	**<1**	**1**	**3**	**8**	**12**	**18**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	5	3.6	5	<1	<1	3	5	7	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	5	3.2	7	<1	<1	2	6	6	6	6
B. *Operated*										
0-19 YRS	282	2.4	4	<1	<1	2	3	4	6	7
20-34	288	2.1	3	<1	<1	1	3	4	5	9
35-49	330	2.1	4	<1	<1	1	2	4	5	10
50-64	264	2.0	4	<1	<1	1	2	4	6	13
65+	107	2.6	8	<1	<1	1	3	5	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	1	<1	<1	1	3	4	4	4
20-34	8	2.3	6	<1	<1	1	2	6	8	8
35-49	6	2.0	6	<1	<1	1	1	6	7	7
50-64	10	3.5	21	<1	<1	2	3	10	16	16
65+	10	3.1	10	<1	<1	2	4	8	11	11
B. *Operated*										
0-19 YRS	60	3.8	26	<1	1	2	4	9	14	30
20-34	116	3.0	9	<1	<1	2	4	6	9	16
35-49	193	3.7	21	<1	<1	2	4	9	10	28
50-64	271	3.6	16	<1	<1	2	4	9	12	21
65+	237	4.0	18	<1	<1	2	4	9	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.4	4	<1	<1	2	3	6	7	7
B. *Operated*	1271	2.2	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	41	2.7	9	<1	<1	1	3	6	9	16
B. *Operated*	877	3.6	18	<1	<1	2	4	9	12	21
1. SINGLE DX	1292	2.2	4	<1	<1	1	3	4	5	10
2. MULTIPLE DX	918	3.6	17	<1	<1	2	4	9	12	20
A. NOT OPERATED	62	2.6	7	<1	<1	2	3	6	8	15
B. OPERATED	2148	2.8	10	<1	<1	2	3	6	9	16
TOTAL 0-19 YRS	354	2.6	8	<1	<1	2	3	5	6	16
20-34	417	2.4	5	<1	<1	2	3	5	6	13
35-49	532	2.6	11	<1	<1	2	3	5	9	17
50-64	548	2.8	11	<1	<1	2	3	6	9	17
65+	359	3.5	15	<1	<1	2	4	8	13	18
GRAND TOTAL	**2210**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**6**	**9**	**16**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	11	<1	<1	2	3	9	11	11
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	5	4.0	8	1	1	4	6	8	8	8
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	257	2.3	9	<1	<1	1	2	4	7	16
20-34	83	2.0	4	<1	<1	1	2	4	6	11
35-49	69	2.5	6	<1	<1	1	3	6	7	11
50-64	54	2.5	5	<1	<1	2	3	5	9	10
65+	32	2.6	13	<1	<1	1	3	5	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	5	<1	<1	2	2	5	9	9
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	9	5.3	19	<1	<1	4	8	12	13	13
50-64	6	5.5	9	2	2	5	8	10	10	10
65+	21	4.9	15	1	1	4	7	11	14	15
B. *Operated*										
0-19 YRS	90	4.8	84	<1	<1	2	4	10	18	57
20-34	56	3.6	18	<1	<1	2	4	8	14	22
35-49	70	3.7	15	<1	<1	2	6	10	13	14
50-64	85	4.2	23	<1	<1	2	5	10	16	21
65+	79	5.7	76	<1	<1	2	7	15	19	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.2	7	<1	<1	2	4	7	9	11
B. *Operated*	495	2.3	8	<1	<1	1	2	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	49	4.3	13	<1	<1	3	6	10	13	15
B. *Operated*	380	4.5	46	<1	<1	2	5	11	15	31
1. SINGLE DX	516	2.3	8	<1	<1	1	2	5	7	14
2. MULTIPLE DX	429	4.4	43	<1	<1	2	5	11	14	27
A. NOT OPERATED	70	4.0	11	<1	<1	3	5	9	11	15
B. OPERATED	875	3.2	26	<1	<1	2	3	7	11	22
TOTAL 0-19 YRS	366	2.9	29	<1	<1	1	3	5	9	28
20-34	144	2.7	10	<1	<1	1	3	5	8	16
35-49	153	3.2	11	<1	<1	2	4	8	11	14
50-64	148	3.6	16	<1	<1	2	4	9	11	20
65+	134	4.8	52	<1	<1	2	6	12	17	31
GRAND TOTAL	**945**	**3.3**	**25**	**<1**	**<1**	**2**	**4**	**8**	**11**	**22**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	54	1.4	1	<1	<1	1	2	2	3	5
20-34	126	1.5	7	<1	<1	<1	1	2	2	11
35-49	130	1.4	1	<1	<1	<1	2	2	3	4
50-64	89	1.4	1	<1	<1	1	2	2	3	4
65+	34	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. Operated										
0-19 YRS	13	1.3		<1	<1	1	1	2	3	3
20-34	40	1.4		<1	<1	1	2	2	3	3
35-49	158	1.7	1	<1	<1	1	2	3	3	5
50-64	100	1.7	1	<1	<1	1	2	3	4	6
65+	110	2.7	15	<1	<1	2	3	4	6	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		1	1	1	2	2	2	2
B. Operated	433	1.4	2	<1	<1	<1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	4	1.3		<1	<1	1	2	2	2	2
B. Operated	421	1.9	5	<1	<1	1	2	3	4	6
1. SINGLE DX	436	1.4	2	<1	<1	<1	2	2	3	5
2. MULTIPLE DX	425	1.9	5	<1	<1	1	2	3	4	6
A. NOT OPERATED	7	1.3		<1	<1	1	2	2	2	2
B. OPERATED	854	1.7	4	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	68	1.4	1	<1	<1	1	2	2	3	5
20-34	167	1.4	5	<1	<1	<1	1	2	2	5
35-49	290	1.5	1	<1	<1	1	2	3	3	5
50-64	190	1.6	1	<1	<1	1	2	3	3	6
65+	146	2.4	12	<1	<1	2	3	4	5	25
GRAND TOTAL	**861**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	7	3.6	4	1	1	4	5	6	6	6
35-49	25	2.9	3	<1	1	3	3	5	7	9
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+										
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	237	4.9	5	<1	1	5	6	7	8	11
35-49	668	5.4	4	<1	2	6	6	7	8	11
50-64	121	5.1	6	<1	1	6	6	7	8	12
65+	7	6.0	6	1	2	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	28	2.4	2	<1	<1	2	3	5	5	6
35-49	122	2.5	9	<1	<1	1	3	5	7	20
50-64	13	2.8	7	<1	<1	1	4	7	8	8
65+	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	849	5.4	8	<1	1	6	7	8	10	14
35-49	5949	6.1	6	1	4	6	7	8	9	15
50-64	1153	6.2	8	1	2	6	7	9	10	17
65+	148	8.4	26	2	4	7	9	14	18	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.9	3	<1	1	3	4	5	6	9
B. Operated	1034	5.3	5	<1	2	6	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	168	2.5	7	<1	<1	1	3	5	6	17
B. Operated	8101	6.0	7	1	3	6	7	8	10	15
1. SINGLE DX	1070	5.2	5	<1	1	6	6	7	8	11
2. MULTIPLE DX	8269	6.0	7	1	2	6	7	8	10	15
A. NOT OPERATED	204	2.6	7	<1	<1	2	3	5	6	14
B. OPERATED	9135	6.0	7	1	3	6	7	8	10	15
TOTAL 0-19 YRS	5	2.8	4	1	1	2	5	5	5	5
20-34	1121	5.2	7	<1	1	5	6	8	9	13
35-49	6764	5.9	6	1	3	6	7	8	9	14
50-64	1291	6.0	8	1	2	6	7	9	10	17
65+	158	8.2	26	2	2	7	9	13	18	24
GRAND TOTAL	**9339**	**5.9**	**7**	**1**	**2**	**6**	**7**	**8**	**9**	**15**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	7	3.9	8	<1	<1	5	6	8	8	8
50-64	3	5.0	13	1	1	6	7	8	8	8
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	13	3.8	7	<1	<1	4	6	7	9	9
35-49	70	5.8	8	2	2	5	7	9	11	18
50-64	25	5.4	8	<1	2	6	7	8	10	14
65+	4	12.3	76	3	3	11	19	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	14	3.6	8	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	4	4.0	3	2	2	4	5	6	6	6
B. *Operated*	112	5.7	11	1	2	5	7	9	11	21
1. SINGLE DX	15	3.5	8	<1	<1	2	6	8	8	8
2. MULTIPLE DX	116	5.6	11	1	2	5	7	9	11	21
A. NOT OPERATED	5	3.6	3	2	2	4	5	6	6	6
B. OPERATED	126	5.5	11	1	1	5	7	8	11	21
TOTAL 0-19 YRS										
20-34	18	3.7	6	<1	<1	4	6	7	8	9
35-49	79	5.6	8	1	2	5	7	8	10	18
50-64	28	5.3	8	<1	1	6	7	8	9	14
65+	6	8.5	79	<1	<1	5	15	22	23	23
GRAND TOTAL	**131**	**5.4**	**11**	**1**	**1**	**5**	**7**	**8**	**11**	**21**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	71	4.6	2	3	3	4	5	6	8	10
20-34	297	4.7	2	3	3	5	5	6	6	10
35-49	96	5.5	3	3	4	5	6	8	8	12
50-64	62	6.2	5	3	4	6	7	8	9	15
65+	36	7.5	3	5	6	7	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	68	5.7	12	3	3	5	7	8	9	27
20-34	351	5.4	7	3	3	5	6	7	8	11
35-49	348	6.1	5	4	4	6	7	8	9	16
50-64	245	7.4	12	5	5	7	8	11	14	20
65+	250	9.4	51	5	5	7	10	16	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*	562	5.2	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	5	3.2	5	<1	<1	3	5	6	6	6
B. *Operated*	1262	6.8	18	4	4	6	7	10	13	23
1. SINGLE DX	564	5.2	3	3	3	5	6	7	8	12
2. MULTIPLE DX	1267	6.8	18	3	4	6	7	10	13	23
A. NOT OPERATED	7	3.1	5	<1	<1	3	5	6	6	6
B. OPERATED	1824	6.3	14	3	4	6	7	9	11	21
TOTAL 0-19 YRS	141	5.1	7	3	3	5	6	7	8	13
20-34	650	5.1	5	3	3	5	6	7	7	11
35-49	445	5.9	5	3	4	6	7	8	9	14
50-64	309	7.1	10	4	5	6	8	10	13	18
65+	286	9.2	45	5	5	7	10	15	20	34
GRAND TOTAL	**1831**	**6.3**	**14**	**3**	**4**	**6**	**7**	**9**	**11**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	8	3.6	3	<1	1	4	5	5	5	5
35-49	11	2.5	6	<1	<1	1	4	6	8	8
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	8	3.5	7	<1	<1	3	5	7	8	8
35-49	17	5.1	5	<1	1	5	6	8	9	9
50-64	11	6.8	4	2	4	7	8	9	9	9
65+	10	4.7	15	1	1	4	6	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	2.8	4	<1	<1	2	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	46	5.1	8	<1	1	5	7	9	9	13
1. SINGLE DX	26	2.8	4	<1	<1	2	5	5	6	8
2. MULTIPLE DX	46	5.1	8	<1	1	5	7	9	9	13
A. NOT OPERATED										
B. OPERATED	72	4.3	8	<1	<1	5	6	8	9	12
TOTAL 0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	16	3.6	5	<1	<1	4	5	6	7	8
35-49	28	4.1	7	<1	<1	5	6	8	8	9
50-64	14	5.6	9	<1	<1	6	8	9	9	9
65+	11	4.4	14	<1	1	2	6	11	13	13
GRAND TOTAL	**72**	**4.3**	**8**	**<1**	**<1**	**5**	**6**	**8**	**9**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	3	3	3	3
20-34	11	2.2	3	1	1	2	3	5	7	7
35-49	7	2.0	1	1	1	2	3	3	3	3
50-64	7	3.0	5	<1	<1	2	5	6	6	6
65+	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	6	2.2	3	<1	<1	2	3	5	5	5
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	10	5.7	22	<1	1	4	6	13	18	18
65+	18	5.5	10	1	1	5	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	2.2	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	43	4.3	12	<1	1	3	6	9	11	18
1. SINGLE DX	34	2.2	2	<1	<1	2	3	5	6	7
2. MULTIPLE DX	43	4.3	12	<1	1	3	6	9	11	18
A. NOT OPERATED										
B. OPERATED	77	3.4	9	<1	<1	3	5	7	9	16
TOTAL 0-19 YRS	10	1.6	1	<1	<1	1	3	3	3	3
20-34	17	2.2	3	<1	1	2	3	5	6	7
35-49	12	2.2	2	1	1	2	3	4	5	5
50-64	17	4.6	16	<1	<1	4	5	8	14	18
65+	21	5.0	10	<1	1	5	7	10	11	11
GRAND TOTAL	**77**	**3.4**	**9**	**<1**	**<1**	**3**	**5**	**7**	**9**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.7	6	<1	<1	2	4	7	7	7
35-49	5	7.4	28	2	2	9	11	14	14	14
50-64	16	2.5	5	<1	<1	2	3	4	8	10
65+	14	2.9	11	<1	<1	2	3	5	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	8	4.6	11	2	2	3	8	9	9	9
50-64	28	6.6	21	1	2	6	9	14	16	18
65+	74	4.9	27	1	1	3	6	10	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	43	3.2	11	<1	<1	2	4	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*	115	5.2	24	1	1	4	7	10	15	26
1. SINGLE DX	43	3.2	11	<1	<1	2	4	9	11	14
2. MULTIPLE DX	117	5.3	24	1	1	4	7	10	15	26
A. NOT OPERATED	2	7.0	50	2	2	7	12	12	12	12
B. OPERATED	158	4.7	21	<1	1	3	6	10	14	25
TOTAL 0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	10	3.0	4	<1	<1	2	5	6	7	7
35-49	13	5.7	18	2	2	3	9	11	13	14
50-64	44	5.1	19	<1	1	4	8	11	15	18
65+	90	4.7	25	1	1	3	5	10	14	27
GRAND TOTAL	**160**	**4.7**	**21**	**<1**	**1**	**3**	**6**	**10**	**14**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	12.5	13	10	10	12	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	13	2.8	19	<1	<1	<1	1	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	2.0	3	<1	<1	1	3	5	5	5
1. SINGLE DX	13	2.8	19	<1	<1	<1	1	11	14	15
2. MULTIPLE DX	5	2.0	3	<1	<1	1	3	5	5	5
A. NOT OPERATED										
B. OPERATED	18	2.6	15	<1	<1	<1	2	8	13	15
TOTAL 0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	2.3	5	<1	<1	<1	4	5	5	5
50-64	2	12.5	13	10	10	12	15	15	15	15
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**18**	**2.6**	**15**	**<1**	**<1**	**<1**	**2**	**8**	**13**	**15**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	4	3.8	4	<1	<1	4	5	5	5	5
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	18	7.5	21	1	1	7	11	14	16	16
35-49	47	9.3	34	2	2	8	13	18	20	25
50-64	39	7.5	28	1	2	6	10	16	18	23
65+	24	12.9	79	1	3	11	16	23	33	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	7.0	3	5	5	7	8	9	9	9
50-64	18	4.4	8	1	1	4	8	9	59	99+
65+	81	8.8	60	2	2	7	11	17	21	45
B. *Operated*										
0-19 YRS	8	14.8	132	4	4	11	24	32	33	33
20-34	24	13.7	117	2	5	11	17	25	35	52
35-49	54	12.3	75	2	3	10	17	23	32	38
50-64	97	16.6	261	3	5	12	17	40	60	74
65+	147	18.4	282	3	4	13	24	46	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.7	3	<1	<1	2	4	5	5	5
B. *Operated*	129	9.1	41	1	2	8	12	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	107	7.8	50	1	2	6	9	15	21	71
B. *Operated*	330	16.4	230	3	4	12	19	38	56	99+
1. SINGLE DX	140	8.6	41	1	2	7	12	17	20	30
2. MULTIPLE DX	437	14.3	199	2	3	10	17	33	51	99+
A. NOT OPERATED	118	7.3	48	1	2	5	9	15	21	65
B. OPERATED	459	14.4	187	2	3	11	17	31	48	99
TOTAL 0-19 YRS	11	11.7	122	1	2	7	17	31	33	33
20-34	43	10.9	83	1	3	8	14	22	26	52
35-49	109	10.5	56	2	2	9	14	20	24	36
50-64	158	12.6	194	2	2	9	15	23	52	74
65+	256	14.6	208	2	3	11	19	33	51	99+
GRAND TOTAL	**577**	**12.9**	**167**	**2**	**3**	**9**	**16**	**27**	**43**	**99**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	141	3.1	1	1	2	3	4	4	5	6
35-49	180	3.1	1	1	2	3	4	4	5	6
50-64	113	3.4	1	1	2	3	4	5	5	7
65+	41	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	5	5.8	29	2	2	4	8	15	15	15
65+	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	6	3.2		3	3	3	3	4	4	4
20-34	48	3.2	2	1	1	3	4	5	6	7
35-49	89	3.4	2	1	2	3	4	5	6	8
50-64	141	4.4	20	2	3	4	5	6	7	17
65+	101	5.1	11	2	3	4	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	481	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	12	4.6	13	2	2	3	6	9	14	15
B. *Operated*	385	4.2	11	2	2	4	5	6	7	13
1. SINGLE DX	483	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX	397	4.2	12	2	2	4	5	6	7	13
A. NOT OPERATED	14	4.2	12	1	2	3	6	7	13	15
B. OPERATED	866	3.6	6	1	2	3	4	5	6	10
TOTAL 0-19 YRS	12	2.7	1	1	1	3	3	4	4	4
20-34	190	3.1	1	1	2	3	4	5	5	6
35-49	273	3.2	1	1	2	3	4	5	5	7
50-64	260	4.0	12	2	2	4	4	5	6	13
65+	145	4.5	9	2	2	4	5	7	9	14
GRAND TOTAL	**880**	**3.6**	**6**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	4.2	6	2	2	4	6	8	8	8
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	2	8.0	18	5	5	8	11	11	11	11
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	12	7.5	3	5	5	7	9	10	11	11
35-49	27	5.2	9	1	2	5	7	9	12	13
50-64	24	4.8	10	1	1	3	7	9	11	12
65+	11	5.3	8	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	4.5	10	1	1	3	9	9	9	9
35-49	5	4.2	15	2	2	2	6	11	11	11
50-64	10	5.6	8	2	2	5	7	10	12	12
65+	17	6.8	20	2	2	6	9	15	15	15
B. *Operated*										
0-19 YRS	8	18.3	457	2	3	10	24	56	65	65
20-34	32	6.9	20	2	3	6	9	14	21	99+
35-49	46	10.1	60	3	3	8	12	22	27	35
50-64	117	8.8	96	2	3	6	11	17	25	54
65+	109	9.7	93	2	3	6	12	21	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.7	8	<1	1	3	5	8	10	11
B. *Operated*	76	5.4	9	1	2	5	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	44	5.6	14	2	2	5	8	11	14	15
B. *Operated*	312	9.4	92	2	3	6	11	18	26	68
1. SINGLE DX	91	5.2	9	1	2	5	7	9	11	13
2. MULTIPLE DX	356	8.9	84	2	3	6	11	17	26	63
A. NOT OPERATED	59	5.1	13	1	2	4	7	10	13	15
B. OPERATED	388	8.6	78	2	3	6	10	17	25	55
TOTAL 0-19 YRS	14	12.0	304	<1	2	5	11	37	59	65
20-34	56	6.4	15	2	2	6	9	11	15	94
35-49	83	7.8	44	2	2	6	10	15	22	34
50-64	155	7.8	78	2	2	5	9	15	23	39
65+	139	9.0	78	2	3	6	12	17	27	40
GRAND TOTAL	**447**	**8.1**	**71**	**2**	**2**	**6**	**10**	**16**	**23**	**39**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	302	2.8	4	<1	<1	2	4	6	7	8
35-49	174	3.8	5	<1	1	4	6	7	7	9
50-64	48	4.3	7	1	1	4	6	8	8	12
65+	14	5.0	16	1	1	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	7	2.7	11	<1	<1	1	3	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	300	3.9	7	<1	1	4	6	7	8	12
35-49	317	5.1	9	1	1	5	7	8	9	16
50-64	95	5.8	16	1	1	5	7	11	13	22
65+	62	5.2	16	<1	1	5	7	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	539	3.4	5	<1	<1	3	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	12	2.2	7	<1	<1	1	3	28	86	99+
B. *Operated*	775	4.8	10	<1	1	5	6	8	10	15
1. SINGLE DX	540	3.4	5	<1	<1	3	5	7	7	9
2. MULTIPLE DX	787	4.7	10	<1	1	5	6	8	10	15
A. NOT OPERATED	13	2.3	6	<1	<1	1	3	19	82	99+
B. OPERATED	1314	4.2	9	<1	1	4	6	7	9	14
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	608	3.4	6	<1	<1	3	5	7	8	10
35-49	498	4.6	8	<1	1	5	6	7	9	14
50-64	143	5.3	14	1	1	5	7	10	12	31
65+	76	5.2	15	1	1	5	7	10	13	18
GRAND TOTAL	**1327**	**4.2**	**9**	**<1**	**1**	**4**	**6**	**7**	**9**	**14**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	13	3.9	19	<1	<1	2	5	10	15	16
35-49	54	4.3	9	<1	<1	4	6	8	10	13
50-64	62	3.9	16	<1	<1	2	5	9	13	19
65+	56	4.6	12	<1	1	4	6	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	11	7.4	38	1	3	5	9	16	23	24
65+	4	8.0	77	1	1	5	14	20	20	20
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	17	4.4	9	<1	1	4	5	8	11	13
35-49	65	6.8	72	<1	1	5	8	13	16	57
50-64	162	7.1	56	<1	1	5	9	14	22	39
65+	300	7.2	40	1	2	6	10	15	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*	185	4.2	13	<1	<1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	18	6.7	40	1	1	5	9	17	22	24
B. *Operated*	545	7.0	48	1	1	5	9	14	18	38
1. SINGLE DX	192	4.2	13	<1	<1	3	6	9	12	16
2. MULTIPLE DX	563	7.0	47	1	1	5	9	14	18	37
A. NOT OPERATED	25	5.5	33	<1	1	4	6	11	21	24
B. OPERATED	730	6.3	40	<1	1	5	9	13	17	31
TOTAL 0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	31	4.1	12	<1	1	3	5	8	13	16
35-49	122	5.5	44	<1	<1	5	7	10	13	36
50-64	237	6.2	46	<1	1	5	8	13	17	38
65+	362	6.8	37	1	1	5	9	14	17	31
GRAND TOTAL	**755**	**6.3**	**40**	**<1**	**1**	**5**	**9**	**13**	**17**	**31**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	3	<1	<1	1	3	5	6	6
20-34	18	2.6	2	<1	1	2	3	5	6	7
35-49	17	3.7	9	<1	<1	2	6	8	10	11
50-64	24	4.4	12	1	1	3	7	9	12	13
65+	27	3.5	4	1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	59	3.9	11	<1	1	3	6	8	12	16
20-34	95	3.9	9	<1	1	3	5	9	10	13
35-49	100	4.5	13	<1	<1	4	6	9	11	18
50-64	149	3.9	12	<1	<1	2	6	9	12	14
65+	138	3.9	27	<1	1	2	4	9	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.2	4	<1	<1	2	2	4	6	11
20-34	33	3.7	19	<1	<1	2	5	8	9	23
35-49	42	4.0	23	<1	<1	3	4	8	13	27
50-64	100	6.5	32	<1	1	5	8	14	17	31
65+	285	7.8	91	1	1	5	10	16	20	71
B. *Operated*										
0-19 YRS	46	6.7	53	1	1	4	8	13	17	42
20-34	83	5.9	21	<1	1	5	8	12	19	20
35-49	171	6.9	56	1	1	6	8	13	19	56
50-64	308	7.3	36	1	1	6	10	15	18	28
65+	673	9.5	81	1	2	7	12	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.3	7	<1	1	2	5	7	8	12
B. *Operated*	541	4.0	15	<1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	490	6.6	66	<1	1	4	8	14	18	34
B. *Operated*	1281	8.3	63	1	1	6	11	18	22	43
1. SINGLE DX	647	3.9	14	<1	1	3	6	8	11	14
2. MULTIPLE DX	1771	7.8	64	1	1	6	10	17	22	42
A. NOT OPERATED	596	6.0	57	<1	1	4	8	13	17	33
B. OPERATED	1822	7.0	53	1	1	5	9	15	21	38
TOTAL 0-19 YRS	155	4.2	24	<1	<1	2	6	8	13	26
20-34	229	4.5	15	<1	1	4	6	9	12	20
35-49	330	5.6	38	<1	1	5	7	11	14	44
50-64	581	6.2	30	<1	1	5	8	13	16	26
65+	1123	8.2	79	1	1	6	11	18	23	47
GRAND TOTAL	**2418**	**6.8**	**54**	**<1**	**1**	**5**	**9**	**14**	**20**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	3	5.7	8	4	4	4	8	9	9	9
B. *Operated*										
0-19 YRS	10	3.0	1	2	2	3	4	4	4	4
20-34	94	3.1	2	1	2	3	4	4	5	9
35-49	160	3.5	2	2	2	3	4	5	6	8
50-64	108	3.6	2	2	2	4	4	5	6	9
65+	49	3.9	4	2	2	4	5	5	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	4	<1	<1	2	4	5	5	5
35-49	11	2.2	2	<1	<1	1	4	5	5	5
50-64	10	4.8	26	1	1	2	8	13	15	15
65+	22	7.1	22	1	2	6	10	15	16	17
B. *Operated*										
0-19 YRS	7	2.9	1	2	2	2	4	5	5	5
20-34	40	3.8	1	2	3	4	4	5	6	7
35-49	87	4.3	5	2	2	4	5	6	9	15
50-64	133	4.3	5	2	2	4	5	6	8	14
65+	127	6.3	52	2	3	5	6	10	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	6	1	1	4	4	7	9	9
B. *Operated*	421	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	47	5.1	20	<1	<1	4	8	12	15	17
B. *Operated*	394	4.9	21	2	2	4	5	7	9	27
1. SINGLE DX	430	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX	441	4.9	20	2	2	4	5	8	10	24
A. NOT OPERATED	56	4.9	18	<1	<1	4	7	11	15	17
B. OPERATED	815	4.2	12	2	2	4	5	6	8	15
TOTAL 0-19 YRS	18	3.1	1	2	2	3	4	5	5	5
20-34	138	3.3	2	1	2	3	4	5	5	7
35-49	261	3.7	4	1	2	4	4	5	7	13
50-64	253	4.0	4	2	2	4	5	6	8	14
65+	201	5.8	37	2	2	4	6	10	14	37
GRAND TOTAL	**871**	**4.2**	**12**	**2**	**2**	**4**	**5**	**6**	**8**	**16**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	13	<1	<1	3	4	11	12	12
20-34	25	4.0	4	1	2	4	5	5	9	11
35-49	24	5.2	8	1	2	5	7	9	10	11
50-64	12	3.8	5	1	1	4	6	6	7	7
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	15	4.3	6	1	3	4	5	5	10	12
20-34	86	4.0	3	2	3	4	5	6	6	12
35-49	56	3.7	4	1	2	3	4	5	9	10
50-64	39	3.7	2	2	2	3	5	6	7	8
65+	11	4.0	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	4	<1	1	3	4	7	7	7
20-34	47	5.2	11	1	1	5	7	9	12	15
35-49	66	6.5	22	2	2	6	9	11	15	27
50-64	114	7.1	21	2	3	6	9	12	16	24
65+	237	11.2	131	2	3	8	14	19	29	69
B. *Operated*										
0-19 YRS	9	6.4	26	1	2	6	7	14	19	19
20-34	44	5.1	10	2	2	4	7	9	11	16
35-49	47	4.5	7	2	2	4	5	8	10	14
50-64	71	6.4	53	2	2	4	7	14	18	48
65+	73	14.5	279	3	3	8	17	28	64	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.3	8	1	1	4	5	9	10	12
B. *Operated*	207	3.9	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	475	8.8	81	2	2	7	10	17	20	46
B. *Operated*	244	8.2	119	2	2	5	8	16	25	71
1. SINGLE DX	292	4.0	4	1	2	4	5	6	8	12
2. MULTIPLE DX	719	8.6	94	2	2	6	10	17	22	58
A. NOT OPERATED	560	8.1	72	2	2	6	10	15	19	41
B. OPERATED	451	6.2	71	2	2	4	6	10	18	54
TOTAL 0-19 YRS	57	4.4	11	<1	1	4	5	8	12	19
20-34	202	4.5	7	2	2	4	5	7	9	15
35-49	193	5.0	13	1	2	4	6	9	11	18
50-64	236	6.1	28	2	2	5	7	11	16	25
65+	323	11.6	163	2	3	8	14	20	33	76
GRAND TOTAL	**1011**	**7.2**	**72**	**2**	**2**	**5**	**8**	**15**	**19**	**46**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	4.9	6	2	2	5	6	8	9	14
20-34	13	4.2	8	1	1	4	5	9	9	9
35-49	15	3.9	6	1	1	3	6	7	8	8
50-64	13	5.2	5	2	2	5	7	8	9	9
65+	7	6.1	21	2	2	5	8	14	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	12.5	25	9	9	12	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.1	21	1	3	6	7	9	14	98
20-34	49	4.8	11	1	1	5	7	9	11	15
35-49	54	5.6	19	1	2	5	7	10	13	26
50-64	78	6.7	18	2	3	6	8	11	15	26
65+	81	9.4	123	2	3	6	9	16	32	63
B. *Operated*										
0-19 YRS										
20-34	5	7.8	36	3	3	6	10	18	18	18
35-49	3	5.7	4	4	4	5	7	8	8	8
50-64	22	10.7	59	1	1	9	17	22	25	27
65+	12	14.9	92	3	4	13	23	49	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	4.8	7	1	2	4	6	8	9	14
B. *Operated*	4	7.3	46	1	1	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	314	6.8	47	1	2	6	8	11	16	52
B. *Operated*	42	11.2	67	1	3	9	17	24	30	99+
1. SINGLE DX	122	4.9	8	1	2	4	6	8	9	15
2. MULTIPLE DX	356	7.3	51	1	2	6	8	14	20	59
A. NOT OPERATED	432	6.3	37	1	2	5	7	10	15	36
B. OPERATED	46	10.9	65	1	2	9	17	23	29	99+
TOTAL 0-19 YRS	122	5.4	13	2	2	5	7	8	10	51
20-34	67	4.9	12	1	1	4	7	9	11	17
35-49	74	5.2	16	1	2	4	7	9	10	24
50-64	115	7.4	27	2	3	7	9	14	19	27
65+	100	9.9	115	2	3	7	11	19	34	82
GRAND TOTAL	**478**	**6.7**	**41**	**1**	**2**	**5**	**8**	**12**	**17**	**44**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	374	3.8	6	1	1	3	5	7	8	11
20-34	297	3.7	4	1	1	3	5	7	8	11
35-49	108	5.0	8	2	2	5	6	9	9	14
50-64	49	6.3	17	1	2	6	8	11	16	20
65+	31	6.2	12	1	3	6	8	10	10	19
B. *Operated*										
0-19 YRS	5	5.6	7	2	2	6	7	9	9	9
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	5.0	50	1	1	3	6	9	12	23
20-34	703	5.1	14	1	2	4	6	9	11	19
35-49	460	6.8	26	2	2	6	8	12	15	32
50-64	431	8.5	38	2	3	7	10	14	18	45
65+	672	11.2	82	3	4	9	14	20	27	69
B. *Operated*										
0-19 YRS	11	7.2	17	2	3	6	9	13	17	17
20-34	68	9.9	64	3	4	8	12	16	25	50
35-49	71	13.0	86	4	5	11	16	22	31	92
50-64	85	16.1	164	4	5	13	20	33	51	99+
65+	146	22.0	271	7	8	17	31	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	4.1	7	1	1	4	5	8	9	12
B. *Operated*	9	5.8	6	2	3	5	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2709	7.4	49	2	2	6	9	14	18	36
B. *Operated*	381	16.4	191	4	5	13	21	38	66	99+
1. SINGLE DX	868	4.2	7	1	1	4	6	8	9	12
2. MULTIPLE DX	3090	8.5	75	2	2	6	10	16	23	68
A. NOT OPERATED	3568	6.6	41	1	2	5	8	13	16	34
B. OPERATED	390	16.2	190	4	5	13	21	37	64	99+
TOTAL 0-19 YRS	833	4.5	30	1	1	3	6	8	10	17
20-34	1070	5.0	16	1	2	4	6	9	12	20
35-49	640	7.2	34	2	2	6	9	13	17	34
50-64	566	9.4	63	2	3	8	12	17	23	61
65+	849	12.9	130	3	4	10	15	27	37	99+
GRAND TOTAL	**3958**	**7.6**	**63**	**1**	**2**	**5**	**9**	**15**	**20**	**58**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	4.8	8	1	2	4	6	9	11	37
20-34	238	4.0	5	1	1	4	5	7	8	11
35-49	248	5.1	6	2	2	5	7	8	9	13
50-64	340	5.4	9	2	2	5	7	9	11	15
65+	254	5.9	9	2	3	5	7	10	12	17
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	2.0	1	<1	<1	2	2	3	4	4
35-49	12	2.6	2	<1	1	2	3	5	6	6
50-64	34	4.0	15	1	1	3	5	8	12	20
65+	23	7.0	55	1	2	3	8	19	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	5.8	81	1	1	4	7	10	13	99+
20-34	704	5.7	19	1	2	4	7	11	14	23
35-49	1325	6.7	28	2	2	5	8	12	15	27
50-64	2863	7.3	33	2	3	6	9	12	16	26
65+	4282	8.9	62	3	3	7	10	15	20	57
B. *Operated*										
0-19 YRS	11	8.2	25	2	2	8	10	15	19	19
20-34	191	11.3	212	2	2	7	13	23	38	79
35-49	556	14.0	170	2	3	10	17	33	44	70
50-64	1427	16.4	223	2	3	12	22	38	51	99+
65+	2121	19.2	258	3	5	15	25	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1308	5.1	8	2	2	5	6	9	10	15
B. *Operated*	82	4.4	24	<1	1	3	5	9	16	27
2. MULTIPLE DX										
A. *Not Operated*	9417	7.8	47	2	3	6	9	13	17	40
B. *Operated*	4306	17.2	238	2	3	13	23	40	55	99+
1. SINGLE DX	1390	5.0	9	1	2	5	6	9	10	15
2. MULTIPLE DX	13723	10.7	126	2	3	7	12	22	34	74
A. NOT OPERATED	10725	7.4	43	2	3	6	9	13	17	36
B. OPERATED	4388	17.0	237	2	3	12	22	40	54	99+
TOTAL 0-19 YRS	484	5.3	46	1	2	4	7	9	12	99+
20-34	1144	6.2	54	1	2	4	7	12	15	33
35-49	2141	8.4	73	2	2	6	9	16	24	48
50-64	4664	9.9	108	2	3	7	11	20	31	63
65+	6680	12.0	146	3	3	8	14	25	40	86
GRAND TOTAL	**15113**	**10.2**	**118**	**2**	**3**	**7**	**12**	**21**	**32**	**72**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	4	<1	<1	4	5	6	7	7
20-34	41	2.8	4	<1	<1	2	4	6	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	18	3.7	6	1	1	3	5	8	9	9
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.3	6	<1	<1	3	5	7	8	8
20-34	102	3.6	12	<1	<1	3	5	7	8	21
35-49	11	3.6	7	<1	<1	3	6	7	8	8
50-64										
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.9	1	1	1	2	3	3	4	4
B. *Operated*	52	3.0	4	<1	<1	2	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	23	3.7	10	<1	1	3	5	8	11	14
B. *Operated*	130	3.7	12	<1	<1	3	5	7	8	17
1. SINGLE DX	64	2.8	4	<1	<1	2	4	5	6	7
2. MULTIPLE DX	153	3.7	11	<1	<1	3	5	7	8	14
A. NOT OPERATED	35	3.1	8	1	1	2	4	7	9	14
B. OPERATED	182	3.5	9	<1	<1	3	5	6	8	14
TOTAL 0-19 YRS	32	3.1	5	<1	<1	2	5	6	7	8
20-34	166	3.4	9	<1	<1	3	5	6	8	14
35-49	17	3.9	12	<1	<1	3	6	8	12	14
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**217**	**3.4**	**9**	**<1**	**<1**	**3**	**5**	**6**	**8**	**14**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.6	2	<1	1	1	2	3	4	9
20-34	36	3.5	5	<1	1	3	5	6	8	9
35-49	31	4.5	17	<1	1	4	5	12	13	16
50-64	21	5.2	22	<1	1	4	7	11	16	20
65+	31	4.0	19	1	1	3	5	7	10	24
B. *Operated*										
0-19 YRS	8	5.3	11	1	1	5	8	10	10	10
20-34	8	4.8	18	<1	<1	4	6	12	14	14
35-49	9	5.0	11	<1	<1	5	7	9	10	10
50-64	14	4.1	3	1	2	4	5	6	8	9
65+	5	8.2	39	4	4	4	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	2.5	5	<1	1	2	3	5	6	12
20-34	217	4.4	14	1	1	3	6	9	11	18
35-49	237	5.1	22	1	1	4	6	10	15	23
50-64	519	6.4	56	1	2	4	7	13	17	38
65+	1374	7.4	62	1	2	5	9	14	20	43
B. *Operated*										
0-19 YRS	6	17.5	402	2	2	7	35	48	50	50
20-34	24	10.5	90	<1	3	9	15	39	99+	99+
35-49	74	8.6	83	2	2	5	11	20	24	51
50-64	123	12.8	220	2	3	8	16	37	49	87
65+	204	15.1	255	2	3	10	18	34	44	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	2.9	10	<1	1	2	4	6	10	17
B. *Operated*	44	5.1	13	<1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2531	6.3	51	1	1	4	8	12	17	38
B. *Operated*	431	13.1	212	2	3	9	17	28	45	95
1. SINGLE DX	277	3.3	11	<1	1	2	4	7	10	17
2. MULTIPLE DX	2962	7.3	80	1	2	5	9	15	21	52
A. NOT OPERATED	2764	6.1	48	1	1	4	7	12	17	36
B. OPERATED	475	12.4	199	2	3	8	16	27	44	94
TOTAL 0-19 YRS	312	2.6	15	<1	1	1	3	5	7	14
20-34	285	4.8	22	1	1	4	6	10	14	37
35-49	351	5.8	36	1	1	4	7	12	16	32
50-64	677	7.5	90	1	2	5	8	15	22	56
65+	1614	8.3	92	1	2	6	10	17	24	53
GRAND TOTAL	**3239**	**7.0**	**75**	**1**	**1**	**5**	**8**	**14**	**20**	**50**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.1	63	1	1	4	9	21	25	25
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	4	3.5	6	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49										
50-64	2	10.5	61	5	5	10	16	16	16	16
65+	4	7.3	35	1	1	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.3	40	2	3	7	10	17	24	28
20-34	14	9.9	105	2	2	6	9	21	36	41
35-49	20	6.8	21	1	2	5	11	16	54	99+
50-64	58	7.9	44	2	3	6	9	15	21	36
65+	217	11.8	122	3	4	9	14	24	62	99+
B. *Operated*										
0-19 YRS	8	7.0	22	2	2	6	13	66	99+	99+
20-34	9	18.4	246	2	5	12	26	45	48	48
35-49	18	16.4	145	3	6	14	19	27	44	55
50-64	32	14.6	206	4	4	10	16	42	62	99+
65+	177	13.7	189	2	3	9	17	31	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.1	39	1	1	4	8	14	22	25
B. *Operated*	9	7.1	29	1	1	5	10	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	328	10.5	99	2	3	8	13	22	37	99+
B. *Operated*	244	14.0	185	2	3	9	17	32	49	95
1. SINGLE DX	25	6.4	35	1	1	5	8	15	18	25
2. MULTIPLE DX	572	12.0	139	2	3	9	15	28	42	99+
A. NOT OPERATED	344	10.3	97	2	3	8	13	22	36	99+
B. OPERATED	253	13.7	181	2	3	9	17	31	47	93
TOTAL 0-19 YRS	36	7.7	40	1	2	5	11	18	27	99+
20-34	27	12.1	153	2	2	9	13	37	42	48
35-49	38	11.4	101	1	3	9	16	25	43	99+
50-64	94	10.2	107	2	3	8	12	20	35	83
65+	402	12.5	151	2	3	9	15	29	43	99+
GRAND TOTAL	**597**	**11.8**	**135**	**2**	**3**	**8**	**15**	**26**	**41**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	11.2	47	3	4	11	13	19	22	41
20-34	48	12.1	43	3	4	12	17	21	24	28
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	3	24.3	352	13	13	14	38	46	46	46
20-34	2	12.5	181	3	3	12	22	22	22	22
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	12.2	41	2	4	12	15	19	22	47
20-34	158	12.9	57	3	5	12	15	21	28	60
35-49	15	15.6	37	9	10	13	20	25	29	30
50-64										
65+										
B. *Operated*										
0-19 YRS	24	22.3	241	4	8	16	34	45	51	63
20-34	30	21.1	161	4	7	17	27	44	46	47
35-49	3	25.0	273	14	14	17	37	44	44	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	11.5	45	3	4	11	14	20	23	33
B. *Operated*	5	19.6	263	3	3	14	28	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	376	12.6	48	3	5	12	15	20	25	50
B. *Operated*	57	21.8	193	4	8	16	29	45	46	62
1. SINGLE DX	149	11.8	53	3	4	11	14	21	24	46
2. MULTIPLE DX	433	13.9	76	3	5	12	16	23	31	54
A. NOT OPERATED	520	12.3	47	3	4	12	15	20	24	45
B. OPERATED	62	21.7	195	4	7	16	29	45	46	61
TOTAL 0-19 YRS	325	12.8	67	3	4	12	14	20	28	49
20-34	238	13.8	75	3	5	12	17	24	30	49
35-49	19	16.9	72	9	10	14	20	28	38	44
50-64										
65+										
GRAND TOTAL	**582**	**13.3**	**71**	**3**	**4**	**12**	**16**	**22**	**29**	**48**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	8	7.0	4	4	4	7	8	10	10	10
20-34	86	6.6	4	4	4	6	8	9	10	13
35-49	71	7.2	5	4	5	7	8	11	12	13
50-64	6	7.3	3	5	5	8	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	21.6	770	2	2	6	57	83	98	99+
20-34	11	3.9	17	1	1	2	6	11	13	13
35-49	18	3.5	11	<1	<1	2	4	7	12	14
50-64	15	8.0	51	<1	1	8	12	21	22	22
65+	9	9.8	125	3	3	6	8	28	39	39
B. *Operated*										
0-19 YRS	6	7.5	6	5	5	7	9	11	11	11
20-34	147	8.1	13	4	5	7	9	12	14	22
35-43	248	8.6	32	4	5	7	9	13	20	31
50-64	67	9.7	90	4	5	7	9	13	32	53
65+	3	26.3	320	11	11	22	40	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.0	16	1	1	5	9	12	12	12
B. *Operated*	171	6.9	5	4	4	6	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	64	8.6	196	<1	1	4	9	21	56	96
B. *Operated*	471	8.7	37	4	5	7	9	13	18	43
1. SINGLE DX	177	6.8	5	4	4	6	8	10	12	13
2. MULTIPLE DX	535	8.7	56	2	4	7	9	13	21	53
A. NOT OPERATED	70	8.4	181	1	1	4	9	21	54	95
B. OPERATED	642	8.2	29	4	5	7	9	12	15	31
TOTAL 0-19 YRS	26	13.2	365	2	3	7	10	58	80	99+
20-34	246	7.3	11	4	4	7	9	11	13	21
35-49	339	8.0	27	4	4	7	9	13	16	30
50-64	89	9.3	76	1	4	7	10	14	22	51
65+	12	13.9	205	3	4	7	17	41	45	46
GRAND TOTAL	**712**	**8.2**	**44**	**3**	**4**	**7**	**9**	**12**	**17**	**47**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.7	3	<1	<1	1	2	3	5	99+
20-34	48	4.0	34	<1	1	2	5	8	13	37
35-49	29	4.4	68	<1	<1	1	4	8	16	44
50-64	25	4.4	62	<1	<1	<1	4	12	20	37
65+	18	2.1	4	<1	<1	1	3	5	7	8
B. *Operated*										
0-19 YRS	13	4.4	12	<1	<1	3	7	9	11	12
20-34	65	3.2	18	<1	<1	2	3	7	11	25
35-49	93	3.2	54	<1	<1	1	3	6	9	46
50-64	45	3.0	14	<1	1	2	4	6	8	23
65+	7	2.0	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	5.8	77	<1	<1	3	7	16	22	71
20-34	192	10.6	133	1	2	6	13	26	35	66
35-49	176	11.9	187	1	2	7	15	29	42	71
50-64	166	8.2	58	1	2	6	11	15	21	42
65+	310	8.8	69	1	2	7	11	17	22	53
B. *Operated*										
0-19 YRS	17	14.4	410	1	2	7	20	88	99+	99+
20-34	168	16.9	243	2	2	13	25	36	49	86
35-49	193	15.3	295	1	2	9	21	37	53	82
50-64	131	10.1	141	1	1	5	16	26	39	99+
65+	150	13.3	228	1	2	9	17	27	37	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	2.8	25	<1	<1	1	2	7	11	55
B. *Operated*	223	3.2	31	<1	<1	1	3	6	9	30
2. MULTIPLE DX										
A. *Not Operated*	978	9.2	105	1	1	6	11	20	30	63
B. *Operated*	659	14.2	243	1	2	9	20	35	49	96
1. SINGLE DX	451	3.0	28	<1	<1	1	3	6	10	37
2. MULTIPLE DX	1637	11.2	166	1	1	7	14	27	38	73
A. NOT OPERATED	1206	8.0	96	<1	1	5	10	18	29	62
B. OPERATED	882	11.4	212	1	1	5	16	29	41	90
TOTAL 0-19 YRS	272	4.6	74	<1	<1	2	5	12	21	99+
20-34	473	11.1	171	1	1	6	15	28	38	75
35-49	491	11.1	218	<1	1	5	14	29	43	69
50-64	367	8.0	87	<1	1	5	11	18	28	54
65+	485	9.9	122	1	2	7	12	20	29	64
GRAND TOTAL	**2088**	**9.4**	**148**	**<1**	**1**	**5**	**12**	**23**	**35**	**71**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	17	3.6	4	2	2	3	5	7	8	8
50-64	20	4.5	7	<1	1	4	5	8	10	12
65+	23	5.4	16	2	2	4	8	11	15	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	3.5	14	1	1	2	6	9	9	9
65+	4	3.5	7	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	7	5.7	29	2	2	3	7	15	17	17
35-49	35	4.5	5	2	2	4	6	7	9	11
50-64	87	5.9	18	2	2	5	7	11	16	21
65+	215	7.9	56	2	3	6	9	15	19	41
B. *Operated*										
0-19 YRS										
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	9	4.3	6	1	1	3	7	8	8	8
50-64	16	5.8	18	1	1	5	9	11	14	15
65+	52	10.9	122	1	3	8	12	24	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.5	9	2	2	4	5	8	11	17
B. *Operated*	10	3.0	8	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	345	7.0	42	2	2	5	8	13	17	28
B. *Operated*	81	8.8	90	1	2	7	10	16	36	87
1. SINGLE DX	74	4.3	9	1	2	4	5	8	10	16
2. MULTIPLE DX	426	7.4	52	2	2	6	8	14	18	47
A. NOT OPERATED	409	6.6	38	2	2	5	8	12	17	28
B. OPERATED	91	8.2	84	1	1	6	10	16	32	83
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	15	4.5	16	1	2	3	6	8	15	17
35-49	63	4.1	5	1	2	4	6	7	8	11
50-64	127	5.6	16	1	2	4	7	11	14	20
65+	294	8.2	66	2	3	6	9	15	21	60
GRAND TOTAL	**500**	**6.9**	**46**	**2**	**2**	**5**	**8**	**13**	**17**	**41**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.2	2	1	1	2	3	4	4	8
20-34	22	3.1	8	<1	1	2	4	6	9	13
35-49	16	2.6	2	<1	1	2	4	5	6	6
50-64	20	3.4	7	<1	<1	3	5	7	9	11
65+	75	4.6	12	1	1	4	6	8	11	20
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	3	8.0	36	2	2	8	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1430	3.1	8	1	1	2	3	5	7	17
20-34	642	4.4	43	1	1	3	5	7	11	33
35-49	673	5.1	34	1	2	4	6	9	13	24
50-64	1392	6.9	69	1	2	5	8	12	17	51
65+	7369	9.0	83	2	3	7	11	17	25	66
B. *Operated*										
0-19 YRS	27	7.6	52	1	1	5	13	23	99+	99+
20-34	50	7.8	84	1	1	5	8	18	28	52
35-49	84	13.1	217	1	3	8	15	34	45	74
50-64	186	14.4	172	2	3	10	19	36	52	99+
65+	986	17.9	258	3	5	13	23	42	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.4	8	1	1	3	4	7	8	13
B. *Operated*	7	4.7	23	1	1	2	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	11506	7.5	72	1	2	5	9	15	21	58
B. *Operated*	1333	16.5	239	3	4	12	22	41	61	99+
1. SINGLE DX	200	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	12839	8.5	97	2	2	6	10	17	27	73
A. NOT OPERATED	11699	7.5	71	1	2	5	9	15	21	57
B. OPERATED	1340	16.4	239	2	4	12	22	40	61	99+
TOTAL 0-19 YRS	1520	3.1	9	1	1	2	4	5	7	20
20-34	715	4.6	45	1	1	3	5	8	12	34
35-49	773	5.9	59	1	2	4	6	11	17	46
50-64	1598	7.7	86	1	2	5	9	15	23	63
65+	8433	10.0	111	2	3	7	12	20	32	90
GRAND TOTAL	**13039**	**8.4**	**96**	**1**	**2**	**6**	**10**	**17**	**26**	**72**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.9	5	<1	1	4	5	6	9	10
20-34	9	2.8	3	1	1	3	4	5	6	6
35-49	15	3.6	3	1	1	3	5	6	7	7
50-64	12	2.7	2	1	1	2	4	5	5	5
65+	41	3.6	8	<1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	2.8	3	1	1	3	4	5	5	5
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	5	6.2	7	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	4	<1	1	3	5	6	7	7
20-34	50	3.9	5	1	1	4	6	7	9	9
35-49	123	4.7	13	1	2	4	6	9	11	20
50-64	208	5.5	30	1	1	4	7	9	13	33
65+	1194	6.3	39	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	7	8.6	55	1	1	6	13	20	21	21
20-34	26	7.8	35	2	3	6	9	13	23	28
35-49	67	7.6	26	1	2	7	10	13	17	25
50-64	114	8.1	22	2	4	7	10	14	17	25
65+	548	9.7	48	3	3	8	12	18	25	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.4	6	1	1	3	5	6	7	13
B. *Operated*	19	3.8	5	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1609	5.9	35	1	2	5	7	11	15	30
B. *Operated*	762	9.2	42	2	3	8	12	17	23	42
1. SINGLE DX	110	3.5	6	1	1	3	5	6	7	13
2. MULTIPLE DX	2371	7.0	39	1	2	5	9	14	18	39
A. NOT OPERATED	1700	5.8	33	1	1	4	7	11	14	29
B. OPERATED	781	9.0	42	2	3	8	11	17	23	42
TOTAL 0-19 YRS	57	4.0	13	<1	1	3	5	7	11	21
20-34	91	4.9	17	1	1	4	6	9	11	26
35-49	207	5.6	18	1	2	4	7	10	13	23
50-64	338	6.2	28	1	2	5	8	12	14	26
65+	1788	7.2	44	1	2	6	9	14	19	41
GRAND TOTAL	**2481**	**6.8**	**38**	**1**	**2**	**5**	**9**	**13**	**18**	**37**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	278	4.4	9	1	1	4	6	8	10	17
20-34	333	5.6	13	1	2	5	7	10	12	18
35-49	51	5.7	11	1	1	5	9	10	11	15
50-64	3	5.3	2	4	4	5	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	5.5	3	3	3	6	7	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	5.7	23	1	1	5	7	10	13	21
20-34	394	7.9	32	2	3	7	10	14	19	28
35-49	136	9.2	64	2	3	7	11	17	25	47
50-64	27	6.9	14	2	2	7	9	13	14	15
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	8	11.3	149	2	2	4	19	31	35	35
20-34	29	17.2	307	5	5	11	18	56	76	99+
35-49	14	16.0	294	4	4	9	15	50	59	61
50-64	6	10.8	36	5	5	9	12	21	22	22
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	665	5.1	11	1	1	5	6	9	11	17
B. *Operated*	6	5.7	2	3	3	6	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	799	7.4	35	1	2	6	9	14	18	30
B. *Operated*	57	15.4	250	3	4	10	17	45	63	98
1. SINGLE DX	671	5.1	11	1	1	5	6	9	11	17
2. MULTIPLE DX	856	7.9	53	1	2	6	10	15	19	46
A. NOT OPERATED	1464	6.3	26	1	2	5	8	12	15	26
B. OPERATED	63	14.5	234	3	4	10	16	36	62	97
TOTAL 0-19 YRS	527	5.1	18	1	1	4	6	9	12	19
20-34	760	7.2	39	1	2	6	9	13	17	30
35-49	202	8.7	71	1	2	6	10	16	23	52
50-64	36	7.4	18	2	2	7	10	13	15	22
65+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**1527**	**6.7**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.7	10	<1	<1	1	3	7	11	15
20-34	27	3.1	7	<1	1	1	5	8	9	9
35-49	20	2.5	5	1	1	2	3	4	8	11
50-64	51	2.6	10	<1	1	1	3	5	7	17
65+	154	2.6	5	<1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	22	8.0	262	<1	1	3	7	13	41	78
20-34	12	5.7	8	1	2	6	8	9	10	10
35-49	9	4.6	7	1	1	5	7	8	8	8
50-64	25	6.4	15	1	2	6	8	10	13	19
65+	23	7.1	48	<1	1	5	8	17	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	3.6	19	<1	<1	2	4	9	12	23
20-34	176	3.8	15	1	1	2	5	9	12	16
35-49	279	3.8	19	1	1	2	5	9	12	20
50-64	592	4.8	41	1	1	3	6	10	13	32
65+	2289	6.0	51	1	1	4	7	12	17	37
B. *Operated*										
0-19 YRS	38	7.5	37	1	2	6	8	16	21	30
20-34	50	9.8	90	2	2	7	12	30	33	99
35-49	111	9.1	60	2	2	7	12	17	23	46
50-64	215	10.6	84	2	2	9	13	21	26	65
65+	816	11.5	90	2	3	9	14	22	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	2.7	7	<1	<1	2	3	7	8	14
B. *Operated*	91	6.7	80	1	1	5	8	11	17	57
2. MULTIPLE DX										
A. *Not Operated*	3491	5.4	44	1	1	3	7	11	15	35
B. *Operated*	1230	10.9	85	2	3	8	13	22	28	59
1. SINGLE DX	446	3.5	24	<1	<1	2	4	8	10	17
2. MULTIPLE DX	4721	6.8	61	1	1	5	9	14	20	42
A. NOT OPERATED	3846	5.1	41	1	1	3	6	11	15	33
B. OPERATED	1321	10.6	86	2	3	8	13	21	27	59
TOTAL 0-19 YRS	318	4.1	37	<1	<1	2	5	10	12	26
20-34	265	5.0	33	1	1	3	7	10	15	33
35-49	419	5.2	34	1	1	3	7	12	15	27
50-64	883	6.1	56	1	1	4	8	13	18	38
65+	3282	7.2	65	1	1	5	9	15	21	44
GRAND TOTAL	**5167**	**6.5**	**59**	**1**	**1**	**4**	**8**	**14**	**19**	**41**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.8	7	<1	1	5	6	8	11	13
20-34	8	7.1	42	1	1	5	12	17	18	18
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.7	39	1	1	3	6	14	21	32
20-34	19	5.2	7	1	2	5	7	8	11	12
35-49	4	10.3	21	5	5	10	14	15	15	15
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS	3	8.3	42	2	2	8	13	15	15	15
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	3	9.3	184	1	1	2	19	25	25	25
50-64										
65+	2	14.5	5	13	13	16	79	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.3	17	1	1	5	6	11	16	18
B. *Operated*	4	3.3	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	73	5.9	32	1	2	4	7	13	18	30
B. *Operated*	11	8.5	62	1	1	8	15	47	92	99+
1. SINGLE DX	34	5.0	15	1	1	4	6	9	15	18
2. MULTIPLE DX	84	6.3	36	1	2	4	8	15	21	76
A. NOT OPERATED	103	5.7	27	1	1	4	6	13	17	27
B. OPERATED	15	7.1	50	1	2	4	14	24	77	99+
TOTAL 0-19 YRS	69	5.6	30	1	1	4	6	13	15	30
20-34	30	5.6	16	1	2	5	7	10	16	18
35-49	14	6.5	47	1	1	4	8	16	23	25
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	3	16.0	9	13	13	17	59	99+	99+	99+
GRAND TOTAL	**118**	**5.9**	**30**	**1**	**1**	**4**	**7**	**14**	**19**	**53**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.8	6	<1	<1	2	4	6	9	12
20-34	43	4.1	13	<1	<1	3	5	8	11	18
35-49	21	4.7	13	1	1	3	6	10	12	15
50-64	17	4.1	6	1	2	4	5	8	9	10
65+	33	2.6	5	1	1	2	3	6	9	10
B. *Operated*										
0-19 YRS	59	5.3	51	1	1	4	5	9	14	46
20-34	52	6.8	19	1	3	5	8	14	16	22
35-49	33	5.9	7	3	3	6	7	8	12	14
50-64	26	7.8	55	1	2	6	7	17	29	31
65+	18	5.9	13	1	2	5	11	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	4.5	11	<1	1	4	6	9	10	15
20-34	125	5.0	17	1	1	4	7	10	11	22
35-49	147	5.8	21	1	2	5	7	11	14	33
50-64	346	6.7	26	1	2	5	8	13	17	26
65+	660	6.8	45	1	1	5	9	13	18	33
B. *Operated*										
0-19 YRS	66	8.8	97	2	2	6	10	22	37	99+
20-34	119	9.5	70	1	2	7	11	20	26	44
35-49	110	10.5	81	2	3	8	13	21	27	50
50-64	223	11.2	98	3	4	9	14	20	29	63
65+	402	12.6	102	2	3	10	17	24	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.2	8	<1	<1	2	4	7	9	14
B. *Operated*	188	6.2	31	1	2	5	7	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	1567	6.1	31	1	1	5	8	12	16	29
B. *Operated*	920	11.3	95	2	3	8	15	22	31	55
1. SINGLE DX	473	4.4	19	<1	1	3	6	8	11	21
2. MULTIPLE DX	2487	8.0	61	1	2	6	10	17	23	41
A. NOT OPERATED	1852	5.7	28	1	1	4	7	11	15	28
B. OPERATED	1108	10.5	88	2	3	8	13	21	29	54
TOTAL 0-19 YRS	585	4.5	26	<1	1	3	6	9	11	29
20-34	339	6.7	40	1	1	5	8	14	19	32
35-49	311	7.4	45	1	2	6	9	14	20	40
50-64	612	8.3	57	2	2	6	10	16	22	42
65+	1113	8.8	72	1	2	7	11	18	25	43
GRAND TOTAL	**2960**	**7.5**	**56**	**1**	**1**	**5**	**9**	**16**	**21**	**38**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	421	1.7	1	<1	1	2	2	3	4	5
20-34	105	1.9	1	1	1	2	2	3	4	7
35-49	19	1.6		<1	1	2	2	3	3	3
50-64	4	3.3	7	1	1	3	5	6	6	6
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	156	3.9	4	2	2	3	4	6	7	14
20-34	70	3.9	2	2	2	4	5	6	6	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	3.3	1	2	2	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	242	2.2	2	1	1	2	3	4	5	9
20-34	71	2.4	2	1	1	2	3	4	5	7
35-49	17	3.3	12	<1	1	2	4	5	12	16
50-64	6	3.0	4	1	1	2	3	7	7	7
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	84	4.5	5	2	2	4	5	7	9	14
20-34	44	5.7	11	2	3	5	6	10	15	16
35-49	11	5.2	8	2	2	6	7	9	10	10
50-64	4	7.3	11	4	4	7	10	11	11	11
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	1.8	1	1	1	2	2	3	4	5
B. *Operated*	231	3.9	4	2	2	4	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	340	2.3	3	1	1	2	3	4	5	9
B. *Operated*	144	5.0	8	2	2	4	6	9	11	16
1. SINGLE DX	782	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	484	3.1	6	1	1	2	4	6	7	14
A. NOT OPERATED	891	2.0	2	1	1	2	2	3	4	7
B. OPERATED	375	4.3	5	2	2	4	5	6	9	15
TOTAL 0-19 YRS	903	2.5	3	1	1	2	3	4	5	10
20-34	290	3.1	5	1	1	3	4	6	6	13
35-49	49	3.1	8	1	1	2	4	6	9	16
50-64	17	4.1	8	1	1	4	5	9	10	11
65+	7	2.9	2	1	1	3	4	5	5	5
GRAND TOTAL	**1266**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.1	4	2	2	4	5	7	8	10
20-34	8	3.6	5	1	1	3	5	7	7	7
35-49	5	7.4	110	2	2	2	10	26	26	26
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	34	2.8	7	<1	<1	1	4	7	9	10
20-34	36	3.1	11	<1	<1	2	3	9	12	13
35-49	19	2.3	2	<1	<1	2	2	5	6	7
50-64	16	3.1	8	<1	<1	2	4	7	10	11
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.8	9	1	2	4	5	8	11	15
20-34	11	4.3	6	2	2	3	5	9	10	10
35-49	7	4.9	9	2	2	4	6	10	11	11
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	7	5.3	12	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	23	5.2	13	<1	1	5	7	10	12	15
20-34	35	3.8	15	<1	<1	2	5	10	12	15
35-49	22	4.9	38	1	1	3	6	9	18	30
50-64	11	5.0	11	1	1	5	7	10	11	11
65+	11	4.6	8	<1	1	4	5	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.2	10	2	2	4	5	7	8	22
B. *Operated*	106	2.8	8	<1	<1	2	3	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	99	4.6	8	1	2	4	5	9	11	15
B. *Operated*	102	4.6	18	<1	1	3	6	10	11	22
1. SINGLE DX	179	3.4	9	<1	<1	2	5	7	9	13
2. MULTIPLE DX	201	4.6	13	<1	1	4	6	9	11	16
A. NOT OPERATED	172	4.5	9	2	2	4	5	8	10	15
B. OPERATED	208	3.7	13	<1	<1	2	5	9	11	15
TOTAL 0-19 YRS	186	4.2	8	<1	1	4	5	8	10	14
20-34	90	3.6	11	<1	<1	2	4	9	11	14
35-49	53	4.2	28	<1	1	2	5	8	11	30
50-64	32	3.6	9	<1	<1	2	5	8	11	11
65+	19	4.7	9	<1	1	4	5	10	11	11
GRAND TOTAL	**380**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	25.6	882	2	2	10	52	67	67	67
20-34	16	15.3	220	1	1	9	29	37	44	47
35-49	9	21.2	619	2	2	14	22	60	84	84
50-64	10	20.2	629	2	2	11	27	62	82	82
65+	27	14.9	214	1	1	9	30	40	50	99+
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	46	<1	<1	2	9	17	20	20
20-34	52	21.1	287	2	3	15	29	50	52	61
35-49	41	14.4	219	2	3	8	17	34	57	59
50-64	85	14.2	201	2	3	9	21	32	46	95
65+	346	12.2	180	2	3	8	14	30	42	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	31.6	985	4	4	21	47	84	84	84
50-64	4	24.0	617	8	8	13	38	61	61	61
65+	40	21.8	344	1	3	18	38	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	17.4	360	1	2	11	29	43	68	97
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	532	13.5	201	2	3	8	17	32	48	93
B. *Operated*	49	23.0	409	2	4	18	37	79	99+	99+
1. SINGLE DX	68	17.2	358	1	2	10	28	43	68	97
2. MULTIPLE DX	581	14.3	225	2	3	9	19	36	52	99+
A. NOT OPERATED	599	13.9	220	2	2	8	18	35	49	95
B. OPERATED	50	22.6	409	2	3	17	37	79	99+	99+
TOTAL 0-19 YRS	13	13.5	421	<1	<1	3	13	51	64	67
20-34	69	19.5	274	1	2	13	29	47	51	60
35-49	55	17.1	355	2	3	12	20	36	59	84
50-64	99	15.2	256	2	3	9	21	35	49	93
65+	413	13.3	205	2	2	8	17	36	51	99+
GRAND TOTAL	**649**	**14.6**	**239**	**2**	**2**	**9**	**20**	**37**	**52**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.6	1	<1	1	1	2	3	4	7
20-34	76	3.5	15	1	1	2	4	8	12	19
35-49	26	6.7	86	<1	1	3	4	23	30	35
50-64	32	10.0	338	1	1	4	8	27	51	92
65+	160	11.5	134	1	2	8	16	25	32	61
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	5.4	61	1	1	3	7	10	18	76
20-34	409	7.7	50	1	2	6	8	14	20	40
35-49	284	7.6	43	2	3	6	8	13	18	34
50-64	209	10.4	108	2	3	7	14	21	31	99+
65+	1394	15.0	225	2	3	10	20	42	70	99+
B. *Operated*										
0-19 YRS	10	1.8	2	1	1	1	28	99+	99+	99+
20-34	12	6.5	43	<1	1	5	9	15	23	24
35-49	6	8.7	95	2	2	6	8	26	28	28
50-64	21	17.8	311	1	2	11	29	45	59	62
65+	162	21.5	436	3	5	15	37	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	7.4	113	1	1	3	8	19	26	55
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2434	12.0	168	2	3	8	15	30	51	99+
B. *Operated*	211	19.0	400	1	3	13	33	88	99+	99+
1. SINGLE DX	371	7.4	113	1	1	3	8	19	26	55
2. MULTIPLE DX	2645	12.5	190	2	3	8	15	34	57	99+
A. NOT OPERATED	2804	11.4	163	1	2	7	14	28	46	99+
B. OPERATED	212	18.9	399	1	3	13	33	88	99+	99+
TOTAL 0-19 YRS	224	4.0	41	1	1	2	5	9	16	99+
20-34	497	7.0	46	1	1	6	8	12	20	36
35-49	316	7.5	47	2	2	6	8	14	19	35
50-64	262	10.9	154	1	2	7	14	25	37	99+
65+	1717	15.3	241	2	3	11	20	44	78	99+
GRAND TOTAL	**3016**	**11.9**	**184**	**1**	**2**	**8**	**15**	**31**	**54**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	7	10.7	97	1	1	10	23	78	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	10	14.9	104	4	5	11	23	30	36	36
65+	181	16.0	231	3	4	11	21	46	66	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	14	23.6	337	5	5	20	35	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	9.8	90	1	1	8	21	71	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	193	15.9	222	3	4	11	21	43	64	99+
B. *Operated*	14	23.6	337	5	5	20	35	71	93	99+
1. SINGLE DX	8	9.8	90	1	1	8	21	71	99+	99+
2. MULTIPLE DX	207	16.4	232	3	4	11	22	47	67	99+
A. NOT OPERATED	201	15.6	218	2	4	11	21	43	66	99+
B. OPERATED	14	23.6	337	5	5	20	35	71	93	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	5.7	6	3	3	6	7	8	8	8
50-64	10	14.9	104	4	5	11	23	30	36	36
65+	202	16.3	236	2	4	11	22	48	71	99+
GRAND TOTAL	**215**	**16.1**	**228**	**3**	**4**	**11**	**22**	**47**	**69**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	3.7	4	1	2	3	5	6	7	11
35-49	33	4.5	29	1	1	4	4	6	19	28
50-64	26	7.3	35	1	2	6	10	18	20	24
65+	6	4.0	5	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.0	62	1	1	5	6	15	28	33
20-34	1017	5.1	10	2	3	5	5	6	9	18
35-49	1909	5.4	15	2	3	5	5	7	10	18
50-64	935	5.9	17	2	3	5	5	10	14	27
65+	315	9.0	100	2	3	5	10	19	29	66
B. *Operated*										
0-19 YRS										
20-34	17	9.6	74	4	5	7	10	22	33	37
35-49	51	10.0	67	3	3	8	12	18	28	49
50-64	31	18.6	355	3	4	9	28	49	80	99+
65+	17	21.9	344	4	6	18	42	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.9	22	1	2	4	5	9	16	26
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4192	5.7	22	2	3	5	5	8	12	26
B. *Operated*	116	13.9	205	3	4	9	17	39	57	99+
1. SINGLE DX	103	4.9	22	1	2	4	5	9	16	26
2. MULTIPLE DX	4308	6.0	28	2	3	5	5	9	13	31
A. NOT OPERATED	4295	5.7	22	2	3	5	5	8	12	26
B. OPERATED	116	13.9	205	3	4	9	17	39	57	99+
TOTAL 0-19 YRS	18	6.4	58	1	1	5	6	14	26	33
20-34	1070	5.2	11	2	3	5	5	6	9	19
35-49	1993	5.5	17	2	3	5	5	7	10	20
50-64	992	6.4	33	2	3	5	6	11	17	34
65+	338	9.6	118	2	3	5	11	20	37	99+
GRAND TOTAL	**4411**	**5.9**	**28**	**2**	**3**	**5**	**5**	**9**	**13**	**31**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	11	1	2	5	8	10	11	11
20-34	25	5.2	34	<1	1	2	8	14	17	22
35-49	6	3.5	3	2	2	3	5	5	5	5
50-64	5	5.2	25	1	1	2	10	12	12	12
65+	10	4.7	25	1	1	3	5	12	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	8.7	134	1	1	6	9	25	42	49
20-34	260	8.6	75	1	2	7	10	16	23	45
35-49	101	8.1	34	1	1	7	10	16	20	29
50-64	67	8.5	96	1	2	5	9	20	30	50
65+	210	8.5	75	2	2	6	10	17	24	89
B. *Operated*										
0-19 YRS										
20-34	4	7.0	2	5	5	7	8	8	8	8
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	11	10.3	64	1	2	7	16	22	25	25
65+	18	12.7	122	3	4	9	14	35	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	5.0	24	1	1	3	8	12	16	22
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	673	8.5	74	1	2	6	10	17	25	48
B. *Operated*	35	10.9	85	2	3	8	13	23	36	40
1. SINGLE DX	53	5.0	24	1	1	3	8	12	16	22
2. MULTIPLE DX	708	8.6	74	1	2	7	10	17	25	48
A. NOT OPERATED	726	8.2	71	1	2	6	10	17	24	48
B. OPERATED	35	10.9	85	2	3	8	13	23	36	40
TOTAL 0-19 YRS	42	8.2	114	1	1	5	8	19	36	49
20-34	289	8.3	71	1	2	7	9	16	22	44
35-49	109	7.8	33	1	1	7	10	15	19	29
50-64	83	8.6	87	1	2	5	11	20	27	50
65+	238	8.6	78	2	2	6	11	18	24	85
GRAND TOTAL	**761**	**8.4**	**72**	**1**	**2**	**6**	**10**	**17**	**24**	**47**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	21.4	406	2	3	14	36	59	72	99+
20-34	609	18.9	230	2	4	15	26	39	46	81
35-49	313	18.4	207	2	4	15	24	38	46	75
50-64	113	17.5	160	3	4	15	23	33	39	66
65+	32	20.6	164	1	3	20	29	37	38	55
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	25.9	324	3	6	23	36	63	70	99+
20-34	406	20.5	282	3	5	17	28	44	62	99+
35-49	277	20.7	258	3	5	17	28	43	56	84
50-64	158	19.8	176	4	6	16	28	39	55	96
65+	103	23.1	295	3	7	18	34	56	70	99+
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	6	24.7	295	5	6	37	72	99+	99+	99+
35-49	18	21.9	216	3	6	23	30	53	80	99+
50-64	7	23.9	80	13	14	21	32	35	35	35
65+	7	21.0	155	9	9	18	25	41	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1102	18.7	220	2	4	15	26	38	46	78
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	973	20.9	261	3	5	17	28	44	61	99+
B. *Operated*	39	22.3	177	5	7	22	33	50	99+	99+
1. SINGLE DX	1103	18.7	219	2	4	15	26	38	46	78
2. MULTIPLE DX	1012	20.9	258	3	5	17	28	45	61	99+
A. NOT OPERATED	2075	19.7	240	3	4	16	27	41	55	88
B. OPERATED	40	22.1	173	5	7	21	33	50	99+	99+
TOTAL 0-19 YRS	65	23.2	364	2	3	19	35	61	71	99+
20-34	1021	19.5	251	2	4	16	27	41	55	90
35-49	608	19.5	231	3	4	16	27	41	53	81
50-64	279	18.9	167	3	5	16	26	35	46	77
65+	142	22.1	257	2	7	19	32	46	62	99+
GRAND TOTAL	**2115**	**19.8**	**239**	**3**	**4**	**16**	**27**	**41**	**55**	**90**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	28.7	571	3	4	27	43	94	99+	99+
20-34	39	16.8	195	2	3	15	22	35	43	69
35-49	11	16.0	107	2	4	14	26	30	33	33
50-64	3	27.3	234	18	18	19	38	45	45	45
65+	2	20.5	265	9	9	20	32	32	32	32
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	27.5	482	4	8	22	35	63	79	79
20-34	30	20.4	297	<1	2	17	29	51	70	99+
35-49	11	16.5	107	9	10	12	19	31	44	45
50-64	4	13.3	20	7	7	14	16	17	17	17
65+	6	20.2	194	8	8	15	31	41	42	42
B. *Operated*										
0-19 YRS										
20-34	2	26.5	841	6	6	26	47	47	47	47
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	21.0	326	2	4	18	29	45	74	99+
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	61	20.4	266	2	6	15	27	46	60	97
B. *Operated*	2	26.5	841	6	6	26	47	47	47	47
1. SINGLE DX	82	21.0	322	3	4	18	28	45	73	99+
2. MULTIPLE DX	63	20.6	272	2	6	15	27	47	58	97
A. NOT OPERATED	142	20.7	298	2	4	17	28	45	69	99+
B. OPERATED	3	25.7	422	6	6	24	41	47	47	47
TOTAL 0-19 YRS	36	28.4	532	3	4	26	43	82	99+	99+
20-34	72	18.7	243	1	3	15	25	45	52	93
35-49	22	16.2	102	4	7	13	22	29	38	45
50-64	7	19.3	145	7	8	17	19	40	45	45
65+	8	20.3	177	8	8	15	31	39	42	42
GRAND TOTAL	**145**	**20.8**	**298**	**2**	**4**	**17**	**28**	**46**	**69**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	22.3	352	1	2	17	33	58	68	99+
20-34	843	18.6	247	2	3	14	26	40	50	76
35-49	462	16.2	207	1	2	13	22	35	43	71
50-64	217	18.6	235	2	4	15	23	38	46	79
65+	58	22.6	371	1	2	18	29	63	94	99+
B. *Operated*										
0-19 YRS										
20-34	2	67.0	18	64	64	67	70	70	70	70
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	25.7	443	1	4	22	40	64	99	99+
20-34	744	19.7	269	2	4	15	26	42	55	95
35-49	574	20.3	248	3	5	17	27	42	53	85
50-64	407	20.1	203	4	6	17	27	40	51	85
65+	197	19.8	244	2	5	17	25	45	60	99+
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	29	27.5	243	7	8	25	37	45	57	71
35-49	29	33.9	457	6	11	31	55	61	68	84
50-64	14	23.3	349	2	6	18	40	68	92	99+
65+	15	35.6	487	7	14	34	86	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1653	18.3	245	1	3	14	25	39	50	78
B. *Operated*	2	67.0	18	64	64	67	70	70	70	70
2. MULTIPLE DX										
A. *Not Operated*	1993	20.2	254	2	5	17	27	42	55	99
B. *Operated*	88	30.3	376	6	9	27	44	67	99	99+
1. SINGLE DX	1655	18.3	248	1	3	14	25	39	50	78
2. MULTIPLE DX	2081	20.6	263	3	5	17	27	44	57	99+
A. NOT OPERATED	3646	19.3	251	2	4	15	26	41	53	93
B. OPERATED	90	31.1	397	6	9	28	47	68	98	99+
TOTAL 0-19 YRS	145	24.0	394	1	3	21	34	63	94	99+
20-34	1618	19.4	261	2	4	15	26	41	52	84
35-49	1065	18.9	245	2	3	15	25	40	51	84
50-64	638	19.7	217	3	5	16	26	40	50	86
65+	270	21.3	295	2	5	18	29	50	90	99+
GRAND TOTAL	**3736**	**19.6**	**257**	**2**	**4**	**16**	**26**	**42**	**55**	**96**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	16	<1	<1	6	9	10	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	20.2	742	1	2	11	69	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.8	16	<1	<1	6	9	10	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	15	20.2	742	1	2	11	69	99+	99+	99+
B. *Operated*										
1. SINGLE DX	4	5.8	16	<1	<1	6	9	10	10	10
2. MULTIPLE DX	15	20.2	742	1	2	11	69	99+	99+	99+
A. NOT OPERATED	19	17.2	616	1	2	9	53	99+	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	19	17.2	616	1	2	9	53	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**19**	**17.2**	**616**	**1**	**2**	**9**	**53**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	19.0	256	2	3	16	30	46	69	99+
20-34	512	13.9	162	1	2	10	19	29	37	65
35-49	515	14.1	112	2	3	12	19	28	34	55
50-64	450	18.7	179	3	5	16	24	36	43	65
65+	475	20.7	199	3	5	18	28	39	50	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	49.0		49	49	49	49	49	49	49
50-64										
65+	2	10.5	61	5	5	10	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	22.8	524	2	2	15	35	67	91	99+
20-34	1280	17.0	208	2	3	14	23	34	46	79
35-49	1217	17.0	190	2	4	14	23	34	46	78
50-64	1172	19.3	194	3	5	17	26	36	49	75
65+	1856	21.9	236	3	5	19	30	43	54	93
B. *Operated*										
0-19 YRS	8	22.6	813	2	2	11	32	70	86	86
20-34	40	22.6	237	4	6	19	29	44	54	67
35-49	56	30.6	493	6	7	26	42	69	72	94
50-64	72	29.8	351	6	11	27	37	58	73	99
65+	150	31.2	362	8	12	29	42	66	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2105	16.9	177	2	3	14	23	34	43	70
B. *Operated*	3	23.3	524	5	5	16	41	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	5788	19.3	230	2	4	16	26	39	52	87
B. *Operated*	326	29.5	381	6	9	26	39	64	79	99+
1. SINGLE DX	2108	16.9	177	2	3	14	23	34	43	70
2. MULTIPLE DX	6114	19.8	243	2	4	16	27	40	54	94
A. NOT OPERATED	7893	18.6	217	2	4	15	26	38	50	83
B. OPERATED	329	29.5	381	5	9	26	39	64	78	99+
TOTAL 0-19 YRS	424	21.4	433	2	3	15	32	59	87	99+
20-34	1832	16.2	199	2	3	13	22	34	44	77
35-49	1789	16.6	185	2	4	14	22	33	45	75
50-64	1694	19.6	201	3	5	17	26	37	50	75
65+	2483	22.2	242	3	5	19	30	44	56	97
GRAND TOTAL	**8222**	**19.1**	**228**	**2**	**4**	**16**	**26**	**39**	**52**	**87**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	17.1	271	1	2	12	23	39	53	73
20-34	529	15.9	150	2	4	13	21	31	41	62
35-49	471	15.4	148	2	3	12	21	32	40	61
50-64	267	16.9	155	2	4	15	22	33	39	52
65+	115	17.2	153	2	5	14	23	34	39	68
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	43.5	3445	2	2	43	85	85	85	85
50-64										
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	19.2	310	1	2	14	32	57	73	99+
20-34	650	18.0	221	2	4	14	23	35	53	75
35-49	593	17.7	192	2	4	15	24	37	48	65
50-64	530	18.8	162	3	5	16	26	35	42	58
65+	413	20.1	195	4	6	17	28	38	47	70
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	24	26.7	516	8	10	16	29	73	76	77
35-49	32	23.0	110	9	14	20	27	35	47	57
50-64	38	26.9	287	5	8	26	34	46	80	99+
65+	33	24.6	171	8	10	23	36	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1481	16.1	159	2	4	13	22	33	41	64
B. *Operated*	4	29.3	1430	2	2	15	52	85	85	85
2. MULTIPLE DX										
A. *Not Operated*	2278	18.5	199	2	4	15	25	37	48	71
B. *Operated*	128	25.2	250	8	10	22	31	48	76	99+
1. SINGLE DX	1485	16.1	161	2	4	13	22	33	41	66
2. MULTIPLE DX	2406	18.9	204	3	5	16	25	38	49	75
A. NOT OPERATED	3759	17.6	184	2	4	14	23	35	45	69
B. OPERATED	132	25.3	276	7	10	22	31	48	77	99+
TOTAL 0-19 YRS	192	18.1	287	1	2	13	28	48	61	99+
20-34	1204	17.2	198	2	4	14	22	33	47	75
35-49	1098	16.9	177	2	4	14	22	35	44	65
50-64	835	18.6	169	3	4	16	26	35	42	64
65+	562	19.8	187	4	5	17	27	38	47	73
GRAND TOTAL	**3891**	**17.8**	**189**	**2**	**4**	**15**	**24**	**36**	**46**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	12.1	226	1	1	7	16	28	40	79
20-34	164	13.3	113	1	2	11	20	28	32	38
35-49	104	11.8	87	1	2	10	17	26	31	39
50-64	58	12.9	118	<1	2	11	16	27	35	52
65+	75	13.6	204	1	2	9	19	27	37	83
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	13.7	148	2	2	9	19	34	45	93
20-34	268	13.8	157	1	2	10	18	30	39	59
35-49	184	13.0	125	2	3	10	17	27	35	80
50-64	202	13.9	158	1	2	10	20	28	35	59
65+	500	13.1	169	2	3	9	16	29	44	65
B. *Operated*										
0-19 YRS										
20-34	6	27.8	1141	4	4	14	37	86	92	92
35-49	6	27.7	297	10	11	23	36	56	58	58
50-64	15	16.5	160	2	3	15	16	44	45	45
65+	45	21.2	311	4	6	15	30	43	61	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	12.8	134	1	2	10	18	28	34	53
B. *Operated*	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1217	13.4	157	2	2	10	18	29	39	64
B. *Operated*	72	21.3	337	3	5	16	28	44	60	91
1. SINGLE DX	451	12.8	134	1	2	10	18	28	34	53
2. MULTIPLE DX	1289	13.8	170	2	3	10	18	30	41	66
A. NOT OPERATED	1667	13.2	151	1	2	10	18	29	37	63
B. OPERATED	73	21.2	333	3	5	16	27	44	60	91
TOTAL 0-19 YRS	112	13.0	181	1	2	8	18	32	44	87
20-34	438	13.8	154	1	2	11	19	30	36	60
35-49	294	12.9	119	1	2	10	17	27	34	55
50-64	276	13.9	149	1	2	11	19	28	36	57
65+	620	13.8	187	2	3	9	17	31	44	68
GRAND TOTAL	**1740**	**13.6**	**161**	**1**	**2**	**10**	**18**	**29**	**38**	**64**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	32	<1	<1	2	4	14	19	20
20-34	80	5.8	47	1	1	3	8	12	15	41
35-49	64	5.0	64	<1	1	3	6	10	17	51
50-64	41	4.2	16	1	1	3	6	10	13	18
65+	16	5.1	27	1	1	3	6	15	17	18
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	9.9	136	<1	1	5	15	34	57	99+
20-34	191	9.7	102	1	1	6	14	23	29	50
35-49	222	7.5	83	1	1	4	9	19	25	52
50-64	187	6.6	47	1	2	4	8	17	21	29
65+	174	7.1	91	1	2	4	8	15	22	44
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	3.0	14	<1	1	2	3	8	13	16
35-49	13	5.1	70	<1	<1	1	5	16	27	30
50-64	9	8.2	49	1	1	6	15	17	17	17
65+	9	10.3	77	1	1	9	18	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	5.1	43	1	1	3	6	11	16	34
B. *Operated*	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	799	7.8	84	1	1	4	10	19	26	47
B. *Operated*	52	5.8	50	<1	1	2	10	16	22	30
1. SINGLE DX	224	5.1	43	1	1	3	6	11	16	33
2. MULTIPLE DX	851	7.7	82	1	1	4	10	19	25	46
A. NOT OPERATED	1020	7.2	76	1	1	4	9	18	25	47
B. OPERATED	55	5.6	48	<1	1	2	9	16	21	30
TOTAL 0-19 YRS	46	7.4	95	<1	<1	3	10	21	37	99+
20-34	292	8.1	85	1	1	4	11	21	28	47
35-49	301	6.8	79	1	1	3	8	18	25	52
50-64	237	6.3	43	1	1	4	8	16	20	28
65+	199	7.1	85	1	1	4	8	15	22	44
GRAND TOTAL	**1075**	**7.1**	**75**	**1**	**1**	**4**	**9**	**18**	**24**	**46**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	12.5	287	1	1	7	14	26	58	89
20-34	143	8.5	85	1	1	5	12	19	27	48
35-49	104	9.1	70	1	2	6	13	19	24	42
50-64	39	9.8	149	1	2	5	11	21	37	63
65+	29	13.1	115	2	2	8	19	30	35	40
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.0	98	2	2	9	16	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	26.3	619	2	3	19	56	84	99+	99+
20-34	507	13.6	130	1	2	12	21	27	31	53
35-49	369	13.8	124	1	2	11	21	28	32	54
50-64	227	11.0	92	1	2	8	17	21	27	50
65+	263	10.9	105	2	3	8	14	24	30	61
B. *Operated*										
0-19 YRS	3	13.0	73	4	4	17	60	99+	99+	99+
20-34	9	15.8	149	2	3	18	28	31	33	33
35-49	16	26.8	387	3	7	23	30	63	63	63
50-64	16	15.6	147	2	3	13	20	29	44	50
65+	18	14.7	185	3	4	10	21	25	47	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	10.0	137	1	1	6	14	22	30	61
B. *Operated*	2	9.0	98	2	2	9	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	1577	14.5	207	1	2	10	21	30	52	99+
B. *Operated*	62	18.1	232	2	4	14	24	36	62	95
1. SINGLE DX	409	10.0	136	1	1	6	14	22	30	61
2. MULTIPLE DX	1639	14.7	208	1	2	10	21	30	52	99+
A. NOT OPERATED	1984	13.6	196	1	2	9	20	29	48	98
B. OPERATED	64	17.9	228	2	4	14	24	33	62	94
TOTAL 0-19 YRS	306	22.0	553	1	2	13	42	77	99+	99+
20-34	659	12.5	124	1	2	9	20	27	30	52
35-49	491	13.2	130	1	2	10	21	28	32	56
50-64	282	11.1	103	1	2	8	16	22	28	51
65+	310	11.3	111	2	3	8	15	24	31	62
GRAND TOTAL	**2048**	**13.7**	**197**	**1**	**2**	**9**	**21**	**29**	**49**	**99**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	9.4	275	1	1	3	7	31	63	95
20-34	206	11.2	178	<1	1	7	15	28	36	77
35-49	66	8.5	89	1	1	6	12	16	23	60
50-64	23	7.4	42	1	2	5	10	15	23	28
65+	18	10.7	148	1	1	6	11	32	37	39
B. *Operated*										
0-19 YRS										
20-34	11	7.9	7	2	4	9	9	11	12	12
35-49	5	6.2	15	2	2	6	9	11	11	11
50-64	13	3.8	7	1	1	3	5	8	10	10
65+	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	14.0	369	<1	1	6	21	54	84	99+
20-34	494	10.6	159	1	1	7	14	28	39	97
35-49	273	11.3	209	1	1	6	13	28	41	83
50-64	129	9.9	92	1	2	6	14	24	28	44
65+	159	8.2	58	1	2	6	10	18	26	40
B. *Operated*										
0-19 YRS	2	20.0	722	1	1	20	39	39	39	39
20-34	12	13.1	454	1	1	7	11	36	73	79
35-49	28	13.5	165	1	3	10	20	28	44	54
50-64	22	4.5	15	1	1	3	6	10	13	15
65+	19	16.5	263	1	2	10	21	42	56	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	10.1	176	1	1	6	13	26	36	77
B. *Operated*	32	5.6	10	1	2	5	9	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	1231	10.9	182	1	1	6	14	28	41	99+
B. *Operated*	83	11.9	208	1	1	6	15	26	45	73
1. SINGLE DX	434	9.8	165	1	1	6	12	25	33	71
2. MULTIPLE DX	1314	10.9	183	1	1	6	14	28	41	99
A. NOT OPERATED	1633	10.7	180	1	1	6	14	28	41	94
B. OPERATED	115	10.1	160	1	1	6	11	22	37	67
TOTAL 0-19 YRS	267	12.5	342	1	1	5	15	49	72	99+
20-34	723	10.8	166	1	1	7	15	28	38	90
35-49	372	10.9	183	1	1	6	13	25	38	77
50-64	187	8.5	76	1	2	5	11	22	27	40
65+	199	9.1	89	1	2	6	11	23	31	55
GRAND TOTAL	**1748**	**10.6**	**179**	**1**	**1**	**6**	**13**	**27**	**40**	**89**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	5	<1	<1	1	4	5	6	11
20-34	503	4.3	8	1	1	4	5	7	9	15
35-49	509	4.7	12	1	2	5	5	7	9	25
50-64	201	5.0	17	1	2	5	5	7	12	27
65+	56	5.5	24	<1	1	4	7	12	16	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	10.6	90	1	1	7	20	26	28	32
20-34	3756	9.1	68	1	2	6	10	24	27	28
35-49	3600	8.2	54	2	2	6	9	22	26	29
50-64	1775	8.4	58	2	3	6	9	22	26	31
65+	646	8.2	47	2	2	6	10	20	24	30
B. *Operated*										
0-19 YRS	5	10.6	122	1	1	4	21	25	25	25
20-34	66	14.8	100	3	4	12	24	28	32	37
35-49	80	12.9	85	3	4	9	20	27	31	37
50-64	62	13.2	104	4	4	9	20	29	33	51
65+	41	19.4	440	2	4	12	22	53	68	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1311	4.6	12	1	1	4	5	7	9	21
B. *Operated*	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	10089	8.7	61	2	2	6	10	23	27	29
B. *Operated*	254	14.5	154	3	4	10	21	29	35	59
1. SINGLE DX	1312	4.6	12	1	1	4	5	7	9	21
2. MULTIPLE DX	10343	8.8	64	2	2	6	10	24	27	30
A. NOT OPERATED	11400	8.2	57	1	2	6	9	23	26	29
B. OPERATED	255	14.5	154	3	4	10	21	29	35	59
TOTAL 0-19 YRS	359	9.6	87	<1	1	6	14	25	27	31
20-34	4325	8.7	64	1	2	6	10	24	27	28
35-49	4189	7.9	51	2	2	6	8	21	26	29
50-64	2039	8.2	57	2	2	5	9	21	26	32
65+	743	8.6	74	2	2	6	10	21	24	41
GRAND TOTAL	**11655**	**8.3**	**60**	**1**	**2**	**6**	**9**	**23**	**26**	**29**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	57	6.9	16	2	3	6	10	12	12	22
35-49	26	7.1	15	2	3	6	11	12	13	15
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	57	2	2	4	13	16	16	16
20-34	237	10.5	51	2	3	9	14	21	27	28
35-49	86	11.8	73	1	2	10	14	26	28	38
50-64	13	15.5	81	5	5	12	23	29	33	34
65+	7	10.9	89	3	3	8	16	27	29	29
B. *Operated*										
0-19 YRS										
20-34	7	21.1	56	12	12	25	27	29	30	30
35-49	2	16.0	288	4	4	16	28	28	28	28
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	89.0		89	89	89	89	89	89	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	7.0	16	2	3	6	11	12	12	20
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	346	11.0	59	2	3	9	14	24	27	29
B. *Operated*	11	25.5	518	4	8	25	28	54	86	89
1. SINGLE DX	84	6.9	16	2	3	6	11	12	12	20
2. MULTIPLE DX	357	11.4	78	2	3	9	14	25	28	34
A. NOT OPERATED	429	10.2	53	2	3	8	14	21	27	29
B. OPERATED	12	23.7	509	4	4	20	27	48	83	89
TOTAL 0-19 YRS	3	7.3	57	2	2	4	13	16	16	16
20-34	301	10.1	49	2	3	8	14	21	26	28
35-49	115	10.7	65	1	2	8	14	25	28	34
50-64	14	15.1	77	5	5	12	23	29	33	34
65+	8	20.6	840	3	3	8	23	71	89	89
GRAND TOTAL	**441**	**10.6**	**69**	**2**	**3**	**8**	**14**	**23**	**27**	**30**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.1	11	1	2	6	9	11	12	12
20-34	121	6.9	22	1	2	5	11	12	13	25
35-49	25	6.2	8	2	3	6	7	11	12	13
50-64	6	20.5	1050	2	2	8	14	79	86	86
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	11.7	130	2	2	7	20	26	28	39
20-34	606	12.1	74	2	3	10	21	25	27	29
35-49	179	10.5	72	1	2	7	14	25	28	34
50-64	37	13.3	71	3	4	12	18	28	30	31
65+	14	16.1	474	1	1	9	21	32	75	87
B. *Operated*										
0-19 YRS	2	26.5	1	26	26	26	27	27	27	27
20-34	8	16.9	44	10	10	14	22	27	28	28
35-49	6	10.7	37	2	2	11	16	18	18	18
50-64	3	16.0	301	5	5	7	29	36	36	36
65+	2	19.5	145	11	11	19	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	7.2	56	1	2	6	10	12	13	26
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	980	11.9	88	2	3	8	20	25	27	31
B. *Operated*	21	16.1	83	4	6	13	24	28	32	36
1. SINGLE DX	170	7.2	56	1	2	6	10	12	13	26
2. MULTIPLE DX	1001	12.0	88	2	3	8	20	25	28	32
A. NOT OPERATED	1149	11.2	86	2	3	7	17	25	27	31
B. OPERATED	22	15.6	85	4	5	13	24	28	31	36
TOTAL 0-19 YRS	162	11.3	122	2	2	7	17	26	28	35
20-34	736	11.3	69	2	3	8	19	25	27	28
35-49	210	10.0	65	1	2	7	14	24	27	33
50-64	46	14.4	193	3	4	11	18	29	32	86
65+	17	15.6	410	1	1	10	21	28	66	87
GRAND TOTAL	**1171**	**11.3**	**86**	**2**	**3**	**8**	**17**	**25**	**27**	**31**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	1.1		<1	<1	1	1	1	2	3
20-34	73	2.2	9	<1	<1	1	2	5	6	18
35-49	25	1.9	4	<1	<1	1	2	5	7	8
50-64	11	4.7	38	<1	<1	3	4	14	21	22
65+	3	3.3	6	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	2.5	26	<1	<1	1	2	4	8	28
20-34	203	5.2	76	<1	<1	2	5	13	21	49
35-49	131	5.4	39	<1	1	3	6	13	21	30
50-64	65	4.8	26	<1	1	3	6	12	18	21
65+	54	5.1	71	1	1	3	5	10	21	55
B. *Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	11	3.8	32	<1	<1	1	6	12	18	19
35-49	6	7.2	41	2	2	5	14	16	16	16
50-64	9	3.9	9	<1	<1	3	6	8	9	9
65+	6	6.3	35	1	1	4	9	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	1.6	4	<1	<1	1	1	3	4	13
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	652	4.4	49	<1	<1	2	4	10	19	34
B. *Operated*	38	4.4	24	<1	<1	2	7	13	17	19
1. SINGLE DX	304	1.6	4	<1	<1	1	1	3	4	13
2. MULTIPLE DX	690	4.4	48	<1	<1	2	4	10	19	32
A. NOT OPERATED	955	3.5	37	<1	<1	1	3	7	14	28
B. OPERATED	39	4.3	24	<1	<1	2	6	12	17	19
TOTAL 0-19 YRS	397	1.8	13	<1	<1	1	1	2	4	25
20-34	287	4.4	59	<1	<1	2	4	11	19	40
35-49	162	4.9	35	<1	1	3	6	12	19	28
50-64	85	4.7	25	<1	<1	3	6	10	18	22
65+	63	5.2	64	1	1	3	5	10	19	52
GRAND TOTAL	**994**	**3.5**	**36**	**<1**	**<1**	**1**	**3**	**7**	**14**	**28**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	24	<1	<1	2	4	12	15	21
20-34	64	4.6	33	1	1	3	5	8	16	31
35-49	11	4.1	13	1	1	3	5	9	14	14
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	3	6.0	39	1	1	4	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	6.8	76	1	1	4	7	19	29	40
20-34	324	7.8	74	1	1	5	9	21	28	43
35-49	84	9.0	62	1	1	6	12	23	28	30
50-64	18	10.8	68	1	3	8	13	27	28	28
65+	12	5.5	14	1	1	5	7	12	13	13
B. *Operated*										
0-19 YRS	3	10.7	65	2	2	12	16	18	18	18
20-34	11	10.0	81	1	1	7	14	25	29	29
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	41.0		41	41	41	41	41	41	41
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	4.5	28	1	1	3	5	11	14	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	571	7.8	72	1	1	5	9	21	28	40
B. *Operated*	17	11.6	120	1	1	7	16	28	37	41
1. SINGLE DX	106	4.5	28	1	1	3	5	11	14	29
2. MULTIPLE DX	588	7.9	73	1	1	5	9	21	28	40
A. NOT OPERATED	677	7.3	66	1	1	4	8	19	28	38
B. OPERATED	17	11.6	120	1	1	7	16	28	37	41
TOTAL 0-19 YRS	162	6.5	68	1	1	3	7	18	28	40
20-34	399	7.3	69	1	1	4	8	20	27	40
35-49	96	8.3	59	1	1	6	11	21	28	30
50-64	21	11.9	104	2	3	7	14	28	34	41
65+	16	5.9	18	1	1	5	9	13	13	13
GRAND TOTAL	**694**	**7.4**	**68**	**1**	**1**	**4**	**8**	**19**	**28**	**39**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	7	<1	<1	2	4	8	9	9
20-34	17	2.9	4	1	1	2	3	6	8	9
35-49	16	3.2	5	<1	<1	3	4	7	8	9
50-64	8	2.6	2	<1	<1	3	4	5	5	5
65+	4	3.5	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	10.5	181	<1	<1	10	20	20	20	20
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	11.3	528	1	1	3	6	33	85	92
20-34	51	4.1	27	1	1	3	5	7	10	29
35-49	52	5.1	35	1	1	4	5	11	14	38
50-64	59	4.7	26	1	1	4	5	7	14	34
65+	99	5.6	35	1	2	4	6	10	15	36
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	5.8	14	3	3	5	8	11	11	11
50-64	3	7.3	25	2	2	8	11	12	12	12
65+	9	8.0	10	4	4	8	11	57	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.0	5	<1	<1	2	4	7	8	9
B. *Operated*	3	9.3	94	<1	<1	7	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	290	5.6	83	1	1	4	5	10	15	43
B. *Operated*	19	7.1	16	2	2	7	11	14	57	99+
1. SINGLE DX	60	3.3	9	<1	<1	3	4	7	9	19
2. MULTIPLE DX	309	5.7	79	1	1	4	6	11	15	62
A. NOT OPERATED	347	5.2	71	1	1	3	5	9	14	39
B. OPERATED	22	7.4	23	1	2	7	11	15	48	99+
TOTAL 0-19 YRS	43	9.0	368	<1	1	3	7	14	60	92
20-34	72	3.9	25	1	1	3	4	7	10	28
35-49	72	4.7	27	<1	1	3	5	10	14	34
50-64	70	4.6	23	1	1	3	5	8	12	32
65+	112	5.7	32	2	2	4	7	11	16	61
GRAND TOTAL	**369**	**5.3**	**68**	**1**	**1**	**3**	**6**	**10**	**14**	**45**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	9.3	126	1	1	5	13	23	31	51
20-34	431	6.7	46	1	1	4	9	16	21	32
35-49	213	6.9	62	1	1	4	8	15	23	44
50-64	53	9.0	86	1	1	5	11	23	30	40
65+	42	10.2	75	2	3	8	13	23	30	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	613	13.3	185	1	2	8	18	32	42	94
20-34	1026	8.7	79	1	2	6	11	19	25	41
35-49	565	9.3	80	1	2	7	12	20	26	40
50-64	205	10.1	90	1	2	7	13	21	29	47
65+	224	11.6	176	1	2	7	15	25	41	78
B. *Operated*										
0-19 YRS	8	7.1	56	2	2	3	11	20	22	22
20-34	28	15.0	321	1	2	10	18	30	67	75
35-49	17	11.8	94	1	2	8	16	29	31	31
50-64	3	16.0	1	15	15	16	17	17	17	17
65+	15	20.5	205	2	6	16	28	38	52	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1124	7.9	81	1	1	5	10	19	26	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2633	10.2	116	1	2	7	13	23	32	57
B. *Operated*	71	14.6	208	1	2	12	19	30	38	73
1. SINGLE DX	1124	7.9	81	1	1	5	10	19	26	42
2. MULTIPLE DX	2704	10.4	119	1	2	7	14	23	32	58
A. NOT OPERATED	3757	9.5	107	1	1	6	12	22	30	51
B. OPERATED	71	14.6	208	1	2	12	19	30	38	73
TOTAL 0-19 YRS	1006	11.7	165	1	1	7	16	29	38	82
20-34	1485	8.2	76	1	1	6	11	18	24	41
35-49	795	8.7	76	1	1	6	12	19	26	42
50-64	261	9.9	88	1	2	7	13	22	29	46
65+	281	11.9	166	1	2	8	15	27	39	70
GRAND TOTAL	**3828**	**9.6**	**109**	**1**	**1**	**6**	**13**	**22**	**30**	**53**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	16.8	335	1	1	9	28	47	58	99+
20-34	121	14.5	240	<1	1	8	24	34	46	67
35-49	63	11.5	169	1	2	6	12	29	43	57
50-64	41	9.3	91	1	1	4	17	23	27	38
65+	31	17.6	238	1	4	13	26	36	51	64
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49	6	8.2	121	1	1	4	8	28	30	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	583	25.4	710	1	2	16	49	87	99+	99+
20-34	349	13.6	297	1	1	7	19	36	50	99+
35-49	212	9.4	100	1	2	5	14	24	32	99+
50-64	147	8.8	109	1	2	6	12	18	22	55
65+	213	10.7	138	2	3	7	12	24	33	93
B. *Operated*										
0-19 YRS	25	31.3	907	3	3	25	67	98	99+	99+
20-34	19	19.5	428	1	1	15	24	66	84	99+
35-49	19	19.7	424	1	2	11	29	48	67	80
50-64	12	9.7	46	1	2	8	14	19	22	23
65+	29	21.7	387	4	5	15	35	51	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	15.2	278	1	1	8	25	41	52	98
B. *Operated*	11	5.1	73	1	1	2	5	17	29	30
2. MULTIPLE DX										
A. *Not Operated*	1504	16.7	438	1	2	8	24	58	88	99+
B. *Operated*	104	21.8	511	2	3	14	32	69	93	99+
1. SINGLE DX	577	15.0	276	1	1	8	24	40	52	98
2. MULTIPLE DX	1608	17.0	444	1	2	9	24	59	89	99+
A. NOT OPERATED	2070	16.3	394	1	2	8	24	50	80	99+
B. OPERATED	115	20.2	493	1	2	13	30	66	92	99+
TOTAL 0-19 YRS	919	22.6	605	1	2	14	41	78	99	99+
20-34	493	14.0	287	1	1	7	21	36	52	99+
35-49	300	10.4	140	1	2	6	14	28	38	89
50-64	200	9.0	101	1	2	5	12	19	24	50
65+	273	12.7	188	2	3	8	15	31	41	97
GRAND TOTAL	**2185**	**16.5**	**400**	**1**	**2**	**8**	**24**	**51**	**81**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	44	1	1	2	7	17	19	19
20-34	13	3.7	10	1	1	3	4	9	11	12
35-49	6	6.0	16	1	1	6	8	12	12	12
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.3	624	2	2	3	5	54	74	74
20-34	20	13.8	190	2	4	11	19	44	80	99+
35-49	6	27.5	433	10	10	24	31	62	66	66
50-64	7	15.0	300	1	1	5	32	40	41	41
65+										
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	4	52	99+	99+	99+
20-34	2	11.0	72	5	5	11	17	17	17	17
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.2	27	1	1	3	7	12	19	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	41	15.7	324	1	2	9	20	48	69	99+
B. *Operated*	6	7.8	47	1	1	5	17	83	99+	99+
1. SINGLE DX	28	5.2	27	1	1	3	7	12	19	20
2. MULTIPLE DX	47	14.7	294	1	2	9	19	55	75	99+
A. NOT OPERATED	69	11.4	228	1	1	7	13	31	64	95
B. OPERATED	6	7.8	47	1	1	5	17	83	99+	99+
TOTAL 0-19 YRS	18	7.9	290	1	1	3	6	52	88	99+
20-34	35	9.9	136	1	1	7	13	20	54	99+
35-49	13	16.7	303	1	2	10	22	38	61	66
50-64	8	13.9	267	1	1	5	27	40	41	41
65+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**75**	**11.1**	**214**	**1**	**1**	**6**	**16**	**31**	**65**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	9.8	17	2	3	10	12	14	16	24
20-34	39	8.8	50	1	2	8	11	15	22	37
35-49	23	9.6	126	<1	1	5	11	30	40	41
50-64	13	8.5	19	1	3	8	12	15	15	15
65+	3	11.3	100	1	1	12	19	21	21	21
B. *Operated*										
0-19 YRS	17	9.5	38	<1	1	10	11	19	23	24
20-34	15	5.7	46	<1	1	2	7	18	20	21
35-49	14	5.6	29	<1	1	4	7	12	19	21
50-64	11	5.0	32	<1	<1	2	10	14	15	15
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	11.2	28	2	4	11	14	17	22	26
20-34	61	10.1	54	1	2	9	14	17	23	42
35-49	83	14.9	222	1	3	11	17	27	47	80
50-64	56	12.3	59	3	4	11	16	20	27	40
65+	71	19.7	412	3	4	14	23	36	64	98
B. *Operated*										
0-19 YRS	36	19.4	231	6	7	15	24	58	86	99+
20-34	34	27.7	709	1	3	16	40	72	90	99
35-49	54	20.3	318	1	2	16	40	44	58	99
50-64	57	21.4	332	2	3	15	29	46	54	82
65+	45	25.2	315	5	7	20	37	54	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	9.6	33	1	2	10	12	14	17	37
B. *Operated*	59	6.6	37	<1	1	4	10	15	20	24
2. MULTIPLE DX										
A. *Not Operated*	449	13.2	140	2	3	11	15	23	28	69
B. *Operated*	226	22.5	368	2	3	16	33	48	71	99+
1. SINGLE DX	298	9.0	35	1	1	10	11	14	18	32
2. MULTIPLE DX	675	16.3	236	2	3	12	19	38	48	95
A. NOT OPERATED	688	12.0	106	2	3	11	14	21	26	58
B. OPERATED	285	19.2	341	1	2	14	28	46	62	99+
TOTAL 0-19 YRS	392	11.3	49	2	4	11	13	18	22	56
20-34	149	13.4	260	1	2	9	14	30	44	92
35-49	174	15.1	241	1	2	10	18	42	46	83
50-64	137	15.1	197	1	2	11	18	34	44	77
65+	121	21.3	373	3	4	15	26	48	63	99
GRAND TOTAL	**973**	**14.1**	**185**	**1**	**2**	**11**	**16**	**28**	**44**	**85**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	7	6.4	18	2	2	4	9	13	14	14
65+	34	9.4	155	1	2	7	10	14	23	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	8.5	8	5	5	8	10	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	13.3	102	7	7	8	21	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	12.0	30	8	8	10	15	20	20	20
50-64	69	12.5	125	2	3	9	15	24	40	58
65+	507	13.6	166	3	4	10	17	30	52	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	29.3	614	7	7	25	48	56	56	56
50-64	9	24.1	706	1	3	11	33	69	85	85
65+	74	20.5	364	5	7	16	28	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.5	129	1	2	6	10	14	20	74
B. *Operated*	8	10.1	40	5	6	8	10	21	25	25
2. MULTIPLE DX										
A. *Not Operated*	581	13.4	160	3	4	9	16	29	50	99+
B. *Operated*	86	21.2	397	5	7	16	29	74	99	99+
1. SINGLE DX	51	8.8	114	1	2	7	10	14	24	73
2. MULTIPLE DX	667	14.4	197	3	4	10	18	33	59	99+
A. NOT OPERATED	624	13.1	159	3	4	9	16	28	47	99+
B. OPERATED	94	20.2	375	5	7	15	27	65	96	99+
TOTAL 0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	12	14.3	214	<1	3	9	16	34	53	56
50-64	86	13.1	185	2	3	9	15	27	41	76
65+	618	14.2	194	3	4	10	17	32	60	99+
GRAND TOTAL	**718**	**14.0**	**193**	**3**	**4**	**10**	**17**	**31**	**56**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	18	1	1	5	9	11	11	11
20-34	99	8.2	50	1	1	7	11	16	21	38
35-49	138	8.2	28	1	3	8	11	15	19	24
50-64	37	9.9	27	3	4	9	13	16	22	24
65+	3	6.7	16	2	2	9	9	9	9	9
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	5.0	33	1	1	3	6	15	18	18
35-49	13	7.0	34	1	1	5	12	16	18	18
50-64	7	6.6	8	3	3	6	8	11	12	12
65+	5	4.2	14	1	1	4	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	30	2	2	12	15	91	99+	99+
20-34	115	11.1	107	2	2	9	14	24	31	74
35-49	208	11.5	82	2	3	10	14	21	31	53
50-64	122	11.7	81	3	4	10	15	22	25	48
65+	25	11.0	85	3	3	8	12	21	31	45
B. *Operated*										
0-19 YRS										
20-34	20	16.5	133	4	4	14	23	37	75	99+
35-49	45	12.5	179	2	2	9	18	36	71	99+
50-64	44	15.4	179	3	4	12	18	29	42	72
65+	14	18.0	239	3	8	13	17	37	58	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	8.4	35	1	2	7	11	16	20	28
B. *Operated*	34	6.2	25	1	1	5	8	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	475	11.4	87	2	3	9	14	22	30	60
B. *Operated*	123	14.8	178	2	3	11	20	33	56	99+
1. SINGLE DX	315	8.2	35	1	2	7	11	15	19	27
2. MULTIPLE DX	598	12.1	107	2	3	10	15	24	33	87
A. NOT OPERATED	756	10.3	70	2	3	9	13	19	25	53
B. OPERATED	157	12.9	157	1	2	10	17	28	53	99+
TOTAL 0-19 YRS	10	8.3	25	1	2	11	13	49	96	99+
20-34	242	10.1	88	1	2	8	14	22	28	63
35-49	404	10.3	75	2	3	9	12	20	28	61
50-64	210	12.0	93	3	4	10	15	22	28	61
65+	47	12.1	134	1	3	10	14	25	36	64
GRAND TOTAL	**913**	**10.7**	**86**	**2**	**3**	**9**	**14**	**21**	**28**	**65**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	409	3.0	9	1	1	2	3	6	8	14
20-34	324	3.6	29	1	1	2	4	7	12	25
35-49	163	3.3	11	1	1	2	4	6	8	22
50-64	96	3.4	6	1	1	3	4	6	8	15
65+	68	4.2	10	<1	1	3	5	9	10	17
B. *Operated*										
0-19 YRS	6	3.3	6	2	2	2	4	8	8	8
20-34	16	11.5	105	1	1	9	14	26	37	41
35-49	8	7.8	67	1	1	5	13	21	22	22
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	727	5.0	32	1	1	3	6	11	16	35
20-34	592	5.3	51	1	1	3	6	11	14	43
35-49	589	5.5	29	1	1	4	7	11	16	30
50-64	616	6.2	41	1	2	5	7	13	18	58
65+	1097	7.9	74	2	2	6	10	15	22	99+
B. *Operated*										
0-19 YRS	40	10.1	58	1	2	9	14	21	24	36
20-34	54	9.4	138	1	2	7	9	21	28	65
35-49	52	10.8	159	1	2	7	14	27	51	99
50-64	57	14.1	248	1	2	9	17	38	50	99
65+	135	16.7	248	3	4	12	21	41	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1060	3.3	15	1	1	2	4	6	9	17
B. *Operated*	35	7.9	75	1	1	4	11	18	26	41
2. MULTIPLE DX										
A. *Not Operated*	3621	6.2	50	1	2	4	7	13	17	51
B. *Operated*	338	13.4	202	2	3	9	16	31	50	99+
1. SINGLE DX	1095	3.5	17	1	1	2	4	7	10	20
2. MULTIPLE DX	3959	6.8	67	1	2	5	8	14	20	64
A. NOT OPERATED	4681	5.6	44	1	1	4	7	11	16	43
B. OPERATED	373	12.9	192	2	2	9	16	30	49	99+
TOTAL 0-19 YRS	1182	4.5	27	1	1	3	5	10	14	30
20-34	986	5.1	52	1	1	3	6	10	14	43
35-49	812	5.4	36	1	1	4	6	12	16	33
50-64	772	6.4	57	1	2	4	7	13	20	59
65+	1302	8.6	97	2	2	6	10	17	28	99+
GRAND TOTAL	**5054**	**6.1**	**58**	**1**	**1**	**4**	**7**	**13**	**18**	**55**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.5	57	<1	<1	2	4	8	55	99+
20-34	127	3.7	10	1	1	3	5	8	10	15
35-49	108	3.6	8	<1	1	2	5	8	9	14
50-64	38	4.4	23	1	1	3	5	9	13	27
65+	77	7.4	40	1	2	6	10	15	25	81
B. *Operated*										
0-19 YRS	90	4.1	18	<1	<1	3	5	8	10	26
20-34	109	5.9	42	<1	1	4	8	13	15	40
35-49	89	4.6	16	1	1	3	8	10	12	18
50-64	59	6.4	43	<1	1	5	8	12	22	33
65+	46	6.9	43	<1	1	5	9	15	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	10.8	406	1	2	4	25	99+	99+	99+
20-34	268	7.4	139	1	1	4	7	17	32	97
35-49	295	8.2	115	1	2	5	9	16	30	71
50-64	406	11.3	169	1	2	7	14	28	40	83
65+	1497	14.1	242	2	3	9	17	35	62	99+
B. *Operated*										
0-19 YRS	179	8.5	199	1	1	5	10	23	94	99+
20-34	144	11.7	207	1	2	7	14	26	50	70
35-49	173	10.5	152	1	1	8	13	25	58	99+
50-64	278	14.3	230	1	2	10	19	37	59	99+
65+	603	16.8	245	2	3	13	23	39	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	462	4.3	29	1	1	3	6	9	13	99+
B. *Operated*	393	5.4	31	<1	1	4	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	2962	12.0	243	1	2	7	15	42	86	99+
B. *Operated*	1377	13.9	229	1	2	9	19	35	63	99+
1. SINGLE DX	855	4.8	30	<1	1	3	6	10	14	38
2. MULTIPLE DX	4339	12.6	239	1	2	8	16	38	77	99+
A. NOT OPERATED	3424	10.9	221	1	2	6	13	35	77	99+
B. OPERATED	1770	12.0	197	1	2	8	15	30	53	99+
TOTAL 0-19 YRS	877	8.7	287	1	1	4	9	99+	99+	99+
20-34	648	7.4	119	1	1	4	8	15	26	70
35-49	665	7.6	100	1	1	5	9	15	26	96
50-64	781	11.7	181	1	2	7	15	29	44	99+
65+	2223	14.4	236	2	3	9	19	35	62	99+
GRAND TOTAL	**5194**	**11.3**	**213**	**1**	**2**	**7**	**14**	**32**	**67**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	2	<1	1	2	3	4	6	8
20-34	251	2.8	5	1	1	2	3	6	7	12
35-49	191	2.6	4	1	1	2	3	5	7	9
50-64	61	2.7	3	1	1	2	3	5	7	9
65+	9	2.6	2	<1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	3.2	5	1	1	2	4	7	8	8
35-49	12	3.3	7	1	1	2	4	7	10	10
50-64	5	2.4	2	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	3.0	4	1	1	3	4	5	7	9
20-34	295	3.6	7	1	1	3	5	7	8	15
35-49	355	4.4	29	1	1	3	5	7	12	34
50-64	183	4.0	7	1	1	3	5	8	9	14
65+	88	3.9	6	1	1	3	5	8	9	12
B. *Operated*										
0-19 YRS	4	5.5	19	2	2	5	9	11	11	11
20-34	8	4.1	7	2	2	3	5	9	10	10
35-49	25	5.6	19	1	1	5	7	11	15	20
50-64	26	4.2	7	1	1	4	6	8	9	11
65+	7	5.3	23	2	2	3	7	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	2.6	4	1	1	2	3	5	7	9
B. *Operated*	36	3.1	5	1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1023	3.9	14	1	1	3	5	7	9	17
B. *Operated*	70	4.9	13	1	1	4	6	10	11	19
1. SINGLE DX	648	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX	1093	4.0	14	1	1	3	5	7	9	18
A. NOT OPERATED	1635	3.4	11	1	1	3	4	7	8	15
B. OPERATED	106	4.3	11	1	1	3	6	9	11	17
TOTAL 0-19 YRS	207	2.7	3	1	1	2	3	5	7	9
20-34	572	3.2	6	1	1	3	4	6	8	12
35-49	583	3.8	21	1	1	3	4	7	10	26
50-64	275	3.7	6	1	1	3	5	8	8	13
65+	104	3.9	7	1	1	3	5	8	9	14
GRAND TOTAL	**1741**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**8**	**15**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	3	5.0	16	1	1	5	8	9	9	9
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	14	1.2		<1	<1	<1	1	2	2	2
20-34	160	1.3	1	<1	<1	<1	1	2	3	4
35-49	286	1.2		<1	<1	<1	1	2	2	4
50-64	243	1.3		<1	<1	<1	1	2	2	4
65+	118	1.3	1	<1	<1	<1	1	2	2	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	11	3.1	15	<1	<1	2	3	9	14	14
50-64	17	2.1	2	<1	<1	1	3	5	6	6
65+	8	7.5	195	1	1	3	3	30	42	42
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	52	2.1	6	<1	<1	1	3	3	5	17
35-49	168	2.2	10	<1	<1	1	2	4	5	20
50-64	252	1.9	4	<1	<1	1	2	3	5	11
65+	221	1.9	4	<1	<1	1	2	3	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.6	6	1	1	2	2	7	9	9
B. *Operated*	821	1.3	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	42	3.5	43	<1	<1	2	3	6	10	42
B. *Operated*	698	2.0	5	<1	<1	1	2	3	5	12
1. SINGLE DX	831	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX	740	2.1	8	<1	<1	1	2	3	5	13
A. NOT OPERATED	52	3.3	36	<1	<1	2	3	6	9	41
B. OPERATED	1519	1.6	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	21	1.5	2	<1	<1	1	1	2	4	7
20-34	219	1.5	2	<1	<1	<1	2	3	3	6
35-49	467	1.6	4	<1	<1	<1	2	3	4	8
50-64	515	1.6	2	<1	<1	1	2	3	4	10
65+	349	1.8	8	<1	<1	1	2	3	4	11
GRAND TOTAL	**1571**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	7.6	175	1	1	4	8	16	42	99+
20-34	73	4.6	35	<1	1	4	5	8	12	39
35-49	90	5.2	26	<1	1	4	6	11	18	25
50-64	59	5.2	30	<1	1	3	7	13	18	25
65+	33	4.9	49	<1	1	3	5	9	20	37
B. *Operated*										
0-19 YRS	65	2.9	4	<1	1	2	4	5	6	10
20-34	256	2.9	6	<1	<1	2	4	5	7	12
35-49	293	2.8	6	<1	<1	2	4	5	8	12
50-64	218	2.8	8	<1	<1	2	3	6	8	12
65+	92	3.2	11	<1	1	2	3	6	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	9.4	122	1	1	4	14	28	34	45
20-34	87	6.0	65	1	1	3	6	13	25	81
35-49	153	6.0	37	1	1	5	7	13	20	36
50-64	276	7.4	64	1	2	5	9	16	20	41
65+	465	7.8	48	1	2	6	10	16	24	43
B. *Operated*										
0-19 YRS	40	5.8	122	<1	1	3	5	10	22	67
20-34	142	5.9	99	<1	1	3	6	11	23	51
35-49	235	4.9	35	<1	1	3	6	10	14	39
50-64	290	6.1	111	1	1	3	6	14	23	87
65+	317	8.4	102	1	1	5	11	20	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	5.4	54	<1	1	3	6	11	17	41
B. *Operated*	924	2.9	7	<1	<1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1019	7.4	55	1	2	5	9	16	22	44
B. *Operated*	1024	6.5	91	1	1	3	7	15	23	74
1. SINGLE DX	1225	3.5	19	<1	<1	2	4	7	10	21
2. MULTIPLE DX	2043	6.9	73	1	1	4	8	16	23	62
A. NOT OPERATED	1320	6.9	56	1	1	5	8	15	21	44
B. OPERATED	1948	4.8	54	<1	1	3	5	10	17	49
TOTAL 0-19 YRS	189	6.0	99	1	1	3	5	13	26	77
20-34	558	4.4	44	<1	1	3	5	8	12	39
35-49	771	4.3	25	<1	1	3	5	9	13	29
50-64	843	5.6	66	<1	1	3	7	12	19	44
65+	907	7.5	65	1	1	5	9	17	25	60
GRAND TOTAL	**3268**	**5.6**	**56**	**<1**	**1**	**3**	**7**	**12**	**19**	**46**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	7	3.7	2	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	3.1	3	1	2	3	4	6	6	7
20-34	83	3.2	4	1	2	3	4	5	6	12
35-49	92	3.4	4	1	1	3	4	6	7	10
50-64	217	3.4	3	1	2	3	4	6	6	9
65+	169	3.5	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	4	1.8	2	<1	<1	1	3	4	4	4
35-49	7	4.0	7	1	1	4	5	8	9	9
50-64	10	1.9	1	<1	<1	2	3	4	4	4
65+	19	3.4	3	<1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	29	3.6	6	1	1	3	4	6	8	13
20-34	82	3.8	15	1	2	3	4	6	7	26
35-49	100	3.5	4	1	2	3	4	6	7	9
50-64	375	3.5	6	1	1	3	4	6	7	14
65+	618	4.0	7	1	2	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	2	1	1	4	4	5	5	5
B. *Operated*	589	3.4	3	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	43	2.9	4	<1	1	2	4	5	6	9
B. *Operated*	1204	3.8	7	1	2	3	5	6	8	14
1. SINGLE DX	602	3.4	3	1	2	3	4	6	6	9
2. MULTIPLE DX	1247	3.8	7	1	2	3	5	6	8	14
A. NOT OPERATED	56	2.9	3	<1	1	3	4	5	6	9
B. OPERATED	1793	3.6	6	1	2	3	4	6	7	12
TOTAL 0-19 YRS	60	3.3	4	1	1	3	4	6	7	12
20-34	170	3.4	9	1	2	3	4	6	6	14
35-49	201	3.5	4	1	2	3	4	6	7	10
50-64	605	3.4	5	1	1	3	4	6	7	12
65+	813	3.9	6	1	2	3	5	6	8	13
GRAND TOTAL	**1849**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.8		1	1	2	2	2	2	2
65+	15	1.4		1	1	1	2	2	3	3
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	1.8		1	1	2	2	2	2	2
35-49	11	2.4	1	<1	1	2	3	4	4	4
50-64	47	1.9	2	<1	<1	1	2	3	6	6
65+	75	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	1.7	2	<1	<1	1	2	4	5	5
65+	31	2.9	6	1	1	2	3	7	8	11
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	6.0	64	<1	<1	3	9	20	20	20
35-49	13	2.8	5	1	1	2	4	6	8	8
50-64	66	2.8	7	<1	1	2	3	4	8	17
65+	232	3.3	9	<1	1	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.5		1	1	1	2	2	3	3
B. *Operated*	140	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	41	2.6	5	<1	1	2	3	6	8	11
B. *Operated*	319	3.2	9	<1	1	2	4	7	9	18
1. SINGLE DX	161	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX	360	3.1	9	<1	1	2	4	7	9	18
A. NOT OPERATED	62	2.2	4	1	1	2	2	4	7	11
B. OPERATED	459	2.8	7	<1	1	2	3	6	8	16
TOTAL 0-19 YRS	6	1.5	1	1	1	1	2	3	3	3
20-34	9	4.1	37	<1	<1	2	3	14	20	20
35-49	26	2.5	3	<1	1	2	3	5	6	8
50-64	127	2.3	5	<1	<1	2	3	4	6	13
65+	353	2.9	7	<1	1	2	4	6	8	12
GRAND TOTAL	**521**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**13**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	3.4		3	3	3	4	4	4	4
65+	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49	8	2.8	7	<1	<1	2	4	7	8	8
50-64	18	2.3	4	<1	<1	2	3	5	7	8
65+	19	2.2	2	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	6.3	18	3	3	5	9	12	12	12
50-64										
65+	21	5.7	144	<1	1	2	4	9	31	57
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	7	3.3	4	<1	<1	3	5	6	6	6
35-49	8	1.3		1	1	1	2	2	2	2
50-64	34	2.9	7	<1	<1	2	3	6	7	14
65+	110	2.9	10	<1	<1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.6	2	1	1	3	4	4	5	5
B. *Operated*	50	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	26	5.6	118	<1	1	3	5	10	21	57
B. *Operated*	162	2.9	9	<1	<1	2	3	6	8	14
1. SINGLE DX	63	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	188	3.3	24	<1	<1	2	4	7	9	18
A. NOT OPERATED	39	4.6	80	1	1	3	4	8	11	57
B. OPERATED	212	2.8	7	<1	<1	2	3	6	8	14
TOTAL 0-19 YRS	5	3.6	8	1	1	2	6	8	8	8
20-34	13	2.5	3	<1	<1	2	3	5	6	6
35-49	21	2.8	8	<1	1	2	3	7	10	12
50-64	57	2.8	5	<1	<1	2	3	6	7	14
65+	155	3.2	27	<1	<1	2	3	6	9	21
GRAND TOTAL	**251**	**3.0**	**19**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	49	1.6	1	<1	<1	1	2	2	3	7
50-64	440	1.5		<1	<1	1	2	2	2	3
65+	1840	1.6		<1	<1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	30	1.9	4	<1	<1	1	2	3	8	9
65+	175	2.4	7	<1	<1	1	2	6	8	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	87	1.8	1	<1	<1	2	2	3	4	7
50-64	861	1.8	2	<1	<1	2	2	2	3	8
65+	5947	2.0	5	<1	<1	2	2	3	3	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*	2329	1.6		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	207	2.3	6	<1	<1	1	2	5	8	11
B. *Operated*	6895	2.0	5	<1	<1	2	2	2	3	9
1. SINGLE DX	2335	1.6		<1	<1	1	2	2	2	4
2. MULTIPLE DX	7102	2.0	5	<1	<1	2	2	3	3	9
A. NOT OPERATED	213	2.2	6	<1	<1	1	2	5	8	11
B. OPERATED	9224	1.9	4	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS										
20-34										
35-49	138	1.7	1	<1	<1	2	2	3	4	7
50-64	1331	1.7	1	<1	<1	2	2	2	3	7
65+	7968	1.9	4	<1	<1	2	2	2	3	8
GRAND TOTAL	**9437**	**1.9**	**4**	**<1**	**<1**	**2**	**2**	**2**	**3**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	22	1.3		<1	<1	1	2	2	2	2
20-34	9	1.9	1	<1	<1	2	2	3	3	3
35-49	16	1.6		<1	<1	2	2	2	2	2
50-64	23	1.5	1	<1	<1	1	2	3	3	4
65+	52	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	4	4.8	20	<1	<1	4	8	10	10	10
65+	7	1.1		<1	<1	1	2	71	99+	99+
B. *Operated*										
0-19 YRS	20	1.8	1	<1	<1	2	2	3	3	3
20-34	16	2.6	13	1	1	2	2	2	12	16
35-49	34	1.9	1	<1	<1	2	2	3	4	6
50-64	74	1.7	1	<1	<1	2	2	2	4	5
65+	152	2.0	3	<1	<1	2	2	3	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	122	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	15	2.4	8	<1	<1	1	4	10	73	99+
B. *Operated*	296	1.9	3	<1	<1	2	2	3	4	11
1. SINGLE DX	122	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX	311	1.9	3	<1	<1	2	2	3	5	13
A. NOT OPERATED	15	2.4	8	<1	<1	1	4	10	73	99+
B. OPERATED	418	1.8	2	<1	<1	2	2	2	4	9
TOTAL 0-19 YRS	42	1.5		<1	<1	1	2	2	3	3
20-34	26	2.3	8	<1	<1	2	2	3	6	16
35-49	53	1.8	1	<1	<1	2	2	3	4	6
50-64	101	1.8	2	<1	<1	2	2	3	4	8
65+	211	1.8	3	<1	<1	1	2	3	4	13
GRAND TOTAL	**433**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	4	1.8		1	1	2	2	2	2	2
35-49	4	2.5	4	1	1	2	4	5	5	5
50-64	3	4.0	7	1	1	5	6	6	6	6
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	568	1.1		<1	<1	<1	1	2	2	2
20-34	65	1.3		<1	<1	1	2	2	2	3
35-49	43	1.7	1	<1	<1	2	2	2	3	5
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	9	2.2	4	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	7	<1	<1	1	3	7	9	10
20-34	5	6.8	45	1	1	4	13	15	15	15
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64	22	5.6	17	2	2	4	6	12	15	18
65+	43	4.5	7	1	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	233	1.2		<1	<1	<1	1	2	2	2
20-34	35	1.5	1	<1	<1	1	2	2	3	7
35-49	21	1.7	1	<1	<1	2	2	3	3	4
50-64	20	2.3	6	<1	<1	2	2	5	9	11
65+	35	3.8	17	1	1	2	4	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	3	<1	1	2	3	5	6	6
B. *Operated*	694	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	94	4.4	12	<1	1	3	6	10	12	17
B. *Operated*	344	1.6	3	<1	<1	1	2	2	3	11
1. SINGLE DX	711	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	438	2.2	6	<1	<1	1	2	5	7	13
A. NOT OPERATED	111	4.1	11	<1	1	3	5	9	12	16
B. OPERATED	1038	1.3	1	<1	<1	1	1	2	2	6
TOTAL 0-19 YRS	824	1.2		<1	<1	<1	1	2	2	3
20-34	109	1.6	4	<1	<1	1	2	2	3	14
35-49	73	1.8	1	<1	<1	2	2	3	4	7
50-64	54	3.6	13	<1	<1	2	5	8	12	18
65+	89	3.9	11	1	1	3	5	8	10	18
GRAND TOTAL	**1149**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**2**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.5	5	<1	<1	2	3	5	7	12
20-34	17	2.9	2	1	1	3	4	5	6	6
35-49	11	2.6	4	<1	<1	2	4	6	7	7
50-64	5	2.2	1	1	1	2	3	3	3	3
65+	20	4.5	14	1	1	3	5	11	14	14
B. *Operated*										
0-19 YRS	46	1.4	1	<1	<1	1	2	2	4	5
20-34	44	1.9	2	<1	<1	1	3	4	5	5
35-49	93	1.4	1	<1	<1	1	2	2	3	4
50-64	100	1.6	3	<1	<1	1	2	2	3	11
65+	139	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.7	7	<1	<1	3	5	7	8	14
20-34	29	4.1	9	<1	<1	3	5	7	11	15
35-49	22	5.2	12	<1	<1	5	8	10	11	12
50-64	25	4.4	10	<1	1	4	7	9	9	10
65+	85	6.0	28	<1	1	5	7	12	19	27
B. *Operated*										
0-19 YRS	35	2.8	11	<1	<1	2	4	6	8	18
20-34	49	4.8	62	<1	<1	2	4	13	29	37
35-49	141	1.9	4	<1	<1	1	2	3	4	13
50-64	270	2.0	4	<1	<1	1	2	3	5	13
65+	563	2.6	18	<1	<1	2	3	5	6	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	2.9	6	<1	<1	2	4	6	7	14
B. *Operated*	422	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	247	4.7	16	<1	1	4	6	9	12	21
B. *Operated*	1058	2.5	15	<1	<1	2	2	4	6	18
1. SINGLE DX	538	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1305	2.9	16	<1	<1	2	3	6	8	20
A. NOT OPERATED	363	4.1	14	<1	<1	3	5	8	11	20
B. OPERATED	1480	2.2	11	<1	<1	1	2	4	5	16
TOTAL 0-19 YRS	230	2.8	6	<1	<1	2	4	6	7	13
20-34	139	3.5	26	<1	<1	2	4	6	11	30
35-49	267	2.0	4	<1	<1	1	2	4	6	12
50-64	400	2.0	4	<1	<1	1	2	4	6	12
65+	807	2.9	18	<1	<1	2	3	5	7	21
GRAND TOTAL	**1843**	**2.6**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	3.3	3	1	1	3	4	5	7	10
20-34	36	3.5	5	<1	<1	3	5	7	8	9
35-49	18	3.4	3	<1	1	3	5	6	6	6
50-64	12	4.7	7	1	1	4	6	9	10	10
65+	16	4.4	5	<1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	28	2.6	5	<1	<1	2	3	6	7	10
20-34	20	3.1	5	<1	<1	2	5	6	8	9
35-49	19	2.8	7	<1	<1	2	3	8	9	9
50-64	46	1.9	1	<1	<1	2	2	3	5	6
65+	113	2.4	7	<1	<1	1	2	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	4.3	10	1	2	3	5	8	10	16
20-34	46	4.1	19	<1	1	3	5	7	10	28
35-49	55	7.1	43	1	1	4	10	19	24	25
50-64	96	5.8	41	1	1	5	7	9	11	45
65+	146	6.2	48	1	1	5	7	12	15	37
B. *Operated*										
0-19 YRS	39	3.7	13	<1	<1	3	4	10	13	14
20-34	65	4.8	64	<1	<1	3	4	7	18	48
35-49	91	4.3	20	<1	1	3	5	9	14	24
50-64	241	3.7	16	<1	<1	2	4	8	11	19
65+	606	3.0	14	<1	<1	2	3	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	3.4	4	1	1	3	4	6	7	10
B. *Operated*	226	2.4	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	630	5.2	28	1	1	4	6	10	12	26
B. *Operated*	1042	3.4	18	<1	<1	2	4	7	11	21
1. SINGLE DX	568	3.0	5	<1	<1	2	4	6	7	11
2. MULTIPLE DX	1672	4.1	23	<1	1	3	5	9	11	24
A. NOT OPERATED	972	4.6	20	1	1	3	5	8	11	23
B. OPERATED	1268	3.3	16	<1	<1	2	4	7	10	20
TOTAL 0-19 YRS	614	3.8	7	1	1	3	5	7	9	13
20-34	167	4.1	32	<1	<1	3	5	7	10	35
35-49	183	4.9	26	1	1	3	5	11	17	25
50-64	395	4.0	22	<1	<1	3	5	8	10	20
65+	881	3.5	20	<1	<1	2	4	8	11	20
GRAND TOTAL	**2240**	**3.8**	**18**	**<1**	**1**	**3**	**5**	**8**	**10**	**21**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	<1	<1	<1	3	3	3	3
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	3	1.7		1	1	2	2	2	2	2
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	4	5.8	3	4	4	5	7	8	8	8
B. Operated										
0-19 YRS	4	3.0	11	<1	<1	1	5	8	8	8
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	5.0	37	1	1	2	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.8	1	<1	<1	1	2	3	4	4
20-34	9	5.3	5	2	2	6	7	9	9	9
35-49	9	3.7	3	1	1	3	5	6	7	7
50-64	26	3.5	6	<1	1	3	4	7	9	10
65+	35	4.4	13	1	1	3	6	10	13	13
B. Operated										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	9	4.6	17	2	2	3	5	11	15	15
35-49	12	3.9	13	1	1	3	4	9	13	14
50-64	12	2.8	7	1	1	2	3	6	10	11
65+	31	4.2	11	<1	1	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.8	4	<1	<1	2	4	5	7	8
B. Operated	14	2.7	11	<1	<1	1	2	8	11	12
2. MULTIPLE DX										
A. Not Operated	87	3.9	8	1	1	3	5	8	10	13
B. Operated	68	3.8	11	<1	1	3	5	10	11	15
1. SINGLE DX	34	2.8	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX	155	3.9	10	<1	1	3	5	9	11	14
A. NOT OPERATED	107	3.7	8	<1	1	3	5	7	10	13
B. OPERATED	82	3.6	11	<1	1	2	4	9	11	15
TOTAL 0-19 YRS	21	2.0	3	<1	<1	1	2	4	6	8
20-34	24	4.2	10	1	1	3	6	8	11	15
35-49	26	3.4	8	<1	1	3	4	7	9	14
50-64	45	3.1	5	1	1	3	4	5	9	11
65+	73	4.4	12	1	1	3	6	10	12	13
GRAND TOTAL	**189**	**3.7**	**9**	**<1**	**1**	**3**	**5**	**8**	**10**	**14**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	282	2.6	2	1	1	2	3	4	5	8
20-34	9	4.8	71	1	1	2	3	18	27	27
35-49	5	2.4	2	1	1	2	3	5	5	5
50-64	6	1.8	1	1	1	2	2	4	4	4
65+	6	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	761	1.2	2	<1	<1	<1	<1	1	2	7
20-34	81	1.5		<1	1	1	2	2	3	4
35-49	53	1.5		<1	<1	1	2	2	3	3
50-64	72	1.6	1	<1	<1	1	2	3	3	6
65+	29	2.1	3	<1	<1	2	2	4	4	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	872	3.0	5	1	1	3	4	5	7	13
20-34	28	4.1	20	<1	<1	2	4	12	14	17
35-49	15	4.4	22	1	2	3	4	8	17	20
50-64	25	4.6	17	<1	1	3	5	12	13	17
65+	11	5.8	9	1	1	6	8	10	10	10
B. Operated										
0-19 YRS	1032	1.4	3	<1	<1	1	1	2	3	12
20-34	142	2.0	5	<1	1	1	2	3	4	11
35-49	101	2.0	5	<1	1	2	2	3	5	13
50-64	142	1.9	3	1	1	2	2	3	4	11
65+	52	2.2	4	<1	<1	2	3	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	308	2.6	4	1	1	2	3	4	5	8
B. Operated	996	1.3	1	<1	<1	<1	1	2	2	7
2. MULTIPLE DX										
A. Not Operated	951	3.2	6	<1	1	3	4	5	8	13
B. Operated	1469	1.6	3	<1	<1	1	2	2	3	12
1. SINGLE DX	1304	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2420	2.2	5	<1	<1	1	3	4	6	13
A. NOT OPERATED	1259	3.0	5	1	1	2	4	5	7	13
B. OPERATED	2465	1.5	3	<1	<1	1	1	2	3	10
TOTAL 0-19 YRS	2947	1.9	4	<1	<1	1	2	4	5	11
20-34	260	2.1	8	<1	1	1	2	3	5	17
35-49	174	2.1	5	<1	1	2	2	3	5	14
50-64	245	2.1	4	<1	1	2	2	3	5	12
65+	98	2.6	5	<1	1	2	3	5	8	12
GRAND TOTAL	**3724**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**12**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	2	1	2	3	4	5	6	9
20-34	26	4.3	4	2	2	4	6	7	8	8
35-49	19	4.1	5	1	2	4	5	7	9	10
50-64	13	4.6	7	2	2	4	5	8	11	12
65+	6	7.5	12	3	3	7	11	12	12	12
B. *Operated*										
0-19 YRS	156	1.4	2	<1	<1	<1	1	2	4	9
20-34	27	1.8	4	<1	<1	1	2	3	5	11
35-49	17	2.5	12	<1	1	2	2	3	11	16
50-64	17	2.5	11	1	1	2	2	3	11	15
65+	10	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	258	3.8	7	1	1	3	5	7	8	11
20-34	54	5.6	24	1	2	5	7	9	14	32
35-49	46	4.6	6	2	2	4	6	7	9	14
50-64	35	6.1	14	1	2	5	9	11	13	17
65+	51	9.7	167	3	3	6	10	15	29	82
B. *Operated*										
0-19 YRS	179	2.7	24	<1	<1	1	2	6	11	20
20-34	65	3.1	6	1	1	2	4	7	9	11
35-49	40	2.7	15	<1	1	2	3	4	5	25
50-64	55	3.8	15	1	1	2	4	11	11	19
65+	55	10.4	186	1	1	5	13	29	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.7	4	1	2	3	4	6	8	12
B. *Operated*	227	1.7	4	<1	<1	<1	1	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	444	5.0	31	1	2	4	6	9	11	27
B. *Operated*	394	4.0	48	<1	<1	2	3	9	14	39
1. SINGLE DX	408	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	838	4.5	39	<1	1	3	5	9	12	30
A. NOT OPERATED	625	4.6	24	1	2	4	5	8	10	17
B. OPERATED	621	3.1	33	<1	<1	1	3	7	11	29
TOTAL 0-19 YRS	710	2.9	10	<1	<1	2	4	6	8	12
20-34	172	3.9	13	<1	1	3	5	7	10	15
35-49	122	3.6	10	1	1	3	5	7	8	19
50-64	120	4.4	15	1	1	3	6	10	12	18
65+	122	9.2	158	1	2	5	11	19	30	70
GRAND TOTAL	**1246**	**3.9**	**29**	**<1**	**<1**	**3**	**4**	**7**	**11**	**27**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	5	5
20-34	54	2.4	2	1	1	2	3	4	5	7
35-49	90	2.9	4	1	1	3	4	5	7	11
50-64	162	2.8	4	1	1	2	3	5	7	11
65+	132	2.9	3	1	1	2	4	5	6	8
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	9	1.9	1	1	1	2	2	4	4	4
35-49	35	2.2	2	<1	1	2	3	4	5	8
50-64	32	2.6	4	1	1	2	3	6	7	8
65+	16	3.4	7	<1	1	3	4	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	2	<1	1	2	3	5	6	6
20-34	73	3.4	4	1	2	3	4	6	7	12
35-49	163	3.9	13	1	1	3	5	7	9	16
50-64	516	3.8	10	1	1	3	5	7	9	18
65+	1067	4.8	21	1	2	4	6	9	11	20
B. *Operated*										
0-19 YRS	5	4.6	25	<1	<1	3	7	13	13	13
20-34	16	6.1	47	1	1	4	7	20	23	24
35-49	19	5.4	18	1	1	5	8	12	14	15
50-64	31	4.3	15	1	1	3	5	9	12	20
65+	69	9.0	95	2	2	7	11	16	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450	2.8	3	1	1	2	3	5	6	10
B. *Operated*	99	2.4	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1837	4.4	16	1	1	3	5	8	10	18
B. *Operated*	140	7.0	62	1	1	5	9	13	20	36
1. SINGLE DX	549	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX	1977	4.6	20	1	1	3	6	8	11	20
A. NOT OPERATED	2287	4.1	14	1	1	3	5	8	10	17
B. OPERATED	239	5.1	43	1	1	3	6	12	14	32
TOTAL 0-19 YRS	42	2.3	5	<1	<1	2	3	5	6	13
20-34	152	3.3	8	1	1	3	4	6	7	21
35-49	307	3.5	10	1	1	3	5	7	9	14
50-64	741	3.6	9	1	1	3	4	7	9	16
65+	1284	4.8	24	1	2	4	6	9	11	20
GRAND TOTAL	**2526**	**4.2**	**17**	[illegible]	**1**	**3**	**5**	**8**	**10**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	1.6		1	1	2	2	2	2	2
35-49	12	1.8		1	1	2	2	2	2	2
50-64	19	1.7		1	1	2	2	2	2	2
65+	24	2.1		2	2	2	2	3	3	3
B. *Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	75	1.7	1	1	1	2	2	3	3	4
35-49	148	1.7	1	1	1	2	2	3	3	4
50-64	101	1.7	1	1	1	2	2	3	4	5
65+	40	1.8	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	11	2.4	1	2	2	2	2	4	6	6
65+	14	2.9	9	1	1	2	2	4	11	13
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	31	1.9	1	1	1	2	2	3	3	3
35-49	46	1.8	1	1	1	2	2	3	3	4
50-64	60	1.8	1	1	1	2	2	3	4	5
65+	39	2.2	1	1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	1.9		1	1	2	2	2	2	3
B. *Operated*	368	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	31	2.4	5	1	1	2	2	3	6	13
B. *Operated*	179	1.9	1	1	1	2	2	3	4	5
1. SINGLE DX	432	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	210	1.9	1	1	1	2	2	3	4	6
A. NOT OPERATED	95	2.1	2	1	1	2	2	2	3	10
B. OPERATED	547	1.8	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	8	1.6		1	1	2	2	2	2	2
20-34	117	1.7	1	1	1	2	2	3	3	4
35-49	209	1.7	1	1	1	2	2	3	3	4
50-64	191	1.8	1	1	1	2	2	3	3	5
65+	117	2.1	2	1	1	2	2	3	4	8
GRAND TOTAL	**642**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	2	<1	<1	2	3	4	5	5
20-34	8	3.5	7	1	1	3	5	8	9	9
35-49	7	4.3	10	<1	<1	4	7	9	9	9
50-64	6	4.8	15	1	1	4	9	10	10	10
65+	5	3.6	8	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	249	1.3		<1	<1	1	1	2	2	3
20-34	162	1.5	1	<1	<1	1	2	2	3	7
35-49	123	1.7	1	<1	1	1	2	3	3	6
50-64	101	1.6		<1	1	2	2	3	3	3
65+	40	1.7	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	2	<1	<1	1	2	4	5	5
20-34	9	7.1	27	1	2	5	10	16	16	16
35-49	10	4.0	13	<1	<1	3	5	9	13	13
50-64	25	4.7	19	<1	1	3	6	9	13	21
65+	17	5.8	34	<1	<1	5	8	15	21	23
B. *Operated*										
0-19 YRS	251	1.5	1	<1	1	1	2	2	3	8
20-34	185	1.5	1	1	1	1	2	2	3	8
35-49	169	1.7	1	<1	1	1	2	3	4	6
50-64	157	2.2	7	1	1	2	2	3	5	16
65+	106	2.8	11	<1	1	2	3	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.6	8	<1	1	3	5	9	9	10
B. *Operated*	675	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	75	4.6	21	<1	<1	3	5	9	16	22
B. *Operated*	868	1.8	4	<1	1	1	2	3	4	12
1. SINGLE DX	710	1.6	1	<1	<1	1	2	3	3	8
2. MULTIPLE DX	943	2.0	6	<1	1	1	2	3	5	13
A. NOT OPERATED	110	4.3	17	<1	<1	3	5	9	13	22
B. OPERATED	1543	1.7	2	<1	1	1	2	3	3	8
TOTAL 0-19 YRS	523	1.4	1	<1	<1	1	2	2	3	5
20-34	364	1.7	3	<1	1	1	2	3	4	9
35-49	309	1.8	2	<1	1	1	2	3	4	8
50-64	289	2.3	7	1	1	2	2	4	6	15
65+	168	2.9	12	<1	1	2	3	6	9	22
GRAND TOTAL	**1653**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	7.9	23	2	3	7	10	14	16	24
20-34	13	6.5	48	2	2	5	7	14	25	28
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	3	7.7	54	2	2	5	13	16	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.8	107	2	2	5	11	17	31	49
20-34	13	7.1	17	3	3	7	9	12	16	17
35-49	8	9.4	37	3	4	7	13	19	21	21
50-64	25	7.4	23	2	2	6	10	15	17	21
65+	16	6.8	9	2	2	7	9	10	12	13
B. *Operated*										
0-19 YRS	3	9.3	33	6	6	6	14	16	16	16
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	7	12.6	192	1	2	7	15	37	42	42
65+	5	12.6	50	6	6	10	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.4	29	2	2	7	9	13	17	28
B. *Operated*	6	6.5	28	2	2	5	9	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	84	7.8	42	2	3	6	10	15	18	40
B. *Operated*	16	11.6	98	2	5	7	16	22	36	42
1. SINGLE DX	51	7.3	29	2	2	6	9	14	16	28
2. MULTIPLE DX	100	8.4	52	2	3	7	10	16	20	45
A. NOT OPERATED	129	7.7	37	2	2	7	10	14	17	32
B. OPERATED	22	10.2	82	1	2	7	16	19	30	42
TOTAL 0-19 YRS	53	8.3	56	2	2	7	10	15	19	48
20-34	26	6.8	32	2	2	5	9	11	19	28
35-49	15	7.9	30	2	3	6	12	16	20	21
50-64	34	8.4	57	1	2	7	11	15	20	42
65+	23	8.2	23	2	3	7	10	14	19	22
GRAND TOTAL	**151**	**8.0**	**44**	**2**	**2**	**7**	**10**	**15**	**19**	**42**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	27.5	545	11	11	27	44	44	44	44
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	8	5.0	17	1	1	5	6	12	14	14
65+	5	10.8	237	2	2	4	15	38	38	38
B. *Operated*										
0-19 YRS	5	3.4	8	1	1	2	5	8	8	8
20-34	12	5.4	20	1	1	4	9	12	13	13
35-49	46	4.9	23	<1	1	2	9	13	14	18
50-64	45	4.4	19	1	1	2	6	11	13	16
65+	27	6.0	42	1	2	2	11	16	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	12	1	1	4	6	10	10	10
20-34	21	5.0	28	<1	<1	4	7	10	17	24
35-49	35	5.0	14	2	2	4	6	6	15	20
50-64	130	6.8	23	2	2	6	9	14	17	23
65+	275	8.4	35	2	3	7	11	17	20	36
B. *Operated*										
0-19 YRS	4	23.8	1032	1	1	12	45	70	70	70
20-34	34	7.0	34	1	2	6	10	14	21	22
35-49	127	9.0	87	1	2	7	12	20	29	45
50-64	327	10.6	172	1	2	8	14	21	35	70
65+	372	12.0	146	2	2	9	17	27	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	8.3	145	1	1	4	7	28	41	44
B. *Operated*	135	4.9	25	1	1	2	9	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	466	7.5	31	2	2	6	9	16	19	28
B. *Operated*	864	10.9	148	1	2	8	14	24	35	67
1. SINGLE DX	154	5.3	40	1	1	2	9	13	16	37
2. MULTIPLE DX	1330	9.7	109	1	2	7	13	21	28	53
A. NOT OPERATED	485	7.5	35	2	2	6	9	16	19	35
B. OPERATED	999	10.1	135	1	2	8	14	23	31	62
TOTAL 0-19 YRS	16	11.8	362	1	1	4	10	42	62	70
20-34	68	6.0	29	1	1	4	9	12	19	24
35-49	211	7.3	64	1	1	4	10	16	23	39
50-64	510	9.0	123	1	2	6	12	17	26	68
65+	679	10.3	101	2	2	8	14	23	30	50
GRAND TOTAL	**1484**	**9.3**	**104**	**1**	**2**	**6**	**12**	**20**	**27**	**50**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	5	1	1	3	5	7	7	7
20-34	39	3.8	5	1	1	4	5	7	8	10
35-49	111	3.6	5	1	1	3	5	7	8	12
50-64	113	3.2	3	1	1	3	4	6	7	8
65+	91	3.8	11	1	1	3	4	6	9	21
B. *Operated*										
0-19 YRS	6	2.5	8	1	1	2	2	7	8	8
20-34	10	2.9	5	1	1	2	4	6	7	7
35-49	18	3.0	8	1	1	2	3	7	10	12
50-64	18	3.1	7	<1	1	2	5	6	9	10
65+	9	5.9	49	<1	1	3	7	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.5	8	1	1	4	7	9	10	11
20-34	119	4.3	11	1	2	3	5	8	9	20
35-49	498	5.0	14	1	2	4	6	10	12	22
50-64	935	5.2	19	1	2	4	6	9	12	22
65+	1182	6.1	34	2	2	5	7	11	15	35
B. *Operated*										
0-19 YRS	11	10.5	161	1	1	7	10	34	39	40
20-34	28	7.6	48	<1	1	5	10	18	24	29
35-49	73	6.2	33	1	1	5	8	14	16	30
50-64	155	7.1	38	1	1	5	10	14	18	32
65+	203	9.0	138	1	1	6	11	20	30	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	3.6	6	1	1	3	4	6	8	11
B. *Operated*	61	3.4	13	1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	2760	5.5	25	1	2	4	7	10	13	26
B. *Operated*	470	7.9	85	1	1	5	10	17	24	49
1. SINGLE DX	424	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	3230	5.9	34	1	2	4	7	11	15	30
A. NOT OPERATED	3123	5.3	23	1	2	4	6	10	13	24
B. OPERATED	531	7.4	78	1	1	5	10	15	23	42
TOTAL 0-19 YRS	52	5.4	45	1	1	3	7	9	11	40
20-34	196	4.6	16	1	1	4	6	9	11	24
35-49	700	4.8	15	1	1	4	6	9	12	21
50-64	1221	5.3	21	1	2	4	7	10	13	23
65+	1485	6.4	49	1	2	5	7	12	17	37
GRAND TOTAL	**3654**	**5.6**	**31**	**1**	**2**	**4**	**7**	**10**	**14**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	19	4.4	3	1	2	4	6	7	8	9
50-64	30	4.5	3	2	2	4	6	7	8	9
65+	57	6.4	28	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.8		1	1	2	2	2	2	2
50-64	9	3.8	4	1	1	4	5	7	7	7
65+	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	11	5.3	5	1	2	6	7	8	9	9
35-49	111	6.6	32	2	2	5	8	12	16	35
50-64	475	7.1	29	2	3	6	8	13	16	35
65+	1894	8.9	54	2	3	7	10	17	22	39
B. *Operated*										
0-19 YRS										
20-34	4	16.8	73	6	6	18	23	25	25	25
35-49	17	9.2	88	1	2	6	10	25	33	36
50-64	87	9.1	109	1	2	6	12	19	29	54
65+	253	15.7	308	2	3	11	19	52	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	5.5	17	2	2	5	7	9	13	25
B. *Operated*	18	2.8	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2493	8.4	49	2	3	7	10	16	21	38
B. *Operated*	361	13.8	255	2	2	10	17	36	77	99+
1. SINGLE DX	126	5.1	16	1	2	4	6	9	12	23
2. MULTIPLE DX	2854	9.1	78	2	3	7	11	17	24	68
A. NOT OPERATED	2601	8.3	48	2	3	6	10	16	20	38
B. OPERATED	379	13.3	248	2	2	9	16	35	71	99+
TOTAL 0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	17	8.1	44	1	2	6	9	20	24	25
35-49	151	6.5	35	2	2	5	8	12	16	36
50-64	601	7.2	39	2	2	6	9	13	18	41
65+	2209	9.6	88	2	3	7	11	18	25	79
GRAND TOTAL	**2980**	**8.9**	**76**	**2**	**3**	**7**	**10**	**17**	**24**	**65**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	4.9	6	1	2	5	6	8	9	9
50-64	13	6.3	18	<1	1	5	11	12	12	12
65+	15	4.2	7	2	2	4	6	8	10	10
B. *Operated*										
0-19 YRS	7	2.7	2	1	1	3	3	5	5	5
20-34	5	5.4	32	2	2	2	8	15	15	15
35-49	15	3.2	4	1	1	3	4	7	8	8
50-64	34	5.4	20	1	2	3	8	12	14	18
65+	25	5.2	28	1	1	2	9	15	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.1	98	<1	1	4	9	12	34	40
20-34	22	5.0	20	1	2	3	6	10	16	20
35-49	44	9.2	103	2	3	6	10	19	34	55
50-64	120	7.7	38	1	2	6	11	15	20	32
65+	263	10.0	98	2	3	7	12	18	24	68
B. *Operated*										
0-19 YRS	10	8.4	68	1	1	6	8	23	27	27
20-34	49	9.8	116	2	2	6	11	21	35	53
35-49	79	10.8	102	1	2	8	15	23	29	51
50-64	188	9.9	92	2	2	7	12	22	30	49
65+	216	13.3	203	2	2	9	17	29	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.2	11	1	1	4	7	11	12	12
B. *Operated*	86	4.7	19	1	1	3	6	12	15	18
2. MULTIPLE DX										
A. *Not Operated*	463	9.0	81	2	2	7	11	18	22	56
B. *Operated*	542	11.3	141	2	2	8	15	24	35	74
1. SINGLE DX	123	4.8	17	1	1	3	7	11	14	18
2. MULTIPLE DX	1005	10.3	115	2	2	7	13	21	31	70
A. NOT OPERATED	500	8.7	77	2	2	6	11	17	21	55
B. OPERATED	628	10.4	130	1	2	7	13	23	34	72
TOTAL 0-19 YRS	31	6.5	68	1	1	3	7	13	27	40
20-34	77	8.1	86	2	2	5	10	18	24	51
35-49	146	9.2	92	1	2	6	11	21	27	53
50-64	355	8.6	66	1	2	6	12	18	23	43
65+	519	11.0	141	2	2	8	13	22	35	87
GRAND TOTAL	**1128**	**9.7**	**107**	**2**	**2**	**7**	**12**	**20**	**29**	**64**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	20	3	3	8	11	12	12	12
20-34	25	8.4	15	3	4	8	10	15	16	19
35-49	383	8.4	10	2	5	9	10	12	13	16
50-64	803	9.0	9	4	5	9	11	13	14	16
65+	604	9.2	10	4	6	9	11	13	14	19
B. *Operated*										
0-19 YRS										
20-34	11	6.5	14	1	1	7	10	11	11	11
35-49	83	8.6	13	1	3	9	11	12	14	19
50-64	143	10.4	14	3	6	11	13	14	16	21
65+	69	11.1	15	4	7	12	13	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.4	29	<1	3	9	12	16	22	22
20-34	89	8.2	13	2	2	9	10	12	14	21
35-49	1475	9.3	13	3	5	9	11	13	15	19
50-64	5349	10.2	23	4	6	10	12	14	17	26
65+	12234	11.6	40	5	6	10	13	18	22	38
B. *Operated*										
0-19 YRS	2	49.5	2113	17	17	49	82	82	82	82
20-34	58	9.7	19	2	3	10	12	15	16	24
35-49	638	10.5	32	2	4	10	13	17	21	28
50-64	1742	13.2	81	3	6	11	15	22	29	62
65+	2223	17.0	132	6	8	14	20	30	40	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1818	8.9	10	3	5	9	10	12	14	18
B. *Operated*	306	9.9	15	2	4	10	12	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	19158	11.0	33	5	6	10	13	16	20	34
B. *Operated*	4663	14.6	105	4	6	12	17	25	34	66
1. SINGLE DX	2124	9.1	10	3	5	9	11	13	14	18
2. MULTIPLE DX	23821	11.7	50	5	6	10	13	18	23	42
A. NOT OPERATED	20976	10.8	32	5	6	10	12	16	20	33
B. OPERATED	4969	14.3	101	4	6	12	17	25	33	65
TOTAL 0-19 YRS	16	14.1	355	1	3	9	12	21	64	82
20-34	183	8.6	16	2	2	9	10	13	15	23
35-49	2579	9.4	18	3	5	9	11	14	16	23
50-64	8037	10.7	36	4	6	10	12	16	20	34
65+	15130	12.3	56	5	7	11	14	19	25	46
GRAND TOTAL	**25945**	**11.5**	**47**	**4**	**6**	**10**	**13**	**18**	**22**	**41**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	2.5	2	1	1	2	3	4	6	7
35-49	246	3.2	3	1	1	3	4	6	6	8
50-64	372	3.2	15	1	1	3	4	5	6	12
65+	288	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS										
20-34	9	2.3	2	1	1	2	3	5	5	5
35-49	67	2.2	2	1	1	2	2	3	7	9
50-64	116	2.5	3	1	1	2	2	5	7	10
65+	33	2.4	2	1	1	2	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	81	3.5	5	1	1	3	5	6	7	11
35-49	1075	3.8	7	1	2	3	5	7	8	12
50-64	3124	4.2	11	1	2	4	5	7	9	14
65+	5141	4.9	18	2	2	4	6	8	11	20
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	22	3.2	8	<1	1	2	3	8	9	11
35-49	494	4.1	17	1	1	2	5	9	11	22
50-64	1549	4.7	29	1	2	2	7	10	13	23
65+	1112	6.7	51	2	2	4	9	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	931	3.2	8	1	1	3	4	5	7	10
B. *Operated*	225	2.4	3	1	1	2	2	4	7	9
2. MULTIPLE DX										
A. *Not Operated*	9423	4.5	14	1	2	4	5	8	10	17
B. *Operated*	3178	5.3	36	1	2	2	7	12	16	27
1. SINGLE DX	1156	3.1	7	1	1	3	4	5	7	10
2. MULTIPLE DX	12601	4.7	20	1	2	4	6	9	11	22
A. NOT OPERATED	10354	4.4	14	1	2	4	5	8	10	16
B. OPERATED	3403	5.1	34	1	2	2	7	11	15	27
TOTAL 0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	136	3.2	5	1	1	3	4	6	8	11
35-49	1882	3.7	9	1	2	3	5	7	8	15
50-64	5161	4.2	16	1	2	3	5	8	10	17
65+	6574	5.1	23	2	2	4	6	9	12	24
GRAND TOTAL	**13757**	**4.6**	**19**	**1**	**2**	**3**	**5**	**9**	**11**	**21**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	25	3.8	2	1	2	4	5	6	7	7
35-49	351	3.5	3	1	2	3	4	6	7	9
50-64	794	3.9	5	1	2	3	5	7	8	12
65+	889	4.1	5	2	2	4	5	7	8	11
B. *Operated*										
0-19 YRS										
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	36	5.6	18	1	2	4	7	12	16	18
50-64	102	5.3	13	2	2	5	8	10	12	17
65+	53	6.5	23	2	2	5	9	13	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.8	9	1	2	4	6	7	12	14
20-34	107	4.1	11	1	2	3	5	7	8	21
35-49	1814	4.5	8	1	2	4	6	8	10	15
50-64	7001	5.0	10	2	2	4	6	9	10	17
65+	15581	6.0	19	2	3	5	7	10	13	21
B. *Operated*										
0-19 YRS										
20-34	26	6.8	25	1	2	5	10	14	17	19
35-49	629	7.1	32	2	2	6	10	13	17	28
50-64	2329	8.6	53	2	2	7	11	16	20	36
65+	2508	11.0	87	2	2	9	14	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2061	3.9	5	1	2	4	5	6	8	11
B. *Operated*	195	5.6	17	2	2	5	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	24519	5.6	16	2	2	5	7	9	12	19
B. *Operated*	5492	9.5	68	2	2	8	12	18	24	44
1. SINGLE DX	2256	4.1	6	1	2	4	5	7	8	12
2. MULTIPLE DX	30011	6.3	28	2	2	5	8	11	15	27
A. NOT OPERATED	26580	5.4	15	2	2	5	7	9	12	19
B. OPERATED	5687	9.4	67	2	2	8	12	18	23	44
TOTAL 0-19 YRS	18	4.4	9	1	1	4	5	7	11	14
20-34	162	4.5	12	1	2	4	5	8	11	19
35-49	2830	5.0	14	1	2	4	6	9	12	19
50-64	10226	5.8	22	2	2	5	7	11	14	22
65+	19031	6.5	30	2	2	5	8	12	15	28
GRAND TOTAL	**32267**	**6.1**	**26**	**2**	**2**	**5**	**7**	**11**	**15**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	29	2.9	1	1	1	3	4	4	5	6
50-64	65	2.9	4	1	1	2	4	6	7	8
65+	58	3.9	15	1	1	3	5	7	10	24
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	1.8		1	1	2	2	2	2	2
35-49	391	3.1	8	1	1	2	3	8	10	13
50-64	1043	3.5	11	1	1	2	3	9	11	14
65+	551	3.9	17	1	1	2	4	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	2.9	2	1	1	3	4	5	6	6
35-49	233	3.9	6	1	1	3	5	7	9	13
50-64	726	4.9	16	1	1	4	6	9	11	21
65+	1184	6.5	34	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	70	5.9	57	1	1	3	8	13	21	44
35-49	1608	4.7	22	1	1	2	7	11	13	22
50-64	5469	5.9	41	1	1	3	9	13	17	30
65+	3689	7.9	81	1	1	5	11	17	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	3.2	8	1	1	3	4	6	8	13
B. *Operated*	1996	3.5	12	1	1	2	3	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	2157	5.6	25	1	2	4	7	10	14	26
B. *Operated*	10837	6.4	53	1	1	3	9	14	19	34
1. SINGLE DX	2151	3.5	12	1	1	2	3	9	11	15
2. MULTIPLE DX	12994	6.3	49	1	1	4	9	14	18	33
A. NOT OPERATED	2312	5.5	25	1	2	4	7	10	13	25
B. OPERATED	12833	6.0	48	1	1	3	9	13	18	32
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	96	4.9	45	1	1	2	6	10	17	38
35-49	2261	4.3	18	1	1	2	6	10	12	20
50-64	7303	5.4	35	1	1	3	8	12	15	27
65+	5482	7.1	65	1	1	4	10	16	21	44
GRAND TOTAL	**15145**	**5.9**	**44**	**1**	**1**	**3**	**8**	**13**	**17**	**32**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	15	4	4	8	11	12	12	12
20-34	50	8.4	11	3	5	8	9	12	12	23
35-49	63	8.3	14	1	3	8	11	13	15	18
50-64	63	8.7	8	4	5	8	10	12	14	16
65+	59	9.7	14	5	6	10	12	15	16	23
B. *Operated*										
0-19 YRS										
20-34	4	10.3	1	9	9	10	11	11	11	11
35-49	8	10.1	21	6	6	9	12	18	20	20
50-64	19	11.9	20	5	6	12	16	18	19	19
65+	14	11.1	13	8	8	10	11	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	10.9	56	3	3	10	12	21	30	30
20-34	111	9.9	41	2	3	9	12	17	19	71
35-49	181	10.9	27	4	6	10	13	18	20	28
50-64	419	11.1	34	4	6	10	13	16	19	36
65+	943	13.3	62	6	7	11	15	21	26	45
B. *Operated*										
0-19 YRS	3	14.3	10	12	12	13	17	18	18	18
20-34	41	12.6	22	6	7	12	16	19	20	25
35-49	86	12.6	46	6	7	11	15	19	20	49
50-64	155	13.2	56	6	7	12	15	20	28	72
65+	366	17.3	128	8	9	14	20	30	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	8.8	12	3	5	8	11	13	15	19
B. *Operated*	45	11.2	16	6	6	10	13	18	19	20
2. MULTIPLE DX										
A. *Not Operated*	1664	12.2	51	5	6	11	14	19	24	42
B. *Operated*	651	15.4	97	7	8	13	17	26	33	65
1. SINGLE DX	284	9.2	13	3	5	9	11	14	16	20
2. MULTIPLE DX	2315	13.1	66	5	7	11	15	21	27	51
A. NOT OPERATED	1903	11.8	47	5	6	10	14	19	23	39
B. OPERATED	696	15.2	93	7	8	13	17	25	33	64
TOTAL 0-19 YRS	17	10.9	40	3	4	11	12	17	26	30
20-34	206	10.1	31	2	5	9	12	16	19	41
35-49	338	10.9	31	4	6	10	13	18	20	31
50-64	656	11.4	37	5	6	10	13	17	21	36
65+	1382	14.2	81	6	7	12	16	23	30	53
GRAND TOTAL	**2599**	**12.7**	**62**	**5**	**7**	**11**	**15**	**20**	**26**	**48**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	338	2	2	15	28	28	28	28
20-34	5	10.0	130	2	2	7	13	30	30	30
35-49	2	20.5	145	12	12	20	29	29	29	29
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	8.0	98	1	1	8	15	15	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	22.2	309	2	3	18	38	45	52	54
20-34	82	22.9	203	3	4	22	31	44	46	59
35-49	75	22.8	231	3	5	22	31	42	44	81
50-64	61	20.7	143	4	6	18	29	35	40	51
65+	138	28.5	176	7	13	28	37	46	50	82
B. *Operated*										
0-19 YRS	4	39.5	738	12	12	34	56	77	77	77
20-34	41	38.8	245	12	20	40	47	54	67	88
35-49	36	32.7	183	12	15	34	42	56	63	99+
50-64	37	33.5	361	5	8	31	43	61	72	77
65+	63	34.2	232	10	14	34	45	54	59	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.6	128	1	1	7	21	29	30	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	371	24.6	200	3	5	26	32	43	47	69
B. *Operated*	181	34.9	260	10	14	34	44	57	66	85
1. SINGLE DX	12	11.6	128	1	1	7	21	29	30	30
2. MULTIPLE DX	552	28.0	243	4	7	29	38	47	55	77
A. NOT OPERATED	383	24.2	203	3	5	26	32	43	47	68
B. OPERATED	181	34.9	260	10	14	34	44	57	66	85
TOTAL 0-19 YRS	21	24.8	402	2	3	28	36	49	64	77
20-34	128	27.5	278	3	4	29	40	48	53	75
35-49	113	25.9	233	4	7	27	34	44	48	95
50-64	99	25.3	265	4	6	26	34	44	60	75
65+	203	30.1	203	8	13	30	39	49	54	76
GRAND TOTAL	**564**	**27.6**	**246**	**4**	**7**	**28**	**37**	**47**	**54**	**77**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	3	<1	<1	2	3	5	6	6
20-34	21	2.4	4	1	1	2	3	6	7	8
35-49	41	2.1	2	<1	<1	2	2	4	5	8
50-64	46	2.6	3	1	1	2	3	5	6	11
65+	46	2.7	5	1	1	2	3	6	7	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	4	<1	1	2	4	5	7	9
20-34	56	2.7	6	<1	1	2	3	6	8	13
35-49	106	3.3	15	1	1	2	4	6	7	23
50-64	283	3.7	9	1	1	3	5	7	10	16
65+	665	5.5	24	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	11.2	47	1	2	11	15	20	21	21
50-64	15	7.5	22	2	2	6	12	15	74	99+
65+	42	10.8	58	2	3	9	17	22	29	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.5	4	1	1	2	3	5	6	10
B. *Operated*	4	2.8	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1134	4.6	19	1	1	3	6	9	12	20
B. *Operated*	65	9.9	49	2	3	8	15	22	27	99+
1. SINGLE DX	174	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1199	4.9	22	1	1	4	6	10	13	23
A. NOT OPERATED	1304	4.3	18	1	1	3	6	8	11	20
B. OPERATED	69	9.5	49	2	2	8	14	21	25	99+
TOTAL 0-19 YRS	42	2.5	3	<1	1	2	4	5	6	9
20-34	78	2.6	5	1	1	2	3	6	8	12
35-49	154	3.3	15	1	1	2	4	6	9	21
50-64	345	3.7	10	1	1	3	5	7	11	17
65+	754	5.6	26	1	2	4	7	11	15	31
GRAND TOTAL	**1373**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**22**

147: Atrial fibrillation and flutter (427.3)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	96	2.0	1	<1	<1	2	3	3	5	6
35-49	140	2.3	2	<1	1	2	3	5	5	7
50-64	300	2.8	5	<1	1	2	3	5	7	12
65+	336	3.3	14	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	9	3.7	5	2	2	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.9	10	<1	<1	2	3	7	9	15
20-34	151	2.7	8	<1	1	2	3	6	6	11
35-49	408	3.8	12	1	1	3	5	7	10	16
50-64	1714	4.7	15	1	1	4	6	9	12	18
65+	5283	6.3	36	1	2	5	8	11	15	30
B. *Operated*										
0-19 YRS	6	5.8	17	1	1	5	10	11	11	11
20-34	17	6.1	57	<1	1	4	5	17	25	29
35-49	22	11.1	63	3	4	9	16	22	28	32
50-64	157	8.4	66	1	2	7	11	16	22	41
65+	599	13.1	164	2	3	10	16	28	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	2.8	8	<1	1	2	3	5	7	11
B. *Operated*	15	3.3	4	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	7584	5.7	30	1	2	4	7	11	14	26
B. *Operated*	801	11.9	143	2	3	9	14	26	36	99+
1. SINGLE DX	894	2.8	8	<1	1	2	3	5	7	11
2. MULTIPLE DX	8385	6.3	44	1	2	5	8	12	16	35
A. NOT OPERATED	8463	5.4	29	1	1	4	7	10	13	25
B. OPERATED	816	11.7	142	2	2	9	14	26	36	99+
TOTAL 0-19 YRS	41	3.1	10	<1	<1	2	3	8	10	15
20-34	266	2.7	9	<1	1	2	3	5	6	17
35-49	571	3.7	14	<1	1	3	5	7	10	21
50-64	2174	4.7	19	1	1	4	6	9	12	20
65+	6227	6.8	52	1	2	5	8	13	17	42
GRAND TOTAL	**9279**	**6.0**	**42**	**1**	**1**	**4**	**7**	**11**	**15**	**34**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.2	17	<1	<1	2	4	6	7	26
20-34	82	3.0	4	1	1	3	4	6	7	8
35-49	153	3.1	5	1	1	2	4	7	8	11
50-64	217	3.3	8	1	1	3	4	6	7	16
65+	228	4.0	9	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	6	3.8	9	1	1	3	6	9	9	9
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	15	3.3	4	2	2	2	4	6	8	9
50-64	39	5.6	33	1	1	4	6	10	15	34
65+	158	5.0	8	1	2	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.6	10	1	1	3	4	7	11	16
20-34	269	3.6	8	1	1	3	4	7	9	16
35-49	658	4.3	12	1	1	3	5	8	11	16
50-64	1993	5.2	21	1	2	4	6	10	12	19
65+	5733	6.6	37	2	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	23	11.9	588	1	1	3	8	28	84	98
20-34	30	9.1	49	2	2	8	14	19	32	99+
35-49	106	8.9	97	1	2	6	10	18	27	57
50-64	548	9.9	114	2	2	7	12	19	32	61
65+	3071	10.1	79	3	3	8	12	19	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	719	3.4	8	1	1	3	4	7	8	14
B. *Operated*	221	5.0	12	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	8739	6.0	31	1	2	5	7	11	14	27
B. *Operated*	3778	10.1	87	2	3	8	12	19	26	60
1. SINGLE DX	940	3.8	9	1	1	3	5	7	9	14
2. MULTIPLE DX	12517	7.2	52	2	2	5	9	14	18	39
A. NOT OPERATED	9458	5.8	30	1	2	5	7	11	14	26
B. OPERATED	3999	9.8	85	2	3	8	12	18	25	59
TOTAL 0-19 YRS	154	4.7	104	<1	1	2	5	8	11	74
20-34	384	3.9	13	1	1	3	5	8	11	20
35-49	932	4.6	23	1	1	3	6	9	12	24
50-64	2797	6.0	42	1	2	4	7	11	15	35
65+	9190	7.7	53	2	2	6	9	14	19	40
GRAND TOTAL	**13457**	**7.0**	**49**	**1**	**2**	**5**	**9**	**13**	**18**	**37**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	13	4.2	10	1	1	4	5	8	12	13
50-64	81	4.8	7	2	2	4	6	9	11	14
65+	431	5.5	12	2	2	5	7	9	12	19
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	5	7.8	79	1	1	3	14	22	22	22
65+	11	7.2	56	2	2	4	8	18	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.2	19	1	2	5	8	14	15	19
20-34	93	7.7	27	1	3	6	10	15	19	25
35-49	650	7.7	36	2	3	6	10	14	17	31
50-64	4571	8.0	44	2	3	6	9	14	19	36
65+	25459	9.0	55	3	3	7	11	16	22	42
B. *Operated*										
0-19 YRS	15	13.7	215	2	3	9	14	34	51	57
20-34	32	11.4	185	1	1	6	14	26	42	64
35-49	139	11.2	107	2	2	8	13	25	34	47
50-64	683	13.3	118	2	3	10	17	26	34	54
65+	2771	16.7	187	4	5	13	21	34	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	5.4	11	2	2	5	7	9	12	18
B. *Operated*	17	7.1	56	1	2	4	9	20	26	28
2. MULTIPLE DX										
A. *Not Operated*	30842	8.8	53	3	3	7	11	16	21	41
B. *Operated*	3640	15.8	174	3	4	12	20	32	45	99+
1. SINGLE DX	546	5.4	13	2	2	5	7	9	12	19
2. MULTIPLE DX	34482	9.6	71	3	3	7	11	18	24	50
A. NOT OPERATED	31371	8.8	53	2	3	7	11	16	21	40
B. OPERATED	3657	15.7	174	3	4	12	20	32	45	99+
TOTAL 0-19 YRS	87	7.4	59	1	2	5	9	14	17	48
20-34	127	8.6	68	1	2	6	11	16	23	48
35-49	802	8.2	50	2	3	6	10	16	20	42
50-64	5340	8.6	57	2	3	7	10	16	21	40
65+	28672	9.7	73	3	3	7	12	18	25	51
GRAND TOTAL	**35028**	**9.5**	**70**	**3**	**3**	**7**	**11**	**18**	**24**	**49**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.5	7	<1	1	3	5	6	8	13
20-34	146	3.4	4	1	1	3	4	7	8	9
35-49	165	3.2	5	<1	1	3	4	6	8	12
50-64	93	3.6	5	1	1	3	5	6	7	13
65+	85	2.9	5	<1	<1	2	4	6	7	10
B. *Operated*										
0-19 YRS	17	3.6	13	1	1	2	6	9	12	13
20-34	35	3.9	12	1	1	2	6	9	11	15
35-49	86	4.1	18	1	1	2	4	10	12	21
50-64	173	4.7	24	1	1	2	8	12	14	22
65+	129	4.7	38	1	1	2	5	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.1	30	1	1	4	6	9	15	34
20-34	321	4.6	25	1	1	3	5	9	12	30
35-49	585	5.9	36	1	2	4	7	11	15	28
50-64	1136	6.9	27	2	2	6	9	13	16	25
65+	1895	8.7	55	2	3	7	11	16	22	44
B. *Operated*										
0-19 YRS	46	8.7	198	1	1	5	11	16	21	93
20-34	80	11.3	171	1	2	7	15	26	38	72
35-49	314	8.1	73	1	2	5	11	17	24	45
50-64	824	8.6	87	1	2	6	12	20	25	58
65+	1202	11.5	149	2	2	9	15	24	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	526	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	440	4.5	26	1	1	2	6	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	4005	7.4	43	2	2	6	9	14	18	33
B. *Operated*	2466	10.1	122	1	2	7	14	22	30	59
1. SINGLE DX	966	3.8	15	<1	1	2	4	9	12	18
2. MULTIPLE DX	6471	8.4	75	1	2	6	11	17	23	46
A. NOT OPERATED	4531	6.9	41	1	2	5	8	14	18	32
B. OPERATED	2906	9.2	112	1	2	6	13	21	28	54
TOTAL 0-19 YRS	168	5.6	72	1	1	4	6	12	15	35
20-34	582	5.2	45	1	1	3	6	10	15	37
35-49	1150	6.0	43	1	2	4	8	12	17	34
50-64	2226	7.2	50	1	2	5	9	15	20	36
65+	3311	9.4	91	2	2	7	12	19	26	53
GRAND TOTAL	**7437**	**7.8**	**70**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	3.2	6	1	1	2	4	7	9	9
50-64	46	4.7	7	1	2	4	6	8	8	15
65+	85	6.7	23	2	2	5	9	15	17	23
B. *Operated*										
0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	8	2.6	3	1	1	2	3	5	6	6
50-64	41	3.8	13	1	1	2	4	9	11	17
65+	28	11.4	279	2	2	5	13	54	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7	4	3	3	4	6	7	7	7
B. *Operated*	4	2.5	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	140	5.8	18	1	2	5	7	11	15	22
B. *Operated*	80	6.3	117	1	2	2	7	13	31	88
1. SINGLE DX	7	3.4	4	1	1	3	5	7	7	7
2. MULTIPLE DX	220	6.0	54	1	2	4	7	12	15	59
A. NOT OPERATED	143	5.8	18	1	2	5	7	11	15	22
B. OPERATED	84	6.1	112	1	2	2	6	13	25	87
TOTAL 0-19 YRS										
20-34	3	1.7		1	1	2	2	2	2	2
35-49	19	2.8	4	1	1	2	4	6	8	9
50-64	91	4.3	9	1	1	3	6	8	10	16
65+	114	7.8	88	2	2	5	9	15	21	76
GRAND TOTAL	**227**	**5.9**	**52**	**1**	**2**	**4**	**7**	**12**	**15**	**59**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	85	<1	<1	7	14	14	14	14
35-49	6	4.3	21	<1	<1	2	8	12	12	12
50-64	10	2.0	2	<1	<1	2	2	4	5	5
65+	5	11.8	113	<1	<1	14	20	25	25	25
B. *Operated*										
0-19 YRS	2	17.0	392	3	3	17	31	31	31	31
20-34	12	16.3	61	3	6	16	20	27	32	33
35-49	29	14.4	74	1	2	14	20	27	30	33
50-64	14	15.9	182	2	5	15	16	26	52	59
65+	4	12.3	145	1	1	11	22	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	4	3	3	6	7	7	7	7
20-34	1	11.0		11	11	11	11	11	11	11
35-49	15	4.1	29	<1	<1	1	5	14	17	18
50-64	12	5.4	39	<1	<1	4	7	38	88	99+
65+	37	15.7	162	1	2	15	22	46	78	99+
B. *Operated*										
0-19 YRS	3	10.7	50	3	3	12	16	17	17	17
20-34	16	21.4	256	2	3	18	28	45	55	59
35-49	55	22.0	154	8	9	22	32	48	99+	99+
50-64	81	26.9	384	6	7	20	38	58	92	99+
65+	61	29.2	312	5	11	27	47	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.2	45	<1	<1	2	7	15	20	25
B. *Operated*	61	15.0	100	1	2	15	20	26	32	56
2. MULTIPLE DX										
A. *Not Operated*	68	10.8	129	<1	1	8	17	31	52	99+
B. *Operated*	216	25.6	299	5	8	22	37	59	96	99+
1. SINGLE DX	84	12.3	104	<1	1	12	18	25	30	50
2. MULTIPLE DX	284	22.1	298	1	3	19	33	56	93	99+
A. NOT OPERATED	91	9.4	113	<1	<1	5	15	26	48	99+
B. OPERATED	277	23.3	274	3	7	20	32	55	76	99+
TOTAL 0-19 YRS	8	10.3	95	3	3	6	14	27	31	31
20-34	31	18.2	170	2	3	16	21	38	46	59
35-49	105	16.3	153	1	1	16	24	36	53	99+
50-64	117	21.2	373	1	2	17	30	56	87	99+
65+	107	23.1	291	1	3	20	35	59	96	99+
GRAND TOTAL	**368**	**19.9**	**270**	**1**	**2**	**17**	**28**	**52**	**69**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	44.0		44	44	44	44	44	44	44
50-64	4	12.8	105	1	1	13	21	24	24	24
65+	7	22.9	294	7	7	20	34	50	53	53
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	32.0		32	32	66	99+	99+	99+	99+
35-49	6	49.0	780	9	15	67	91	99+	99+	99+
50-64	7	29.7	258	6	10	31	48	86	99+	99+
65+	6	29.7	140	16	16	32	36	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	21.3	264	2	5	19	31	47	52	53
B. *Operated*	21	34.5	409	8	13	36	67	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	33	29.7	388	6	8	30	47	96	99+	99+
A. NOT OPERATED	12	21.3	264	2	5	19	31	47	52	53
B. OPERATED	21	34.5	409	8	13	36	67	99+	99+	99+
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	32.0		32	32	66	99+	99+	99+	99+
35-49	7	48.3	654	9	17	66	86	99+	99+	99+
50-64	11	23.5	260	1	4	22	42	66	95	99+
65+	13	26.0	218	7	9	21	37	47	52	53
GRAND TOTAL	**33**	**29.7**	**388**	**6**	**8**	**30**	**47**	**96**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	22	1	1	7	10	12	12	12
20-34	3	5.7	20	1	1	6	9	10	10	10
35-49	8	7.0	47	1	1	5	10	18	21	21
50-64	11	9.1	19	4	4	9	12	15	17	17
65+	40	14.0	310	1	1	9	15	42	49	87
B. *Operated*										
0-19 YRS	4	12.8	156	2	2	12	23	25	25	25
20-34	12	12.4	70	1	3	10	19	24	27	28
35-49	15	8.7	29	2	2	7	13	18	18	18
50-64	13	6.2	22	1	2	6	7	11	18	20
65+	38	13.8	182	5	5	9	14	25	43	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.5	56	<1	<1	3	9	20	21	21
20-34	12	4.7	14	<1	<1	4	7	10	12	12
35-49	34	12.4	133	2	2	9	17	33	51	99+
50-64	123	13.0	122	2	3	10	17	25	33	99+
65+	580	16.2	167	3	4	13	21	34	45	99+
B. *Operated*										
0-19 YRS	16	19.7	157	4	5	14	29	40	42	43
20-34	19	16.0	180	6	7	11	22	47	81	99+
35-49	48	20.8	307	3	4	18	28	54	68	99+
50-64	98	21.5	335	3	5	17	33	61	99+	99+
65+	285	25.2	364	5	8	21	34	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	11.5	205	1	1	8	12	22	44	82
B. *Operated*	82	11.4	115	2	3	8	14	22	27	67
2. MULTIPLE DX										
A. *Not Operated*	760	15.2	159	2	4	12	20	33	44	99+
B. *Operated*	466	23.4	341	4	7	19	32	60	92	99+
1. SINGLE DX	148	11.5	154	1	2	8	14	22	35	75
2. MULTIPLE DX	1226	18.3	244	3	4	14	25	43	65	99+
A. NOT OPERATED	826	14.9	163	2	4	12	20	32	44	99+
B. OPERATED	548	21.6	325	4	6	17	29	57	81	99+
TOTAL 0-19 YRS	35	13.3	140	<1	1	10	21	30	39	43
20-34	46	11.4	117	1	1	9	15	26	37	99+
35-49	105	15.3	216	2	3	10	22	34	56	99+
50-64	245	15.8	220	2	3	12	21	41	67	99+
65+	943	18.7	251	3	5	14	25	43	64	99+
GRAND TOTAL	**1374**	**17.6**	**239**	**2**	**4**	**13**	**24**	**41**	**62**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	34.5	841	14	14	34	55	55	55	55
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	8	18.8	96	6	7	20	25	33	35	35
50-64	41	23.7	329	5	8	18	31	57	67	99+
65+	192	24.1	333	6	8	19	32	57	76	99+
B. *Operated*										
0-19 YRS										
20-34	4	25.3	110	10	10	29	32	33	33	33
35-49	6	21.8	38	12	15	27	99+	99+	99+	99+
50-64	20	25.7	475	5	6	18	40	70	94	99+
65+	48	30.3	494	8	11	26	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	245	23.9	324	5	8	18	31	56	74	99+
B. *Operated*	78	28.2	433	7	10	25	43	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	323	24.9	352	6	8	20	34	67	99+	99+
A. NOT OPERATED	245	23.9	324	5	8	18	31	56	74	99+
B. OPERATED	78	28.2	433	7	10	25	43	99+	99+	99+
TOTAL 0-19 YRS	2	34.5	841	14	14	34	55	55	55	55
20-34	6	21.0	110	10	10	20	31	33	33	33
35-49	14	20.1	69	7	10	23	35	99+	99+	99+
50-64	61	24.3	370	5	7	18	35	57	76	99+
65+	240	25.4	369	7	8	21	34	68	92	99+
GRAND TOTAL	**323**	**24.9**	**352**	**6**	**8**	**20**	**34**	**67**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	81.0		81	81	81	81	81	81	81
50-64	26	5.5	14	1	2	5	6	9	14	19
65+	22	4.5	4	<1	1	5	5	6	8	10
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	17	4.8	11	1	1	5	6	9	12	14
50-64	171	4.6	10	1	1	4	6	8	10	19
65+	233	4.8	15	1	1	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	9	6.3	29	1	1	6	8	15	18	18
50-64	121	6.8	58	1	1	5	9	12	14	41
65+	524	7.9	53	2	2	6	10	15	20	50
B. *Operated*										
0-19 YRS	4	6.5	11	2	2	7	9	9	9	9
20-34	5	3.6	4	1	1	3	5	6	6	6
35-49	91	7.7	49	1	2	6	9	14	23	39
50-64	966	6.9	29	1	2	6	9	13	16	26
65+	1968	8.1	58	2	2	6	10	16	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.5	123	1	1	5	6	8	13	80
B. *Operated*	424	4.7	13	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	656	7.7	53	1	2	6	9	14	20	47
B. *Operated*	3034	7.7	49	1	2	6	9	15	19	37
1. SINGLE DX	475	4.9	25	1	1	4	6	9	11	21
2. MULTIPLE DX	3690	7.7	49	1	2	6	9	15	19	38
A. NOT OPERATED	707	7.6	58	1	2	6	9	14	19	51
B. OPERATED	3458	7.4	45	1	2	6	9	14	19	36
TOTAL 0-19 YRS	7	7.3	11	2	2	9	10	11	11	11
20-34	9	4.9	26	1	1	3	6	13	17	17
35-49	118	7.8	89	1	2	6	9	14	22	54
50-64	1284	6.6	30	1	2	5	8	12	15	25
65+	2747	7.8	54	1	2	6	9	15	20	41
GRAND TOTAL	**4165**	**7.4**	**47**	**1**	**2**	**6**	**9**	**14**	**19**	**36**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	11	14.9	279	2	2	12	17	43	55	56
65+	48	12.3	115	3	3	9	15	29	37	53
B. *Operated*										
0-19 YRS	3	9.7	154	2	2	3	19	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	8.9	69	1	1	5	16	21	22	22
50-64	59	9.5	84	2	3	8	13	23	79	99+
65+	80	12.7	115	2	3	11	16	29	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	61	12.5	139	2	3	9	14	34	37	56
B. *Operated*	151	11.1	102	2	2	9	15	24	48	99+
1. SINGLE DX										
2. MULTIPLE DX	212	11.5	112	2	2	9	15	26	41	99+
A. NOT OPERATED	61	12.5	139	2	3	9	14	34	37	56
B. OPERATED	151	11.1	102	2	2	9	15	24	48	99+
TOTAL 0-19 YRS	3	9.7	154	2	2	3	19	24	24	24
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	8.2	56	1	1	5	14	20	22	22
50-64	70	10.3	115	2	2	9	13	24	64	99+
65+	128	12.6	114	2	3	10	16	29	38	99+
GRAND TOTAL	**212**	**11.5**	**112**	**2**	**2**	**9**	**15**	**26**	**41**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	8	3.5	7	<1	<1	3	4	8	9	9
35-49	16	7.6	35	1	1	6	10	16	21	23
50-64	91	6.9	25	1	2	6	8	12	19	26
65+	263	8.4	43	2	3	7	11	16	20	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	5.0	4	3	3	5	6	7	7	7
35-49	9	12.2	60	1	2	13	18	22	24	24
50-64	13	5.1	18	1	1	3	8	11	14	15
65+	14	10.0	76	1	2	7	11	22	31	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	11	1	1	4	8	8	8	8
20-34	18	10.3	135	2	2	6	13	19	39	52
35-49	178	9.7	94	2	3	7	11	21	40	99+
50-64	1204	11.1	135	3	3	8	13	23	35	96
65+	6576	13.1	148	3	4	10	16	27	41	99+
B. *Operated*										
0-19 YRS	4	14.0	355	2	2	6	25	42	42	42
20-34	17	11.8	92	2	2	9	20	26	28	29
35-49	55	12.8	161	2	4	9	16	28	40	99
50-64	268	16.5	270	2	4	12	20	46	72	99+
65+	949	22.7	337	5	7	18	34	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	7.9	38	2	2	6	10	15	19	27
B. *Operated*	40	8.4	53	1	2	7	11	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	7981	12.8	145	3	4	9	15	26	40	99+
B. *Operated*	1293	20.9	322	4	5	16	30	60	99+	99+
1. SINGLE DX	420	7.9	40	2	2	6	10	16	20	27
2. MULTIPLE DX	9274	13.9	178	3	4	10	17	31	50	99+
A. NOT OPERATED	8361	12.5	141	3	4	9	15	26	38	99+
B. OPERATED	1333	20.5	318	4	5	16	29	59	99+	99+
TOTAL 0-19 YRS	12	7.2	128	<1	1	4	8	18	39	42
20-34	46	9.3	95	1	2	6	12	24	27	52
35-49	258	10.3	105	2	3	8	12	22	39	99+
50-64	1576	11.8	157	2	3	8	14	25	39	99+
65+	7802	14.1	178	3	4	10	17	31	50	99+
GRAND TOTAL	**9694**	**13.6**	**173**	**3**	**4**	**10**	**17**	**30**	**49**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	19.4	769	1	1	12	68	97	99+	99+
20-34	8	11.4	135	2	2	10	12	30	38	38
35-49	78	14.4	178	4	5	12	15	23	40	81
50-64	476	15.9	199	4	5	11	19	33	43	86
65+	2545	16.6	182	4	5	13	21	35	50	99+
B. *Operated*										
0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	5	14.0	94	3	3	12	23	25	25	25
35-49	17	18.3	182	4	5	13	28	49	82	99+
50-64	101	22.6	403	4	6	18	34	81	99+	99+
65+	333	28.2	457	7	9	22	47	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3112	16.4	185	4	5	12	21	35	49	99+
B. *Operated*	458	26.4	438	5	8	21	41	89	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	3570	17.7	229	4	5	13	23	40	62	99+
A. NOT OPERATED	3112	16.4	185	4	5	12	21	35	49	99+
B. OPERATED	458	26.4	438	5	8	21	41	89	99+	99+
TOTAL 0-19 YRS	7	16.6	537	1	2	10	41	90	99+	99+
20-34	13	12.4	112	2	2	10	15	28	36	38
35-49	95	15.1	179	4	5	12	17	28	48	93
50-64	577	17.0	240	4	5	12	21	39	59	99+
65+	2878	17.9	228	4	6	14	23	41	63	99+
GRAND TOTAL	**3570**	**17.7**	**229**	**4**	**5**	**13**	**23**	**40**	**62**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	2.8	2	1	2	3	3	4	6	7
35-49	62	3.5	3	1	1	3	5	6	7	8
50-64	194	3.7	5	1	1	3	5	7	8	11
65+	367	4.0	6	1	2	3	5	7	9	13
B. *Operated*										
0-19 YRS										
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	18	3.2	5	1	1	3	4	6	8	10
50-64	39	3.4	8	<1	<1	2	4	7	10	12
65+	46	4.8	14	1	1	3	7	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	34	2	2	4	8	16	16	16
20-34	51	4.3	11	1	1	3	5	8	12	17
35-49	279	4.8	9	1	2	4	6	9	11	15
50-64	1343	5.1	18	1	2	4	6	9	11	19
65+	7424	7.2	69	2	2	5	8	12	18	58
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	7	5.0	5	2	2	4	7	8	8	8
35-49	69	6.1	17	1	2	5	8	12	14	18
50-64	322	7.6	42	1	2	6	10	16	22	34
65+	1011	10.9	132	2	3	8	13	23	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	3.8	6	1	1	3	5	7	8	11
B. *Operated*	107	3.9	10	1	1	3	5	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	9102	6.8	60	2	2	5	8	12	16	52
B. *Operated*	1411	9.9	108	2	2	7	12	20	30	99+
1. SINGLE DX	744	3.8	6	1	1	3	5	7	9	12
2. MULTIPLE DX	10513	7.2	68	2	2	5	8	13	19	60
A. NOT OPERATED	9739	6.6	57	2	2	5	8	12	16	49
B. OPERATED	1518	9.5	103	1	2	7	12	20	29	99+
TOTAL 0-19 YRS	7	5.1	26	1	1	4	6	14	16	16
20-34	76	4.0	9	1	1	3	5	8	9	16
35-49	428	4.8	10	1	2	4	6	9	11	15
50-64	1898	5.4	22	1	2	4	7	10	13	24
65+	8848	7.5	76	2	2	5	8	13	20	69
GRAND TOTAL	**11257**	**7.0**	**65**	**2**	**2**	**5**	**8**	**13**	**18**	**57**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	9	7.6	29	2	2	7	10	16	17	17
50-64	43	6.4	14	2	3	5	9	11	13	18
65+	77	9.4	97	1	2	7	12	22	29	89
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	14.0	2	13	13	14	15	15	15	15
50-64	8	11.4	114	2	2	8	18	28	29	29
65+	5	9.4	67	5	5	6	11	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	4	7.8	11	4	4	7	10	12	12	12
35-49	44	8.8	49	2	2	7	14	21	25	99+
50-64	406	9.3	107	2	3	7	11	17	21	61
65+	1922	11.7	124	3	4	8	14	24	35	91
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	13	12.7	166	1	3	9	34	99+	99+	99+
50-64	86	11.9	109	3	4	10	14	23	39	99+
65+	224	22.8	386	5	7	18	32	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	8.1	65	2	2	6	10	17	23	68
B. *Operated*	17	10.6	71	2	3	7	13	26	28	29
2. MULTIPLE DX										
A. *Not Operated*	2378	11.3	121	2	3	8	13	22	32	85
B. *Operated*	325	19.4	327	4	5	14	27	64	99+	99+
1. SINGLE DX	150	8.4	65	2	2	6	10	18	26	62
2. MULTIPLE DX	2703	12.2	152	3	3	9	15	26	40	99+
A. NOT OPERATED	2511	11.1	118	2	3	8	13	22	31	84
B. OPERATED	342	18.9	317	4	5	14	27	62	99+	99+
TOTAL 0-19 YRS	5	3.0	4	<1	<1	3	5	5	5	5
20-34	9	6.1	11	2	2	7	8	11	12	12
35-49	68	9.5	68	2	2	7	15	26	36	99+
50-64	543	9.5	101	2	3	7	11	18	25	76
65+	2228	12.8	161	3	4	9	15	27	43	99+
GRAND TOTAL	**2853**	**12.0**	**148**	**2**	**3**	**9**	**14**	**25**	**39**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	7	10.1	18	2	3	10	14	14	14	14
35-49	17	9.3	32	2	3	8	14	18	19	20
50-64	116	13.3	137	3	3	10	16	29	40	77
65+	705	14.4	150	3	4	11	17	31	40	96
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34										
35-49	4	9.0	4	6	6	10	10	10	10	10
50-64	20	21.0	207	3	6	20	33	67	99+	99+
65+	83	27.1	354	7	9	22	39	61	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	846	14.1	145	3	4	11	17	29	39	94
B. *Operated*	109	24.9	328	6	7	20	34	60	88	99+
1. SINGLE DX										
2. MULTIPLE DX	955	15.3	177	3	4	11	19	34	49	99+
A. NOT OPERATED	846	14.1	145	3	4	11	17	29	39	94
B. OPERATED	109	24.9	328	6	7	20	34	60	88	99+
TOTAL 0-19 YRS	3	10.0	37	6	6	7	14	17	17	17
20-34	7	10.1	18	2	3	10	14	14	14	14
35-49	21	9.2	26	2	3	8	11	17	19	20
50-64	136	14.4	153	3	4	10	19	34	50	99+
65+	788	15.7	186	3	5	12	19	34	50	99+
GRAND TOTAL	**955**	**15.3**	**177**	**3**	**4**	**11**	**19**	**34**	**49**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	24	2.8	4	<1	1	2	4	6	7	7
50-64	37	3.8	4	1	2	3	5	7	8	8
65+	35	4.9	12	1	2	4	7	11	12	13
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	10	5.1	10	2	2	5	8	9	10	10
35-49	13	4.9	31	1	1	3	5	17	17	17
50-64	31	6.6	49	1	1	5	9	16	23	29
65+	12	4.7	22	1	1	3	5	12	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	16	<1	<1	7	8	10	10	10
20-34	27	4.7	17	1	1	3	7	11	13	18
35-49	92	5.8	16	1	2	5	8	10	16	19
50-64	276	5.8	22	1	2	5	7	11	15	24
65+	1164	9.1	106	2	2	6	10	18	29	99
B. *Operated*										
0-19 YRS	4	6.0	11	2	2	6	8	10	10	10
20-34	16	16.4	415	1	2	9	16	55	59	61
35-49	44	13.1	235	1	2	9	17	39	56	99+
50-64	96	9.9	223	1	1	5	11	30	66	99+
65+	222	14.5	293	1	2	9	17	49	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.9	7	1	1	3	5	8	10	13
B. *Operated*	68	5.6	33	1	1	3	8	11	18	28
2. MULTIPLE DX										
A. *Not Operated*	1564	8.2	86	2	2	6	9	16	24	87
B. *Operated*	382	13.2	274	1	2	8	15	47	74	99+
1. SINGLE DX	167	4.6	18	1	1	3	6	10	12	23
2. MULTIPLE DX	1946	9.2	127	2	2	6	10	18	33	99+
A. NOT OPERATED	1663	7.9	83	2	2	6	9	15	23	75
B. OPERATED	450	12.1	245	1	2	7	14	36	67	99+
TOTAL 0-19 YRS	12	4.7	12	<1	1	4	7	10	10	10
20-34	55	8.2	154	1	2	4	8	15	43	61
35-49	173	7.2	83	1	1	5	8	16	19	75
50-64	440	6.6	69	1	2	5	8	12	19	68
65+	1433	9.8	137	2	2	7	11	20	36	99+
GRAND TOTAL	**2113**	**8.8**	**120**	**1**	**2**	**6**	**10**	**18**	**31**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	5.5	23	1	1	4	9	12	12	12
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	15	2.9	11	<1	1	2	3	5	12	14
50-64	99	4.7	22	1	1	2	8	11	13	22
65+	101	4.3	29	1	1	2	5	10	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.0		9	9	9	9	9	9	9
35-49	9	4.6	13	1	1	3	6	10	12	12
50-64	44	4.3	28	<1	<1	3	4	8	11	33
65+	137	7.6	72	1	1	5	10	16	20	61
B. *Operated*										
0-19 YRS	3	12.0	13	9	9	11	15	16	16	16
20-34	6	3.3	8	1	1	2	3	8	9	9
35-49	100	9.8	88	1	1	9	12	19	31	45
50-64	605	11.4	149	1	2	8	14	26	39	94
65+	1565	15.5	220	1	2	11	19	36	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	16	<1	<1	3	6	11	12	12
B. *Operated*	216	4.4	25	1	1	2	6	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	192	6.7	60	1	1	4	8	15	20	55
B. *Operated*	2279	14.1	199	1	2	10	18	33	49	99+
1. SINGLE DX	223	4.4	24	1	1	2	6	11	14	25
2. MULTIPLE DX	2471	13.5	192	1	2	10	17	32	[illegible]	99+
A. NOT OPERATED	199	6.6	59	1	1	4	8	14	[illegible]	54
B. OPERATED	2495	13.3	191	1	2	10	17	31	47	99+
TOTAL 0-19 YRS	4	9.3	39	1	1	10	13	16	16	16
20-34	8	4.8	13	1	1	3	9	9	9	9
35-49	124	8.6	79	1	1	7	11	16	27	45
50-64	752	10.1	132	1	1	8	12	22	34	85
65+	1806	14.2	208	1	2	10	18	34	50	99+
GRAND TOTAL	**2694**	**12.8**	**184**	**1**	**2**	**9**	**16**	**30**	**46**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	3.5	11	1	1	2	6	9	9	9
65+	11	2.5	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	9.0		9	9	9	9	9	9	9
50-64	42	9.4	26	1	2	9	11	15	19	26
65+	84	8.7	27	1	1	9	12	15	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	33	6.1	34	2	2	4	7	15	21	25
65+	234	7.6	88	1	1	5	9	16	23	44
B. *Operated*										
0-19 YRS	2	16.0	288	4	4	16	28	28	28	28
20-34	6	15.2	84	1	2	18	21	25	25	25
35-49	10	13.3	136	1	4	9	14	34	37	37
50-64	487	12.6	78	2	4	11	14	21	28	51
65+	1438	15.2	127	2	5	12	18	27	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.7	5	<1	<1	2	3	6	8	9
B. *Operated*	128	8.9	26	1	1	9	12	15	16	24
2. MULTIPLE DX										
A. *Not Operated*	272	7.3	80	1	1	5	9	16	21	41
B. *Operated*	1943	14.5	116	2	5	12	17	26	35	76
1. SINGLE DX	146	8.1	28	1	1	9	11	14	16	23
2. MULTIPLE DX	2215	13.6	117	2	3	11	16	25	34	74
A. NOT OPERATED	290	7.0	77	1	1	4	8	15	21	40
B. OPERATED	2071	14.2	112	2	4	12	16	25	35	75
TOTAL 0-19 YRS	2	16.0	288	4	4	16	28	28	28	28
20-34	10	10.1	90	1	1	5	19	23	25	25
35-49	14	10.4	121	<1	1	8	10	32	36	37
50-64	568	11.9	74	2	3	10	14	20	28	48
65+	1767	13.8	125	2	2	12	17	26	35	77
GRAND TOTAL	**2361**	**13.3**	**113**	**2**	**2**	**11**	**16**	**24**	**33**	**72**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	3.7	10	1	1	2	6	9	9	9
35-49	11	8.1	46	1	1	8	12	17	22	23
50-64	27	7.5	22	<1	2	7	9	13	18	21
65+	24	7.0	13	1	1	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	10	5.7	41	<1	<1	3	8	15	22	22
65+	14	7.4	72	2	2	4	10	14	30	34
B. *Operated*										
0-19 YRS	4	8.0	29	1	1	8	11	14	14	14
20-34	8	5.0	11	2	2	4	6	10	12	12
35-49	35	12.9	224	2	3	10	13	16	41	86
50-64	112	11.2	109	1	2	9	15	23	25	63
65+	226	12.8	128	2	3	10	16	24	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	6	1	1	2	2	6	8	8
B. *Operated*	74	6.8	22	1	1	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	25	6.4	57	<1	<1	4	8	12	25	34
B. *Operated*	385	12.1	129	2	3	10	15	23	32	74
1. SINGLE DX	82	6.4	22	1	1	6	9	12	14	22
2. MULTIPLE DX	410	11.8	126	2	2	9	15	23	32	71
A. NOT OPERATED	33	5.4	47	<1	1	2	8	12	21	34
B. OPERATED	459	11.3	115	1	2	9	13	22	28	67
TOTAL 0-19 YRS	5	6.6	31	1	1	8	10	14	14	14
20-34	21	4.0	10	1	1	3	6	9	10	12
35-49	47	11.5	182	1	1	10	13	16	28	86
50-64	152	10.1	91	1	2	8	13	21	24	54
65+	267	11.9	118	2	2	9	15	23	34	66
GRAND TOTAL	**492**	**10.9**	**113**	**1**	**2**	**9**	**13**	**21**	**27**	**65**

7

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	7.8	6	5	5	7	9	11	11	11
35-49	8	7.0	18	2	2	6	9	13	15	15
50-64	14	5.2	12	1	1	5	7	10	11	11
65+	17	4.9	21	<1	1	3	7	13	15	16
B. *Operated*										
0-19 YRS	3	6.3	9	3	3	7	8	9	9	9
20-34	16	6.8	63	<1	1	3	10	15	26	30
35-49	68	6.6	24	1	1	7	9	12	16	24
50-64	186	6.6	26	1	1	6	10	12	15	23
65+	195	7.4	36	1	1	7	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	53	1	1	3	10	17	17	17
20-34	4	5.0	23	2	2	3	8	12	12	12
35-49	29	5.3	9	<1	1	5	8	10	10	12
50-64	102	5.8	23	1	1	4	8	13	16	19
65+	276	8.5	68	1	2	7	10	15	20	45
B. *Operated*										
0-19 YRS	3	8.7	100	1	1	5	16	20	20	20
20-34	26	10.3	237	1	1	7	12	16	29	82
35-49	244	10.2	92	1	2	8	12	21	35	77
50-64	1296	11.3	100	1	2	9	13	21	30	56
65+	2580	13.7	145	2	3	11	17	27	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.7	16	1	1	5	8	11	14	16
B. *Operated*	468	6.9	31	1	1	7	10	13	16	28
2. MULTIPLE DX										
A. *Not Operated*	415	7.5	54	1	1	7	10	14	18	39
B. *Operated*	4149	12.7	130	2	2	10	15	25	35	70
1. SINGLE DX	511	6.8	30	1	1	6	10	13	16	27
2. MULTIPLE DX	4564	12.3	125	1	2	10	15	24	33	70
A. NOT OPERATED	458	7.3	50	1	1	6	9	14	18	38
B. OPERATED	4617	12.1	123	1	2	10	15	24	33	68
TOTAL 0-19 YRS	10	7.0	43	1	1	4	9	18	20	20
20-34	50	8.5	146	1	1	7	11	15	16	82
35-49	349	9.0	73	1	1	8	11	17	27	46
50-64	1598	10.3	90	1	2	9	12	19	27	47
65+	3068	12.8	135	1	2	10	16	25	35	72
GRAND TOTAL	**5075**	**11.7**	**119**	**1**	**2**	**9**	**14**	**23**	**32**	**66**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.9	19	1	1	4	8	11	14	21
20-34	6	5.0	23	<1	<1	3	11	11	11	11
35-49	14	3.9	16	<1	1	3	6	7	14	16
50-64	17	2.7	3	<1	<1	3	3	6	7	7
65+	31	4.5	20	1	1	3	7	10	13	19
B. *Operated*										
0-19 YRS	10	2.5	5	<1	<1	2	3	6	7	7
20-34	19	3.4	7	<1	<1	2	5	7	9	10
35-49	61	4.1	13	1	1	3	6	9	10	19
50-64	123	3.8	12	<1	1	2	5	9	12	14
65+	121	4.5	36	<1	1	2	5	10	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	6.1	23	1	2	5	8	12	14	27
20-34	33	6.2	62	1	2	4	6	12	20	43
35-49	54	6.4	51	<1	<1	4	8	16	23	34
50-64	135	5.9	39	1	1	4	8	12	16	29
65+	369	8.5	88	1	2	6	10	16	24	74
B. *Operated*										
0-19 YRS	14	6.8	23	1	1	6	11	14	15	15
20-34	57	10.2	145	2	2	7	13	21	23	78
35-49	147	9.7	122	1	1	7	11	25	37	65
50-64	601	9.8	131	1	1	7	13	21	34	89
65+	1186	12.6	173	1	2	9	16	28	39	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	4.9	18	1	1	3	7	11	13	20
B. *Operated*	334	4.0	20	<1	1	2	5	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	651	7.4	68	1	1	5	9	15	21	48
B. *Operated*	2005	11.4	157	1	2	8	15	26	37	83
1. SINGLE DX	471	4.3	20	<1	1	3	6	10	12	20
2. MULTIPLE DX	2656	10.5	138	1	2	7	13	23	34	81
A. NOT OPERATED	788	7.0	60	1	1	5	9	14	20	45
B. OPERATED	2339	10.4	144	1	1	7	13	24	35	79
TOTAL 0-19 YRS	153	5.8	21	1	1	5	8	12	14	21
20-34	115	7.6	98	1	1	5	9	20	21	57
35-49	276	7.5	84	1	1	5	9	19	28	55
50-64	876	8.2	103	1	1	5	11	18	25	82
65+	1707	11.0	149	1	2	8	14	25	35	76
GRAND TOTAL	**3127**	**9.5**	**125**	**1**	**1**	**6**	**12**	**21**	**31**	**74**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	6.3	10	2	3	6	9	11	11	11
20-34	133	6.5	11	1	2	6	8	11	12	17
35-49	201	7.0	12	2	3	7	9	11	12	18
50-64	163	7.6	12	2	3	8	10	11	13	16
65+	165	7.5	10	3	4	7	9	11	13	17
B. *Operated*										
0-19 YRS	12	8.4	24	1	2	8	11	15	18	19
20-34	107	6.3	19	1	1	6	9	12	13	21
35-49	130	6.4	17	1	2	6	9	12	13	20
50-64	103	7.4	19	1	2	7	10	13	16	21
65+	94	7.6	16	2	3	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.0	56	2	2	7	11	20	28	29
20-34	171	8.4	24	2	3	8	10	14	17	25
35-49	454	8.5	22	2	3	8	10	14	18	25
50-64	816	9.0	28	3	4	8	11	14	17	31
65+	1490	9.8	29	3	4	9	12	16	19	29
B. *Operated*										
0-19 YRS	12	10.0	9	6	7	9	12	14	15	15
20-34	134	10.2	121	1	2	8	12	18	27	66
35-49	294	9.5	44	2	3	9	12	17	22	36
50-64	561	10.0	54	2	3	9	12	17	23	36
65+	1024	11.9	74	3	4	10	14	20	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	677	7.1	11	2	3	7	9	11	12	17
B. *Operated*	446	6.9	18	1	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	2951	9.3	28	3	4	8	11	15	19	27
B. *Operated*	2025	10.9	68	2	3	9	13	19	25	43
1. SINGLE DX	1123	7.0	14	2	2	7	9	11	13	19
2. MULTIPLE DX	4976	9.9	45	3	4	9	12	17	21	37
A. NOT OPERATED	3628	8.9	25	3	4	8	11	14	18	26
B. OPERATED	2471	10.2	61	2	3	9	12	18	23	42
TOTAL 0-19 YRS	59	8.4	29	2	3	8	11	14	17	29
20-34	545	8.0	46	1	2	7	10	14	17	31
35-49	1079	8.3	27	2	3	8	10	14	18	25
50-64	1643	9.1	35	2	3	8	11	15	18	31
65+	2773	10.4	46	3	4	9	12	17	21	39
GRAND TOTAL	**6099**	**9.4**	**40**	**2**	**3**	**8**	**11**	**16**	**20**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	3.1	15	1	1	2	3	4	13	18
35-49	28	2.6	3	1	1	2	3	4	5	9
50-64	20	6.2	17	1	2	6	7	11	16	19
65+	37	8.7	39	2	3	8	10	13	23	33
B. *Operated*										
0-19 YRS	13	2.5	1	<1	1	3	3	4	4	4
20-34	381	2.7	3	1	1	2	3	4	5	7
35-49	566	3.0	10	1	1	2	3	5	6	16
50-64	344	3.5	8	1	1	3	4	6	8	14
65+	122	6.8	87	1	1	3	7	17	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	5.7	25	<1	<1	3	11	13	15	15
35-49	57	8.3	28	<1	1	7	12	17	19	20
50-64	120	11.1	118	2	3	8	13	24	49	99+
65+	363	12.6	98	3	4	10	15	24	32	63
B. *Operated*										
0-19 YRS	3	6.7	41	2	2	4	11	14	14	14
20-34	115	5.9	73	1	2	3	5	12	25	46
35-49	306	6.3	58	1	1	4	6	16	24	30
50-64	361	8.2	104	1	2	4	9	21	28	53
65+	461	15.6	207	2	3	12	23	37	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.5	27	1	1	4	8	10	15	28
B. *Operated*	1426	3.3	15	1	1	3	4	5	7	22
2. MULTIPLE DX										
A. *Not Operated*	555	11.7	95	2	3	9	14	22	31	64
B. *Operated*	1246	10.3	145	1	2	5	14	27	36	78
1. SINGLE DX	1529	3.5	16	1	1	3	4	6	8	23
2. MULTIPLE DX	1801	10.7	130	1	2	7	14	26	35	73
A. NOT OPERATED	658	10.7	90	1	2	8	13	21	29	60
B. OPERATED	2672	6.6	88	1	1	3	6	17	27	54
TOTAL 0-19 YRS	17	3.5	10	<1	1	3	4	6	12	14
20-34	528	3.5	21	1	1	2	4	5	8	26
35-49	957	4.3	29	1	1	3	4	8	15	27
50-64	845	6.7	73	1	2	4	7	15	24	50
65+	983	13.2	154	2	3	10	18	30	41	99+
GRAND TOTAL	**3330**	**7.4**	**91**	**1**	**1**	**4**	**8**	**19**	**28**	**56**

171: Hemorrhoids (455)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	33	2.2	3	<1	<1	1	3	5	6	6
35-49	43	1.9	1	<1	<1	1	2	4	4	5
50-64	32	1.7	2	<1	<1	<1	2	4	5	5
65+	23	1.9	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-19 YRS	6	2.7	1	1	1	3	4	4	4	4
20-34	168	3.0	2	1	1	3	4	5	6	8
35-49	215	3.1	2	1	1	3	4	5	6	7
50-64	167	3.1	3	1	1	3	4	6	6	10
65+	60	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	38	3.4	6	<1	<1	3	4	8	9	10
35-49	113	3.4	8	<1	<1	3	5	8	9	13
50-64	115	3.6	8	<1	<1	3	5	8	10	13
65+	214	4.8	65	1	1	3	6	8	11	34
B. *Operated*										
0-19 YRS	19	3.2	4	1	1	3	4	6	8	9
20-34	747	3.2	5	1	1	3	4	6	7	13
35-49	1311	3.3	5	1	1	3	4	6	7	11
50-64	1134	3.7	8	1	1	3	5	7	9	14
65+	737	4.8	22	1	1	4	6	9	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	616	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	482	4.1	33	<1	1	3	5	8	10	16
B. *Operated*	3948	3.7	9	1	1	3	5	7	8	15
1. SINGLE DX	749	2.8	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	4430	3.7	12	1	1	3	5	7	9	15
A. NOT OPERATED	615	3.6	27	<1	<1	3	4	7	9	15
B. OPERATED	4564	3.6	9	1	1	3	5	6	8	14
TOTAL 0-19 YRS	29	2.8	3	1	1	2	3	5	6	9
20-34	986	3.1	5	1	1	3	4	6	7	10
35-49	1682	3.3	5	1	1	3	4	6	7	11
50-64	1448	3.6	8	1	1	3	4	6	8	14
65+	1034	4.7	30	1	1	4	5	8	12	19
GRAND TOTAL	**5179**	**3.6**	**11**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.8	9	<1	<1	2	6	9	10	10
20-34	78	6.3	13	1	2	6	9	10	12	19
35-49	99	6.4	16	1	1	6	9	11	14	19
50-64	87	6.6	18	1	1	7	9	12	13	23
65+	107	7.8	25	1	2	8	10	13	17	26
B. *Operated*										
0-19 YRS	96	2.1	5	<1	<1	1	2	4	6	13
20-34	223	3.1	12	<1	1	2	3	8	11	17
35-49	137	5.3	20	<1	1	4	8	11	13	21
50-64	82	6.1	18	<1	1	6	8	11	12	23
65+	68	9.0	38	2	3	8	10	13	18	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.0	28	<1	1	3	6	11	16	28
20-34	157	7.3	36	1	1	6	9	14	17	33
35-49	303	7.1	39	1	2	6	9	12	15	37
50-64	641	7.1	35	1	2	6	9	13	17	26
65+	1702	7.9	37	2	2	7	10	14	17	33
B. *Operated*										
0-19 YRS	58	7.5	100	<1	1	4	10	17	22	55
20-34	269	5.3	32	<1	1	3	8	12	16	29
35-49	323	8.4	78	1	1	7	11	16	22	46
50-64	538	9.6	59	1	2	8	12	17	24	36
65+	947	11.6	95	2	3	9	14	21	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	6.7	19	1	1	6	9	11	14	20
B. *Operated*	606	4.5	21	<1	1	2	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	2853	7.5	37	1	2	7	10	14	17	32
B. *Operated*	2135	9.7	80	1	1	8	12	19	25	47
1. SINGLE DX	998	5.4	21	<1	1	4	8	11	13	21
2. MULTIPLE DX	4988	8.5	56	1	2	7	11	16	20	41
A. NOT OPERATED	3245	7.4	34	1	2	7	10	13	16	30
B. OPERATED	2741	8.6	72	1	1	7	11	17	23	45
TOTAL 0-19 YRS	225	4.3	39	<1	<1	2	5	10	14	32
20-34	727	5.2	27	<1	1	3	8	12	15	28
35-49	862	7.2	49	1	1	6	9	13	18	43
50-64	1348	8.0	44	1	2	7	10	15	19	32
65+	2824	9.2	59	2	2	8	11	16	22	45
GRAND TOTAL	**5986**	**7.9**	**52**	**1**	**1**	**7**	**10**	**15**	**19**	**40**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1351	2.3	2	<1	1	2	3	4	5	9
20-34	202	3.1	7	1	1	3	4	5	6	10
35-49	78	3.1	4	<1	1	3	4	5	7	11
50-64	40	4.8	8	2	3	4	5	9	10	16
65+	29	4.0	5	1	2	4	5	7	8	11
B. *Operated*										
0-19 YRS	150	1.3	1	<1	1	1	1	2	3	6
20-34	73	1.9	3	<1	1	1	2	4	6	10
35-49	22	3.7	15	<1	1	3	5	7	12	19
50-64	6	3.8	6	1	1	4	5	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2227	3.1	6	1	1	3	4	6	7	11
20-34	452	3.7	10	1	2	3	4	6	8	11
35-49	264	4.3	10	1	2	4	5	7	9	15
50-64	284	5.4	14	1	2	4	6	10	12	19
65+	501	7.1	33	2	3	6	9	12	18	34
B. *Operated*										
0-19 YRS	218	3.2	35	1	1	1	2	7	13	32
20-34	104	4.2	58	1	1	2	5	8	16	45
35-49	63	5.7	30	1	1	4	8	13	18	29
50-64	55	6.6	95	1	1	4	7	13	23	64
65+	68	10.3	112	1	1	7	13	27	38	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1700	2.5	3	<1	1	2	3	4	5	10
B. *Operated*	252	1.8	3	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	3728	4.0	13	1	1	3	5	7	10	17
B. *Operated*	508	5.0	61	1	1	2	6	11	17	41
1. SINGLE DX	1952	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	4236	4.1	19	1	1	3	5	8	10	21
A. NOT OPERATED	5428	3.5	10	1	1	3	4	7	9	15
B. OPERATED	760	4.0	44	1	1	2	4	9	15	37
TOTAL 0-19 YRS	3946	2.8	6	1	1	2	3	5	6	11
20-34	831	3.5	15	1	1	3	4	6	7	16
35-49	427	4.3	13	1	1	3	5	8	10	19
50-64	385	5.5	25	1	2	4	6	10	13	25
65+	599	7.3	42	2	2	5	9	13	19	38
GRAND TOTAL	**6188**	**3.6**	**15**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1905	3.3	3	1	1	3	4	6	7	9
20-34	63	3.2	3	1	2	3	4	5	6	12
35-49	68	3.6	4	1	1	3	5	6	7	10
50-64	69	4.5	9	1	2	4	5	8	11	16
65+	77	5.0	7	2	2	4	6	9	11	13
B. *Operated*										
0-19 YRS	6	3.7	5	1	1	3	6	7	7	7
20-34	4	4.5	19	<1	<1	3	8	10	10	10
35-49	2	5.0		5	5	5	5	5	5	5
50-64	5	2.4	4	<1	<1	<1	4	5	5	5
65+	4	5.5	7	2	2	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2651	4.1	7	1	2	3	5	7	9	14
20-34	368	4.4	10	1	2	4	5	8	10	18
35-49	580	5.4	16	1	2	5	7	9	12	27
50-64	1976	6.8	25	2	3	6	8	12	14	26
65+	5426	8.0	38	3	3	7	9	14	18	30
B. *Operated*										
0-19 YRS	20	10.7	84	1	2	7	17	22	29	36
20-34	26	5.8	19	1	1	5	7	13	16	18
35-49	48	8.4	49	1	2	7	10	20	32	99+
50-64	168	11.1	106	2	3	8	14	23	36	99+
65+	437	13.4	130	3	5	10	17	29	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2182	3.4	4	1	1	3	4	6	7	10
B. *Operated*	21	4.0	7	<1	<1	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	11001	6.6	29	2	2	5	8	12	15	27
B. *Operated*	699	12.2	117	2	4	9	16	26	39	99+
1. SINGLE DX	2203	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	11700	6.9	36	2	2	5	8	13	16	31
A. NOT OPERATED	13183	6.0	26	2	2	5	7	11	14	26
B. OPERATED	720	11.9	115	2	3	9	16	26	39	99+
TOTAL 0-19 YRS	4582	3.8	6	1	2	3	5	6	8	12
20-34	461	4.3	10	1	2	3	5	8	10	18
35-49	698	5.4	18	1	2	5	7	9	12	28
50-64	2218	7.0	32	2	3	6	8	12	16	32
65+	5944	8.3	47	3	3	7	10	15	20	39
GRAND TOTAL	**13903**	**6.3**	**32**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	351	1.5	1	<1	1	1	2	2	3	4
20-34	847	1.5	1	<1	1	1	2	3	3	4
35-49	365	1.4	1	<1	1	1	2	2	3	4
50-64	171	1.5	1	<1	1	1	2	3	3	5
65+	21	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	14	1.1		<1	<1	<1	<1	1	2	2
35-49	8	1.3	1	<1	<1	<1	1	2	3	3
50-64	9	1.1		<1	<1	<1	1	2	2	2
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	748	1.5	1	1	1	1	2	2	3	4
20-34	1806	1.5	1	1	1	1	2	2	3	4
35-49	1051	1.6	1	1	1	1	2	2	3	5
50-64	568	1.6	3	1	1	1	2	2	3	5
65+	141	1.8	2	<1	1	1	2	3	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	1755	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	40	1.1		<1	<1	<1	1	2	2	3
B. *Operated*	4314	1.5	1	1	1	1	2	2	3	5
1. SINGLE DX	1757	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	4354	1.5	1	1	1	1	2	2	3	5
A. NOT OPERATED	42	1.1		<1	<1	<1	1	2	2	3
B. OPERATED	6069	1.5	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	1106	1.5	1	1	1	1	2	2	3	4
20-34	2668	1.5	1	<1	1	1	2	2	3	4
35-49	1425	1.5	1	<1	1	1	2	2	3	5
50-64	748	1.6	2	1	1	1	2	2	3	5
65+	164	1.7	1	<1	1	1	2	3	3	6
GRAND TOTAL	**6111**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	12	1.4		<1	<1	1	2	2	2	2
20-34	30	1.5	1	<1	<1	1	2	3	3	4
35-49	33	1.5	1	<1	<1	1	2	3	4	4
50-64	33	1.6	1	<1	<1	1	2	3	3	6
65+	26	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	8.0		8	8	8	8	8	8	8
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	4	2.3	6	<1	<1	1	3	6	6	6
B. *Operated*										
0-19 YRS	51	1.7	1	<1	<1	1	2	3	3	5
20-34	113	1.8	2	<1	1	1	2	3	4	8
35-49	152	1.6	1	<1	<1	1	2	3	4	5
50-64	179	2.1	3	<1	1	2	2	4	5	9
65+	130	2.6	9	<1	1	2	3	4	7	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	134	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	11	2.8	6	<1	<1	1	5	7	8	8
B. *Operated*	625	2.0	3	<1	1	2	2	3	5	9
1. SINGLE DX	138	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	636	2.0	3	<1	1	2	2	3	5	9
A. NOT OPERATED	15	2.7	5	<1	<1	1	4	6	7	8
B. OPERATED	759	1.9	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	64	1.7	1	<1	<1	1	2	3	3	5
20-34	146	1.7	2	<1	<1	1	2	3	4	6
35-49	187	1.6	1	<1	<1	1	2	3	4	5
50-64	215	2.1	2	<1	1	2	2	4	5	9
65+	162	2.4	8	<1	<1	2	3	4	6	20
GRAND TOTAL	**774**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	1.3	1	1	1	1	1	2	3	4
20-34	57	1.2		1	1	1	1	2	3	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7095	1.1		<1	1	1	1	2	2	2
20-34	1998	1.3	4	1	1	1	1	2	2	3
35-49	185	1.3		<1	1	1	1	2	2	4
50-64	33	1.4		<1	<1	1	2	2	3	3
65+	11	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	1.4	1	<1	<1	<1	1	3	4	6
20-34	19	1.6	1	<1	<1	1	2	3	3	3
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4405	1.2		<1	1	1	1	2	2	3
20-34	432	1.5	2	1	1	1	2	2	3	8
35-49	75	1.9	5	1	1	1	2	3	3	15
50-64	19	2.5	5	<1	1	1	4	6	8	9
65+	14	1.6	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	1.3	1	1	1	1	1	2	3	4
B. *Operated*	9322	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	159	1.4	1	<1	<1	<1	1	3	4	6
B. *Operated*	4945	1.2	1	<1	1	1	1	2	2	4
1. SINGLE DX	9455	1.2	1	<1	1	1	1	2	2	3
2. MULTIPLE DX	5104	1.2	1	<1	1	1	1	2	2	4
A. NOT OPERATED	292	1.4	1	<1	<1	1	1	3	3	5
B. OPERATED	14267	1.2	1	<1	1	1	1	2	2	3
TOTAL 0-19 YRS	11708	1.1		<1	1	1	1	2	2	3
20-34	2506	1.4	4	1	1	1	1	2	2	4
35-49	266	1.4	2	<1	1	1	2	2	3	6
50-64	53	1.8	2	<1	<1	1	2	3	6	9
65+	26	1.7	1	<1	1	1	2	3	4	6
GRAND TOTAL	**14559**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	2.8	2	<1	1	3	4	5	6	8
20-34	182	3.0	2	1	1	3	4	5	5	7
35-49	70	2.5	2	<1	1	2	3	4	5	7
50-64	30	2.5	5	<1	<1	2	3	4	5	13
65+	17	3.9	4	1	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	350	2.3	3	<1	1	2	3	5	6	8
20-34	450	2.1	3	<1	<1	2	3	4	5	7
35-49	357	1.7	2	<1	<1	1	2	3	4	10
50-64	267	1.6	1	<1	<1	1	2	3	3	6
65+	113	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	3.6	9	1	1	3	4	7	8	19
20-34	166	3.6	5	1	1	3	4	6	7	13
35-49	109	3.5	6	<1	<1	3	4	6	8	12
50-64	106	4.0	12	<1	1	3	5	8	9	20
65+	104	4.2	11	<1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	365	3.0	18	<1	1	2	3	7	11	28
20-34	506	2.5	11	1	1	2	3	4	7	19
35-49	530	2.3	5	<1	1	2	3	4	7	12
50-64	525	2.9	21	<1	1	2	3	5	11	21
65+	397	4.6	65	<1	1	2	4	10	19	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	2.8	2	<1	1	3	4	5	6	8
B. *Operated*	1537	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	795	3.7	8	1	1	3	5	7	9	16
B. *Operated*	2323	3.0	23	<1	1	2	3	6	9	25
1. SINGLE DX	2158	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3118	3.2	19	<1	1	2	3	6	9	22
A. NOT OPERATED	1416	3.3	6	<1	1	3	4	6	7	13
B. OPERATED	3860	2.6	15	<1	1	2	3	5	7	19
TOTAL 0-19 YRS	1347	2.9	9	1	1	2	4	5	7	15
20-34	1304	2.6	6	<1	1	2	3	5	6	13
35-49	1066	2.2	4	<1	<1	2	3	4	6	12
50-64	928	2.7	14	<1	<1	2	3	5	8	18
65+	631	4.0	44	<1	1	2	4	8	13	44
GRAND TOTAL	**5276**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2739	3.7	4	1	2	3	5	6	7	11
20-34	801	4.8	7	2	2	4	6	8	10	14
35-49	591	5.2	6	2	2	5	6	9	10	13
50-64	496	5.9	18	2	3	5	7	9	11	16
65+	669	6.7	21	2	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	20	7.2	20	2	2	7	10	13	16	18
20-34	17	7.6	19	2	3	7	9	13	17	19
35-49	33	9.3	45	1	2	7	15	18	23	26
50-64	41	7.9	26	1	2	7	11	15	18	19
65+	21	9.2	44	1	2	8	12	17	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4737	4.8	13	2	2	4	6	8	11	18
20-34	1594	6.7	25	2	3	5	8	12	16	24
35-49	1966	7.3	28	2	3	6	9	12	16	29
50-64	4007	8.6	39	3	3	7	10	14	19	35
65+	17314	10.5	66	3	4	9	12	18	24	54
B. *Operated*										
0-19 YRS	114	14.0	211	2	3	10	19	35	59	99+
20-34	181	13.3	126	3	4	10	17	26	36	75
35-49	364	16.0	185	3	5	12	20	36	46	98
50-64	718	16.7	178	4	6	13	20	33	50	99+
65+	2504	19.6	233	6	7	15	24	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5296	4.6	9	1	2	4	6	8	10	14
B. *Operated*	132	8.3	31	1	2	7	12	16	18	27
2. MULTIPLE DX										
A. *Not Operated*	29618	8.9	54	2	3	7	11	16	21	42
B. *Operated*	3881	18.3	216	5	6	14	23	40	60	99+
1. SINGLE DX	5428	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX	33499	10.0	82	2	3	8	12	18	26	61
A. NOT OPERATED	34914	8.3	50	2	3	7	10	15	20	39
B. OPERATED	4013	17.9	213	4	6	14	22	39	59	99+
TOTAL 0-19 YRS	7610	4.5	15	1	2	4	5	8	10	19
20-34	2593	6.6	31	2	2	5	8	12	16	29
35-49	2954	7.9	53	2	3	6	9	15	19	42
50-64	5262	9.4	65	3	3	7	11	17	23	50
65+	20508	11.5	94	3	4	9	13	21	29	73
GRAND TOTAL	**38927**	**9.3**	**75**	**2**	**3**	**7**	**11**	**17**	**24**	**57**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.4	2	1	1	2	3	4	5	7
20-34	37	2.8	2	<1	1	3	3	4	5	8
35-49	24	3.3	3	<1	1	3	5	6	7	7
50-64	18	4.8	13	2	2	3	5	12	13	13
65+	26	4.0	12	<1	1	3	6	8	12	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.5	5	1	1	3	4	6	8	14
20-34	107	3.5	6	1	1	3	4	6	9	14
35-49	136	4.4	12	1	2	4	5	9	12	18
50-64	184	5.5	13	2	2	4	7	10	12	18
65+	576	6.8	22	2	2	6	8	13	15	24
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	9.0	56	2	2	6	11	22	23	23
50-64	11	13.2	121	4	4	12	14	30	41	42
65+	36	15.5	226	5	6	12	18	43	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.1	5	1	1	3	4	6	8	13
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1200	5.5	17	1	2	4	7	11	13	22
B. *Operated*	56	13.9	179	4	4	11	16	28	51	98
1. SINGLE DX	179	3.1	5	1	1	3	4	6	8	13
2. MULTIPLE DX	1256	5.9	27	1	2	4	7	11	14	24
A. NOT OPERATED	1379	5.2	16	1	2	4	6	10	13	21
B. OPERATED	56	13.9	179	4	4	11	16	28	51	98
TOTAL 0-19 YRS	273	3.2	5	1	1	3	4	6	7	12
20-34	145	3.3	5	1	1	3	4	6	8	14
35-49	166	4.4	13	1	2	4	5	8	12	22
50-64	213	5.8	21	2	2	4	7	11	13	25
65+	638	7.2	37	2	2	6	8	13	18	30
GRAND TOTAL	**1435**	**5.5**	**25**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.0	4	1	1	3	4	5	6	11
20-34	13	2.9	8	1	1	2	3	9	9	9
35-49	29	4.6	8	2	2	4	6	9	10	12
50-64	73	5.8	11	1	2	5	7	10	11	20
65+	83	5.7	9	2	3	5	7	9	11	17
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.8	10	<1	<1	4	7	7	7	7
35-49	10	2.8	9	<1	<1	1	4	8	10	10
50-64	16	1.3		<1	<1	1	2	2	3	3
65+	8	2.1	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	3.8	9	1	2	3	4	7	8	15
20-34	68	5.0	14	1	1	4	7	10	11	21
35-49	103	5.7	72	1	2	4	7	9	11	50
50-64	488	7.1	21	2	3	6	9	13	16	25
65+	1168	8.7	58	2	3	7	10	16	21	48
B. *Operated*										
0-19 YRS	6	19.8	831	1	1	10	63	95	99+	99+
20-34	11	8.2	53	<1	2	6	11	20	25	26
35-49	22	10.1	91	1	2	7	12	28	32	37
50-64	83	8.9	79	1	1	7	12	18	27	86
65+	173	11.1	151	1	1	10	14	23	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	4.3	9	1	1	4	6	8	10	16
B. *Operated*	42	2.2	4	<1	<1	1	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	2053	7.5	46	2	2	6	9	14	18	39
B. *Operated*	295	10.5	136	1	1	8	13	23	34	99+
1. SINGLE DX	405	4.1	9	1	1	3	5	8	9	15
2. MULTIPLE DX	2348	7.9	58	2	2	6	10	15	20	53
A. NOT OPERATED	2416	7.0	42	2	2	6	9	13	17	33
B. OPERATED	337	9.5	127	<1	1	7	12	21	31	99+
TOTAL 0-19 YRS	399	3.7	21	1	1	3	4	7	9	19
20-34	98	5.0	18	1	1	4	7	10	12	24
35-49	164	6.0	62	1	2	4	7	10	13	36
50-64	660	7.0	28	1	2	6	9	13	17	28
65+	1432	8.8	68	2	3	7	10	16	22	71
GRAND TOTAL	**2753**	**7.3**	**53**	**1**	**2**	**6**	**9**	**14**	**19**	**44**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	4	6.5	49	3	3	3	10	17	17	17
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	48	7.7	39	2	3	7	10	13	14	42
65+	72	7.0	26	1	2	6	9	11	17	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64	4	8.0	7	4	4	9	10	10	10	10
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	202	2	2	4	12	35	35	35
20-34	3	5.7	5	3	3	7	7	7	7	7
35-49	62	9.5	102	2	2	6	10	19	36	48
50-64	430	9.2	64	2	3	7	11	17	22	46
65+	1152	9.2	58	3	4	7	11	17	22	43
B. *Operated*										
0-19 YRS	4	25.0	21	20	20	24	28	31	31	31
20-34	14	12.5	21	6	6	13	16	18	20	21
35-49	17	13.6	71	2	4	14	19	30	72	99+
50-64	67	18.4	230	4	6	13	24	51	60	99+
65+	141	18.9	347	3	6	14	20	48	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	7.1	31	1	2	6	9	13	16	30
B. *Operated*	8	6.6	16	1	1	7	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	1652	9.2	61	3	3	7	11	17	22	45
B. *Operated*	243	18.1	274	3	6	14	22	47	68	99+
1. SINGLE DX	138	7.1	30	1	2	6	9	13	16	29
2. MULTIPLE DX	1895	10.3	97	3	3	8	12	19	29	84
A. NOT OPERATED	1782	9.0	59	2	3	7	11	17	22	44
B. OPERATED	251	17.7	270	3	6	13	21	47	66	99+
TOTAL 0-19 YRS	12	14.2	153	2	2	10	24	32	35	35
20-34	23	9.8	33	2	3	9	15	17	19	21
35-49	83	10.0	95	2	2	7	12	22	34	82
50-64	549	10.2	91	2	3	8	12	19	26	61
65+	1366	10.1	95	3	4	7	12	18	27	85
GRAND TOTAL	**2033**	**10.1**	**93**	**2**	**3**	**7**	**12**	**19**	**27**	**81**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5415	2.9	3	1	1	3	4	5	6	8
20-34	1869	3.7	5	1	1	3	5	6	7	11
35-49	1398	4.3	6	1	2	4	5	7	9	13
50-64	985	4.9	12	1	2	4	6	8	10	17
65+	503	5.2	11	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	17	4.6	7	1	2	5	6	9	9	9
20-34	7	3.4	2	1	1	4	5	5	5	5
35-49	8	8.3	21	2	3	7	11	15	15	15
50-64	7	7.4	5	5	5	8	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3751	3.5	6	1	1	3	4	6	7	12
20-34	1717	4.7	11	1	2	4	6	8	10	17
35-49	2129	5.7	15	2	2	5	7	10	12	19
50-64	3223	6.6	24	2	3	5	8	11	14	22
65+	3984	7.6	29	3	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	35	6.9	51	1	2	5	8	13	15	43
20-34	53	9.1	50	1	2	7	11	20	26	33
35-49	117	10.7	163	2	2	7	12	20	24	74
50-64	165	13.3	155	4	5	10	15	22	29	84
65+	186	14.7	141	4	5	11	18	31	46	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10170	3.6	6	1	1	3	4	6	8	11
B. *Operated*	39	5.7	11	1	2	5	8	9	13	15
2. MULTIPLE DX										
A. *Not Operated*	14804	5.7	20	2	2	5	7	10	13	22
B. *Operated*	556	12.4	140	2	4	9	15	24	33	74
1. SINGLE DX	10209	3.6	6	1	1	3	4	6	8	11
2. MULTIPLE DX	15360	6.0	26	2	2	5	7	11	14	25
A. NOT OPERATED	24974	4.8	16	1	2	4	6	9	11	19
B. OPERATED	595	12.0	135	2	3	9	14	23	32	72
TOTAL 0-19 YRS	9218	3.2	5	1	1	3	4	5	6	10
20-34	3646	4.2	9	1	2	4	5	7	9	14
35-49	3652	5.3	18	2	2	4	7	9	11	19
50-64	4380	6.4	29	2	2	5	8	11	14	25
65+	4673	7.6	34	2	3	6	9	13	17	30
GRAND TOTAL	**25569**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	18	1	1	2	4	11	13	13
20-34	13	3.2	6	1	1	2	4	7	9	9
35-49	52	4.7	5	2	2	5	6	7	8	12
50-64	324	5.6	12	2	2	5	7	10	12	19
65+	480	6.4	23	2	3	5	8	11	14	30
B. *Operated*										
0-19 YRS										
20-34	3	11.0	67	4	4	9	17	20	20	20
35-49	5	3.0	2	2	2	3	4	5	5	5
50-64	7	7.4	15	2	2	8	10	12	13	13
65+	10	4.7	15	1	1	3	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.2	18	2	3	4	9	13	15	16
20-34	30	6.6	15	2	2	6	8	13	15	15
35-49	287	7.0	31	2	3	6	8	12	16	30
50-64	2136	8.2	49	2	3	7	10	15	20	42
65+	5184	9.0	53	3	3	7	11	16	21	46
B. *Operated*										
0-19 YRS	3	11.0	13	7	7	12	13	14	14	14
20-34	12	16.3	439	2	5	10	16	37	75	81
35-49	33	12.4	167	<1	1	7	14	35	35	54
50-64	232	17.3	340	2	3	10	21	45	73	99+
65+	545	17.2	269	3	5	13	21	49	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	6.0	18	2	2	5	7	10	13	24
B. *Operated*	25	5.9	22	1	2	4	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	7652	8.7	51	2	3	7	10	15	20	44
B. *Operated*	825	17.0	286	2	5	12	21	45	79	99+
1. SINGLE DX	901	6.0	18	2	2	5	7	10	13	23
2. MULTIPLE DX	8477	9.5	80	2	3	7	11	17	24	70
A. NOT OPERATED	8528	8.4	48	2	3	7	10	15	20	41
B. OPERATED	850	16.7	282	2	4	12	20	44	77	99+
TOTAL 0-19 YRS	25	6.1	21	1	2	4	10	13	14	16
20-34	58	8.1	117	1	2	6	10	15	18	76
35-49	377	7.1	42	2	2	6	8	12	16	35
50-64	2699	8.7	77	2	3	6	10	16	22	54
65+	6219	9.5	75	3	3	7	11	17	24	71
GRAND TOTAL	**9378**	**9.2**	**75**	**2**	**3**	**7**	**11**	**17**	**23**	**64**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.5	4	1	1	2	3	5	7	9
20-34	133	3.4	7	1	1	3	4	7	8	14
35-49	27	4.0	10	<1	1	3	6	8	11	14
50-64	9	7.1	18	3	3	5	10	14	15	15
65+	11	4.9	8	1	2	4	6	10	10	10
B. *Operated*										
0-19 YRS	83	6.0	11	3	3	5	7	10	14	18
20-34	442	6.1	13	2	3	5	8	11	13	19
35-49	148	7.1	26	3	3	6	8	14	17	30
50-64	44	7.8	39	1	2	5	10	18	21	25
65+	20	9.2	44	1	3	7	12	20	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.6	5	1	1	3	5	6	9	10
20-34	41	4.4	15	1	2	3	5	9	12	20
35-49	23	3.9	7	1	1	4	5	8	10	10
50-64	31	5.6	22	1	1	5	7	11	15	21
65+	48	7.2	29	2	3	6	8	12	24	25
B. *Operated*										
0-19 YRS	48	12.2	67	3	4	10	16	24	31	35
20-34	242	9.9	35	3	4	9	13	18	22	26
35-49	114	11.1	61	3	4	9	16	20	24	46
50-64	181	11.2	66	3	4	9	14	21	27	37
65+	309	13.0	152	3	4	9	16	25	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	3.6	8	1	1	3	4	7	10	14
B. *Operated*	737	6.5	18	2	3	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	158	5.3	20	1	1	4	7	11	13	25
B. *Operated*	894	11.5	88	3	4	9	15	22	27	50
1. SINGLE DX	957	5.8	17	1	2	5	7	11	14	21
2. MULTIPLE DX	1052	10.6	83	2	3	8	14	21	25	49
A. NOT OPERATED	378	4.3	14	1	1	3	5	9	11	21
B. OPERATED	1631	9.2	63	3	3	7	11	18	23	38
TOTAL 0-19 YRS	186	6.7	36	1	1	5	8	14	18	32
20-34	858	6.7	23	2	2	5	9	13	17	23
35-49	312	8.1	42	2	3	6	10	17	20	32
50-64	265	9.9	59	2	3	8	13	20	24	36
65+	388	11.8	133	2	3	8	15	24	33	68
GRAND TOTAL	**2009**	**8.3**	**57**	**2**	**2**	**6**	**10**	**17**	**22**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.3	8	1	1	2	4	7	8	15
20-34	107	3.9	14	1	1	3	4	8	11	20
35-49	96	3.9	10	1	1	3	5	7	11	17
50-64	83	3.5	10	<1	1	3	5	7	10	17
65+	99	5.2	17	<1	1	4	7	10	14	20
B. *Operated*										
0-19 YRS	29	7.2	99	1	1	2	13	21	30	39
20-34	41	5.8	32	<1	<1	4	8	14	17	27
35-49	69	6.6	27	1	1	6	9	14	16	26
50-64	107	6.1	26	1	1	5	9	11	17	25
65+	79	6.0	39	<1	<1	3	8	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	436	5.9	54	1	1	4	7	12	18	34
20-34	337	6.5	43	1	1	4	8	14	18	37
35-49	450	6.2	35	1	1	4	8	12	17	33
50-64	1183	7.4	46	2	2	6	9	14	18	36
65+	4286	9.5	62	2	3	8	12	18	23	43
B. *Operated*										
0-19 YRS	109	12.6	283	1	1	7	19	35	75	99+
20-34	192	13.4	171	1	2	9	19	29	39	98
35-49	355	12.9	159	1	2	9	17	28	40	69
50-64	775	12.2	155	1	2	9	15	26	33	89
65+	1661	16.2	219	2	3	12	20	34	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	3.9	12	1	1	3	5	8	11	18
B. *Operated*	325	6.3	36	<1	1	5	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	6692	8.5	58	2	2	7	11	16	21	41
B. *Operated*	3092	14.5	198	1	2	11	19	31	43	91
1. SINGLE DX	844	4.8	23	<1	1	3	7	10	15	24
2. MULTIPLE DX	9784	10.4	110	2	2	8	13	21	30	67
A. NOT OPERATED	7211	8.2	56	1	2	6	10	16	21	40
B. OPERATED	3417	13.7	189	1	2	10	18	29	41	90
TOTAL 0-19 YRS	708	6.5	90	1	1	3	7	15	23	72
20-34	677	8.0	86	1	1	5	10	19	26	47
35-49	970	8.5	90	1	2	6	10	18	27	48
50-64	2148	8.9	89	1	2	7	11	18	26	57
65+	6125	11.2	113	2	3	8	14	22	31	67
GRAND TOTAL	**10628**	**10.0**	**105**	**1**	**2**	**7**	**12**	**20**	**29**	**65**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	1	1	1	2	3	4	5	5
20-34	28	2.5	1	1	2	2	3	4	4	5
35-49	10	3.5	8	1	1	3	4	8	11	11
50-64	6	2.8	2	1	1	3	4	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	735	1.5	1	<1	<1	1	2	3	4	5
20-34	792	2.0	2	<1	<1	2	3	4	4	6
35-49	250	2.5	7	<1	<1	2	3	4	6	23
50-64	134	2.0	2	<1	<1	2	2	3	4	7
65+	66	1.8	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	3	<1	1	2	4	5	6	9
20-34	118	2.4	2	<1	1	2	3	5	5	8
35-49	33	3.2	16	<1	<1	2	3	6	11	22
50-64	22	4.2	28	<1	<1	3	5	10	18	23
65+	43	4.2	11	1	1	3	6	9	11	16
B. *Operated*										
0-19 YRS	710	2.3	6	<1	<1	1	3	4	5	9
20-34	893	2.7	9	<1	1	2	4	5	6	11
35-49	427	2.5	4	<1	1	2	3	4	5	11
50-64	367	2.9	36	<1	1	2	3	5	7	22
65+	387	3.2	39	<1	1	2	3	5	12	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.6	2	1	1	2	3	4	5	10
B. *Operated*	1977	1.9	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	290	3.0	8	<1	<1	2	4	6	8	16
B. *Operated*	2784	2.7	15	<1	<1	2	3	5	6	17
1. SINGLE DX	2037	1.9	2	<1	<1	1	2	4	4	6
2. MULTIPLE DX	3074	2.7	15	<1	<1	2	3	5	6	16
A. NOT OPERATED	350	2.9	7	<1	1	2	4	5	7	15
B. OPERATED	4761	2.3	10	<1	<1	2	3	4	5	13
TOTAL 0-19 YRS	1534	2.0	4	<1	<1	1	3	4	5	7
20-34	1831	2.4	5	<1	<1	2	3	4	5	9
35-49	720	2.5	6	<1	1	2	3	4	6	14
50-64	529	2.7	27	<1	1	2	3	4	7	21
65+	497	3.1	32	<1	1	2	3	5	10	26
GRAND TOTAL	**5111**	**2.4**	**10**	**<1**	**<1**	**2**	**3**	**4**	**5**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.9	3	<1	1	3	4	5	6	8
20-34	32	3.3	3	<1	1	3	4	6	6	8
35-49	24	4.6	15	1	2	3	5	8	16	17
50-64	16	4.1	7	1	2	3	5	8	10	11
65+	16	4.1	6	<1	1	4	5	8	9	10
B. *Operated*										
0-19 YRS	51	2.0	2	<1	<1	1	2	4	5	9
20-34	75	2.5	3	1	1	2	3	5	6	9
35-49	79	2.5	5	<1	1	2	3	4	7	14
50-64	70	2.4	5	<1	1	2	3	4	5	13
65+	60	2.6	6	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.7	6	1	2	3	4	6	8	14
20-34	34	4.3	10	1	1	3	6	9	12	13
35-49	44	5.6	31	<1	1	4	6	11	17	28
50-64	50	5.2	14	1	1	4	7	9	13	22
65+	97	7.8	28	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	48	3.6	6	<1	1	3	5	8	9	9
20-34	79	4.6	24	1	1	3	6	10	11	31
35-49	93	3.1	8	1	1	2	3	7	10	14
50-64	146	3.7	11	1	1	3	4	8	12	17
65+	171	5.6	75	1	1	3	6	12	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	3.6	6	1	1	3	5	6	8	15
B. *Operated*	335	2.4	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	311	5.5	21	1	2	4	7	11	14	26
B. *Operated*	537	4.3	33	1	1	3	5	9	12	19
1. SINGLE DX	466	2.7	5	<1	1	2	3	5	7	14
2. MULTIPLE DX	848	4.8	29	1	1	3	6	10	13	22
A. NOT OPERATED	442	5.0	17	1	1	4	6	10	13	22
B. OPERATED	872	3.6	23	1	1	2	4	8	11	17
TOTAL 0-19 YRS	228	3.2	5	<1	1	3	4	6	8	10
20-34	220	3.7	12	1	1	3	5	7	10	14
35-49	240	3.5	13	1	1	2	4	7	10	18
50-64	282	3.7	11	1	1	3	4	8	11	17
65+	344	5.6	50	1	1	4	7	12	15	30
GRAND TOTAL	**1314**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**12**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	2.8	7	<1	1	2	4	5	7	14
20-34	70	2.5	3	<1	<1	2	3	5	6	9
35-49	92	2.4	2	<1	1	2	3	5	5	8
50-64	107	2.9	4	<1	1	2	4	6	7	10
65+	70	2.9	5	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	46	4.5	40	1	1	2	6	10	17	36
20-34	45	3.8	10	<1	<1	3	6	9	9	14
35-49	42	4.2	24	<1	<1	2	6	11	13	24
50-64	53	3.4	13	<1	<1	2	5	8	10	19
65+	73	4.2	19	<1	<1	2	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	5.0	25	1	1	4	6	10	15	33
20-34	245	4.0	9	1	1	3	5	7	9	14
35-49	474	4.0	8	1	1	3	5	7	9	14
50-64	746	4.4	13	1	1	4	5	8	10	16
65+	1236	5.6	21	1	2	5	7	10	14	25
B. *Operated*										
0-19 YRS	112	13.8	277	1	1	8	17	33	51	87
20-34	130	6.3	25	<1	1	5	8	13	16	22
35-49	241	7.8	76	<1	1	6	9	14	18	56
50-64	437	7.7	58	1	1	6	10	16	22	44
65+	1026	9.4	107	1	2	7	11	19	27	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	2.7	5	<1	1	2	4	5	6	11
B. *Operated*	259	4.0	20	<1	<1	2	6	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	2894	4.9	17	1	2	4	6	9	12	21
B. *Operated*	1946	8.8	99	1	2	6	11	18	25	58
1. SINGLE DX	786	3.2	10	<1	<1	2	4	7	9	15
2. MULTIPLE DX	4840	6.5	53	1	2	5	8	13	18	41
A. NOT OPERATED	3421	4.5	15	1	1	4	6	8	11	20
B. OPERATED	2205	8.3	92	<1	1	6	10	17	23	55
TOTAL 0-19 YRS	539	6.0	89	1	1	3	6	14	22	58
20-34	490	4.4	14	<1	1	3	5	9	11	19
35-49	849	4.9	31	<1	1	3	6	10	13	24
50-64	1343	5.3	30	1	1	4	6	10	15	31
65+	2405	7.1	61	1	2	5	8	14	20	46
GRAND TOTAL	**5626**	**6.0**	**49**	**1**	**1**	**4**	**7**	**12**	**17**	**38**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	3	2	2	3	5	7	7	7
20-34	30	3.8	4	2	2	3	5	7	8	8
35-49	39	3.9	6	<1	<1	3	5	7	8	12
50-64	29	3.7	4	<1	<1	3	5	7	7	8
65+	28	4.6	20	<1	1	4	5	7	9	25
B. *Operated*										
0-19 YRS										
20-34	10	5.2	11	<1	<1	5	8	9	10	10
35-49	29	6.1	13	<1	<1	5	9	11	11	14
50-64	34	5.0	14	<1	<1	4	8	10	12	16
65+	18	5.2	15	<1	<1	4	7	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	5	2	2	3	5	8	8	8
20-34	49	4.8	9	<1	1	4	7	10	11	13
35-49	118	4.9	9	<1	1	4	7	9	10	15
50-64	144	5.4	16	2	2	5	6	9	12	23
65+	312	6.6	23	2	3	5	8	11	14	24
B. *Operated*										
0-19 YRS	3	10.3	140	3	3	4	19	24	24	24
20-34	32	7.0	35	<1	1	5	9	14	18	29
35-49	83	7.3	18	<1	2	7	9	12	15	22
50-64	165	8.0	35	<1	2	7	11	15	18	32
65+	354	9.8	76	2	3	8	11	18	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	4.0	8	<1	<1	3	5	7	8	14
B. *Operated*	91	5.4	13	<1	<1	5	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	629	5.8	18	1	2	5	7	10	13	21
B. *Operated*	637	8.9	57	<1	3	7	11	17	22	43
1. SINGLE DX	224	4.5	10	<1	<1	4	6	8	10	15
2. MULTIPLE DX	1266	7.4	40	1	2	6	9	13	18	33
A. NOT OPERATED	762	5.5	17	1	2	5	7	10	12	21
B. OPERATED	728	8.5	52	<1	2	7	10	16	21	40
TOTAL 0-19 YRS	16	5.2	28	2	2	4	5	8	19	24
20-34	121	5.2	16	<1	1	4	7	10	12	21
35-49	269	5.6	13	<1	1	5	8	10	12	17
50-64	372	6.4	26	<1	2	5	8	12	16	23
65+	712	8.1	52	2	3	6	10	15	21	41
GRAND TOTAL	**1490**	**6.9**	**36**	**<1**	**2**	**5**	**9**	**13**	**18**	**30**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	21	3.7	3	1	1	3	4	6	7	9
35-49	46	4.3	6	2	2	4	5	6	9	14
50-64	70	4.8	6	2	2	4	6	7	9	15
65+	65	5.0	4	2	3	5	7	8	8	10
B. *Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	11	6.8	8	3	3	7	9	10	11	11
35-49	23	9.1	316	2	3	5	7	12	43	89
50-64	49	7.4	19	3	4	7	9	12	14	28
65+	46	7.1	24	3	4	6	8	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	4	1	1	3	5	6	6	6
20-34	61	4.7	4	1	2	5	6	7	9	11
35-49	118	5.1	9	2	2	4	6	8	10	17
50-64	384	6.1	21	2	3	5	7	9	12	24
65+	970	7.6	30	3	3	6	9	13	18	27
B. *Operated*										
0-19 YRS	4	29.5	433	13	13	23	44	59	59	59
20-34	39	9.8	76	2	2	8	12	18	31	42
35-49	127	8.3	22	3	4	7	11	15	18	23
50-64	347	11.7	124	3	4	9	13	21	32	61
65+	1135	13.6	158	3	4	10	16	28	42	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	4.6	5	2	2	4	6	8	9	14
B. *Operated*	132	7.5	70	3	3	6	9	11	14	43
2. MULTIPLE DX										
A. *Not Operated*	1539	6.9	26	2	3	6	8	12	16	26
B. *Operated*	1652	12.7	142	3	4	9	15	26	37	67
1. SINGLE DX	336	5.7	32	2	3	5	7	9	11	20
2. MULTIPLE DX	3191	9.9	94	3	3	7	11	19	27	57
A. NOT OPERATED	1743	6.6	24	2	3	5	8	11	15	26
B. OPERATED	1784	12.3	139	3	4	9	14	25	36	67
TOTAL 0-19 YRS	15	10.8	232	1	2	5	12	29	51	59
20-34	132	6.2	31	2	2	5	7	11	15	37
35-49	314	6.6	39	2	3	5	8	11	15	24
50-64	850	8.3	69	2	3	6	9	15	20	50
65+	2216	10.6	104	3	4	7	12	21	30	60
GRAND TOTAL	**3527**	**9.5**	**90**	**3**	**3**	**7**	**11**	**18**	**26**	**56**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.4	3	<1	1	3	4	6	6	7
20-34	128	3.4	6	<1	1	3	4	6	7	16
35-49	136	3.6	6	<1	1	3	4	6	7	17
50-64	78	4.2	8	<1	2	4	5	8	10	14
65+	35	3.9	5	1	1	3	5	7	8	11
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	7.6	12	2	4	7	10	13	14	15
35-49	26	7.7	13	2	3	8	10	12	15	15
50-64	16	6.6	17	<1	<1	8	9	11	13	14
65+	6	4.0	4	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	3.1	5	1	1	3	4	7	7	10
20-34	177	4.3	6	1	2	4	5	7	8	14
35-49	343	4.4	9	1	2	4	6	8	10	14
50-64	398	5.0	9	2	2	4	6	8	10	17
65+	618	6.2	37	2	2	5	7	11	15	30
B. *Operated*										
0-19 YRS	4	5.5	9	2	2	6	8	8	8	8
20-34	39	10.5	93	1	3	8	12	20	33	48
35-49	87	9.4	82	2	3	7	10	15	24	55
50-64	114	10.9	122	2	3	8	12	21	36	59
65+	162	11.1	115	2	3	8	14	24	32	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	3.7	6	<1	1	3	4	6	7	15
B. *Operated*	64	7.1	13	1	2	8	9	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	1568	5.2	20	1	2	4	6	9	11	21
B. *Operated*	406	10.6	107	2	3	8	12	20	32	72
1. SINGLE DX	462	4.1	9	<1	1	3	5	8	10	15
2. MULTIPLE DX	1974	6.3	43	2	2	5	7	11	16	41
A. NOT OPERATED	1966	4.9	18	1	2	4	6	9	11	19
B. OPERATED	470	10.1	95	2	3	8	11	18	27	67
TOTAL 0-19 YRS	58	3.5	5	1	1	3	4	7	8	10
20-34	359	4.8	20	1	1	4	6	8	12	20
35-49	592	5.1	23	1	2	4	6	9	11	22
50-64	606	6.1	36	1	2	5	7	11	15	34
65+	821	7.1	55	2	2	5	8	13	18	57
GRAND TOTAL	**2436**	**5.9**	**37**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.0	8	1	1	3	5	8	10	11
20-34	83	3.7	3	2	2	4	4	6	7	9
35-49	109	4.2	3	2	2	4	5	7	8	9
50-64	139	5.1	12	2	2	4	6	8	10	15
65+	150	5.3	10	2	3	5	6	9	10	13
B. *Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	40	7.4	4	4	5	7	9	10	11	13
35-49	50	8.2	12	3	4	8	10	13	15	18
50-64	57	7.7	11	3	4	8	10	12	13	18
65+	46	9.6	28	3	4	9	12	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.5	16	2	2	4	6	9	16	19
20-34	159	4.6	6	1	2	4	6	7	9	11
35-49	274	5.3	8	2	3	5	6	8	10	17
50-64	576	6.0	27	2	3	5	7	10	12	23
65+	1485	7.8	46	3	3	6	9	13	17	36
B. *Operated*										
0-19 YRS	6	8.7	71	2	2	6	9	23	25	25
20-34	54	10.8	46	4	4	9	14	19	27	34
35-49	129	11.0	119	4	5	9	11	17	22	99
50-64	302	13.5	172	4	5	10	15	26	37	95
65+	868	15.6	179	4	5	11	19	33	46	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	4.7	8	2	2	4	6	8	9	12
B. *Operated*	196	8.2	15	3	4	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	2511	6.9	36	2	3	6	8	12	15	29
B. *Operated*	1359	14.5	169	4	5	10	17	29	43	96
1. SINGLE DX	691	5.7	12	2	2	5	7	10	12	17
2. MULTIPLE DX	3870	9.6	96	3	3	7	11	18	26	62
A. NOT OPERATED	3006	6.6	32	2	3	5	7	11	14	28
B. OPERATED	1555	13.7	154	4	5	10	16	26	41	89
TOTAL 0-19 YRS	40	5.4	21	1	2	4	6	9	15	25
20-34	336	5.7	17	2	2	5	7	10	13	25
35-49	562	6.7	39	2	3	5	8	11	15	26
50-64	1074	8.1	77	2	3	6	9	14	20	56
65+	2549	10.4	103	3	4	7	12	20	29	65
GRAND TOTAL	**4561**	**9.0**	**85**	**2**	**3**	**7**	**10**	**17**	**24**	**57**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.8	6	2	2	3	4	8	8	8
35-49	10	4.9	8	<1	1	5	5	9	12	12
50-64	16	5.9	6	3	3	5	7	10	11	11
65+	9	5.6	10	1	2	4	8	10	11	11
B. *Operated*										
0-19 YRS										
20-34	9	10.8	39	<1	3	9	15	20	20	20
35-49	10	14.0	38	7	7	13	16	23	28	28
50-64	21	12.3	46	4	6	12	15	21	29	31
65+	15	12.4	33	3	6	13	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.3	40	<1	2	4	6	20	21	21
35-49	24	6.3	22	1	2	6	7	8	15	26
50-64	42	5.7	9	2	3	5	7	8	10	20
65+	132	8.6	35	3	4	7	10	15	18	36
B. *Operated*										
0-19 YRS										
20-34	11	21.5	242	4	7	15	33	46	53	54
35-49	37	14.0	85	3	3	12	18	25	31	47
50-64	87	15.7	148	4	5	12	19	31	44	58
65+	188	18.7	205	5	6	15	23	40	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.2	8	1	2	5	7	9	11	12
B. *Operated*	55	12.4	38	4	7	12	16	20	26	31
2. MULTIPLE DX										
A. *Not Operated*	213	7.6	30	3	3	6	9	14	18	31
B. *Operated*	323	17.4	179	4	6	14	21	36	50	68
1. SINGLE DX	99	9.2	37	2	3	8	13	17	21	30
2. MULTIPLE DX	536	13.5	143	3	4	10	17	27	40	61
A. NOT OPERATED	257	7.2	27	2	3	6	8	13	17	28
B. OPERATED	378	16.7	162	4	6	13	20	32	45	63
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	43	10.6	126	1	2	7	14	20	39	54
35-49	81	10.6	66	2	3	8	14	21	27	42
50-64	166	11.8	106	3	4	9	14	24	31	57
65+	344	14.2	152	3	4	11	17	28	42	65
GRAND TOTAL	**635**	**12.8**	**129**	**3**	**4**	**9**	**16**	**26**	**37**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.3	3	1	1	2	3	4	5	7
20-34	292	2.6	2	<1	1	2	3	5	6	8
35-49	221	2.7	3	<1	<1	2	4	5	6	8
50-64	142	2.8	4	<1	<1	2	4	5	6	11
65+	77	3.0	5	<1	<1	2	4	6	7	11
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	31	3.9	6	<1	1	4	5	8	8	11
35-49	30	3.5	8	<1	<1	2	5	8	9	10
50-64	24	4.2	7	<1	<1	4	7	8	8	8
65+	13	3.1	9	<1	<1	2	4	7	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	2.7	3	1	1	2	3	5	6	9
20-34	821	3.7	7	1	1	3	4	7	8	15
35-49	970	4.3	11	1	2	4	5	7	9	16
50-64	1192	5.0	16	1	2	4	6	8	11	18
65+	1956	6.4	33	2	2	5	8	11	15	26
B. *Operated*										
0-19 YRS	21	5.0	6	1	2	5	7	10	47	99+
20-34	129	5.8	22	2	2	5	7	10	11	32
35-49	224	7.5	60	1	2	6	8	14	20	42
50-64	318	8.3	59	1	2	6	10	18	21	42
65+	641	10.1	86	2	3	8	12	19	25	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	912	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	101	3.7	7	<1	<1	3	5	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	5394	5.0	20	1	2	4	6	9	12	21
B. *Operated*	1333	8.7	70	2	3	7	10	17	23	54
1. SINGLE DX	1013	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX	6727	5.7	32	1	2	4	7	11	14	27
A. NOT OPERATED	6306	4.6	18	1	1	4	6	8	11	21
B. OPERATED	1434	8.4	67	1	2	6	10	16	23	52
TOTAL 0-19 YRS	659	2.7	3	1	1	2	3	5	6	9
20-34	1273	3.7	8	1	1	3	4	7	8	14
35-49	1445	4.6	19	1	1	4	6	8	11	21
50-64	1676	5.4	26	1	2	4	7	10	14	24
65+	2687	7.1	48	2	2	6	9	13	18	38
GRAND TOTAL	**7740**	**5.3**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	1	<1	<1	2	3	3	4	5
20-34	39	3.2	4	<1	<1	3	4	6	8	9
35-49	38	3.6	4	<1	<1	3	5	6	7	9
50-64	26	3.3	7	<1	1	2	4	8	10	10
65+	22	3.7	10	1	1	3	4	9	11	12
B. *Operated*										
0-19 YRS	19	4.2	6	2	2	4	5	7	10	12
20-34	3	10.7	16	7	7	10	14	15	15	15
35-49	9	10.0	52	2	2	8	14	21	25	25
50-64	4	13.5	63	6	6	12	19	24	24	24
65+	8	4.9	18	<1	<1	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.9	103	1	1	3	4	7	13	67
20-34	99	4.1	8	1	2	3	6	8	9	15
35-49	164	4.7	22	1	1	4	6	9	11	23
50-64	192	5.5	22	1	2	4	7	10	15	24
65+	338	7.4	45	2	2	6	9	15	20	46
B. *Operated*										
0-19 YRS	10	6.9	38	1	1	5	8	17	22	22
20-34	28	15.7	200	1	3	11	24	32	37	67
35-49	64	11.6	101	1	2	9	15	28	32	94
50-64	96	12.8	139	1	2	11	18	27	35	90
65+	238	15.0	169	2	4	11	19	31	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.2	5	<1	1	3	4	6	8	11
B. *Operated*	43	6.8	32	1	2	5	9	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	872	5.9	38	1	2	4	7	11	16	36
B. *Operated*	436	13.9	153	2	3	10	18	29	39	81
1. SINGLE DX	199	3.9	13	<1	1	3	5	8	11	20
2. MULTIPLE DX	1308	8.6	90	1	2	6	10	19	27	61
A. NOT OPERATED	1028	5.5	34	1	1	4	7	10	15	29
B. OPERATED	479	13.2	146	2	3	10	18	28	37	78
TOTAL 0-19 YRS	139	4.3	63	1	1	3	4	7	12	60
20-34	169	6.0	58	<1	1	4	6	12	22	34
35-49	275	6.4	48	1	1	4	8	14	21	42
50-64	318	7.6	69	1	2	5	9	17	24	43
65+	606	10.2	107	2	2	7	12	22	31	63
GRAND TOTAL	**1507**	**7.9**	**83**	**1**	**2**	**5**	**9**	**18**	**26**	**58**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	2	<1	1	2	3	3	5	9
20-34	38	2.3	1	<1	1	2	3	4	5	6
35-49	15	3.1	6	1	1	2	4	7	9	10
50-64	5	3.2	3	2	2	3	4	6	6	6
65+										
B. *Operated*										
0-19 YRS	2940	3.5	3	2	2	3	4	5	6	8
20-34	2129	3.7	2	2	2	3	4	5	6	8
35-49	651	4.1	3	2	2	4	5	6	7	10
50-64	213	4.6	4	2	3	4	5	7	9	13
65+	49	5.0	6	3	3	4	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	3	<1	1	2	3	4	5	10
20-34	21	3.4	10	<1	1	2	4	8	11	13
35-49	9	2.9	4	1	1	3	4	6	7	7
50-64	7	3.0	7	1	1	2	4	7	8	8
65+	8	8.9	89	1	2	5	12	25	29	29
B. *Operated*										
0-19 YRS	563	4.5	9	2	2	4	5	7	9	16
20-34	603	5.1	8	2	3	4	6	8	10	15
35-49	283	5.8	12	2	3	5	7	10	13	19
50-64	177	7.0	14	3	3	6	9	12	15	19
65+	115	9.2	63	4	4	7	11	14	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	2.4	2	<1	1	2	3	4	6	9
B. *Operated*	5982	3.7	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	74	3.4	17	1	1	2	4	7	10	26
B. *Operated*	1741	5.5	15	2	3	4	6	9	12	18
1. SINGLE DX	6097	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1815	5.4	15	2	3	4	6	9	12	18
A. NOT OPERATED	189	2.8	8	1	1	2	3	5	7	15
B. OPERATED	7723	4.1	6	2	2	4	5	6	8	13
TOTAL 0-19 YRS	3589	3.6	4	2	2	3	4	5	6	10
20-34	2791	4.0	4	2	2	4	5	6	7	11
35-49	958	4.6	6	2	2	4	5	7	9	14
50-64	402	5.6	10	2	3	5	6	10	12	18
65+	172	8.0	51	3	3	6	9	13	17	35
GRAND TOTAL	**7912**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.7	7	4	5	8	11	12	13	14
20-34	9	8.3	20	4	5	7	9	16	16	16
35-49	10	8.0	12	3	4	8	9	13	16	16
50-64	10	7.0	2	5	5	7	8	9	9	9
65+	7	7.6	15	3	3	7	9	14	15	15
B. *Operated*										
0-19 YRS	672	6.6	9	3	3	6	8	10	11	16
20-34	418	6.3	9	3	3	6	8	9	11	16
35-49	259	7.4	11	3	4	7	9	11	13	20
50-64	160	7.9	11	3	4	8	10	12	13	21
65+	68	8.9	18	4	5	8	11	15	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	8.7	13	4	4	8	11	14	15	15
20-34	4	5.5	3	4	4	5	7	7	7	7
35-49	6	6.2	9	2	2	6	8	10	10	10
50-64	11	10.8	17	3	6	11	12	17	19	19
65+	19	12.0	104	3	5	9	13	18	36	50
B. *Operated*										
0-19 YRS	446	9.4	35	4	4	8	11	16	20	37
20-34	305	9.0	18	4	5	8	11	14	18	25
35-49	323	10.5	48	4	5	9	13	16	21	33
50-64	373	11.7	73	5	5	10	13	19	25	53
65+	375	14.1	105	5	6	11	17	24	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	8.0	10	4	5	7	9	13	16	16
B. *Operated*	1577	6.9	10	3	3	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	49	9.9	51	3	4	8	12	16	19	50
B. *Operated*	1822	11.0	60	4	5	9	13	18	23	48
1. SINGLE DX	1629	6.9	10	3	3	7	8	11	12	19
2. MULTIPLE DX	1871	10.9	60	4	5	9	13	18	23	49
A. NOT OPERATED	101	8.9	31	3	4	8	10	15	16	34
B. OPERATED	3399	9.1	41	3	4	8	11	15	20	35
TOTAL 0-19 YRS	1143	7.8	21	3	4	7	9	12	16	23
20-34	736	7.4	15	3	4	7	9	12	15	23
35-49	598	9.1	33	4	4	8	11	15	17	29
50-64	554	10.5	56	4	5	9	12	16	22	41
65+	469	13.2	95	5	6	11	15	23	29	62
GRAND TOTAL	**3500**	**9.1**	**41**	**3**	**4**	**8**	**11**	**15**	**19**	**35**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	3	1	1	2	3	5	6	7
20-34	25	2.1	1	1	1	2	3	3	4	5
35-49	5	4.4	6	2	2	3	6	8	8	8
50-64	9	3.3	5	1	1	3	4	7	8	8
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	122	3.9	4	2	2	3	4	6	9	12
20-34	105	4.4	3	2	3	4	5	7	8	11
35-49	37	3.8	2	2	2	4	4	6	7	9
50-64	8	5.5	11	2	2	5	6	11	13	13
65+	4	4.3	5	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	3	1	1	2	4	5	6	6
20-34	15	3.3	8	1	1	2	6	7	9	9
35-49	9	2.6	1	1	1	2	3	4	5	5
50-64	4	6.0	11	4	4	5	8	11	11	11
65+	3	4.7	4	3	3	4	6	7	7	7
B. *Operated*										
0-19 YRS	75	4.2	4	2	3	4	5	7	8	14
20-34	87	5.5	10	2	3	5	7	9	11	21
35-49	33	6.0	6	3	3	6	8	10	11	11
50-64	18	7.3	40	2	4	6	8	9	22	31
65+	19	8.9	27	2	3	9	11	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.6	3	1	1	2	3	5	7	9
B. *Operated*	276	4.1	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	49	3.2	5	1	1	3	4	6	7	11
B. *Operated*	232	5.6	13	2	3	5	7	9	11	21
1. SINGLE DX	346	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX	281	5.2	12	1	2	4	6	9	11	21
A. NOT OPERATED	119	2.9	4	1	1	2	4	6	7	10
B. OPERATED	508	4.8	8	2	2	4	6	8	10	17
TOTAL 0-19 YRS	244	3.7	4	1	2	3	4	6	8	12
20-34	232	4.5	7	1	2	4	6	7	9	13
35-49	84	4.6	5	2	2	4	6	8	9	11
50-64	39	5.9	24	1	2	5	7	9	12	31
65+	28	7.6	24	2	2	7	10	13	20	21
GRAND TOTAL	**627**	**4.4**	**8**	**1**	**2**	**4**	**5**	**8**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	5	5
20-34	16	1.7	1	1	1	1	2	3	3	3
35-49	9	1.8	3	<1	<1	1	2	4	6	6
50-64	27	2.3	3	1	1	2	3	4	6	9
65+	20	2.2	2	1	1	2	3	4	5	6
B. *Operated*										
0-19 YRS	1360	1.5	1	<1	<1	1	2	2	3	4
20-34	1960	2.0	1	1	1	2	3	3	4	5
35-49	1766	2.3	2	1	1	2	3	4	5	6
50-64	2357	2.5	2	1	1	2	3	4	5	6
65+	1687	2.7	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	1.4	2	<1	<1	1	1	2	3	8
20-34	42	1.3	1	<1	<1	<1	1	3	3	5
35-49	32	1.9	4	<1	<1	1	2	5	6	9
50-64	60	1.9	4	<1	<1	1	2	4	5	13
65+	104	3.0	11	<1	<1	2	4	7	9	19
B. *Operated*										
0-19 YRS	828	1.6	2	<1	<1	1	2	3	4	6
20-34	819	2.5	2	1	1	2	3	4	5	8
35-49	1328	2.7	3	1	1	2	3	5	6	9
50-64	2863	3.2	5	1	1	3	4	5	7	12
65+	4216	3.9	10	1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.0	2	<1	1	1	3	4	5	8
B. *Operated*	9130	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	329	2.0	6	<1	<1	1	2	4	7	13
B. *Operated*	10054	3.2	7	1	1	3	4	6	7	13
1. SINGLE DX	9216	2.2	2	<1	1	2	3	4	4	6
2. MULTIPLE DX	10383	3.2	7	1	1	3	4	6	7	13
A. NOT OPERATED	415	2.0	5	<1	<1	1	2	4	6	13
B. OPERATED	19184	2.8	5	1	1	2	3	5	6	11
TOTAL 0-19 YRS	2293	1.5	1	<1	<1	1	2	3	3	5
20-34	2837	2.1	2	1	1	2	3	4	4	6
35-49	3135	2.5	2	1	1	2	3	4	5	8
50-64	5307	2.8	4	1	1	3	4	5	6	10
65+	6027	3.5	8	1	1	3	4	6	8	15
GRAND TOTAL	**19599**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	11	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	231	1.7	1	<1	1	1	2	3	4	5
20-34	86	2.7	2	1	1	2	3	5	5	7
35-49	104	2.8	2	1	1	3	4	5	5	7
50-64	149	3.3	3	1	1	3	4	5	7	10
65+	203	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4	1	<1	<1	1	1	3	3	3
20-34	6	1.8	2	1	1	1	3	4	4	4
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	10	3.8	11	<1	<1	2	7	8	9	9
65+	50	5.2	20	1	1	3	7	12	15	19
B. *Operated*										
0-19 YRS	176	2.7	46	<1	1	2	3	4	5	12
20-34	70	3.3	3	1	1	3	5	6	6	7
35-49	82	4.3	30	1	2	3	4	6	9	37
50-64	227	5.4	21	1	2	4	6	12	14	30
65+	942	8.2	74	2	3	6	10	16	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	773	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	80	4.1	17	<1	1	2	6	10	13	18
B. *Operated*	1497	6.7	61	1	2	5	8	13	19	44
1. SINGLE DX	798	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1577	6.6	59	1	1	4	8	13	18	43
A. NOT OPERATED	105	3.6	14	<1	1	2	5	9	12	17
B. OPERATED	2270	5.4	45	1	1	4	6	11	15	35
TOTAL 0-19 YRS	423	2.1	20	<1	1	1	2	3	5	8
20-34	164	2.9	2	1	1	3	4	5	6	7
35-49	192	3.4	14	1	1	3	4	5	6	11
50-64	390	4.6	15	1	1	3	5	9	12	21
65+	1206	7.3	62	2	2	5	8	14	21	44
GRAND TOTAL	**2375**	**5.3**	**44**	**1**	**1**	**4**	**6**	**11**	**15**	**33**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	143	1.7	1	<1	<1	1	2	3	3	6
20-34	124	2.0	1	<1	1	2	3	3	4	5
35-49	159	2.2	2	<1	<1	2	3	4	5	6
50-64	126	2.5	2	1	1	2	3	4	5	9
65+	40	3.4	3	1	1	3	4	6	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	18	1.7	2	<1	<1	1	2	4	5	5
50-64	13	3.1	7	1	1	2	6	7	8	8
65+	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	44	1.8	2	<1	<1	1	2	3	5	7
20-34	51	2.9	3	1	1	2	4	6	7	8
35-49	172	3.0	4	1	1	3	4	5	6	12
50-64	189	4.4	13	1	1	3	5	9	13	18
65+	114	4.4	9	1	1	4	6	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	592	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	50	2.0	3	<1	<1	1	2	5	6	8
B. *Operated*	570	3.6	9	1	1	3	4	7	10	16
1. SINGLE DX	597	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	620	3.5	8	<1	1	3	4	6	9	15
A. NOT OPERATED	55	1.9	3	<1	<1	1	2	5	6	8
B. OPERATED	1162	2.9	6	<1	1	2	4	5	7	14
TOTAL 0-19 YRS	196	1.7	1	<1	<1	1	2	3	4	7
20-34	180	2.3	2	<1	1	2	3	4	5	7
35-49	353	2.5	3	<1	1	2	3	4	5	8
50-64	328	3.7	10	1	1	3	4	7	10	16
65+	160	4.0	8	1	1	3	5	7	10	15
GRAND TOTAL	**1217**	**2.9**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**13**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	8	5.3	60	1	1	2	5	19	24	24
65+	7	2.7	5	1	1	1	5	6	6	6
B. *Operated*										
0-19 YRS	44	1.7	1	<1	<1	1	2	3	4	6
20-34	208	2.8	4	<1	1	2	4	5	7	9
35-49	321	3.8	4	1	1	3	5	6	8	10
50-64	343	3.9	5	1	1	4	5	6	8	11
65+	213	4.5	5	1	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	1.9	4	<1	<1	1	2	5	7	7
35-49	21	2.0	2	<1	<1	1	3	4	5	6
50-64	35	2.7	5	<1	<1	2	3	6	8	8
65+	52	4.2	18	<1	1	3	5	8	12	24
B. *Operated*										
0-19 YRS	13	3.6	16	<1	<1	2	4	9	14	15
20-34	155	4.1	12	1	1	4	5	7	8	13
35-49	440	5.4	13	2	2	5	7	9	11	19
50-64	669	5.7	13	2	2	5	7	10	13	21
65+	781	6.8	20	2	3	6	8	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	22	1	1	2	4	6	12	24
B. *Operated*	1129	3.7	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	120	3.1	11	<1	<1	2	4	7	8	18
B. *Operated*	2058	5.9	16	2	2	5	7	10	13	22
1. SINGLE DX	1153	3.7	5	1	1	3	5	7	8	11
2. MULTIPLE DX	2178	5.8	16	1	2	5	7	10	13	22
A. NOT OPERATED	144	3.2	12	<1	<1	2	4	6	8	24
B. OPERATED	3187	5.1	13	1	2	4	6	9	11	20
TOTAL 0-19 YRS	59	2.1	5	<1	<1	1	2	4	6	14
20-34	377	3.3	8	<1	1	3	4	6	7	10
35-49	787	4.6	10	1	2	4	6	8	10	17
50-64	1055	5.0	11	1	2	4	6	9	11	18
65+	1053	6.2	18	2	2	5	8	11	14	23
GRAND TOTAL	**3331**	**5.1**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	2.7	3	<1	<1	2	4	5	6	6
35-49	26	3.0	6	<1	<1	3	4	5	7	13
50-64	39	2.8	3	<1	<1	3	4	5	6	6
65+	13	3.5	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS										
20-34	4	3.3	10	<1	<1	2	5	8	8	8
35-49	5	6.2	35	<1	<1	4	12	13	13	13
50-64	5	8.2	6	4	4	9	10	10	10	10
65+	11	8.1	5	5	5	8	10	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	36	3.4	4	<1	1	3	5	5	6	12
35-49	159	3.7	6	<1	1	3	5	7	9	13
50-64	263	4.1	5	1	2	4	5	7	9	12
65+	506	5.4	12	2	2	5	6	9	12	20
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	23	7.5	8	3	4	7	8	12	13	15
35-49	72	8.4	13	3	5	8	10	12	15	21
50-64	128	8.8	16	2	4	9	11	14	16	22
65+	157	10.5	52	2	3	9	13	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.9	4	<1	<1	3	4	5	6	11
B. *Operated*	25	7.0	14	<1	<1	8	10	12	12	13
2. MULTIPLE DX										
A. *Not Operated*	964	4.7	10	1	2	4	6	8	10	16
B. *Operated*	382	9.3	31	3	4	9	11	15	18	33
1. SINGLE DX	119	3.8	8	<1	<1	3	5	8	10	13
2. MULTIPLE DX	1346	6.0	20	1	2	5	8	11	14	22
A. NOT OPERATED	1058	4.5	9	1	2	4	6	8	10	16
B. OPERATED	407	9.2	30	2	4	9	11	15	18	31
TOTAL 0-19 YRS	3	6.7	16	3	3	6	10	11	11	11
20-34	78	4.5	9	<1	1	4	6	8	11	14
35-49	262	5.0	12	<1	1	4	7	10	12	16
50-64	435	5.4	14	1	2	4	8	10	12	17
65+	687	6.5	26	2	2	5	8	12	16	24
GRAND TOTAL	**1465**	**5.8**	**19**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49										
50-64	2	4.5	13	2	2	4	7	7	7	7
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	4	62	99+	99+
20-34	53	2.7	4	1	1	2	3	5	6	12
35-49	56	2.4	2	1	1	2	3	4	5	8
50-64	43	2.4	2	<1	1	2	3	4	5	5
65+	42	2.8	6	1	1	2	3	4	5	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	5	5.0	12	<1	<1	5	7	10	10	10
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	4	3.3	7	1	1	2	5	7	7	7
65+	9	5.1	23	1	1	2	7	13	14	14
B. *Operated*										
0-19 YRS	4	3.5	11	1	1	3	6	8	8	8
20-34	25	3.4	6	<1	1	3	4	5	8	12
35-49	29	3.7	4	1	1	3	5	7	7	9
50-64	69	4.3	12	1	1	3	5	8	13	18
65+	129	5.4	22	2	2	4	6	13	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.1	4	1	1	3	4	6	7	7
B. *Operated*	202	2.6	3	1	1	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*	22	4.5	15	<1	1	3	6	11	13	14
B. *Operated*	256	4.7	16	1	1	4	5	8	13	19
1. SINGLE DX	209	2.6	3	1	1	2	3	4	5	14
2. MULTIPLE DX	278	4.7	16	1	1	4	5	9	13	19
A. NOT OPERATED	29	4.1	12	1	1	3	6	10	12	14
B. OPERATED	458	3.7	11	1	1	3	4	7	10	19
TOTAL 0-19 YRS	15	2.5	4	<1	1	2	4	8	72	99+
20-34	85	3.1	5	<1	1	3	4	5	7	12
35-49	87	2.9	4	1	1	2	4	6	7	9
50-64	118	3.6	8	1	1	3	4	7	8	16
65+	182	4.7	19	1	2	3	5	10	15	22
GRAND TOTAL	**487**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**11**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	13	3.3	9	1	1	3	4	9	10	10
65+	26	3.8	7	1	1	3	5	8	10	10
B. *Operated*										
0-19 YRS	24	3.0	5	1	1	2	4	7	8	8
20-34	100	2.7	3	1	1	2	3	5	5	10
35-49	180	3.4	5	1	1	3	4	7	8	10
50-64	176	3.8	5	1	1	3	5	7	9	12
65+	200	5.7	14	1	2	5	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	22	3.3	4	<1	1	3	5	6	7	8
50-64	27	3.9	5	<1	1	4	5	7	9	9
65+	133	6.5	57	2	2	5	8	11	14	36
B. *Operated*										
0-19 YRS	13	6.5	59	1	1	3	9	15	26	29
20-34	65	4.7	10	1	2	4	5	9	10	20
35-49	235	6.7	27	2	2	5	8	12	16	33
50-64	454	8.1	68	2	2	6	9	14	21	45
65+	1031	10.5	75	2	3	8	13	20	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.3	6	1	1	3	4	8	10	10
B. *Operated*	680	4.1	9	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	187	5.6	44	1	2	4	7	10	13	25
B. *Operated*	1798	9.2	67	2	3	7	11	18	24	45
1. SINGLE DX	728	4.0	9	1	1	3	5	8	10	14
2. MULTIPLE DX	1985	8.8	66	2	3	7	11	17	24	44
A. NOT OPERATED	235	5.2	37	1	1	4	7	10	12	23
B. OPERATED	2478	7.8	57	1	2	6	9	15	21	41
TOTAL 0-19 YRS	42	4.0	23	1	1	3	4	8	11	29
20-34	170	3.4	7	1	1	3	4	6	9	12
35-49	441	5.1	19	1	1	4	7	9	13	23
50-64	670	6.7	52	1	2	5	8	12	17	40
65+	1390	9.3	68	2	3	7	11	18	25	46
GRAND TOTAL	**2713**	**7.5**	**55**	**1**	**2**	**6**	**9**	**15**	**21**	**39**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.9	5	1	1	2	3	6	8	11
20-34	148	3.7	4	1	1	3	5	7	7	9
35-49	219	4.0	6	1	2	3	5	7	9	13
50-64	234	4.5	7	1	2	4	6	8	9	12
65+	267	4.9	15	1	2	4	6	8	12	17
B. *Operated*										
0-19 YRS	98	5.9	9	2	3	5	8	11	12	14
20-34	79	8.6	15	4	5	8	10	13	16	24
35-49	111	9.5	29	4	5	8	11	15	17	36
50-64	104	10.6	23	5	6	10	13	17	20	27
65+	104	11.5	35	5	6	10	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	4.3	16	1	1	3	5	8	10	25
20-34	259	4.7	12	1	1	4	6	8	11	17
35-49	419	5.7	18	2	2	5	7	10	13	21
50-64	928	6.5	27	2	2	5	8	12	15	30
65+	2670	7.8	47	2	3	6	9	14	19	36
B. *Operated*										
0-19 YRS	97	10.8	100	3	4	8	12	19	46	99+
20-34	174	13.4	142	4	5	10	15	23	35	69
35-49	329	14.8	133	5	6	11	17	27	38	71
50-64	593	16.2	154	6	7	12	19	29	40	72
65+	1630	18.0	156	6	8	15	21	33	45	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	998	4.2	9	1	1	3	5	8	9	14
B. *Operated*	496	9.3	26	3	4	8	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	4359	7.1	38	2	2	6	9	13	17	32
B. *Operated*	2823	16.7	154	5	7	13	20	31	43	83
1. SINGLE DX	1494	5.9	20	1	2	5	8	11	14	22
2. MULTIPLE DX	7182	10.9	106	2	3	8	13	22	30	60
A. NOT OPERATED	5357	6.5	34	1	2	5	8	12	16	30
B. OPERATED	3319	15.6	142	5	6	12	18	29	39	78
TOTAL 0-19 YRS	408	5.8	40	1	1	4	7	11	13	56
20-34	660	7.2	60	1	2	5	9	14	19	40
35-49	1078	8.5	71	2	2	7	10	16	22	50
50-64	1859	9.6	87	2	3	7	12	18	26	51
65+	4671	11.3	108	2	3	8	14	22	31	61
GRAND TOTAL	**8676**	**10.0**	**95**	**2**	**3**	**7**	**12**	**20**	**27**	**57**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1912	2.2	2	1	1	2	3	4	5	7
20-34	1059	2.3	2	1	1	2	3	4	5	8
35-49	406	2.6	3	1	1	2	3	5	6	8
50-64	241	2.9	3	<1	1	3	4	5	6	8
65+	158	3.1	3	1	1	3	4	6	6	8
B. *Operated*										
0-19 YRS	50	4.6	17	2	2	4	5	6	7	26
20-34	77	4.6	12	<1	2	4	6	8	10	22
35-49	47	4.1	8	<1	<1	4	6	7	9	13
50-64	30	5.7	21	<1	<1	4	8	12	15	18
65+	13	6.8	9	2	3	6	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3497	3.0	4	1	1	3	4	5	6	10
20-34	1314	3.1	5	1	1	3	4	6	7	11
35-49	975	3.7	6	1	1	3	5	7	8	12
50-64	1163	4.5	12	1	1	4	6	8	11	17
65+	2538	6.2	45	2	2	5	7	11	15	34
B. *Operated*										
0-19 YRS	75	8.3	135	2	2	6	9	12	20	78
20-34	142	6.2	19	1	2	5	8	12	16	20
35-49	151	8.8	68	2	3	7	11	17	22	51
50-64	209	10.3	92	2	3	8	12	20	27	50
65+	408	13.1	130	2	3	10	16	27	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3776	2.4	2	1	1	2	3	4	5	8
B. *Operated*	217	4.8	14	<1	1	4	6	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	9487	4.1	18	1	1	3	5	8	10	19
B. *Operated*	985	10.5	103	2	3	7	13	21	30	59
1. SINGLE DX	3993	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	10472	4.7	30	1	1	3	5	9	12	27
A. NOT OPERATED	13263	3.6	14	1	1	3	4	7	9	16
B. OPERATED	1202	9.5	92	2	2	7	12	19	27	55
TOTAL 0-19 YRS	5534	2.8	6	1	1	2	3	5	6	10
20-34	2592	3.0	6	1	1	2	4	6	8	13
35-49	1579	3.9	14	1	1	3	5	7	9	19
50-64	1643	5.0	25	1	1	4	6	9	13	25
65+	3117	6.9	60	2	2	5	8	13	19	44
GRAND TOTAL	**14465**	**4.1**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	71	5.5	12	2	2	5	7	9	10	22
35-49	332	5.0	6	1	2	5	6	8	9	12
50-64	526	5.2	7	2	2	5	7	8	9	14
65+	439	4.9	8	<1	1	5	7	9	10	13
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	27	7.5	9	2	3	7	9	12	13	15
35-49	95	8.9	12	5	6	8	10	15	17	20
50-64	129	10.0	17	5	6	9	11	16	19	23
65+	82	9.9	26	2	4	9	13	16	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	16.3	26	12	12	15	20	22	22	22
20-34	50	6.0	10	1	2	6	7	10	11	16
35-49	336	5.7	10	2	2	5	7	9	11	16
50-64	1098	6.2	15	2	3	6	8	10	13	18
65+	3664	7.4	32	2	3	6	9	12	16	34
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	67	11.3	38	5	7	9	13	20	25	35
35-49	338	12.4	56	5	6	11	15	20	26	35
50-64	863	13.7	88	5	6	11	16	23	32	51
65+	1850	16.2	145	5	6	13	20	30	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1370	5.1	7	1	2	5	7	8	10	14
B. *Operated*	334	9.5	17	4	5	9	11	15	18	22
2. MULTIPLE DX										
A. *Not Operated*	5151	7.0	27	2	3	6	8	12	15	29
B. *Operated*	3121	15.0	120	5	6	12	18	27	37	71
1. SINGLE DX	1704	5.9	12	1	2	5	8	10	12	19
2. MULTIPLE DX	8272	10.0	77	2	3	8	12	19	26	50
A. NOT OPERATED	6521	6.6	24	2	3	6	8	11	14	26
B. OPERATED	3455	14.5	112	5	6	11	17	26	35	68
TOTAL 0-19 YRS	9	9.7	38	3	3	8	13	19	22	22
20-34	215	7.7	25	2	3	7	9	13	17	27
35-49	1101	7.8	33	2	3	7	10	14	18	30
50-64	2616	8.7	51	2	3	7	10	16	21	37
65+	6035	9.9	83	2	3	7	12	19	27	53
GRAND TOTAL	**9976**	**9.3**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**46**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	4	<1	<1	2	3	6	6	6
20-34	25	3.0	5	<1	<1	2	4	5	8	10
35-49	19	2.8	4	<1	<1	2	4	6	7	7
50-64	4	4.0	6	1	1	4	6	7	7	7
65+	7	3.0	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	83	2.6	5	<1	1	2	3	4	5	14
20-34	587	2.5	3	<1	1	2	3	4	5	9
35-49	599	2.7	4	1	1	2	3	4	6	11
50-64	287	2.9	4	1	1	2	4	5	7	11
65+	79	3.4	10	<1	1	3	4	6	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.5	3	<1	<1	2	4	5	5	5
20-34	28	3.2	5	<1	<1	3	5	6	7	9
35-49	32	4.5	15	<1	1	3	6	12	14	15
50-64	28	5.0	8	<1	1	5	7	8	10	11
65+	53	8.9	93	1	2	7	10	18	38	98
B. *Operated*										
0-19 YRS	63	3.7	13	<1	1	3	4	6	9	21
20-34	590	3.6	11	1	1	3	4	7	10	16
35-49	753	3.6	13	1	1	3	4	6	9	22
50-64	658	4.2	31	1	1	3	5	8	11	25
65+	475	6.3	55	1	1	4	8	14	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.0	4	<1	<1	2	4	6	7	10
B. *Operated*	1635	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	152	5.7	43	<1	1	4	7	12	16	53
B. *Operated*	2539	4.2	26	1	1	3	5	8	12	25
1. SINGLE DX	1700	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	2691	4.3	27	1	1	3	5	9	12	26
A. NOT OPERATED	217	4.9	33	<1	<1	4	6	10	15	44
B. OPERATED	4174	3.6	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	167	3.0	8	<1	1	2	4	5	7	19
20-34	1230	3.0	7	1	1	2	4	5	7	13
35-49	1403	3.2	9	1	1	3	4	6	8	17
50-64	977	3.8	23	1	1	3	4	7	10	21
65+	614	6.1	54	1	1	4	7	14	19	41
GRAND TOTAL	**4391**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	3.2	9	1	1	2	4	7	8	15
20-34	419	5.2	19	1	1	4	7	10	15	19
35-49	284	5.1	15	1	1	4	7	10	12	18
50-64	173	5.1	22	<1	1	4	6	10	13	26
65+	183	4.3	17	<1	<1	4	6	9	10	13
B. *Operated*										
0-19 YRS	102	6.6	41	1	1	5	8	15	19	35
20-34	303	8.1	49	<1	1	6	10	15	24	36
35-49	229	8.1	55	<1	1	6	10	16	21	34
50-64	183	7.1	34	<1	1	6	10	14	18	28
65+	141	7.0	51	<1	1	6	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	373	4.5	14	1	1	3	6	10	13	19
20-34	684	5.9	36	1	1	5	7	11	15	28
35-49	756	6.0	25	1	2	5	7	11	16	26
50-64	936	6.5	44	1	2	5	8	13	16	41
65+	2888	7.5	59	2	2	6	9	14	20	41
B. *Operated*										
0-19 YRS	213	11.7	176	1	2	8	14	26	29	95
20-34	809	11.6	111	1	2	9	15	23	31	56
35-49	868	12.0	128	2	3	9	15	25	34	63
50-64	1032	12.6	118	1	3	10	16	27	36	56
65+	2307	14.9	203	2	3	11	18	33	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1328	4.6	17	<1	1	4	6	9	12	20
B. *Operated*	958	7.6	47	<1	1	6	10	15	21	32
2. MULTIPLE DX										
A. *Not Operated*	5637	6.7	47	1	2	5	8	13	18	35
B. *Operated*	5229	13.3	160	2	3	10	17	28	40	77
1. SINGLE DX	2286	5.9	32	<1	1	4	8	12	16	28
2. MULTIPLE DX	10866	9.9	112	1	2	7	12	21	29	63
A. NOT OPERATED	6965	6.3	42	1	2	5	8	12	17	31
B. OPERATED	6187	12.4	147	1	2	9	15	26	37	74
TOTAL 0-19 YRS	957	6.0	62	1	1	4	7	14	18	35
20-34	2215	8.1	69	1	1	6	10	17	23	42
35-49	2137	8.5	78	1	2	6	10	18	25	45
50-64	2324	9.1	84	1	2	6	11	20	27	49
65+	5519	10.5	132	1	2	7	13	22	32	76
GRAND TOTAL	**13152**	**9.2**	**101**	**1**	**2**	**6**	**11**	**19**	**28**	**58**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	4.2	4	2	2	4	6	7	8	8
35-49	18	7.9	47	1	2	6	9	19	24	26
50-64	14	8.2	83	1	2	5	10	23	31	33
65+	8	13.1	221	<1	1	8	18	39	44	44
B. *Operated*										
0-19 YRS										
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	17	5.4	24	<1	1	5	7	14	16	17
50-64	21	2.6	5	<1	<1	1	4	6	8	9
65+	15	2.6	10	1	1	1	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	121	8.5	76	2	3	6	10	16	20	58
35-49	430	10.3	84	2	3	8	11	20	30	50
50-64	576	11.1	94	2	3	8	14	22	29	49
65+	341	12.0	89	3	3	9	15	24	29	51
B. *Operated*										
0-19 YRS										
20-34	53	15.9	298	1	2	10	24	52	94	99+
35-49	172	14.6	176	1	2	11	20	37	46	68
50-64	292	12.4	204	1	1	9	15	29	40	76
65+	182	13.7	158	1	2	10	17	29	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.9	76	1	2	5	8	21	27	44
B. *Operated*	56	3.4	13	<1	1	2	5	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	1468	10.8	89	2	3	8	13	22	29	50
B. *Operated*	699	13.5	193	1	1	10	17	31	46	85
1. SINGLE DX	108	5.6	48	<1	1	4	7	13	20	38
2. MULTIPLE DX	2167	11.7	124	2	3	8	14	24	33	68
A. NOT OPERATED	1520	10.7	89	2	3	8	13	22	29	50
B. OPERATED	755	12.8	187	1	1	9	16	30	45	81
TOTAL 0-19 YRS										
20-34	189	10.2	146	1	2	7	11	23	43	99+
35-49	637	11.2	111	2	3	8	14	24	36	51
50-64	903	11.3	130	1	2	8	14	23	32	64
65+	546	12.3	114	1	3	9	16	25	31	69
GRAND TOTAL	**2275**	**11.4**	**122**	**1**	**2**	**8**	**14**	**24**	**33**	**66**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	6	2.8	5	1	1	2	5	6	6	6
35-49	12	2.8	5	1	1	2	5	6	6	6
50-64	13	3.3	9	<1	<1	1	5	8	9	9
65+	6	11.3	504	1	1	2	6	52	57	57
B. *Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	34	3.1	127	<1	<1	1	1	2	2	67
35-49	65	1.6	2	<1	<1	1	2	2	4	9
50-64	69	2.4	7	<1	<1	1	3	7	9	11
65+	46	3.4	48	1	1	1	2	8	10	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	14	<1	<1	2	6	9	13	13
20-34	43	6.6	42	1	1	5	8	13	23	32
35-49	68	7.4	23	2	2	6	10	14	17	22
50-64	204	8.8	48	1	2	7	11	16	23	35
65+	308	11.0	67	3	4	9	13	20	24	37
B. *Operated*										
0-19 YRS	11	14.4	627	<1	1	2	10	55	81	83
20-34	51	4.5	20	1	1	3	7	10	12	24
35-49	132	7.7	95	1	1	4	11	18	23	50
50-64	269	7.5	79	1	1	4	11	18	25	40
65+	305	10.5	109	1	1	9	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	4.1	79	<1	1	2	5	7	8	57
B. *Operated*	222	2.5	32	<1	<1	1	2	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	634	9.5	56	2	2	8	12	18	22	36
B. *Operated*	768	8.6	100	1	1	6	12	20	26	48
1. SINGLE DX	262	2.7	39	<1	<1	1	2	6	8	42
2. MULTIPLE DX	1402	9.0	80	1	1	7	12	19	24	40
A. NOT OPERATED	674	9.1	59	1	2	8	12	18	22	36
B. OPERATED	990	7.2	91	<1	1	3	10	18	24	46
TOTAL 0-19 YRS	33	6.8	232	<1	<1	2	6	11	33	83
20-34	134	4.8	55	<1	<1	2	6	10	13	38
35-49	277	6.0	58	<1	1	3	8	15	20	35
50-64	555	7.2	61	1	1	5	9	16	24	37
65+	665	10.2	91	1	1	8	14	21	25	49
GRAND TOTAL	**1664**	**8.0**	**79**	**1**	**1**	**6**	**11**	**18**	**24**	**40**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.0	3	1	1	2	4	6	7	7
20-34	43	5.3	24	<1	1	4	6	9	20	24
35-49	30	4.4	11	1	1	4	6	8	10	16
50-64	23	5.1	13	1	2	4	6	11	13	15
65+	12	7.4	33	1	1	5	11	17	19	19
B. *Operated*										
0-19 YRS	4	3.8	6	1	1	3	5	7	7	7
20-34	25	4.8	48	<1	<1	1	5	12	24	26
35-49	13	4.5	18	<1	<1	1	8	11	13	13
50-64	24	4.2	46	<1	<1	1	4	10	24	27
65+	12	3.2	20	1	1	1	3	10	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.1	47	<1	1	3	5	11	15	40
20-34	111	6.9	28	2	2	5	9	12	16	28
35-49	188	8.6	69	2	2	6	10	19	23	39
50-64	371	9.5	80	2	3	7	12	19	27	51
65+	487	10.5	94	3	3	7	12	21	28	58
B. *Operated*										
0-19 YRS	9	13.6	169	<1	<1	13	28	68	99+	99+
20-34	48	9.9	107	1	1	6	14	21	34	44
35-49	74	12.9	177	1	1	9	18	26	43	65
50-64	145	14.2	233	1	1	11	20	32	41	96
65+	169	15.3	160	1	2	12	21	32	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.9	18	1	1	4	6	10	15	21
B. *Operated*	78	4.2	35	<1	<1	1	5	11	20	27
2. MULTIPLE DX										
A. *Not Operated*	1193	9.4	80	2	3	7	12	19	26	53
B. *Operated*	445	13.9	182	1	1	11	20	32	41	72
1. SINGLE DX	205	4.6	24	<1	1	3	5	10	16	25
2. MULTIPLE DX	1638	10.6	111	1	2	7	14	22	31	56
A. NOT OPERATED	1320	9.0	75	2	3	6	11	18	25	45
B. OPERATED	523	12.5	172	1	1	9	18	30	37	69
TOTAL 0-19 YRS	68	5.5	57	<1	1	3	5	15	28	89
20-34	227	7.0	48	1	1	5	9	15	19	39
35-49	305	9.0	93	1	1	6	12	20	24	52
50-64	563	10.3	122	1	2	7	13	22	31	53
65+	680	11.5	113	2	3	8	15	25	33	60
GRAND TOTAL	**1843**	**10.0**	**105**	**1**	**2**	**7**	**13**	**22**	**30**	**54**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.2	1	<1	1	2	3	3	4	5
20-34	212	2.5	2	1	1	2	3	5	5	7
35-49	249	2.7	3	1	1	2	3	5	6	9
50-64	188	3.3	5	1	1	3	5	6	7	11
65+	150	3.6	6	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS	178	5.4	3	3	4	5	6	7	9	11
20-34	1930	5.5	4	3	4	5	6	8	9	12
35-49	1905	5.8	4	3	4	5	7	8	9	12
50-64	1492	6.2	5	4	4	6	7	9	10	14
65+	695	7.4	8	4	5	7	9	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	4	<1	<1	2	3	5	6	9
20-34	224	3.4	11	<1	1	2	4	7	8	17
35-49	311	3.8	8	1	1	3	5	7	10	14
50-64	629	4.5	12	1	1	4	6	9	11	16
65+	1509	6.6	25	2	2	6	8	12	15	26
B. *Operated*										
0-19 YRS	126	7.4	18	4	4	6	9	12	14	26
20-34	1852	6.9	13	3	4	6	8	11	13	21
35-49	2643	7.3	13	4	4	6	8	11	14	21
50-64	3772	8.6	26	4	5	7	10	14	17	26
65+	5044	11.6	53	5	6	10	14	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	2.9	4	1	1	2	4	5	7	10
B. *Operated*	6200	6.0	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	2704	5.5	20	1	2	4	7	10	13	22
B. *Operated*	13437	9.2	35	4	5	8	11	15	19	33
1. SINGLE DX	7021	5.6	6	2	3	5	7	8	10	13
2. MULTIPLE DX	16141	8.6	35	3	4	7	10	15	19	32
A. NOT OPERATED	3525	4.9	18	1	1	4	6	10	12	20
B. OPERATED	19637	8.2	28	4	4	7	9	14	17	29
TOTAL 0-19 YRS	357	5.7	11	2	3	5	7	9	11	16
20-34	4218	5.9	10	2	3	5	7	9	11	17
35-49	5108	6.3	10	2	3	6	7	10	12	18
50-64	6081	7.5	21	3	4	7	9	12	15	24
65+	7398	10.0	47	3	4	8	12	17	22	39
GRAND TOTAL	**23162**	**7.7**	**28**	**3**	**4**	**6**	**9**	**13**	**17**	**28**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	4	<1	1	3	5	6	7	7
20-34	128	2.8	3	1	1	2	4	5	6	8
35-49	105	3.1	4	<1	1	3	4	6	7	10
50-64	81	3.0	3	1	1	3	4	6	7	8
65+	54	3.4	3	1	2	3	4	6	7	10
B. *Operated*										
0-19 YRS	12	5.5	4	2	3	6	7	8	8	8
20-34	121	5.7	6	3	3	5	7	9	11	16
35-49	131	6.1	5	3	4	6	7	9	10	12
50-64	102	6.5	8	2	4	5	8	10	11	17
65+	38	7.6	13	3	3	7	10	12	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.7	12	<1	1	5	7	10	12	12
20-34	136	3.8	6	1	1	3	5	7	9	12
35-49	146	4.5	8	1	1	4	6	8	9	13
50-64	247	5.0	13	1	2	4	7	9	12	19
65+	485	7.1	23	2	3	6	9	12	16	23
B. *Operated*										
0-19 YRS	10	8.3	39	3	3	6	10	18	24	24
20-34	205	7.8	19	3	4	6	9	13	17	23
35-49	292	7.8	33	3	4	7	9	13	16	27
50-64	305	10.1	41	4	5	8	13	18	21	33
65+	489	13.6	105	5	6	11	15	23	32	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	3.0	3	1	1	3	4	5	7	9
B. *Operated*	404	6.2	7	3	4	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	1025	5.8	18	1	2	5	8	11	13	21
B. *Operated*	1301	10.6	66	4	5	9	12	18	23	45
1. SINGLE DX	789	4.7	8	1	1	4	6	8	10	13
2. MULTIPLE DX	2326	8.4	50	2	3	7	10	15	20	38
A. NOT OPERATED	1410	5.0	15	1	1	4	7	9	12	19
B. OPERATED	1705	9.5	56	4	4	7	11	16	21	40
TOTAL 0-19 YRS	50	5.2	15	1	1	5	7	9	12	24
20-34	590	5.3	14	1	2	5	7	10	12	19
35-49	674	6.1	21	1	2	5	7	10	13	20
50-64	735	7.1	30	1	2	6	9	13	17	28
65+	1066	9.9	71	2	3	8	12	18	23	46
GRAND TOTAL	**3115**	**7.5**	**42**	**1**	**2**	**6**	**9**	**14**	**18**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	17	2.9	3	<1	1	2	4	5	6	7
35-49	17	3.6	16	<1	<1	3	4	7	14	18
50-64	16	3.3	3	1	1	3	4	6	7	7
65+	18	5.3	33	<1	<1	4	6	9	19	26
B. *Operated*										
0-19 YRS	4	8.3	5	5	5	9	10	10	10	10
20-34	54	6.8	17	1	1	6	9	13	15	19
35-49	78	7.6	19	1	2	7	10	14	16	21
50-64	70	7.7	39	1	1	7	11	14	18	31
65+	99	9.2	55	1	2	8	13	18	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	14	2.9	3	<1	1	2	4	5	6	6
35-49	31	4.5	7	1	2	4	6	8	8	13
50-64	56	4.6	10	1	1	4	6	9	10	16
65+	218	6.7	18	2	3	6	8	12	14	20
B. *Operated*										
0-19 YRS	12	13.9	174	3	5	9	15	33	48	51
20-34	93	8.6	19	3	4	8	11	13	16	25
35-49	114	10.3	64	2	4	9	11	19	24	43
50-64	232	11.8	73	3	5	10	14	20	25	52
65+	843	14.3	105	3	5	13	17	24	32	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.8	14	<1	1	3	4	7	8	24
B. *Operated*	305	8.0	35	1	2	7	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	320	5.9	16	1	2	5	8	11	14	18
B. *Operated*	1294	13.1	93	3	5	11	16	22	29	64
1. SINGLE DX	376	7.2	34	1	1	6	10	14	18	26
2. MULTIPLE DX	1614	11.7	86	2	3	10	15	21	27	61
A. NOT OPERATED	391	5.5	16	1	2	4	7	10	13	18
B. OPERATED	1599	12.1	86	2	3	10	15	21	27	61
TOTAL 0-19 YRS	20	10.7	121	2	3	8	11	21	38	51
20-34	178	7.1	20	1	2	6	10	13	15	21
35-49	240	8.2	44	1	2	7	10	16	20	30
50-64	374	9.6	63	1	2	8	12	17	23	44
65+	1178	12.3	94	2	3	11	16	22	28	63
GRAND TOTAL	**1990**	**10.8**	**79**	**2**	**3**	**9**	**14**	**20**	**25**	**53**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	3.8	3	2	2	3	6	6	6	6
35-49	23	4.1	9	1	2	4	5	6	10	16
50-64	14	4.1	7	<1	1	4	5	8	10	10
65+	19	3.9	5	<1	1	4	5	7	9	9
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	11	5.1	27	1	1	2	9	14	16	16
35-49	15	5.7	30	<1	1	5	8	13	18	20
50-64	14	5.0	20	<1	1	3	7	13	15	15
65+	16	7.9	72	<1	<1	4	14	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	6	1	1	4	6	8	8	8
20-34	21	5.5	8	2	2	5	7	9	11	13
35-49	41	7.1	23	2	3	6	8	14	16	25
50-64	87	7.0	19	2	3	6	9	14	15	22
65+	267	8.2	37	2	3	7	10	14	19	35
B. *Operated*										
0-19 YRS	2	31.5	1405	5	5	31	58	58	58	58
20-34	32	11.5	87	1	3	9	14	27	27	42
35-49	79	13.8	244	2	2	10	17	27	50	86
50-64	131	11.4	110	1	2	9	16	25	33	50
65+	355	13.9	112	2	3	12	18	25	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.0	6	1	1	4	5	7	9	15
B. *Operated*	58	6.1	37	<1	1	3	9	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	422	7.6	31	2	3	7	10	14	17	28
B. *Operated*	599	13.3	131	1	2	11	18	25	34	60
1. SINGLE DX	121	5.0	22	<1	1	4	6	11	15	22
2. MULTIPLE DX	1021	11.0	97	2	2	8	14	21	27	54
A. NOT OPERATED	485	7.2	29	2	2	6	9	13	16	26
B. OPERATED	657	12.7	127	1	2	10	17	24	33	58
TOTAL 0-19 YRS	11	9.8	262	1	2	5	8	29	56	58
20-34	70	8.0	56	1	2	6	10	18	27	39
35-49	158	9.9	148	1	2	6	12	20	27	64
50-64	246	9.1	73	1	2	7	11	19	26	41
65+	657	11.1	87	2	3	9	15	21	26	51
GRAND TOTAL	**1142**	**10.3**	**93**	**1**	**2**	**8**	**13**	**21**	**26**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.5	8	1	2	4	6	8	12	14
20-34	299	5.0	11	1	2	4	6	9	11	15
35-49	259	5.4	11	1	2	5	7	9	12	17
50-64	170	5.3	10	1	2	5	6	9	11	16
65+	104	5.7	18	2	2	5	7	10	11	27
B. *Operated*										
0-19 YRS	7	6.9	12	1	1	8	10	10	10	10
20-34	30	10.2	87	1	1	8	12	20	22	47
35-49	35	10.0	62	<1	1	9	12	24	26	30
50-64	24	6.3	25	<1	<1	6	9	12	15	21
65+	17	6.5	40	<1	1	3	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.2	39	1	2	5	6	14	20	35
20-34	723	6.7	28	2	3	5	8	12	15	27
35-49	1223	7.4	35	2	3	6	9	13	17	32
50-64	843	7.0	22	2	3	6	9	12	15	26
65+	1036	8.7	39	3	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	11	29.5	815	1	4	19	46	79	80	80
20-34	164	16.6	214	3	5	11	21	36	51	82
35-49	318	18.4	230	3	6	14	23	39	52	98
50-64	334	17.1	204	3	5	13	21	41	54	99+
65+	467	17.5	212	2	5	14	22	37	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	5.2	12	1	2	5	7	9	11	17
B. *Operated*	113	8.6	56	<1	1	7	11	19	23	36
2. MULTIPLE DX										
A. *Not Operated*	3884	7.5	33	2	3	6	9	14	18	31
B. *Operated*	1294	17.6	220	3	5	13	22	38	54	99+
1. SINGLE DX	997	5.6	18	1	2	5	7	10	13	23
2. MULTIPLE DX	5178	10.0	98	2	3	7	12	20	29	61
A. NOT OPERATED	4768	7.1	29	2	3	6	9	13	16	30
B. OPERATED	1407	16.9	213	2	4	12	21	37	52	99+
TOTAL 0-19 YRS	129	7.5	132	1	2	5	7	14	23	79
20-34	1216	7.7	63	2	3	6	9	14	21	44
35-49	1835	9.1	85	2	3	6	10	17	26	52
50-64	1371	9.3	85	2	3	7	11	18	28	57
65+	1624	11.0	105	2	3	8	13	22	30	71
GRAND TOTAL	**6175**	**9.3**	**88**	**2**	**3**	**7**	**11**	**18**	**27**	**57**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	2	1	1	2	3	5	5	7
20-34	71	2.7	3	<1	1	2	4	5	7	8
35-49	62	3.2	3	1	1	3	4	5	6	10
50-64	79	3.5	3	<1	1	4	4	6	6	8
65+	108	4.4	9	<1	1	4	6	8	9	16
B. *Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	6	5.0	11	1	1	6	7	9	9	9
35-49	12	5.6	14	1	2	4	8	12	12	12
50-64	11	8.1	52	3	3	5	10	18	27	28
65+	21	5.7	12	1	2	5	7	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.5	10	1	1	3	4	6	8	20
20-34	303	4.2	16	1	1	3	5	7	10	20
35-49	446	5.1	15	1	2	4	6	10	13	20
50-64	940	5.8	29	2	2	5	7	10	13	25
65+	3700	7.5	44	2	3	6	9	13	18	37
B. *Operated*										
0-19 YRS	23	13.3	268	2	3	7	13	51	54	56
20-34	73	9.1	91	2	2	6	10	24	29	51
35-49	134	8.2	46	2	3	5	10	16	20	37
50-64	368	9.0	67	2	3	7	10	16	22	50
65+	1220	11.6	134	3	4	8	14	23	35	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	3.4	5	1	1	3	4	6	7	10
B. *Operated*	54	5.8	20	1	1	5	7	10	12	28
2. MULTIPLE DX										
A. *Not Operated*	5498	6.7	38	2	2	5	8	12	16	33
B. *Operated*	1818	10.8	116	2	3	8	13	21	31	69
1. SINGLE DX	422	3.7	8	1	1	3	5	7	8	12
2. MULTIPLE DX	7316	7.7	61	2	2	6	9	14	20	44
A. NOT OPERATED	5866	6.5	37	2	2	5	8	12	16	31
B. OPERATED	1872	10.6	114	2	3	7	12	20	31	69
TOTAL 0-19 YRS	184	4.5	50	1	1	3	4	7	12	52
20-34	453	4.7	30	1	1	3	5	9	12	30
35-49	654	5.5	22	1	2	4	7	10	14	24
50-64	1398	6.5	40	2	2	5	8	11	15	31
65+	5049	8.4	69	2	3	6	10	15	22	48
GRAND TOTAL	**7738**	**7.5**	**59**	**2**	**2**	**6**	**9**	**14**	**19**	**43**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.6	4	1	2	3	5	7	7	8
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	6	11.7	63	2	2	10	19	23	23	23
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	4.3	11	<1	<1	3	5	10	11	11
50-64	4	8.0	22	2	2	8	11	13	13	13
65+	3	8.3	34	4	4	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	7.0	113	1	1	4	6	19	23	69
20-34	11	7.4	41	1	1	6	10	16	22	23
35-49	20	6.8	19	1	2	6	9	12	16	19
50-64	37	12.2	174	2	2	8	15	28	48	56
65+	49	11.2	219	2	2	7	12	22	33	98
B. *Operated*										
0-19 YRS	8	22.4	849	4	4	10	61	92	99+	99+
20-34	10	11.4	109	2	2	7	18	29	32	32
35-49	19	15.9	132	2	4	13	21	26	41	53
50-64	34	15.1	275	3	3	11	16	28	62	74
65+	43	14.2	169	3	4	11	18	27	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.5	5	1	2	3	4	7	8	10
B. *Operated*	21	7.5	37	<1	1	6	11	17	21	23
2. MULTIPLE DX										
A. *Not Operated*	173	9.3	144	1	2	6	10	20	28	68
B. *Operated*	114	15.1	231	2	3	11	18	31	71	99+
1. SINGLE DX	53	5.1	21	<1	2	3	6	11	15	23
2. MULTIPLE DX	287	11.6	186	2	2	7	14	25	49	99
A. NOT OPERATED	205	8.4	126	1	2	5	9	19	25	63
B. OPERATED	135	13.9	208	2	3	10	18	27	61	99+
TOTAL 0-19 YRS	94	7.8	159	1	2	4	7	19	26	91
20-34	26	7.8	68	1	1	5	10	22	27	32
35-49	46	10.2	87	1	2	7	13	21	25	53
50-64	78	13.0	207	2	3	9	15	24	51	71
65+	96	12.4	190	2	3	9	17	27	43	99+
GRAND TOTAL	**340**	**10.6**	**165**	**2**	**2**	**7**	**12**	**22**	**33**	**98**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.7	11	1	1	4	6	10	11	15
20-34	5	4.2	13	1	1	3	6	10	10	10
35-49	7	1.7		1	1	2	2	2	2	2
50-64	5	1.6		1	1	2	2	2	2	2
65+	9	6.6	23	2	2	4	11	14	15	15
B. *Operated*										
0-19 YRS	29	3.9	27	1	2	2	3	10	20	22
20-34	26	3.5	17	1	1	2	3	7	11	22
35-49	15	2.5	1	1	1	2	3	4	4	4
50-64	16	2.6	2	1	1	2	4	5	5	5
65+	14	6.7	34	1	2	4	11	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.9	25	1	1	4	7	13	19	22
20-34	26	6.3	38	1	2	4	7	19	21	25
35-49	30	5.8	13	2	2	5	8	10	15	15
50-64	36	6.0	14	1	1	5	8	12	13	15
65+	72	9.8	54	1	2	8	13	20	25	34
B. *Operated*										
0-19 YRS	20	3.6	5	1	2	3	4	9	50	99+
20-34	57	7.9	114	1	1	4	10	17	28	56
35-49	78	6.4	53	1	1	3	9	16	23	33
50-64	74	7.7	73	1	2	4	11	18	27	42
65+	74	15.6	211	2	3	11	21	34	39	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	4.4	12	1	1	3	6	11	12	15
B. *Operated*	100	3.8	19	1	1	2	4	7	14	22
2. MULTIPLE DX										
A. *Not Operated*	216	7.2	35	1	2	6	9	15	20	30
B. *Operated*	303	9.1	119	1	2	4	12	23	32	54
1. SINGLE DX	178	4.0	16	1	1	3	4	10	13	21
2. MULTIPLE DX	519	8.3	85	1	2	5	11	19	26	48
A. NOT OPERATED	294	6.5	31	1	1	5	8	13	19	27
B. OPERATED	403	7.8	99	1	1	3	10	20	28	51
TOTAL 0-19 YRS	153	4.8	19	1	1	3	6	11	15	22
20-34	114	6.4	72	1	1	3	7	14	22	53
35-49	130	5.6	37	1	1	3	7	13	18	32
50-64	131	6.4	49	1	1	4	8	14	21	36
65+	169	11.9	130	2	2	9	16	25	34	51
GRAND TOTAL	**697**	**7.2**	**71**	**1**	**1**	**4**	**9**	**18**	**24**	**43**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	7	2	2	4	7	8	9	9
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.4	8	1	2	5	7	9	10	11
20-34	14	6.9	21	3	3	5	9	14	18	19
35-49	10	6.1	7	2	3	6	9	10	10	10
50-64	9	10.1	72	3	3	8	11	23	31	31
65+	35	9.3	45	2	3	7	12	14	25	35
B. *Operated*										
0-19 YRS	5	18.2	187	3	3	14	32	34	34	34
20-34	14	8.4	102	1	1	3	12	25	33	35
35-49	11	11.2	92	2	3	8	15	28	30	30
50-64	14	14.1	32	7	8	12	18	21	26	27
65+	17	18.0	75	6	9	16	22	29	35	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.0	5	2	2	5	7	8	9	9
B. *Operated*	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	92	7.6	32	2	3	6	9	12	14	33
B. *Operated*	61	13.7	91	2	2	12	19	28	32	39
1. SINGLE DX	19	4.8	5	2	2	4	7	8	9	9
2. MULTIPLE DX	153	10.1	64	2	3	8	12	20	29	35
A. NOT OPERATED	108	7.3	29	2	2	6	9	12	14	33
B. OPERATED	64	13.2	92	2	2	12	19	28	32	38
TOTAL 0-19 YRS	42	6.7	43	2	2	5	8	10	21	34
20-34	33	7.2	52	1	2	4	9	15	23	35
35-49	22	8.6	54	2	3	6	10	20	28	30
50-64	23	12.5	49	4	5	12	17	21	28	31
65+	52	12.2	70	2	4	10	14	27	29	39
GRAND TOTAL	**172**	**9.5**	**60**	**2**	**2**	**7**	**12**	**19**	**29**	**35**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	2.0	2	<1	<1	1	3	4	4	4
65+	2	12.0	50	7	7	12	17	17	17	17
B. *Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	13	8.1	81	1	1	3	14	21	29	31
35-49	15	2.9	6	1	1	2	4	6	9	10
50-64	20	2.6	4	1	1	2	3	4	7	10
65+	38	3.2	8	<1	<1	2	3	7	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	5.1	103	1	1	2	5	10	21	55
20-34	28	4.0	12	<1	1	3	6	9	11	15
35-49	43	6.3	46	1	1	5	8	12	20	38
50-64	94	7.8	40	1	2	6	11	16	19	33
65+	290	11.8	152	2	2	8	14	26	41	68
B. *Operated*										
0-19 YRS	65	12.5	171	2	2	7	19	29	44	57
20-34	159	10.6	148	1	2	6	14	26	35	59
35-49	187	8.9	95	1	1	5	13	20	27	51
50-64	358	9.8	124	1	2	6	12	23	30	55
65+	451	13.9	215	1	2	10	19	35	46	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.6	28	<1	<1	2	6	14	17	17
B. *Operated*	89	3.7	20	1	1	2	4	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	488	9.6	117	1	1	7	12	21	29	58
B. *Operated*	1220	11.4	163	1	2	7	15	26	38	69
1. SINGLE DX	101	3.8	20	<1	1	2	4	9	13	24
2. MULTIPLE DX	1708	10.9	150	1	2	7	14	25	37	64
A. NOT OPERATED	500	9.5	115	1	1	6	12	20	29	57
B. OPERATED	1309	10.9	157	1	2	6	15	26	37	64
TOTAL 0-19 YRS	105	9.5	152	1	1	4	11	26	41	57
20-34	201	9.4	129	1	1	5	12	25	32	52
35-49	246	8.1	83	1	1	5	11	18	25	50
50-64	476	9.0	105	1	2	6	11	20	29	53
65+	781	12.6	187	1	2	9	17	28	43	81
GRAND TOTAL	**1809**	**10.5**	**146**	**1**	**2**	**6**	**14**	**25**	**36**	**61**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.7	14	<1	<1	2	6	8	8	8
35-49										
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	4	8.3	41	3	3	6	13	17	17	17
B. *Operated*										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	4	12.0	129	2	2	10	21	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	4	1	1	3	5	6	6	6
20-34	20	7.3	49	1	2	5	8	13	23	33
35-49	44	7.6	36	1	2	6	10	14	19	30
50-64	115	8.7	44	2	3	7	11	16	20	35
65+	641	11.7	84	3	4	10	14	22	29	58
B. *Operated*										
0-19 YRS	5	15.6	53	8	8	13	20	27	27	27
20-34	31	11.6	66	2	2	10	17	23	28	32
35-49	64	13.1	104	2	3	11	17	28	33	49
50-64	134	17.6	240	2	4	14	22	33	51	95
65+	384	21.3	224	4	7	18	28	42	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	6.1	28	<1	1	4	9	15	17	17
B. *Operated*	10	7.7	59	2	2	5	8	21	25	25
2. MULTIPLE DX										
A. *Not Operated*	826	10.9	77	2	4	9	14	20	28	52
B. *Operated*	618	19.1	215	3	5	16	24	37	52	99+
1. SINGLE DX	21	6.9	41	1	2	4	8	17	21	25
2. MULTIPLE DX	1444	14.4	153	3	4	11	19	30	40	82
A. NOT OPERATED	837	10.8	77	2	4	9	14	20	28	52
B. OPERATED	628	18.9	215	3	5	16	24	36	52	99+
TOTAL 0-19 YRS	13	7.9	59	1	2	5	12	20	26	27
20-34	57	9.3	60	1	2	7	12	21	27	33
35-49	109	10.8	83	2	2	8	14	21	30	47
50-64	253	13.4	167	2	3	10	16	27	35	79
65+	1033	15.3	158	3	5	12	20	32	42	94
GRAND TOTAL	**1465**	**14.3**	**152**	**2**	**4**	**11**	**18**	**30**	**40**	**82**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	4.0	3	2	2	4	5	7	7	9
20-34	268	4.1	4	1	2	4	5	7	8	10
35-49	93	4.3	4	2	2	4	5	7	9	11
50-64	47	4.5	3	2	2	4	6	7	7	10
65+	20	4.8	6	1	2	4	7	8	9	10
B. *Operated*										
0-19 YRS	8	5.8	4	4	4	5	6	9	10	10
20-34	10	5.9	7	3	3	5	8	10	11	11
35-49	5	9.2	10	6	6	9	11	14	14	14
50-64	2	4.5	1	4	4	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.8	8	2	2	4	6	8	10	14
20-34	677	5.0	6	2	2	4	6	8	9	14
35-49	332	6.1	13	2	2	6	7	10	12	19
50-64	362	6.9	20	3	3	6	8	11	14	24
65+	679	9.0	64	3	4	7	10	15	21	44
B. *Operated*										
0-19 YRS	27	6.7	11	2	3	6	8	11	12	16
20-34	87	7.9	28	3	4	7	9	13	15	36
35-49	73	9.0	31	3	3	8	11	17	21	28
50-64	104	11.3	58	3	5	9	13	18	28	43
65+	202	15.5	152	4	6	12	19	28	37	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	4.2	4	2	2	4	5	7	8	10
B. *Operated*	25	6.4	8	3	4	5	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	2357	6.5	29	2	3	5	8	11	14	28
B. *Operated*	493	11.8	95	3	4	9	14	22	29	50
1. SINGLE DX	603	4.3	4	2	2	4	5	7	8	10
2. MULTIPLE DX	2850	7.5	45	2	3	6	9	13	18	35
A. NOT OPERATED	2935	6.1	25	2	3	5	7	10	13	24
B. OPERATED	518	11.6	92	3	4	9	14	21	28	50
TOTAL 0-19 YRS	492	4.7	7	2	2	4	6	8	10	13
20-34	1042	5.0	8	2	2	4	6	8	10	15
35-49	503	6.2	16	2	2	5	8	11	13	23
50-64	515	7.5	30	3	3	6	9	13	16	31
65+	901	10.3	91	3	4	8	12	19	26	58
GRAND TOTAL	**3453**	**6.9**	**39**	**2**	**3**	**5**	**8**	**12**	**16**	**32**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.9	4	1	2	4	4	7	7	11
20-34	162	4.3	4	1	2	4	6	7	8	10
35-49	48	4.9	10	2	2	4	6	10	12	15
50-64	28	5.2	7	1	2	5	7	9	11	12
65+	15	6.2	23	<1	1	5	9	12	17	19
B. *Operated*										
0-19 YRS	6	3.5	3	1	1	4	5	5	5	5
20-34	15	4.7	5	1	2	5	6	7	9	10
35-49	11	6.7	11	2	2	8	9	10	11	11
50-64	5	11.8	66	3	3	14	17	22	22	22
65+	6	5.2	12	<1	<1	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.0	8	1	2	4	7	9	11	13
20-34	362	5.3	10	2	2	5	7	9	11	17
35-49	159	6.5	15	2	3	6	8	11	13	26
50-64	161	7.2	24	2	3	6	9	12	17	29
65+	279	7.8	26	3	3	7	10	13	17	24
B. *Operated*										
0-19 YRS	34	7.8	30	2	3	7	9	13	23	27
20-34	67	11.4	111	3	4	9	14	21	27	69
35-49	63	12.5	123	4	5	9	14	22	32	69
50-64	72	16.2	229	2	3	12	19	35	59	96
65+	115	17.0	209	4	6	13	21	36	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.4	6	1	2	4	5	7	9	12
B. *Operated*	43	6.0	18	1	2	5	8	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	1151	6.3	17	2	3	5	8	11	13	21
B. *Operated*	351	14.1	169	3	4	10	18	27	40	84
1. SINGLE DX	390	4.6	8	1	2	4	6	8	10	15
2. MULTIPLE DX	1502	8.1	63	2	3	6	9	15	21	45
A. NOT OPERATED	1498	5.9	15	2	2	5	7	10	12	21
B. OPERATED	394	13.2	159	2	4	9	17	24	37	84
TOTAL 0-19 YRS	324	5.0	10	1	2	4	6	9	11	14
20-34	606	5.7	23	2	2	5	7	10	13	22
35-49	281	7.6	45	2	3	6	9	13	17	33
50-64	266	9.5	95	2	3	7	11	19	24	67
65+	415	10.3	93	3	3	8	11	20	25	60
GRAND TOTAL	**1892**	**7.4**	**54**	**2**	**3**	**6**	**9**	**13**	**19**	**39**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.2	2	<1	<1	2	3	4	5	7
20-34	233	2.2	3	<1	1	2	3	4	5	10
35-49	362	1.9	2	<1	<1	1	2	3	5	9
50-64	193	2.1	2	1	1	2	3	4	5	7
65+	75	2.4	2	<1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	8	4.4	7	1	2	4	5	9	10	10
20-34	106	6.0	14	1	2	5	7	10	13	21
35-49	158	5.7	14	1	1	5	7	10	12	24
50-64	144	6.2	16	1	2	6	8	11	12	19
65+	67	5.9	14	1	1	5	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	5	1	1	3	4	6	7	11
20-34	289	2.7	4	1	1	2	3	5	7	10
35-49	424	2.8	4	1	1	2	4	5	6	10
50-64	386	3.1	5	1	1	3	4	6	8	12
65+	313	4.5	19	1	1	3	6	8	11	22
B. *Operated*										
0-19 YRS	12	5.8	11	1	2	7	8	10	11	11
20-34	133	7.9	52	1	2	6	10	16	20	49
35-49	258	8.3	41	1	2	7	10	15	22	30
50-64	318	8.8	41	2	3	8	11	16	20	33
65+	415	10.4	77	2	3	8	13	20	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	898	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	483	5.9	15	1	2	5	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1441	3.2	8	1	1	2	4	6	8	13
B. *Operated*	1136	9.1	56	2	3	8	11	17	22	45
1. SINGLE DX	1381	3.4	10	<1	1	2	5	7	10	14
2. MULTIPLE DX	2577	5.8	38	1	1	4	8	12	16	29
A. NOT OPERATED	2339	2.8	6	1	1	2	3	5	7	11
B. OPERATED	1619	8.2	46	1	2	7	10	15	20	35
TOTAL 0-19 YRS	84	3.3	6	<1	1	3	4	7	9	11
20-34	761	3.9	18	1	1	3	5	8	11	20
35-49	1202	4.1	19	<1	1	3	5	9	12	23
50-64	1041	5.1	24	1	1	4	7	10	14	22
65+	870	7.2	55	1	1	5	9	14	20	44
GRAND TOTAL	**3958**	**5.0**	**29**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.2	2	<1	1	2	3	4	5	8
20-34	948	1.8	1	1	1	2	2	3	4	6
35-49	1300	1.9	2	<1	1	2	2	3	4	6
50-64	727	2.1	2	1	1	2	3	4	5	6
65+	186	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	39	5.2	12	2	2	4	7	10	12	16
20-34	461	4.3	7	1	1	4	6	8	9	13
35-49	688	4.3	9	1	1	4	6	8	10	15
50-64	515	4.7	11	1	1	4	6	9	11	17
65+	188	5.3	14	1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.1	1	<1	1	2	3	4	4	6
20-34	527	2.3	2	1	1	2	3	4	6	8
35-49	813	2.3	3	1	1	2	3	4	5	8
50-64	782	2.8	4	1	1	2	3	5	6	12
65+	443	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-19 YRS	17	4.6	10	<1	<1	4	6	8	11	13
20-34	321	6.0	23	1	2	5	8	10	14	23
35-49	619	6.1	17	1	2	5	8	11	13	21
50-64	741	7.0	31	1	2	6	9	13	17	25
65+	688	8.8	49	2	2	7	11	17	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3261	2.0	2	1	1	2	2	3	4	6
B. *Operated*	1891	4.5	10	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	2629	2.6	4	1	1	2	3	5	6	10
B. *Operated*	2386	7.1	33	1	2	6	9	13	17	29
1. SINGLE DX	5152	2.9	6	1	1	2	4	6	8	12
2. MULTIPLE DX	5015	4.8	23	1	1	3	6	10	13	23
A. NOT OPERATED	5890	2.2	3	1	1	2	3	4	5	8
B. OPERATED	4277	6.0	24	1	2	5	8	11	15	25
TOTAL 0-19 YRS	220	2.9	6	<1	1	2	4	5	8	13
20-34	2257	3.1	8	1	1	2	4	6	8	13
35-49	3420	3.2	9	1	1	2	4	7	9	14
50-64	2765	4.1	16	1	1	3	5	9	12	20
65+	1505	5.9	33	1	1	4	8	12	16	29
GRAND TOTAL	**10167**	**3.8**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.9	5	<1	1	2	4	7	8	8
20-34	24	1.8	1	1	1	2	3	3	3	3
35-49	22	2.8	7	<1	<1	2	3	5	9	13
50-64	18	2.6	5	<1	<1	2	3	5	8	10
65+	14	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	207	6.3	9	1	3	6	8	10	11	15
20-34	78	5.7	19	<1	1	5	8	10	14	21
35-49	68	5.6	17	1	1	5	8	11	15	19
50-64	76	4.9	17	<1	1	4	7	11	14	17
65+	51	3.7	9	<1	<1	2	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.2	21	<1	<1	2	6	10	14	21
20-34	68	3.8	8	1	1	3	5	7	9	15
35-49	82	3.9	21	<1	1	2	4	9	12	26
50-64	89	5.1	27	1	1	3	6	10	14	28
65+	199	6.9	32	1	2	6	9	14	19	36
B. *Operated*										
0-19 YRS	230	8.3	22	1	2	8	10	15	18	23
20-34	198	7.8	28	1	2	7	11	14	17	25
35-49	258	8.5	57	1	2	7	11	17	24	44
50-64	407	8.5	65	1	2	7	11	18	22	46
65+	556	10.0	91	1	2	8	13	20	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.5	4	<1	1	2	3	5	6	12
B. *Operated*	480	5.6	13	<1	1	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	488	5.4	27	1	1	4	7	11	15	25
B. *Operated*	1649	8.9	63	1	2	7	11	18	22	42
1. SINGLE DX	577	5.1	13	<1	1	5	7	10	12	16
2. MULTIPLE DX	2137	8.1	57	1	2	7	10	17	21	41
A. NOT OPERATED	585	4.9	24	1	1	3	6	10	14	24
B. OPERATED	2129	8.1	53	1	2	7	10	16	20	36
TOTAL 0-19 YRS	506	6.9	18	1	1	6	9	12	15	22
20-34	368	6.2	24	1	1	5	9	13	15	22
35-49	430	6.9	45	1	1	5	9	15	20	32
50-64	590	7.3	55	1	1	5	10	16	21	41
65+	820	8.7	74	1	2	7	12	18	22	46
GRAND TOTAL	**2714**	**7.4**	**49**	**1**	**1**	**6**	**10**	**15**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	24	1.8	1	<1	1	1	3	3	4	4
35-49	40	1.8	1	1	1	2	2	3	3	7
50-64	24	2.4	4	<1	1	2	3	5	7	10
65+	7	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34	19	3.1	4	<1	1	3	5	6	6	6
35-49	19	5.3	16	1	1	4	8	10	14	17
50-64	50	3.5	6	1	1	3	4	7	9	11
65+	29	2.9	6	<1	<1	2	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	5	1	1	1	3	6	6	6
20-34	35	3.0	11	1	1	2	4	7	9	17
35-49	57	2.4	2	1	1	2	3	4	6	8
50-64	42	2.8	5	<1	1	2	3	6	7	11
65+	36	4.8	17	1	1	4	7	10	15	17
B. *Operated*										
0-19 YRS	9	6.4	37	<1	1	4	10	16	19	19
20-34	38	4.7	16	1	1	3	6	9	13	20
35-49	43	6.5	23	1	2	5	10	14	17	18
50-64	127	6.0	30	1	1	4	8	13	20	48
65+	346	7.4	46	1	2	5	9	14	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.0	2	1	1	2	2	3	4	9
B. *Operated*	117	3.6	8	<1	1	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	175	3.1	8	1	1	2	4	7	8	17
B. *Operated*	563	6.8	39	1	2	5	9	14	18	36
1. SINGLE DX	215	2.8	6	<1	1	2	3	6	8	11
2. MULTIPLE DX	738	5.9	34	1	1	4	8	13	16	33
A. NOT OPERATED	273	2.7	6	1	1	2	3	6	7	15
B. OPERATED	680	6.2	35	1	1	5	8	13	17	33
TOTAL 0-19 YRS	17	4.5	25	<1	1	2	6	12	17	19
20-34	116	3.3	10	1	1	2	4	7	9	18
35-49	159	3.7	13	1	1	2	4	8	11	17
50-64	243	4.6	20	1	1	3	6	10	14	23
65+	418	6.8	42	1	1	5	9	13	17	38
GRAND TOTAL	**953**	**5.2**	**29**	**1**	**1**	**3**	**7**	**11**	**15**	**31**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.8	5	1	1	2	4	7	8	8
20-34	12	1.8	1	<1	<1	2	3	3	4	4
35-49	15	3.7	7	1	1	3	5	8	9	10
50-64	6	3.7	3	1	1	4	5	6	6	6
65+	7	2.1	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	8	1.8	1	<1	<1	<1	2	4	4	4
20-34	36	2.3	2	<1	<1	2	3	4	5	8
35-49	43	2.5	6	<1	<1	2	3	5	6	16
50-64	45	1.9	1	<1	1	2	3	3	4	4
65+	71	2.6	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	4	1	1	3	4	6	7	11
20-34	54	3.3	3	1	1	3	4	6	7	9
35-49	44	3.7	4	1	2	4	5	6	8	9
50-64	73	6.3	34	1	2	5	7	12	14	36
65+	224	7.7	56	2	3	6	9	13	19	29
B. *Operated*										
0-19 YRS	27	3.4	6	<1	<1	3	5	6	8	11
20-34	70	3.9	12	<1	1	3	5	7	10	19
35-49	130	4.2	14	<1	1	3	5	9	11	17
50-64	213	5.9	49	1	1	4	7	11	14	37
65+	800	7.1	76	1	1	5	9	14	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.9	5	1	1	2	4	6	8	10
B. *Operated*	203	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	429	6.1	40	1	2	5	7	11	14	27
B. *Operated*	1240	6.3	61	1	1	4	8	13	17	41
1. SINGLE DX	259	2.4	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	1669	6.3	56	1	1	4	8	12	17	37
A. NOT OPERATED	485	5.8	37	1	2	4	7	11	14	26
B. OPERATED	1443	5.8	55	<1	1	4	7	12	16	37
TOTAL 0-19 YRS	85	3.0	5	<1	<1	3	4	6	7	11
20-34	172	3.2	7	<1	1	3	4	6	8	15
35-49	232	3.8	10	<1	1	3	5	8	10	14
50-64	337	5.4	40	1	1	3	7	11	14	35
65+	1102	6.9	69	1	1	5	8	13	19	43
GRAND TOTAL	**1928**	**5.8**	**50**	**1**	**1**	**4**	**7**	**11**	**15**	**34**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	11.0	64	3	3	11	17	19	19	19
B. *Operated*										
0-19 YRS	106	1.5	1	<1	<1	<1	1	3	4	7
20-34	88	2.3	4	<1	<1	2	3	4	6	13
35-49	66	2.2	4	<1	<1	2	2	5	6	10
50-64	68	2.5	5	<1	1	2	3	6	7	12
65+	78	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	6	4.7	8	2	2	4	5	10	10	10
50-64	9	2.8	2	<1	<1	3	4	5	5	5
65+	35	4.1	14	<1	1	3	5	8	14	17
B. *Operated*										
0-19 YRS	64	2.7	12	<1	<1	1	3	8	9	18
20-34	101	3.6	13	<1	1	2	4	8	12	16
35-49	131	3.8	11	<1	1	3	5	9	11	34
50-64	209	4.7	28	1	1	3	5	10	15	27
65+	570	5.0	24	1	1	4	6	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.9	44	<1	<1	2	7	17	19	19
B. *Operated*	406	2.1	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	65	3.3	10	<1	<1	3	4	6	9	17
B. *Operated*	1075	4.5	22	<1	1	3	5	9	14	26
1. SINGLE DX	414	2.2	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX	1140	4.5	21	<1	1	3	5	9	14	26
A. NOT OPERATED	73	3.5	13	<1	<1	3	4	7	11	19
B. OPERATED	1481	3.9	18	<1	<1	3	5	8	11	22
TOTAL 0-19 YRS	181	1.9	6	<1	<1	<1	1	4	6	14
20-34	196	2.9	9	<1	<1	2	3	7	10	16
35-49	204	3.3	9	<1	<1	2	4	7	10	18
50-64	287	4.1	23	<1	1	3	5	9	13	23
65+	686	4.7	22	1	1	3	6	9	14	27
GRAND TOTAL	**1554**	**3.8**	**18**	**<1**	**<1**	**3**	**5**	**8**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	2.9	4	1	1	2	4	5	7	11
20-34	99	2.7	3	<1	1	2	4	5	6	7
35-49	62	3.4	18	<1	1	2	4	6	10	29
50-64	76	4.0	10	1	1	3	5	7	11	18
65+	109	4.1	8	1	1	3	6	7	9	14
B. *Operated*										
0-19 YRS	79	2.5	6	<1	<1	1	3	6	8	11
20-34	78	2.7	4	<1	<1	2	4	6	7	10
35-49	93	2.7	5	<1	<1	2	4	5	7	12
50-64	115	2.9	6	<1	<1	2	4	6	8	13
65+	180	3.6	7	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	723	4.2	9	1	1	3	5	7	10	15
20-34	591	4.6	12	1	1	4	6	8	11	19
35-49	459	5.9	18	1	2	5	7	11	14	21
50-64	996	6.9	33	2	3	6	8	12	15	26
65+	5444	9.3	63	2	3	7	11	17	23	60
B. *Operated*										
0-19 YRS	206	5.0	25	<1	<1	4	7	10	14	20
20-34	225	7.9	137	<1	1	5	9	16	27	89
35-49	311	6.9	52	<1	1	5	9	15	22	44
50-64	709	7.3	54	<1	1	5	9	16	21	49
65+	2618	11.4	146	2	2	8	14	24	35	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	3.3	7	1	1	3	4	6	7	11
B. *Operated*	545	3.0	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	8213	8.0	52	2	2	6	10	15	20	46
B. *Operated*	4069	9.8	120	1	2	7	12	21	29	74
1. SINGLE DX	1098	3.2	7	<1	<1	2	4	6	8	12
2. MULTIPLE DX	12282	8.6	76	1	2	6	10	17	23	60
A. NOT OPERATED	8766	7.7	51	2	2	6	10	14	19	45
B. OPERATED	4614	9.0	112	1	1	6	11	20	28	69
TOTAL 0-19 YRS	1215	4.0	11	<1	1	3	5	8	10	16
20-34	993	5.0	42	<1	1	4	6	9	13	32
35-49	925	5.7	30	<1	1	4	7	12	16	29
50-64	1896	6.7	40	1	1	5	8	13	17	32
65+	8351	9.8	89	2	3	7	12	19	27	67
GRAND TOTAL	**13380**	**8.2**	**72**	**1**	**2**	**6**	**10**	**16**	**22**	**55**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	1.8	2	<1	<1	1	3	4	4	4
65+	9	2.9	6	1	1	2	3	7	9	9
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	39	3.0	6	<1	<1	2	5	7	8	9
50-64	837	4.8	6	<1	1	5	6	8	9	13
65+	1535	5.2	6	1	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	5.3	19	1	1	4	8	11	11	11
50-64	104	3.5	14	<1	1	2	4	8	10	22
65+	340	5.4	43	1	1	4	7	12	17	73
B. *Operated*										
0-19 YRS	5	8.2	21	2	2	7	12	14	14	14
20-34	4	5.0	15	<1	<1	4	8	10	10	10
35-49	84	5.4	15	1	1	5	7	11	13	20
50-64	2568	6.1	13	2	3	5	7	10	12	20
65+	8825	7.7	32	3	4	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.4	5	<1	1	2	3	5	8	9
B. *Operated*	2415	5.0	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	453	4.9	36	<1	1	3	6	11	15	45
B. *Operated*	11486	7.3	28	2	3	6	9	12	16	26
1. SINGLE DX	2429	5.0	6	1	2	5	6	8	9	13
2. MULTIPLE DX	11939	7.2	28	2	3	6	9	12	16	27
A. NOT OPERATED	467	4.9	35	<1	1	3	6	11	15	43
B. OPERATED	13901	6.9	25	2	3	6	8	12	15	25
TOTAL 0-19 YRS	10	5.7	17	<1	1	4	7	12	14	14
20-34	8	3.8	10	<1	<1	3	5	9	10	10
35-49	128	4.6	13	<1	<1	4	6	9	13	17
50-64	3513	5.7	12	1	2	5	7	10	12	19
65+	10709	7.3	29	2	3	6	8	13	16	27
GRAND TOTAL	**14368**	**6.9**	**25**	**2**	**3**	**6**	**8**	**12**	**15**	**25**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	30	3.6	3	2	2	3	4	5	6	10
35-49	31	3.8	3	2	2	3	5	6	7	10
50-64	24	4.0	2	2	2	4	5	6	7	7
65+	9	4.0	2	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	15	2.5	8	<1	<1	1	2	8	9	10
35-49	23	1.9	2	<1	<1	1	2	5	6	6
50-64	24	3.2	5	1	1	2	4	6	9	10
65+	18	2.7	7	<1	<1	2	3	5	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	5	2	2	4	6	8	8	8
20-34	43	3.6	3	1	1	4	4	6	7	7
35-49	68	4.5	5	2	2	4	6	8	10	83
50-64	137	5.6	8	2	3	5	7	9	11	14
65+	114	5.4	14	2	2	4	6	9	10	24
B. *Operated*										
0-19 YRS	7	4.4	28	<1	<1	3	4	14	16	16
20-34	33	3.0	5	<1	<1	2	4	6	8	10
35-49	48	3.8	7	<1	<1	3	5	8	8	13
50-64	123	6.0	40	<1	1	5	7	11	15	44
65+	180	7.2	49	1	2	5	9	15	20	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.7	3	2	2	3	5	6	6	10
B. *Operated*	82	2.6	5	<1	<1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	369	5.1	9	2	2	4	6	8	10	17
B. *Operated*	391	6.0	39	<1	1	4	7	13	17	44
1. SINGLE DX	179	3.2	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	760	5.6	24	1	2	4	7	10	14	27
A. NOT OPERATED	466	4.8	8	2	2	4	6	8	10	17
B. OPERATED	473	5.4	34	<1	1	4	7	12	16	43
TOTAL 0-19 YRS	19	3.9	12	<1	1	3	4	7	12	16
20-34	121	3.3	4	<1	1	3	4	6	7	10
35-49	170	3.8	5	<1	1	3	5	7	8	12
50-64	308	5.5	21	1	2	5	7	10	12	19
65+	321	6.2	34	1	2	5	7	14	17	46
GRAND TOTAL	**939**	**5.1**	**21**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	5.7	30	2	2	3	10	12	12	12
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	110	1.4	1	<1	<1	1	2	2	3	5
20-34	78	2.3	2	<1	1	2	3	4	5	6
35-49	85	1.8	1	<1	1	1	2	3	4	7
50-64	143	2.0	1	<1	<1	2	3	3	4	5
65+	82	2.1	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.8	68	<1	<1	2	10	18	18	18
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	4	5.0	10	2	2	4	7	9	9	9
B. *Operated*										
0-19 YRS	104	1.6	1	<1	<1	1	2	3	4	7
20-34	41	2.9	8	1	1	2	3	6	9	16
35-49	61	2.8	6	<1	1	2	3	5	7	15
50-64	158	2.8	5	1	1	2	3	6	8	11
65+	204	3.7	11	1	1	3	4	8	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.7	9	1	1	2	3	6	11	12
B. *Operated*	498	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	2.8	13	<1	<1	2	3	6	11	18
B. *Operated*	568	2.9	7	<1	1	2	3	6	8	15
1. SINGLE DX	511	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	593	2.9	8	<1	1	2	3	6	8	15
A. NOT OPERATED	38	2.8	12	<1	1	2	3	5	11	18
B. OPERATED	1066	2.4	5	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	228	1.5	1	<1	<1	1	2	2	3	6
20-34	121	2.5	4	1	1	2	3	4	6	12
35-49	151	2.3	5	<1	1	2	3	4	5	15
50-64	311	2.4	4	<1	1	2	3	4	6	10
65+	293	3.2	9	1	1	3	4	6	9	17
GRAND TOTAL	**1104**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.3	4	<1	1	3	4	6	8	9
20-34	150	3.9	5	1	2	4	5	6	8	11
35-49	78	4.8	5	2	2	5	6	8	9	10
50-64	36	4.6	5	1	2	4	6	8	9	10
65+	26	6.1	10	2	3	5	8	11	13	15
B. *Operated*										
0-19 YRS	18	2.0	1	1	1	2	3	4	4	4
20-34	31	2.7	3	1	1	2	4	5	6	8
35-49	35	3.5	7	<1	<1	3	4	8	8	13
50-64	11	4.6	6	2	2	4	7	8	9	9
65+	12	5.3	16	<1	1	4	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.3	8	1	1	3	6	9	10	11
20-34	76	5.5	21	1	2	5	7	11	13	29
35-49	84	5.3	7	1	3	5	7	8	10	15
50-64	104	6.4	10	2	3	6	8	10	12	18
65+	196	6.8	15	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	22	5.0	13	1	1	4	7	11	13	14
20-34	41	4.2	16	1	1	3	4	9	16	17
35-49	32	8.5	70	1	1	6	10	20	30	36
50-64	37	5.6	12	1	2	5	7	10	14	15
65+	99	8.2	24	1	2	8	11	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	4.2	6	1	2	4	6	7	9	11
B. *Operated*	107	3.3	7	1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	486	6.1	13	2	2	5	8	10	12	19
B. *Operated*	231	6.8	28	1	2	6	10	14	16	25
1. SINGLE DX	451	4.0	6	1	1	4	5	7	9	12
2. MULTIPLE DX	717	6.4	18	2	2	5	8	11	14	21
A. NOT OPERATED	830	5.4	11	1	2	5	7	9	11	15
B. OPERATED	338	5.7	24	1	1	4	8	12	15	22
TOTAL 0-19 YRS	120	3.6	7	1	1	3	4	8	9	13
20-34	298	4.2	11	1	1	4	5	7	10	17
35-49	229	5.3	17	1	2	5	7	9	11	23
50-64	188	5.8	9	2	2	5	7	10	12	15
65+	333	7.1	18	2	3	6	9	12	15	21
GRAND TOTAL	**1168**	**5.5**	**15**	**1**	**2**	**5**	**7**	**10**	**12**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	246	1.2		<1	<1	<1	1	2	2	3
20-34	67	1.2		<1	<1	1	1	2	2	3
35-49	50	1.1		<1	<1	1	1	2	2	2
50-64	25	1.2		<1	<1	1	1	2	2	2
65+	20	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		<1	<1	<1	1	1	1	1
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	3	6.7	30	1	1	7	11	12	12	12
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	4	1.8	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	77	1.3		<1	<1	1	1	2	3	4
20-34	45	1.2	1	<1	<1	1	1	2	3	5
35-49	63	1.8	2	<1	<1	1	2	4	5	8
50-64	95	2.1	9	<1	<1	2	2	4	5	20
65+	95	2.7	7	<1	<1	2	3	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.0		<1	<1	1	1	1	1	1
B. *Operated*	408	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	25	1.8	6	<1	<1	<1	1	4	8	12
B. *Operated*	375	1.9	5	<1	<1	1	2	3	5	10
1. SINGLE DX	415	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	400	1.9	5	<1	<1	1	2	3	5	11
A. NOT OPERATED	32	1.7	5	<1	<1	1	1	3	7	12
B. OPERATED	783	1.6	3	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	342	1.2		<1	<1	<1	1	2	2	3
20-34	115	1.2		<1	<1	1	1	2	2	4
35-49	116	1.7	2	<1	<1	1	2	3	4	9
50-64	122	1.9	7	<1	<1	1	2	3	5	14
65+	120	2.5	6	<1	<1	2	3	5	9	11
GRAND TOTAL	**815**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**9**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.0	2	<1	1	1	2	4	5	7
20-34	16	3.8	11	<1	<1	3	5	6	12	14
35-49	6	3.8	1	2	2	4	5	5	5	5
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS	484	1.5	1	<1	<1	1	2	2	3	6
20-34	222	2.1	21	<1	<1	1	2	3	4	12
35-49	155	2.2	3	<1	<1	2	3	4	5	8
50-64	159	2.9	5	<1	1	2	4	5	6	12
65+	53	2.4	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.3	8	<1	<1	2	5	6	11	13
20-34	31	4.7	10	<1	1	4	6	10	11	12
35-49	29	4.1	13	1	1	3	6	9	11	16
50-64	35	3.7	11	<1	<1	3	5	10	11	12
65+	38	7.1	45	<1	1	4	10	17	21	27
B. *Operated*										
0-19 YRS	178	1.9	3	<1	1	1	2	3	5	10
20-34	148	3.5	14	<1	1	2	5	7	10	16
35-49	189	4.3	53	<1	1	3	5	8	10	32
50-64	366	4.7	68	1	1	3	5	7	10	55
65+	229	5.0	38	1	1	3	5	9	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.7	5	<1	1	2	4	5	6	13
B. *Operated*	1073	2.0	6	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	159	4.7	20	<1	1	3	6	10	14	21
B. *Operated*	1110	4.1	43	<1	1	3	5	7	10	25
1. SINGLE DX	1143	2.0	6	<1	<1	1	2	4	5	8
2. MULTIPLE DX	1269	4.2	40	<1	1	3	5	8	11	22
A. NOT OPERATED	229	4.1	16	<1	1	3	5	10	12	20
B. OPERATED	2183	3.1	26	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	728	1.7	2	<1	<1	1	2	3	4	7
20-34	417	2.9	18	<1	<1	2	3	6	8	15
35-49	379	3.4	30	<1	<1	2	4	7	9	18
50-64	564	4.1	47	<1	1	3	4	7	10	20
65+	324	4.8	34	1	1	3	5	10	17	29
GRAND TOTAL	**2412**	**3.2**	**25**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	20	1.7	1	<1	<1	1	2	3	4	4
20-34	153	1.5	1	<1	<1	1	2	2	3	5
35-49	489	1.6	1	<1	<1	1	2	3	3	5
50-64	301	1.5	1	<1	<1	1	2	2	3	5
65+	149	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	7	5.0	42	<1	<1	3	5	16	19	19
65+	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	1.8	4	<1	<1	1	2	5	7	7
20-34	89	2.1	3	<1	<1	1	3	4	5	10
35-49	390	2.0	4	<1	<1	1	2	4	6	11
50-64	424	2.1	3	<1	<1	2	2	4	6	9
65+	313	2.8	28	<1	<1	2	3	4	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.2		<1	<1	1	1	2	3	3
B. *Operated*	1112	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	19	2.5	18	<1	<1	1	2	5	13	19
B. *Operated*	1226	2.3	10	<1	<1	2	2	4	6	11
1. SINGLE DX	1124	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1245	2.3	10	<1	<1	2	2	4	6	12
A. NOT OPERATED	31	2.0	11	<1	<1	1	1	4	6	19
B. OPERATED	2338	1.9	6	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	30	1.7	2	<1	<1	1	2	3	4	7
20-34	246	1.7	2	<1	<1	1	2	3	4	6
35-49	890	1.8	2	<1	<1	1	2	3	4	9
50-64	737	1.9	3	<1	<1	1	2	3	5	8
65+	466	2.4	19	<1	<1	2	2	4	5	12
GRAND TOTAL	**2369**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	4	1	2	4	6	7	7	7
20-34	27	3.4	4	1	1	3	4	7	8	9
35-49	13	3.7	2	1	2	4	4	5	6	6
50-64	8	2.9	3	1	1	3	4	5	6	6
65+	6	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	241	2.3	1	<1	1	2	3	4	4	5
20-34	466	2.4	2	1	1	2	3	4	4	6
35-49	250	2.7	5	<1	<1	2	3	5	6	13
50-64	159	2.3	2	<1	<1	2	3	4	5	6
65+	65	2.4	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	3	<1	<1	1	3	5	7	7
20-34	20	3.0	3	<1	1	3	4	5	7	8
35-49	30	2.9	11	<1	<1	2	4	6	8	17
50-64	28	2.6	4	<1	<1	2	4	6	7	7
65+	36	5.6	27	<1	<1	4	8	11	18	21
B. *Operated*										
0-19 YRS	80	3.1	6	<1	1	3	4	5	6	17
20-34	236	2.9	4	<1	1	3	3	5	7	11
35-49	297	3.0	8	<1	1	3	4	5	6	13
50-64	225	2.9	4	<1	1	3	4	5	6	11
65+	141	3.2	6	<1	1	2	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.5	4	1	1	3	5	6	7	9
B. *Operated*	1181	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	126	3.5	13	<1	<1	2	4	8	10	20
B. *Operated*	979	3.0	6	<1	1	3	4	5	6	13
1. SINGLE DX	1249	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	1105	3.0	6	<1	1	3	4	5	7	14
A. NOT OPERATED	194	3.5	10	<1	<1	3	4	7	9	19
B. OPERATED	2160	2.7	4	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	347	2.5	3	<1	1	2	3	4	5	7
20-34	749	2.6	2	1	1	2	3	4	5	9
35-49	590	2.9	6	<1	1	2	4	5	6	14
50-64	420	2.7	3	<1	<1	2	3	5	6	10
65+	248	3.3	9	<1	<1	2	4	7	9	15
GRAND TOTAL	**2354**	**2.8**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	2.1	1	1	1	2	3	4	4	6
20-34	522	2.1	2	1	1	2	3	4	5	8
35-49	114	2.5	3	1	1	2	3	4	6	10
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	4	3.8	8	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	243	3.6	4	1	1	4	5	6	7	10
20-34	805	3.7	5	<1	1	4	5	6	7	10
35-49	222	4.4	5	<1	1	4	5	7	8	12
50-64	47	5.6	6	1	2	6	7	8	10	12
65+	16	6.8	10	2	3	6	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	2.5	2	1	1	2	3	5	6	8
20-34	324	2.5	3	<1	1	2	3	5	6	8
35-49	98	3.2	6	1	1	2	4	5	10	12
50-64	11	4.5	9	<1	<1	4	7	9	10	10
65+	10	7.2	14	2	2	7	9	12	13	13
B. *Operated*										
0-19 YRS	257	4.4	5	1	1	4	6	7	8	12
20-34	1668	4.6	7	<1	1	5	6	7	9	14
35-49	939	5.8	13	1	2	6	7	8	10	18
50-64	188	6.9	14	2	4	6	8	11	15	22
65+	125	9.4	69	4	5	7	9	14	20	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	924	2.2	2	1	1	2	3	4	5	8
B. *Operated*	1333	3.9	5	<1	1	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	639	2.7	4	<1	1	2	3	5	6	10
B. *Operated*	3177	5.3	13	1	1	5	6	8	10	17
1. SINGLE DX	2257	3.2	5	<1	1	3	5	6	7	10
2. MULTIPLE DX	3816	4.9	12	1	1	5	6	8	9	16
A. NOT OPERATED	1563	2.4	3	1	1	2	3	4	5	9
B. OPERATED	4510	4.9	11	<1	1	5	6	8	9	16
TOTAL 0-19 YRS	975	3.2	4	1	1	3	4	6	7	9
20-34	3319	3.8	6	<1	1	4	5	7	8	12
35-49	1373	5.1	11	1	2	5	6	8	10	16
50-64	251	6.5	13	1	3	6	7	10	12	20
65+	155	8.9	59	3	5	7	9	14	17	57
GRAND TOTAL	**6073**	**4.2**	**10**	**1**	**1**	**4**	**6**	**7**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	495	4.1	6	1	2	4	5	7	8	12
20-34	1189	4.2	5	1	2	4	5	7	8	11
35-49	169	5.4	12	2	2	5	7	9	11	23
50-64	8	7.0	20	1	2	6	11	13	13	13
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	80	4.6	8	<1	1	4	6	9	10	12
20-34	374	4.3	10	<1	<1	4	6	8	9	15
35-49	153	4.7	10	<1	1	5	6	8	9	17
50-64	20	4.0	7	<1	<1	4	6	8	9	10
65+	4	4.3	16	<1	<1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.6	6	1	2	4	6	8	9	14
20-34	954	4.9	8	2	2	4	6	8	10	15
35-49	222	5.9	11	1	2	5	8	11	13	15
50-64	21	6.4	14	2	3	5	8	13	14	15
65+	11	6.6	14	1	2	5	9	12	13	13
B. *Operated*										
0-19 YRS	180	5.6	11	1	2	5	7	9	11	19
20-34	1691	5.2	15	<1	1	5	6	8	11	18
35-49	791	6.2	18	<1	1	6	7	11	14	20
50-64	81	9.4	65	<1	2	7	10	19	24	46
65+	38	10.9	80	2	4	9	11	19	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1862	4.3	6	1	2	4	5	7	9	12
B. *Operated*	631	4.4	10	<1	<1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1515	5.0	8	2	2	4	6	9	11	15
B. *Operated*	2781	5.7	19	<1	1	5	7	10	13	20
1. SINGLE DX	2493	4.3	7	1	1	4	5	7	9	13
2. MULTIPLE DX	4296	5.4	15	<1	1	5	7	9	12	19
A. NOT OPERATED	3377	4.6	7	2	2	4	6	8	10	14
B. OPERATED	3412	5.5	17	<1	1	5	7	9	12	20
TOTAL 0-19 YRS	1062	4.5	7	1	2	4	6	8	9	13
20-34	4208	4.7	10	<1	1	4	6	8	10	16
35-49	1335	5.9	15	<1	1	5	7	11	13	19
50-64	130	7.9	49	<1	1	6	10	14	20	42
65+	54	9.4	65	<1	2	7	10	17	24	47
GRAND TOTAL	**6789**	**5.0**	**12**	**<1**	**1**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	29	3.3	3	1	1	3	4	6	6	7
35-49	15	2.9	3	<1	1	2	4	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	21	2.3	2	<1	<1	2	3	5	5	6
20-34	315	3.4	5	<1	<1	3	5	6	7	9
35-49	207	4.9	4	<1	1	5	6	7	7	9
50-64	18	5.9	3	2	3	6	7	8	8	8
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	8	1	1	4	5	9	9	9
20-34	51	2.8	2	1	1	3	4	5	6	7
35-49	29	3.3	6	<1	<1	3	5	6	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.6	6	<1	<1	3	5	6	8	12
20-34	1494	4.8	5	<1	1	5	6	7	8	12
35-49	2036	5.9	5	2	4	6	7	8	9	14
50-64	225	6.7	5	4	5	6	7	9	11	16
65+	24	7.7	10	4	5	7	9	11	15	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.1	3	1	1	3	4	6	6	7
B. *Operated*	563	4.0	5	<1	<1	4	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	86	3.1	4	<1	1	3	4	6	7	10
B. *Operated*	3816	5.5	6	1	2	6	7	8	9	14
1. SINGLE DX	616	3.9	5	<1	<1	4	5	6	7	9
2. MULTIPLE DX	3902	5.4	6	1	2	6	6	8	9	14
A. NOT OPERATED	139	3.1	4	<1	1	3	4	6	6	10
B. OPERATED	4379	5.3	6	<1	1	5	6	8	8	13
TOTAL 0-19 YRS	72	3.1	5	<1	<1	2	5	6	8	11
20-34	1889	4.5	5	<1	1	5	6	7	8	11
35-49	2287	5.7	5	1	3	6	7	8	9	14
50-64	244	6.6	5	4	5	6	7	9	11	15
65+	26	7.6	10	4	5	7	9	10	14	19
GRAND TOTAL	**4518**	**5.2**	**6**	**<1**	**1**	**5**	**6**	**8**	**8**	**13**

246: Inflammatory disease of cervix uteri (616.0)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	25	1.7	3	<1	<1	<1	1	5	6	8
35-49	36	1.6	1	<1	<1	1	2	3	4	5
50-64	11	1.3		<1	<1	<1	1	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	3.2	3	<1	1	3	4	6	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	126	3.0	8	<1	<1	2	5	7	8	14
35-49	179	3.0	6	<1	<1	1	5	6	7	11
50-64	56	2.3	5	<1	<1	2	2	6	6	14
65+	13	4.8	19	<1	<1	4	7	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*	77	1.6	2	<1	<1	<1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.7	3	<1	1	2	3	5	6	7
B. *Operated*	377	3.0	7	<1	<1	2	5	6	7	13
1. SINGLE DX	79	1.6	2	<1	<1	<1	2	3	5	8
2. MULTIPLE DX	397	2.9	7	<1	<1	2	5	6	7	13
A. NOT OPERATED	22	2.8	3	<1	1	2	3	6	7	7
B. OPERATED	454	2.7	6	<1	<1	1	4	6	7	13
TOTAL 0-19 YRS	7	2.6	3	<1	<1	3	4	5	5	5
20-34	164	2.8	7	<1	<1	2	4	6	8	13
35-49	218	2.7	5	<1	<1	1	5	6	7	11
50-64	70	2.1	4	<1	<1	1	2	5	6	13
65+	17	4.1	16	<1	<1	2	6	11	13	14
GRAND TOTAL	**476**	**2.7**	**6**	**<1**	**<1**	**1**	**4**	**6**	**7**	**13**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	4	1	2	3	5	6	8	9
20-34	49	3.4	6	<1	1	3	4	6	9	13
35-49	23	3.7	4	<1	1	3	5	7	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	3	7
20-34	302	1.6	1	<1	<1	1	2	3	4	6
35-49	140	1.5	1	<1	<1	1	2	3	3	5
50-64	30	2.5	10	<1	<1	1	2	6	11	15
65+	6	3.2	7	<1	<1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	3	<1	1	4	5	6	7	7
20-34	60	4.2	4	<1	1	4	6	7	7	8
35-49	30	4.3	3	1	2	4	6	7	7	8
50-64	11	4.8	11	<1	1	4	7	10	11	11
65+	20	9.5	148	1	1	7	11	16	37	57
B. *Operated*										
0-19 YRS	28	2.1	2	1	1	2	3	5	6	6
20-34	123	3.0	13	<1	<1	2	4	6	9	19
35-49	115	3.1	7	<1	<1	2	5	7	8	12
50-64	45	4.6	28	<1	<1	3	5	8	19	27
65+	46	9.6	102	1	1	6	13	26	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.6	5	1	1	3	5	6	8	11
B. *Operated*	518	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	144	4.9	27	1	1	4	6	7	10	19
B. *Operated*	357	4.0	28	<1	<1	2	5	8	13	33
1. SINGLE DX	620	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	501	4.3	28	<1	1	3	5	8	13	31
A. NOT OPERATED	246	4.4	18	1	1	4	5	7	9	16
B. OPERATED	875	2.6	14	<1	<1	1	3	6	8	22
TOTAL 0-19 YRS	118	2.6	3	<1	1	2	4	5	6	8
20-34	534	2.4	5	<1	<1	1	3	5	6	10
35-49	308	2.5	5	<1	<1	2	3	6	7	9
50-64	87	3.9	20	<1	<1	2	5	8	12	24
65+	74	8.9	106	1	1	6	12	23	34	89
GRAND TOTAL	**1121**	**3.0**	**15**	**<1**	**<1**	**2**	**4**	**6**	**8**	**19**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.3	4	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	64	4.7	5	2	2	4	5	7	9	13
35-49	212	5.5	4	2	3	5	7	7	8	12
50-64	513	5.9	4	3	4	6	7	8	9	12
65+	489	6.2	5	3	4	6	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	23	1.7	4	<1	<1	1	1	3	8	8
50-64	24	1.5	1	<1	<1	1	2	2	4	6
65+	55	3.9	28	<1	<1	2	5	9	12	28
B. *Operated*										
0-19 YRS	5	5.6		5	5	6	6	6	6	6
20-34	334	5.4	4	3	3	5	6	8	9	12
35-49	1112	6.2	5	3	4	6	7	8	10	15
50-64	1337	6.6	7	4	4	6	8	9	11	15
65+	1703	7.4	13	4	4	7	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	3	1	1	2	3	6	6	6
B. *Operated*	1281	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	105	2.8	17	<1	<1	1	3	6	9	27
B. *Operated*	4491	6.7	9	4	4	6	8	9	11	17
1. SINGLE DX	1287	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX	4596	6.6	9	3	4	6	8	9	11	17
A. NOT OPERATED	111	2.8	16	<1	<1	1	3	6	9	27
B. OPERATED	5772	6.5	8	3	4	6	7	9	11	17
TOTAL 0-19 YRS	8	5.4	3	2	3	5	6	7	8	8
20-34	401	5.3	4	2	3	5	6	8	9	12
35-49	1348	6.0	5	3	4	6	7	8	10	15
50-64	1875	6.4	6	3	4	6	7	9	10	14
65+	2251	7.0	12	3	4	7	8	10	12	20
GRAND TOTAL	**5883**	**6.5**	**8**	**3**	**4**	**6**	**7**	**9**	**11**	**17**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	1.5	2	<1	<1	1	1	3	5	6
35-49	21	2.4	4	<1	<1	1	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5		1	1	1	2	2	2	2
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	40	2.2	4	<1	<1	1	2	5	6	9
35-49	85	3.0	6	<1	<1	2	5	7	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	40	2.0	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	10	1.4		<1	<1	1	2	2	2	2
B. *Operated*	126	2.7	6	<1	<1	1	4	6	7	10
1. SINGLE DX	43	1.9	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX	136	2.6	5	<1	<1	1	4	6	7	10
A. NOT OPERATED	13	1.3		<1	<1	1	2	2	2	2
B. OPERATED	166	2.5	5	<1	<1	1	4	6	7	9
TOTAL 0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	64	1.9	3	<1	<1	1	2	5	6	9
35-49	111	2.8	6	<1	<1	1	5	6	7	10
50-64										
65+										
GRAND TOTAL	**179**	**2.4**	**5**	**<1**	**<1**	**1**	**4**	**6**	**7**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	1	<1	1	2	2	3	3	4
20-34	65	1.4	1	<1	<1	1	2	2	3	4
35-49	35	1.8	2	<1	<1	1	2	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	43	1.2		<1	<1	1	1	2	2	3
20-34	539	1.7	2	<1	<1	1	2	4	6	7
35-49	784	1.7	2	<1	<1	<1	1	4	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	3	<1	1	2	4	5	6	8
20-34	91	2.3	7	<1	<1	2	2	4	6	17
35-49	113	2.2	5	<1	<1	1	2	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.1	3	<1	<1	1	3	5	6	99
20-34	1009	3.2	6	<1	<1	2	5	6	7	10
35-49	2619	3.6	8	<1	<1	3	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	1366	1.7	2	<1	<1	1	1	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	252	2.3	5	<1	<1	2	3	5	7	9
B. *Operated*	3678	3.5	7	<1	<1	2	6	7	8	10
1. SINGLE DX	1505	1.7	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX	3930	3.4	7	<1	<1	2	6	7	8	10
A. NOT OPERATED	391	2.0	4	<1	<1	1	2	4	5	9
B. OPERATED	5044	3.0	7	<1	<1	2	5	6	7	10
TOTAL 0-19 YRS	180	1.9	2	<1	<1	1	2	4	5	9
20-34	1704	2.6	5	<1	<1	1	4	6	7	9
35-49	3551	3.1	7	<1	<1	2	5	7	7	10
50-64										
65+										
GRAND TOTAL	**5435**	**2.9**	**6**	**<1**	**<1**	**2**	**5**	**6**	**7**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	68	1.2	1	<1	<1	<1	1	2	2	6
50-64	218	1.3	1	<1	<1	<1	1	2	2	6
65+	78	1.5	2	<1	<1	1	2	2	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	2.1	4	<1	<1	1	2	6	6	6
50-64	23	2.0	4	<1	<1	1	2	4	7	9
65+	25	5.0	25	<1	<1	3	7	13	17	18
B. *Operated*										
0-19 YRS										
20-34	8	3.1	2	<1	1	3	4	5	5	5
35-49	141	2.5	6	<1	<1	1	3	6	7	16
50-64	588	2.3	8	<1	<1	1	2	6	7	14
65+	339	3.1	13	<1	<1	2	3	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	365	1.3	1	<1	<1	1	1	2	2	7
2. MULTIPLE DX										
A. *Not Operated*	59	3.3	15	<1	<1	1	5	7	12	18
B. *Operated*	1076	2.6	10	<1	<1	1	2	6	7	16
1. SINGLE DX	377	1.4	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	1135	2.6	10	<1	<1	1	2	6	8	17
A. NOT OPERATED	71	3.0	13	<1	<1	1	3	7	11	18
B. OPERATED	1441	2.3	8	<1	<1	1	2	5	7	15
TOTAL 0-19 YRS										
20-34	10	2.7	2	<1	<1	3	4	5	5	5
35-49	221	2.0	5	<1	<1	1	2	5	6	10
50-64	834	2.0	6	<1	<1	1	2	5	7	11
65+	447	2.9	12	<1	<1	2	3	6	9	20
GRAND TOTAL	**1512**	**2.3**	**8**	**<1**	**<1**	**1**	**2**	**6**	**7**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.3	2	<1	<1	2	3	5	5	6
20-34	44	2.2	3	<1	1	2	3	4	5	10
35-49	19	2.4	2	<1	1	2	3	5	6	6
50-64	4	3.0	16	1	1	1	5	9	9	9
65+										
B. *Operated*										
0-19 YRS	64	3.1	6	<1	<1	2	4	7	9	10
20-34	505	2.4	4	<1	<1	1	3	5	6	8
35-49	344	2.5	4	<1	<1	1	4	6	7	9
50-64	157	3.0	8	<1	<1	2	5	7	9	14
65+	45	2.6	4	<1	<1	1	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.4	12	1	1	3	4	5	12	15
20-34	70	2.7	4	<1	<1	2	3	6	7	10
35-49	50	3.3	11	<1	<1	2	4	8	9	17
50-64	20	3.0	6	<1	<1	2	5	7	8	8
65+	58	7.1	36	1	1	6	10	15	25	94
B. *Operated*										
0-19 YRS	76	4.3	21	<1	1	4	5	6	11	31
20-34	786	3.4	8	<1	<1	2	5	6	8	13
35-49	1285	4.1	11	<1	<1	4	6	7	9	16
50-64	716	4.6	24	<1	<1	4	6	8	11	20
65+	413	7.0	66	<1	1	5	8	16	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.3	3	<1	1	2	3	5	5	10
B. *Operated*	1115	2.5	5	<1	<1	1	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	213	4.1	18	<1	<1	3	6	9	13	27
B. *Operated*	3276	4.4	22	<1	<1	4	6	8	11	23
1. SINGLE DX	1212	2.5	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX	3489	4.4	21	<1	<1	4	6	8	11	23
A. NOT OPERATED	310	3.5	14	<1	1	2	4	8	11	24
B. OPERATED	4391	3.9	18	<1	<1	3	6	7	10	20
TOTAL 0-19 YRS	185	3.5	13	<1	<1	3	4	6	9	17
20-34	1405	3.0	6	<1	<1	2	5	6	7	12
35-49	1698	3.8	10	<1	<1	3	6	7	9	14
50-64	897	4.3	21	<1	<1	3	6	8	10	19
65+	516	6.6	59	<1	1	4	8	15	23	41
GRAND TOTAL	**4701**	**3.9**	**18**	**<1**	**<1**	**2**	**6**	**7**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	1.6	1	<1	1	1	2	3	3	4
20-34	123	1.9	2	<1	1	1	2	4	5	8
35-49	27	2.7	3	<1	1	2	3	5	7	9
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	41	1.8	1	<1	<1	1	2	3	5	6
20-34	424	2.6	4	<1	<1	2	4	6	6	8
35-49	290	4.3	6	<1	<1	4	6	7	8	10
50-64	155	5.9	5	3	3	6	7	9	9	11
65+	67	6.3	8	2	3	6	8	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.1	2	<1	1	2	3	4	5	6
20-34	185	2.0	3	<1	<1	1	2	3	5	9
35-49	52	2.8	6	<1	<1	2	3	5	8	13
50-64	12	3.0	5	<1	<1	2	5	6	7	7
65+	15	5.3	72	<1	1	2	5	14	28	33
B. *Operated*										
0-19 YRS	39	2.8	11	<1	<1	1	3	7	10	16
20-34	1121	3.6	6	<1	<1	4	5	6	7	10
35-49	749	5.2	8	<1	1	5	7	8	9	13
50-64	296	6.8	16	2	4	6	8	10	11	22
65+	207	7.2	14	3	3	6	9	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	977	3.9	7	<1	<1	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	338	2.3	6	<1	<1	2	3	4	6	12
B. *Operated*	2412	4.8	10	<1	<1	5	6	8	9	15
1. SINGLE DX	1261	3.4	6	<1	<1	3	5	7	8	10
2. MULTIPLE DX	2750	4.5	10	<1	<1	5	6	8	9	14
A. NOT OPERATED	622	2.1	4	<1	<1	1	2	4	5	9
B. OPERATED	3389	4.5	9	<1	<1	5	6	8	9	14
TOTAL 0-19 YRS	286	1.9	3	<1	<1	1	2	3	5	7
20-34	1853	3.1	5	<1	<1	2	5	6	7	10
35-49	1118	4.8	8	<1	<1	5	6	8	9	13
50-64	464	6.4	13	2	3	6	8	9	10	18
65+	290	6.9	16	2	3	6	8	11	14	21
GRAND TOTAL	**4011**	**4.2**	**9**	**<1**	**<1**	**4**	**6**	**8**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	1	1	2	2	3	3	3
20-34	44	2.2	3	<1	1	1	3	4	7	8
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	83	4.0	2	1	2	4	5	6	6	7
20-34	1283	4.4	2	2	3	4	5	6	7	9
35-49	172	4.6	2	2	3	5	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	22	2.0	1	<1	<1	2	3	3	4	4
35-49	7	2.0	4	<1	<1	1	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	76	5.0	2	3	3	5	6	6	7	11
20-34	1325	4.8	3	3	3	5	5	6	7	11
35-49	267	5.0	3	3	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.1	3	<1	1	1	3	4	6	8
B. *Operated*	1538	4.4	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	32	1.9	1	<1	<1	2	3	4	4	6
B. *Operated*	1668	4.8	3	3	3	5	6	6	7	11
1. SINGLE DX	1592	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	1700	4.8	3	2	3	5	5	6	7	11
A. NOT OPERATED	86	2.0	2	<1	<1	1	3	4	5	8
B. OPERATED	3206	4.6	2	2	3	5	5	6	7	10
TOTAL 0-19 YRS	168	4.3	2	1	2	4	5	6	7	8
20-34	2674	4.5	3	2	3	4	5	6	7	10
35-49	450	4.8	3	2	3	5	6	7	7	10
50-64										
65+										
GRAND TOTAL	**3292**	**4.5**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	<1	1	1	2	3	4	5
20-34	38	1.8	1	<1	<1	2	2	3	4	5
35-49	9	1.9	4	1	1	1	2	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	403	1.5	2	<1	<1	1	2	2	3	5
20-34	1189	1.3		<1	<1	<1	1	2	2	4
35-49	184	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	2	<1	<1	1	3	4	4	4
20-34	37	1.6	1	<1	<1	1	2	3	4	4
35-49	27	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	648	1.2	2	<1	<1	<1	<1	<1	2	6
20-34	1804	1.3	1	<1	<1	<1	<1	2	3	7
35-49	297	1.6	2	<1	<1	<1	2	3	4	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.8	1	<1	1	1	2	3	4	7
B. *Operated*	1776	1.3	1	<1	<1	<1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	72	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	2749	1.3	2	<1	<1	<1	<1	2	3	7
1. SINGLE DX	1838	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	2821	1.3	2	<1	<1	<1	<1	2	3	7
A. NOT OPERATED	134	1.7	1	<1	<1	1	2	3	4	6
B. OPERATED	4525	1.3	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	1074	1.3	2	<1	<1	<1	1	2	2	6
20-34	3068	1.3	1	<1	<1	<1	1	2	3	6
35-49	517	1.5	1	<1	<1	<1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**4659**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
1. SINGLE DX	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. NOT OPERATED	2	4.0	2	3	3	4	5	5	5	5
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	1.3		<1	<1	1	1	2	3	4
20-34	463	1.4	1	<1	<1	1	2	2	3	4
35-49	59	1.4	1	<1	<1	1	2	2	3	6
50-64										
65+										
B. *Operated*										
0-19 YRS	855	1.3		<1	<1	1	1	2	3	4
20-34	6359	1.2	1	<1	<1	1	1	2	2	4
35-49	1248	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	3	<1	<1	1	2	4	6	10
20-34	113	1.9	2	<1	<1	1	2	4	5	7
35-49	18	2.5	6	<1	1	1	3	5	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	125	1.9	3	<1	<1	1	2	4	6	9
20-34	1057	1.8	4	<1	<1	1	2	3	5	9
35-49	346	1.6	1	<1	<1	1	2	3	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	1.4	1	<1	<1	1	1	2	3	4
B. *Operated*	8462	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	164	2.0	3	<1	<1	1	2	4	5	10
B. *Operated*	1528	1.7	3	<1	<1	1	2	3	5	9
1. SINGLE DX	9099	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1692	1.8	3	<1	<1	1	2	3	5	9
A. NOT OPERATED	801	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	9990	1.3	1	<1	<1	1	1	2	2	5
TOTAL 0-19 YRS	1128	1.4	1	<1	<1	1	1	2	3	5
20-34	7992	1.3	1	<1	<1	1	1	2	3	5
35-49	1671	1.3	1	<1	<1	1	1	2	2	5
50-64										
65+										
GRAND TOTAL	**10791**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.5	2	<1	1	2	4	4	5	5
20-34	215	2.4	3	<1	<1	2	3	5	6	8
35-49	24	1.8	2	<1	<1	1	2	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	115	1.6	2	<1	<1	1	2	3	4	7
20-34	1228	1.3	1	<1	<1	1	1	2	3	5
35-49	214	1.2	1	<1	<1	1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	3	1	1	3	4	6	7	7
20-34	87	3.3	7	1	1	3	5	7	8	15
35-49	14	2.8	4	<1	<1	2	5	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.4	26	1	1	2	4	6	7	36
20-34	364	2.3	7	<1	<1	1	2	5	6	15
35-49	86	2.0	6	<1	<1	1	2	4	5	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	1557	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	119	3.2	6	1	1	3	4	6	8	12
B. *Operated*	499	2.4	9	<1	<1	1	2	5	6	16
1. SINGLE DX	1841	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	618	2.5	9	<1	<1	1	3	5	7	16
A. NOT OPERATED	403	2.6	4	<1	1	2	4	5	6	9
B. OPERATED	2056	1.6	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	227	2.3	7	<1	<1	2	3	4	6	8
20-34	1894	1.7	3	<1	<1	1	2	3	5	8
35-49	338	1.5	2	<1	<1	1	1	3	4	7
50-64										
65+										
GRAND TOTAL	**2459**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	1.5	1	<1	1	1	2	3	3	6
20-34	703	1.8	1	<1	<1	1	2	3	4	6
35-49	63	1.9	2	<1	<1	1	2	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	18	1.5	1	<1	1	1	2	3	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.7	1	<1	<1	1	2	3	4	4
20-34	166	2.4	4	<1	1	2	3	5	5	12
35-49	30	2.8	6	1	1	2	3	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	13	2.4	3	<1	<1	2	3	5	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	875	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	22	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	225	2.4	4	<1	1	2	3	5	6	10
B. *Operated*	16	2.4	3	<1	<1	2	4	5	6	6
1. SINGLE DX	897	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	241	2.4	4	<1	1	2	3	5	6	10
A. NOT OPERATED	1100	1.9	2	<1	1	1	2	4	4	7
B. OPERATED	38	1.9	2	<1	<1	1	2	5	5	6
TOTAL 0-19 YRS	143	1.6	1	<1	1	1	2	3	4	5
20-34	900	1.9	2	<1	<1	1	2	4	4	7
35-49	95	2.2	3	<1	1	2	2	4	6	10
50-64										
65+										
GRAND TOTAL	**1138**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**4**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.2		<1	<1	1	1	2	2	2
20-34	77	2.1	4	<1	<1	1	2	3	4	14
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	24	2.5	8	<1	1	2	3	5	9	14
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	1.9	3	<1	<1	1	2	3	4	13
B. *Operated*	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	32	2.4	6	<1	<1	2	3	5	7	14
B. *Operated*	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	97	1.9	3	<1	<1	1	2	3	4	13
2. MULTIPLE DX	33	2.5	6	<1	1	2	3	4	7	14
A. NOT OPERATED	127	2.0	4	<1	<1	1	2	4	5	14
B. OPERATED	3	2.7	2	<1	<1	3	4	4	4	4
TOTAL 0-19 YRS	17	1.3		<1	<1	1	1	2	3	3
20-34	104	2.2	5	<1	<1	2	2	4	5	14
35-49	9	2.0	2	<1	<1	2	2	4	5	5
50-64										
65+										
GRAND TOTAL	**130**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**4**	**14**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.8	7	<1	<1	2	3	5	9	18
20-34	860	2.7	3	<1	1	2	3	5	6	10
35-49	97	3.5	8	1	1	3	4	7	9	15
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.1	13	1	1	2	5	11	12	12
20-34	110	3.0	6	<1	<1	2	3	5	7	14
35-49	14	2.2	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	7	<1	1	2	4	6	10	12
20-34	289	3.5	15	<1	1	3	4	7	9	14
35-49	54	4.4	11	<1	1	3	5	10	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.7	7	<1	<1	3	5	8	8	8
20-34	95	3.3	9	<1	<1	2	4	8	11	12
35-49	10	4.3	23	<1	<1	2	8	12	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1085	2.8	4	<1	1	2	3	5	7	11
B. *Operated*	138	3.0	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	380	3.6	13	<1	1	3	4	7	9	14
B. *Operated*	115	3.4	10	<1	<1	2	5	8	11	13
1. SINGLE DX	1223	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	495	3.6	13	<1	<1	3	4	7	10	14
A. NOT OPERATED	1465	3.0	7	<1	1	2	4	5	7	12
B. OPERATED	253	3.2	8	<1	<1	2	4	7	9	12
TOTAL 0-19 YRS	189	3.0	8	<1	<1	2	3	5	9	16
20-34	1354	3.0	6	<1	1	2	3	5	7	12
35-49	175	3.7	9	<1	1	3	5	8	10	16
50-64										
65+										
GRAND TOTAL	**1718**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**5**	**8**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	2.8	3	1	1	2	3	5	6	9
20-34	1296	3.7	6	1	2	3	4	6	8	13
35-49	61	5.3	22	1	2	4	6	8	14	30
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	8.7	225	<1	<1	2	6	36	39	39
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	5	1	1	3	4	6	6	13
20-34	578	4.2	17	1	1	3	5	8	10	22
35-49	43	4.2	6	1	2	4	5	6	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	6	1	1	4	6	8	8	8
20-34	16	13.5	182	3	3	8	15	39	47	50
35-49	4	9.8	172	1	1	4	18	29	29	29
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1546	3.7	6	1	2	3	4	6	8	13
B. *Operated*	7	8.1	189	<1	<1	4	6	32	39	39
2. MULTIPLE DX										
A. *Not Operated*	694	4.1	15	1	1	3	5	7	10	18
B. *Operated*	27	10.5	143	1	2	7	13	27	42	50
1. SINGLE DX	1553	3.7	7	1	2	3	4	6	8	13
2. MULTIPLE DX	721	4.4	21	1	1	3	5	8	11	26
A. NOT OPERATED	2240	3.8	9	1	2	3	4	7	8	15
B. OPERATED	34	10.0	148	<1	1	6	12	30	41	50
TOTAL 0-19 YRS	270	2.9	3	1	1	2	4	5	6	10
20-34	1896	4.0	12	1	2	3	5	7	9	17
35-49	108	5.0	21	1	2	4	6	8	12	30
50-64										
65+										
GRAND TOTAL	**2274**	**3.9**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	834	1.0		<1	<1	<1	1	1	1	2
20-34	3497	1.1		<1	<1	<1	1	1	1	3
35-49	225	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	59	1.1	1	<1	<1	<1	1	1	1	6
20-34	390	1.1		<1	<1	<1	1	1	1	4
35-49	25	1.0		<1	<1	<1	<1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	4	<1	<1	1	1	2	4	14
20-34	379	1.4	3	<1	<1	1	1	2	3	7
35-49	30	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	2	<1	<1	2	4	4	4	4
20-34	40	1.3		<1	<1	1	2	2	2	3
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4556	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	474	1.1		<1	<1	<1	1	1	1	4
2. MULTIPLE DX										
A. *Not Operated*	467	1.4	3	<1	<1	1	1	2	3	7
B. *Operated*	51	1.5	1	<1	<1	1	2	2	4	4
1. SINGLE DX	5030	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	518	1.4	2	<1	<1	1	1	2	3	7
A. NOT OPERATED	5023	1.1		<1	<1	<1	1	1	2	3
B. OPERATED	525	1.1		<1	<1	<1	1	1	2	4
TOTAL 0-19 YRS	958	1.1		<1	<1	<1	1	1	1	4
20-34	4306	1.1		<1	<1	<1	1	1	2	3
35-49	284	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
GRAND TOTAL	**5548**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**3**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	5	<1	<1	2	6	6	6	6
20-34	328	3.5	21	<1	1	2	4	7	10	25
35-49	37	4.4	18	<1	1	3	5	10	15	18
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	16	3.8	14	<1	<1	3	5	8	13	15
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.1	174	<1	1	4	5	10	43	54
20-34	91	5.4	72	1	1	3	5	9	29	42
35-49	18	4.8	42	<1	<1	3	5	8	21	29
50-64										
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	4.5	27	<1	<1	3	4	13	17	17
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.5	20	<1	1	2	4	7	10	22
B. *Operated*	21	3.3	11	<1	<1	2	4	7	11	15
2. MULTIPLE DX										
A. *Not Operated*	124	5.5	78	<1	1	3	5	8	29	49
B. *Operated*	12	4.2	20	<1	<1	3	5	9	16	17
1. SINGLE DX	400	3.5	20	<1	1	2	4	7	10	22
2. MULTIPLE DX	136	5.4	73	<1	1	3	5	8	29	48
A. NOT OPERATED	503	4.0	35	<1	1	2	4	7	11	33
B. OPERATED	33	3.6	14	<1	<1	3	4	7	14	17
TOTAL 0-19 YRS	32	5.0	85	<1	1	3	5	7	10	54
20-34	443	3.9	32	<1	1	2	4	7	11	33
35-49	61	4.3	24	<1	<1	3	5	9	14	28
50-64										
65+										
GRAND TOTAL	**536**	**4.0**	**34**	**<1**	**1**	**2**	**4**	**7**	**11**	**33**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.7	2	<1	<1	1	2	3	5	7
20-34	473	2.4	18	<1	<1	1	2	4	5	19
35-49	38	1.8	3	<1	<1	1	2	3	4	12
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	3	3
20-34	44	2.8	11	<1	<1	2	3	5	10	17
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.7	1	<1	<1	1	2	3	4	6
20-34	138	3.2	18	<1	<1	2	3	6	8	27
35-49	18	3.0	7	<1	<1	2	4	6	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	15	3.0	5	<1	<1	3	5	6	7	8
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	587	2.2	15	<1	<1	1	2	4	5	17
B. *Operated*	56	2.7	12	<1	<1	1	3	5	12	17
2. MULTIPLE DX										
A. *Not Operated*	182	2.9	15	<1	<1	2	3	6	7	22
B. *Operated*	18	3.1	5	<1	<1	2	5	7	8	8
1. SINGLE DX	643	2.3	14	<1	<1	1	2	4	5	17
2. MULTIPLE DX	200	2.9	14	<1	<1	2	3	6	7	21
A. NOT OPERATED	769	2.4	15	<1	<1	1	3	4	6	17
B. OPERATED	74	2.8	10	<1	<1	2	3	6	9	17
TOTAL 0-19 YRS	113	1.6	1	<1	<1	1	2	3	5	7
20-34	670	2.6	17	<1	<1	1	3	4	7	19
35-49	60	2.5	8	<1	<1	1	3	5	9	15
50-64										
65+										
GRAND TOTAL	**843**	**2.4**	**14**	**<1**	**<1**	**1**	**3**	**4**	**6**	**17**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.7	4	<1	<1	2	4	6	7	8
20-34	306	3.0	3	<1	1	3	4	5	7	9
35-49	11	2.7	2	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	4	<1	<1	1	4	6	6	6
20-34	24	2.7	4	<1	<1	2	4	6	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	3.0	3	<1	<1	3	4	6	6	8
20-34	678	3.0	4	<1	<1	3	4	5	6	10
35-49	14	3.4	5	<1	<1	3	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.9	7	<1	<1	3	6	8	8	8
20-34	46	3.8	5	1	1	3	5	6	9	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	2.9	3	<1	<1	3	4	6	7	9
B. *Operated*	31	2.6	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	972	3.0	4	<1	<1	3	4	5	6	10
B. *Operated*	58	3.9	5	<1	1	3	5	7	9	10
1. SINGLE DX	470	2.9	3	<1	<1	2	4	6	7	9
2. MULTIPLE DX	1030	3.1	4	<1	<1	3	4	6	7	10
A. NOT OPERATED	1411	3.0	4	<1	<1	3	4	6	6	9
B. OPERATED	89	3.4	5	<1	<1	3	5	7	7	10
TOTAL 0-19 YRS	419	2.9	4	<1	<1	3	4	6	7	8
20-34	1054	3.0	4	<1	<1	3	4	5	7	10
35-49	27	3.1	4	<1	<1	3	5	5	6	7
50-64										
65+										
GRAND TOTAL	**1500**	**3.0**	**4**	**<1**	**<1**	**3**	**4**	**6**	**7**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	7	<1	<1	2	4	7	10	11
20-34	506	3.3	6	<1	1	3	4	6	8	13
35-49	113	4.6	25	1	1	3	5	8	11	30
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	38	3.6	6	<1	1	3	5	7	9	10
35-49	7	3.0	5	1	1	2	3	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	2.4	7	<1	<1	2	3	5	5	12
20-34	1664	3.1	9	<1	<1	2	4	6	8	15
35-49	182	3.8	18	<1	<1	3	5	8	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.7	26	<1	1	2	4	7	13	29
20-34	189	4.6	27	<1	1	3	6	8	10	29
35-49	28	4.1	14	<1	1	3	6	10	12	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	692	3.5	9	<1	1	3	4	6	8	15
B. *Operated*	49	3.3	6	<1	<1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	2172	3.1	9	<1	<1	2	4	6	8	14
B. *Operated*	254	4.4	25	<1	1	3	6	8	11	29
1. SINGLE DX	741	3.5	9	<1	1	3	4	6	8	14
2. MULTIPLE DX	2426	3.2	11	<1	<1	2	4	6	9	15
A. NOT OPERATED	2864	3.2	9	<1	<1	2	4	6	8	14
B. OPERATED	303	4.2	22	<1	1	3	6	8	10	28
TOTAL 0-19 YRS	440	2.6	8	<1	<1	2	3	5	6	13
20-34	2397	3.3	10	<1	<1	2	4	6	8	15
35-49	330	4.1	20	<1	1	3	5	8	11	27
50-64										
65+										
GRAND TOTAL	**3167**	**3.3**	**11**	**<1**	**<1**	**2**	**4**	**6**	**8**	**15**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	587	2.1	8	<1	<1	1	2	4	6	10
20-34	2645	2.2	10	<1	<1	1	2	4	6	13
35-49	221	2.3	5	<1	<1	1	3	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	127	2.5	8	<1	<1	1	3	5	7	15
20-34	962	2.2	6	<1	<1	1	3	4	6	11
35-49	123	2.4	5	<1	<1	2	3	4	6	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	2.9	13	<1	<1	2	3	6	8	20
20-34	1616	3.4	30	<1	<1	2	4	6	10	26
35-49	143	5.2	77	<1	<1	3	5	10	17	54
50-64										
65+										
B. *Operated*										
0-19 YRS	67	2.7	5	<1	<1	1	4	6	7	10
20-34	606	3.3	19	<1	<1	2	4	7	11	22
35-49	79	4.7	54	<1	<1	3	5	8	13	47
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3453	2.2	10	<1	<1	1	2	4	6	13
B. *Operated*	1212	2.2	6	<1	<1	1	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2043	3.4	31	<1	<1	2	4	7	11	27
B. *Operated*	752	3.4	21	<1	<1	2	4	7	10	22
1. SINGLE DX	4665	2.2	9	<1	<1	1	2	4	6	13
2. MULTIPLE DX	2795	3.4	28	<1	<1	2	4	7	10	25
A. NOT OPERATED	5496	2.6	18	<1	<1	1	3	5	8	19
B. OPERATED	1964	2.7	12	<1	<1	1	3	5	7	17
TOTAL 0-19 YRS	1065	2.4	9	<1	<1	1	3	5	7	14
20-34	5829	2.6	16	<1	<1	1	3	5	7	19
35-49	566	3.4	31	<1	<1	2	4	7	9	37
50-64										
65+										
GRAND TOTAL	**7460**	**2.6**	**16**	**<1**	**<1**	**1**	**3**	**5**	**7**	**19**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.9	1	2	2	3	3	4	4	7
20-34	579	2.8	1	2	2	3	3	4	4	5
35-49	66	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.4	23	2	3	3	4	5	9	32
20-34	367	3.8	8	2	2	3	4	5	7	13
35-49	48	4.1	7	2	2	3	5	6	7	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	3.1	1	2	2	3	3	4	5	7
20-34	827	3.1	2	2	2	3	3	4	5	8
35-49	65	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	127	4.6	10	2	2	4	5	7	9	17
20-34	1474	4.9	23	2	2	4	5	7	9	28
35-49	245	5.4	32	2	2	5	6	8	11	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	2.8	1	2	2	3	3	4	4	5
B. *Operated*	453	3.9	9	2	2	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	991	3.1	1	2	2	3	3	4	5	8
B. *Operated*	1846	5.0	23	2	2	4	5	7	9	27
1. SINGLE DX	1171	3.2	4	2	2	3	3	4	5	9
2. MULTIPLE DX	2837	4.3	17	2	2	3	5	6	8	21
A. NOT OPERATED	1709	3.0	1	2	2	3	3	4	4	7
B. OPERATED	2299	4.8	21	2	2	4	5	7	9	26
TOTAL 0-19 YRS	337	3.8	7	2	2	3	4	6	7	13
20-34	3247	4.0	13	2	2	3	4	6	7	17
35-49	424	4.5	21	2	2	4	5	7	8	18
50-64										
65+										
GRAND TOTAL	**4008**	**4.0**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3333	2.7	1	2	2	3	3	4	4	4
20-34	26300	2.7	1	1	2	3	3	4	4	4
35-49	2084	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	811	2.8	1	2	2	3	3	4	4	5
20-34	6461	2.8		2	2	3	3	4	4	4
35-49	415	2.8	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.8	3	1	2	3	3	4	4	11
20-34	825	2.9	1	1	2	3	3	4	4	6
35-49	81	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.8	1	2	2	3	3	4	4	6
20-34	2601	3.3	1	2	2	3	4	4	5	6
35-49	418	3.4	1	2	3	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31717	2.7	1	1	2	3	3	4	4	4
B. *Operated*	7687	2.8		2	2	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1013	2.9	1	1	2	3	3	4	4	6
B. *Operated*	3066	3.3	1	2	2	3	4	4	5	6
1. SINGLE DX	39404	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX	4079	3.2	1	2	2	3	4	4	5	6
A. NOT OPERATED	32730	2.7	1	1	2	3	3	4	4	5
B. OPERATED	10753	2.9	1	2	2	3	3	4	4	5
TOTAL 0-19 YRS	4298	2.7	1	2	2	3	3	4	4	5
20-34	36187	2.8	1	2	2	3	3	4	4	5
35-49	2998	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**43483**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	4.4	11	1	1	3	7	9	11	11
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.4	1	3	3	5	5	5	5	5
20-34	130	6.4	23	3	4	5	6	10	17	30
35-49	18	9.3	99	4	4	6	7	23	37	43
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	3.3	3	1	1	3	4	5	7	10
35-49	1	41.0		41	41	41	41	41	41	41
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.1	10	2	3	5	5	7	11	18
20-34	312	9.2	115	3	4	6	8	19	35	57
35-49	70	10.1	117	3	4	6	8	24	39	53
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.0	8	1	1	3	5	8	11	11
B. *Operated*	153	6.7	32	3	4	5	6	11	17	36
2. MULTIPLE DX										
A. *Not Operated*	28	4.5	54	1	1	3	4	6	13	41
B. *Operated*	405	9.1	110	3	4	6	7	19	35	55
1. SINGLE DX	165	6.5	30	3	3	5	6	11	17	35
2. MULTIPLE DX	433	8.8	107	3	3	5	7	19	35	55
A. NOT OPERATED	40	4.4	40	1	1	3	4	7	10	41
B. OPERATED	558	8.5	89	3	4	5	7	18	28	50
TOTAL 0-19 YRS	31	4.7	8	2	2	4	5	6	8	18
20-34	476	8.1	85	3	3	5	7	16	26	50
35-49	91	10.1	120	3	4	6	7	27	41	51
50-64										
65+										
GRAND TOTAL	**598**	**8.2**	**87**	**3**	**3**	**5**	**7**	**17**	**27**	**50**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	1	1	1	3	3	3	4	4
20-34	93	2.7	1	1	2	3	3	4	4	6
35-49	14	2.6	2	1	1	2	3	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.6	2	2	3	5	6	6	6	6
20-34	164	4.5	3	2	2	5	5	6	7	12
35-49	11	3.5	2	<1	1	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	1	3	4	5	6	7
20-34	106	3.6	16	1	1	3	4	6	9	27
35-49	12	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	56	4.9	6	2	2	5	5	7	11	16
20-34	513	5.3	17	2	3	5	6	7	9	25
35-49	66	4.9	4	2	3	5	6	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.7	1	1	1	3	3	4	4	6
B. *Operated*	189	4.4	3	2	2	5	5	6	6	12
2. MULTIPLE DX										
A. *Not Operated*	139	3.4	13	1	1	3	4	5	8	22
B. *Operated*	635	5.2	15	2	3	5	6	7	9	25
1. SINGLE DX	311	3.7	3	1	2	3	5	6	6	10
2. MULTIPLE DX	774	4.9	15	2	2	4	6	7	9	25
A. NOT OPERATED	261	3.1	7	1	1	3	3	4	6	11
B. OPERATED	824	5.0	12	2	3	5	6	7	9	24
TOTAL 0-19 YRS	106	4.2	5	2	2	4	5	6	7	14
20-34	876	4.7	13	2	2	4	5	7	9	24
35-49	103	4.1	4	1	2	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**1085**	**4.6**	**12**	**2**	**2**	**4**	**5**	**6**	**8**	**20**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	1	1	3	3	3	3	3
20-34	26	2.3	1	<1	1	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.7	1	1	1	3	3	4	4	5
20-34	293	2.7	1	1	2	3	3	4	4	5
35-49	42	3.0	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	8	2.5		2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.1	1	2	2	3	4	4	5	6
20-34	223	3.2	2	2	2	3	4	4	6	8
35-49	35	3.8	5	1	1	3	5	6	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.3	1	1	1	2	3	3	4	4
B. *Operated*	375	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.5		2	2	2	3	3	3	3
B. *Operated*	286	3.3	2	2	2	3	4	5	6	9
1. SINGLE DX	407	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	298	3.3	2	2	2	3	4	5	6	9
A. NOT OPERATED	44	2.4	1	1	1	2	3	3	4	4
B. OPERATED	661	3.0	1	1	2	3	3	4	5	7
TOTAL 0-19 YRS	76	2.8	1	1	2	3	3	4	4	6
20-34	550	2.9	1	1	2	3	3	4	4	7
35-49	79	3.3	3	1	2	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**705**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	1	1	1	3	4	4	5	6
20-34	170	2.8	1	1	2	3	3	4	4	5
35-49	5	3.0	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.3	1	1	2	3	4	4	4	4
20-34	62	3.0	1	1	2	3	4	4	5	6
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.8	1	1	1	3	3	4	5	6
20-34	98	3.1	1	2	2	3	4	4	5	7
35-49	11	3.2		2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.4	4	1	2	3	4	7	8	8
20-34	103	3.3	1	2	2	3	4	5	5	7
35-49	19	4.0	18	<1	1	3	4	5	14	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	2.8	1	1	2	3	3	4	4	5
B. *Operated*	77	3.0	1	1	2	3	4	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	132	3.0	1	2	2	3	4	4	5	6
B. *Operated*	136	3.4	4	1	2	3	4	5	6	10
1. SINGLE DX	276	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX	268	3.2	3	2	2	3	4	4	5	7
A. NOT OPERATED	331	2.9	1	1	2	3	3	4	4	6
B. OPERATED	213	3.2	3	1	2	3	4	4	5	8
TOTAL 0-19 YRS	72	3.1	2	1	1	3	4	4	6	8
20-34	433	3.0	1	1	2	3	4	4	5	6
35-49	39	3.5	9	1	2	3	4	4	5	21
50-64										
65+										
GRAND TOTAL	**544**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	3	3	3	3	5	7	7	7
20-34	45	3.2	1	2	2	3	4	4	5	7
35-49	8	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	63	4.5	2	2	3	4	6	6	7	8
35-49	4	5.0	2	4	4	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	61	1	1	3	4	19	23	23
20-34	78	4.7	32	2	2	3	4	6	9	38
35-49	7	4.9	12	<1	1	4	6	11	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	35	7.9	61	3	3	6	8	13	21	46
20-34	587	6.0	45	3	3	5	6	8	10	27
35-49	66	6.2	70	2	3	5	7	7	9	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.3	1	2	2	3	4	4	5	7
B. *Operated*	69	4.5	2	3	3	4	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	92	4.7	32	1	2	3	4	6	12	36
B. *Operated*	688	6.2	48	3	3	5	6	8	11	34
1. SINGLE DX	127	4.0	2	2	3	4	5	6	7	8
2. MULTIPLE DX	780	6.0	47	3	3	5	6	8	11	35
A. NOT OPERATED	150	4.2	20	2	2	3	4	6	7	27
B. OPERATED	757	6.0	44	3	3	5	6	8	10	27
TOTAL 0-19 YRS	49	7.0	53	2	3	5	7	13	23	46
20-34	773	5.6	38	2	3	5	6	7	10	27
35-49	85	5.8	56	2	3	5	6	7	9	51
50-64										
65+										
GRAND TOTAL	**907**	**5.7**	**41**	**2**	**3**	**5**	**6**	**8**	**10**	**27**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8		2	2	3	3	3	3	3
20-34	67	2.6	1	1	2	3	3	3	4	5
35-49	10	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	127	4.7	1	3	3	5	5	6	6	8
20-34	1138	4.7	1	3	3	5	5	6	6	7
35-49	94	4.6	1	2	3	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	4	4	4
20-34	33	3.0	1	2	2	3	3	4	6	6
35-49	6	3.2		3	3	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	153	5.3	5	3	3	5	6	7	9	15
20-34	1677	5.1	3	3	3	5	6	7	8	12
35-49	195	5.2	3	3	4	5	6	7	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.7	1	1	2	3	3	3	4	5
B. *Operated*	1359	4.7	1	3	3	5	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	45	3.0	1	1	2	3	4	4	5	6
B. *Operated*	2025	5.1	3	3	3	5	6	7	8	12
1. SINGLE DX	1440	4.6	1	2	3	5	5	6	6	7
2. MULTIPLE DX	2070	5.1	3	3	3	5	6	7	8	12
A. NOT OPERATED	126	2.8	1	1	2	3	3	4	4	6
B. OPERATED	3384	4.9	3	3	3	5	6	6	7	11
TOTAL 0-19 YRS	290	5.0	3	3	3	5	6	7	8	11
20-34	2915	4.9	3	3	3	5	5	6	7	10
35-49	305	4.9	3	2	3	5	6	6	7	11
50-64										
65+										
GRAND TOTAL	**3510**	**4.9**	**3**	**3**	**3**	**5**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.7	1	1	2	2	3	4	5	5
20-34	272	2.8	1	1	2	3	3	4	4	6
35-49	27	2.9		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.8	2	2	2	3	5	6	6	7
20-34	551	4.1	2	2	2	4	5	6	6	7
35-49	49	4.3	3	2	2	4	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7		1	2	3	3	3	3	3
20-34	224	2.8	1	1	2	3	3	4	4	5
35-49	28	3.3	1	2	2	3	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	199	4.3	2	2	3	4	5	6	7	8
20-34	2023	4.7	4	2	3	5	5	6	7	10
35-49	256	4.8	2	3	3	5	6	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	2.8	1	1	2	3	3	4	4	5
B. *Operated*	649	4.1	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	268	2.8	1	1	2	3	3	4	4	6
B. *Operated*	2478	4.6	3	2	3	5	5	6	7	10
1. SINGLE DX	967	3.6	2	2	2	3	5	6	6	7
2. MULTIPLE DX	2746	4.5	3	2	3	5	5	6	7	10
A. NOT OPERATED	586	2.8	1	1	2	3	3	4	4	6
B. OPERATED	3127	4.5	3	2	3	5	5	6	7	10
TOTAL 0-19 YRS	283	4.0	2	2	2	4	5	6	7	8
20-34	3070	4.2	3	2	2	4	5	6	7	9
35-49	360	4.5	3	2	3	5	5	6	7	10
50-64										
65+										
GRAND TOTAL	**3713**	**4.3**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	3.4	1	2	2	3	4	5	5	6
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	156	5.0	1	4	4	5	6	6	7	8
20-34	1515	5.1	1	4	4	5	6	6	7	7
35-49	101	5.2	1	4	4	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	29	4.1	1	2	3	4	5	6	6	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	533	5.6	3	3	4	5	6	7	9	12
20-34	4591	5.4	2	4	4	5	6	7	7	10
35-49	471	5.6	2	4	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.3	1	2	2	3	4	5	5	6
B. *Operated*	1772	5.1	1	4	4	5	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	32	4.2	2	2	2	4	5	6	7	7
B. *Operated*	5595	5.4	2	4	4	5	6	7	8	11
1. SINGLE DX	1801	5.1	1	4	4	5	6	6	7	7
2. MULTIPLE DX	5627	5.4	2	4	4	5	6	7	8	11
A. NOT OPERATED	61	3.8	2	2	2	3	5	6	6	7
B. OPERATED	7367	5.4	2	4	4	5	6	7	7	10
TOTAL 0-19 YRS	693	5.4	3	4	4	5	6	7	8	11
20-34	6160	5.3	2	4	4	5	6	7	7	10
35-49	575	5.5	2	4	4	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**7428**	**5.3**	**2**	**4**	**4**	**5**	**6**	**7**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.1	1	2	2	3	4	4	5	6
20-34	629	3.0	1	2	2	3	3	4	4	5
35-49	53	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	94	3.9	2	2	2	4	5	5	6	8
20-34	1088	4.0	2	2	2	4	5	6	6	7
35-49	83	3.8	2	2	2	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.3	3	1	2	3	4	4	6	12
20-34	496	3.1	1	2	2	3	4	4	5	6
35-49	34	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	302	4.6	4	2	3	5	6	7	8	10
20-34	2873	4.5	3	2	3	4	5	6	7	9
35-49	290	4.8	3	2	3	5	6	7	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	759	3.0	1	2	2	3	3	4	4	5
B. *Operated*	1265	4.0	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	594	3.1	1	2	2	3	4	4	5	6
B. *Operated*	3465	4.5	3	2	3	4	5	6	7	10
1. SINGLE DX	2024	3.6	2	2	2	3	4	5	6	7
2. MULTIPLE DX	4059	4.3	3	2	2	4	5	6	7	9
A. NOT OPERATED	1353	3.0	1	2	2	3	3	4	4	6
B. OPERATED	4730	4.4	3	2	3	4	5	6	7	9
TOTAL 0-19 YRS	537	4.1	3	2	2	4	5	6	7	10
20-34	5086	4.1	3	2	2	4	5	6	7	8
35-49	460	4.2	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**6083**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	1	1	2	3	4	4	5	5
20-34	103	2.7	1	1	2	3	3	4	4	4
35-49	15	2.9	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.9	1	2	2	4	5	5	6	6
20-34	245	4.3	2	2	2	4	5	6	7	9
35-49	34	4.2	2	2	3	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	10	1	1	2	5	9	10	10
20-34	89	3.7	51	1	1	3	4	5	5	45
35-49	12	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	62	5.3	6	2	3	5	6	8	11	15
20-34	664	5.2	15	2	3	5	6	7	9	20
35-49	120	5.1	3	3	3	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.8	1	1	2	3	3	4	4	5
B. *Operated*	306	4.2	2	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	108	3.7	42	1	1	3	4	5	6	35
B. *Operated*	846	5.2	13	2	3	5	6	7	9	16
1. SINGLE DX	438	3.8	2	2	2	3	5	6	6	8
2. MULTIPLE DX	954	5.1	16	2	3	5	6	7	8	16
A. NOT OPERATED	240	3.2	20	1	2	3	3	4	5	8
B. OPERATED	1152	5.0	10	2	3	5	6	7	8	14
TOTAL 0-19 YRS	110	4.6	5	2	2	4	5	6	9	13
20-34	1101	4.7	15	2	2	4	5	6	8	14
35-49	181	4.6	3	2	3	5	6	7	7	10
50-64										
65+										
GRAND TOTAL	**1392**	**4.7**	**12**	**2**	**2**	**4**	**6**	**6**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	1	2	2	3	4	5	5	5
20-34	194	2.8	1	2	2	3	3	4	5	6
35-49	17	2.8		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	179	4.9	1	3	4	5	6	6	6	8
20-34	4890	5.0	1	3	4	5	6	6	7	8
35-49	493	5.3	1	4	4	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	89	3.0	1	1	2	3	3	4	5	6
35-49	9	3.1	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	147	5.5	4	3	4	5	6	7	8	23
20-34	6626	5.2	3	3	4	5	6	7	7	10
35-49	1096	5.6	2	4	4	5	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.8	1	2	2	3	3	4	5	6
B. *Operated*	5562	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	98	3.0	1	1	2	3	3	4	5	6
B. *Operated*	7869	5.3	3	3	4	5	6	7	7	10
1. SINGLE DX	5781	5.0	1	3	4	5	6	6	7	8
2. MULTIPLE DX	7967	5.3	3	3	4	5	6	7	7	10
A. NOT OPERATED	317	2.9	1	2	2	3	3	4	5	6
B. OPERATED	13431	5.2	2	3	4	5	6	7	7	9
TOTAL 0-19 YRS	334	5.1	3	3	4	5	6	6	7	11
20-34	11799	5.1	2	3	4	5	6	6	7	9
35-49	1615	5.5	2	3	4	5	6	7	7	9
50-64										
65+										
GRAND TOTAL	**13748**	**5.1**	**2**	**3**	**4**	**5**	**6**	**7**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.1	3	2	2	3	3	4	5	15
20-34	1277	3.0	2	2	2	3	3	4	4	6
35-49	120	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	97	3.4	1	2	2	3	4	5	6	8
20-34	748	3.4	1	2	2	3	4	5	6	7
35-49	69	3.5	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	4.1	6	2	2	3	4	6	9	14
20-34	939	3.4	3	2	2	3	4	5	6	10
35-49	95	3.3	3	2	2	3	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	318	4.8	14	2	2	4	6	7	9	20
20-34	3348	4.4	7	2	2	4	5	6	7	15
35-49	387	4.6	10	2	2	4	5	7	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1552	3.1	2	2	2	3	3	4	4	6
B. *Operated*	914	3.4	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1141	3.4	3	2	2	3	4	5	6	12
B. *Operated*	4053	4.5	8	2	2	4	5	6	8	15
1. SINGLE DX	2466	3.2	2	2	2	3	4	4	5	7
2. MULTIPLE DX	5194	4.2	7	2	2	4	5	6	7	14
A. NOT OPERATED	2693	3.2	2	2	2	3	4	4	5	9
B. OPERATED	4967	4.3	7	2	2	4	5	6	7	13
TOTAL 0-19 YRS	677	4.1	9	2	2	3	5	6	8	15
20-34	6312	3.8	5	2	2	3	4	6	7	12
35-49	671	4.0	7	2	2	3	5	6	7	14
50-64										
65+										
GRAND TOTAL	**7660**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	2.6	1	1	2	3	3	3	4	5
20-34	3388	2.7	1	1	2	3	3	4	4	4
35-49	265	2.7	1	1	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	156	2.8	1	2	2	3	3	4	5	6
20-34	1489	2.9	1	2	2	3	3	4	4	5
35-49	122	3.1	1	2	2	3	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	2.9	1	2	2	3	3	4	4	6
20-34	1038	2.8	1	1	2	3	3	4	4	5
35-49	101	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	166	3.2	2	2	2	3	3	5	6	10
20-34	2012	3.2	2	2	2	3	4	5	5	7
35-49	227	3.6	3	2	2	3	4	5	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3984	2.7	1	1	2	3	3	4	4	4
B. *Operated*	1767	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	1235	2.8	1	2	2	3	3	4	4	5
B. *Operated*	2405	3.3	2	2	2	3	4	5	6	8
1. SINGLE DX	5751	2.7	1	2	2	3	3	4	4	5
2. MULTIPLE DX	3640	3.1	2	2	2	3	4	5	5	7
A. NOT OPERATED	5219	2.7	1	1	2	3	3	4	4	5
B. OPERATED	4172	3.1	1	2	2	3	3	4	5	7
TOTAL 0-19 YRS	749	2.8	1	2	2	3	3	4	5	6
20-34	7927	2.9	1	2	2	3	3	4	4	6
35-49	715	3.1	2	2	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**9391**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	1	1	1	3	3	3	4	4
20-34	470	2.5	2	1	1	2	3	3	4	5
35-49	38	2.6	1	<1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	684	2.5	1	1	2	3	3	3	4	4
20-34	7139	2.6	1	1	2	3	3	3	4	4
35-49	757	2.6	1	1	1	3	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	1	1	1	3	3	3	4	4
20-34	218	2.6	1	1	2	2	3	4	4	5
35-49	22	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	404	3.0	4	2	2	3	3	4	4	9
20-34	4735	2.9	1	1	2	3	3	4	4	6
35-49	621	3.0	1	2	2	3	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	2.5	2	1	1	2	3	3	4	5
B. *Operated*	8580	2.6	1	1	2	3	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	258	2.6	1	1	2	3	3	4	4	5
B. *Operated*	5760	2.9	1	2	2	3	3	4	4	6
1. SINGLE DX	9139	2.6	1	1	2	3	3	3	4	4
2. MULTIPLE DX	6018	2.9	1	1	2	3	3	4	4	6
A. NOT OPERATED	817	2.5	2	1	1	3	3	3	4	5
B. OPERATED	14340	2.7	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	1157	2.7	2	1	2	3	3	4	4	6
20-34	12562	2.7	1	1	2	3	3	4	4	5
35-49	1438	2.8	1	1	2	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**15157**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	1	1	2	3	3	4	5	5
20-34	181	2.5	1	1	1	2	3	4	4	6
35-49	9	2.7	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	468	2.8	1	2	2	3	3	4	4	5
20-34	2646	2.9	1	2	2	3	3	4	4	5
35-49	146	3.0	1	2	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	2	2	2	4	5	6	6	6
20-34	71	2.8	1	1	1	3	3	4	4	7
35-49	10	2.9	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	280	3.2	2	2	2	3	3	4	5	8
20-34	2084	3.2	2	2	2	3	4	4	5	6
35-49	165	3.3	1	2	2	3	4	4	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	2.5	1	1	1	2	3	4	4	6
B. *Operated*	3260	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	88	2.9	1	1	2	3	3	4	5	7
B. *Operated*	2529	3.2	2	2	2	3	4	4	5	7
1. SINGLE DX	3476	2.9	1	2	2	3	3	4	4	5
2. MULTIPLE DX	2617	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	304	2.6	1	1	1	3	3	4	4	6
B. OPERATED	5789	3.0	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	781	3.0	1	2	2	3	3	4	4	7
20-34	4982	3.0	1	2	2	3	3	4	4	6
35-49	330	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**6093**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	1	1	2	2	3	4	5	7
20-34	172	2.6	1	1	2	3	3	3	4	4
35-49	10	2.8		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	121	2.6	1	1	2	3	3	3	4	5
20-34	910	2.7	1	1	2	3	3	4	4	5
35-49	56	2.7	1	1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	3	1	1	2	3	5	7	7
20-34	87	2.5	1	1	1	2	3	4	4	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	102	3.1	2	2	2	3	3	4	5	10
20-34	823	3.0	2	2	2	3	3	4	5	8
35-49	74	3.5	3	1	2	3	4	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.6	1	1	2	3	3	3	4	4
B. *Operated*	1087	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	101	2.6	1	1	1	2	3	4	4	7
B. *Operated*	999	3.1	2	2	2	3	3	4	5	8
1. SINGLE DX	1295	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	1100	3.0	2	2	2	3	3	4	5	8
A. NOT OPERATED	309	2.6	1	1	2	3	3	3	4	6
B. OPERATED	2086	2.9	2	1	2	3	3	4	4	7
TOTAL 0-19 YRS	260	2.8	1	2	2	3	3	4	5	7
20-34	1992	2.8	1	1	2	3	3	4	4	6
35-49	143	3.1	2	1	2	3	3	5	6	9
50-64										
65+										
GRAND TOTAL	**2395**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	627	2.9	2	1	2	3	3	4	5	8
20-34	4330	2.8	1	1	2	3	3	4	4	6
35-49	444	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	869	3.4	2	2	2	3	4	5	6	9
20-34	6159	3.5	3	2	2	3	4	5	6	9
35-49	480	3.8	4	2	2	3	5	6	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	469	3.2	3	1	1	3	4	5	6	9
20-34	3190	3.0	5	1	1	3	3	4	5	10
35-49	345	3.2	4	1	2	3	3	4	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1745	4.5	9	2	2	4	5	7	9	15
20-34	13788	4.5	10	2	2	4	5	7	9	16
35-49	1604	5.0	11	2	2	5	6	7	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5401	2.8	2	1	2	3	3	4	4	6
B. *Operated*	7508	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	4004	3.1	4	1	1	3	3	4	5	10
B. *Operated*	17137	4.5	10	2	2	4	5	7	9	16
1. SINGLE DX	12909	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	21141	4.2	9	2	2	4	5	7	8	16
A. NOT OPERATED	9405	2.9	3	1	2	3	3	4	5	8
B. OPERATED	24645	4.2	8	2	2	4	5	6	8	14
TOTAL 0-19 YRS	3710	3.8	6	2	2	3	5	6	8	12
20-34	27467	3.8	7	2	2	3	5	6	7	13
35-49	2873	4.3	8	2	2	4	5	7	8	17
50-64										
65+										
GRAND TOTAL	**34050**	**3.9**	**7**	**2**	**2**	**3**	**5**	**6**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	3	1	2	4	4	6	8	8
20-34	125	3.9	4	2	2	4	5	6	7	12
35-49	9	4.2	5	1	2	4	5	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	13	4.8	11	<1	1	5	6	10	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	4	2	2	4	5	8	8	8
20-34	79	3.9	3	1	2	4	5	7	7	9
35-49	5	4.2	8	2	2	3	5	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.3	50	<1	<1	6	13	15	15	15
20-34	28	6.8	28	1	2	6	9	11	18	26
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.9	4	2	2	4	5	6	8	11
B. *Operated*	15	4.3	11	<1	1	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	98	4.0	4	2	2	4	5	7	8	9
B. *Operated*	33	6.9	29	1	1	6	10	15	17	26
1. SINGLE DX	186	3.9	4	1	2	4	5	6	8	11
2. MULTIPLE DX	131	4.7	12	1	2	4	6	9	10	19
A. NOT OPERATED	269	3.9	4	2	2	4	5	7	8	9
B. OPERATED	48	6.1	25	1	1	5	9	11	15	26
TOTAL 0-19 YRS	56	3.9	6	1	2	4	5	7	8	15
20-34	245	4.3	8	1	2	4	5	7	9	15
35-49	16	4.8	12	1	2	4	6	9	13	15
50-64										
65+										
GRAND TOTAL	**317**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	40	1.6	1	<1	<1	1	2	2	3	5
35-49	6	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.6	1	1	1	2	2	3	3	3
20-34	151	1.4	1	<1	<1	1	1	2	3	5
35-49	10	2.3	8	<1	<1	1	2	6	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	1	1	1	3	5	5	5
20-34	19	2.3	3	1	1	2	3	5	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.9	6	1	1	2	4	5	9	10
20-34	109	2.1	3	<1	1	1	3	5	5	8
35-49	10	2.0	4	<1	<1	1	2	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.6	1	<1	<1	1	2	2	3	5
B. *Operated*	177	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	30	2.2	2	1	1	2	3	5	5	6
B. *Operated*	133	2.2	3	<1	1	1	3	5	6	10
1. SINGLE DX	227	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	163	2.2	3	<1	1	1	3	5	6	9
A. NOT OPERATED	80	1.8	1	<1	1	1	2	3	5	6
B. OPERATED	310	1.8	2	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	41	2.1	3	1	1	2	3	4	5	10
20-34	319	1.7	2	<1	<1	1	2	3	5	6
35-49	30	2.0	4	<1	<1	1	2	4	6	10
50-64										
65+										
GRAND TOTAL	**390**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**6**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	6	1	1	3	4	7	8	8
20-34	74	3.2	5	1	1	3	4	5	8	11
35-49	10	4.6	7	2	2	4	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.9	3	1	1	3	3	6	7	8
20-34	140	3.0	5	1	1	3	3	4	7	14
35-49	17	4.8	17	1	2	3	7	12	14	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	19	2	2	4	6	13	15	15
20-34	62	5.0	17	<1	1	4	6	11	15	18
35-49	13	7.4	19	1	2	6	10	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.0	8	2	2	3	5	7	11	14
20-34	79	5.0	26	1	1	3	5	14	17	24
35-49	7	9.0	69	3	3	7	9	24	27	27
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.4	5	1	1	3	4	7	8	11
B. *Operated*	174	3.1	6	1	1	3	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	83	5.4	18	1	2	4	7	12	15	18
B. *Operated*	107	5.1	26	1	1	3	6	13	16	27
1. SINGLE DX	265	3.2	6	1	1	3	3	6	8	14
2. MULTIPLE DX	190	5.2	22	1	1	3	6	12	16	23
A. NOT OPERATED	174	4.3	12	1	1	3	5	10	11	17
B. OPERATED	281	3.9	15	1	1	3	4	8	13	18
TOTAL 0-19 YRS	53	3.7	8	1	2	3	4	7	8	15
20-34	355	3.8	13	1	1	3	4	8	12	18
35-49	47	6.1	24	2	2	4	8	13	15	27
50-64										
65+										
GRAND TOTAL	**455**	**4.1**	**14**	**1**	**1**	**3**	**4**	**8**	**13**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	516	3.7	6	1	2	3	4	6	8	14
20-34	551	4.3	6	2	2	4	5	7	9	13
35-49	437	4.5	6	2	2	4	6	8	9	13
50-64	282	5.4	12	2	2	5	6	9	11	15
65+	196	6.1	11	2	2	6	8	10	12	20
B. *Operated*										
0-19 YRS	185	4.5	10	1	1	4	6	8	11	15
20-34	287	5.1	13	1	2	4	7	9	11	19
35-49	155	5.0	12	1	1	4	7	10	11	18
50-64	92	6.8	97	1	1	5	8	11	12	65
65+	69	7.4	37	2	2	6	10	13	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	557	4.4	9	2	2	4	5	7	10	15
20-34	918	5.4	16	2	2	4	7	10	12	20
35-49	1127	6.7	24	2	3	6	8	12	15	26
50-64	1615	7.9	39	3	3	6	9	14	17	37
65+	3250	9.5	58	3	4	8	11	17	22	48
B. *Operated*										
0-19 YRS	264	6.4	29	1	2	5	8	14	17	28
20-34	598	8.1	70	2	2	6	9	14	21	46
35-49	652	10.5	102	2	3	7	13	22	31	53
50-64	912	12.4	133	3	4	9	14	27	38	65
65+	1428	15.2	166	3	5	12	19	33	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1982	4.5	8	2	2	4	6	8	10	15
B. *Operated*	788	5.3	25	1	1	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	7467	7.8	43	2	3	6	9	14	18	36
B. *Operated*	3854	12.1	132	2	3	8	15	27	37	66
1. SINGLE DX	2770	4.7	13	1	2	4	6	8	10	15
2. MULTIPLE DX	11321	9.3	77	2	3	7	11	18	26	52
A. NOT OPERATED	9449	7.1	37	2	2	6	9	13	17	33
B. OPERATED	4642	10.9	120	2	3	8	13	24	34	65
TOTAL 0-19 YRS	1522	4.5	12	1	2	4	5	8	11	20
20-34	2354	5.8	29	2	2	4	7	10	13	27
35-49	2371	7.2	46	2	2	5	8	13	19	37
50-64	2901	9.0	73	2	3	7	10	17	25	49
65+	4943	11.0	95	3	4	8	13	21	30	65
GRAND TOTAL	**14091**	**8.4**	**68**	**2**	**3**	**6**	**10**	**16**	**23**	**47**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.8	4	1	2	3	5	7	8	10
20-34	103	4.0	4	1	2	4	5	7	8	11
35-49	53	4.3	13	2	2	3	6	7	9	24
50-64	27	5.0	7	2	2	4	7	9	10	12
65+	20	4.9	8	1	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	99	4.4	22	<1	1	3	6	9	11	29
20-34	87	4.4	14	<1	1	4	6	8	10	22
35-49	54	4.4	15	<1	1	3	5	9	12	20
50-64	34	4.8	19	<1	1	3	7	10	16	17
65+	13	3.8	10	<1	<1	3	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	4.5	6	2	2	4	6	8	9	11
20-34	129	5.4	24	2	2	4	6	9	14	28
35-49	139	6.5	41	2	2	5	8	12	14	36
50-64	161	7.0	20	2	3	6	9	12	15	27
65+	250	8.3	24	3	3	7	10	15	17	26
B. *Operated*										
0-19 YRS	118	6.6	33	1	2	5	8	14	19	28
20-34	113	5.4	21	1	1	4	6	11	15	23
35-49	142	8.7	86	1	2	6	12	18	28	66
50-64	196	8.6	51	1	2	7	11	18	24	43
65+	270	11.3	90	2	3	8	14	22	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	4.1	6	2	2	3	5	7	8	12
B. *Operated*	287	4.4	17	<1	1	3	6	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	885	6.5	24	2	2	5	8	12	15	26
B. *Operated*	839	8.7	67	1	2	6	11	18	24	50
1. SINGLE DX	654	4.2	11	1	1	3	6	8	9	17
2. MULTIPLE DX	1724	7.6	46	2	2	6	9	15	21	38
A. NOT OPERATED	1252	5.8	20	2	2	5	7	10	13	24
B. OPERATED	1126	7.6	58	1	1	5	9	16	22	44
TOTAL 0-19 YRS	587	4.7	14	1	2	4	6	8	10	22
20-34	432	4.9	17	1	1	4	6	8	13	24
35-49	388	6.7	53	1	2	5	8	13	18	51
50-64	418	7.4	35	1	2	6	9	14	20	32
65+	553	9.5	59	2	3	7	12	18	24	45
GRAND TOTAL	**2378**	**6.7**	**39**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	14	2.9	2	<1	1	3	4	5	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	624	2.3	2	1	1	2	3	4	5	8
20-34	1159	2.4	2	1	1	2	3	4	5	7
35-49	189	2.4	2	1	1	2	3	4	5	9
50-64	34	2.5	2	<1	1	2	4	4	5	6
65+	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	17	1.8	2	<1	<1	1	2	4	5	5
35-49	5	2.6	3	<1	<1	2	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	5.7	9	3	3	5	8	9	9	9
B. *Operated*										
0-19 YRS	104	3.1	7	1	1	2	4	5	9	15
20-34	211	3.0	7	<1	1	2	4	5	7	13
35-49	64	3.6	12	1	1	3	4	7	11	19
50-64	26	5.5	76	<1	<1	3	6	12	20	45
65+	15	3.6	8	1	1	3	3	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.5	2	<1	<1	2	3	5	5	6
B. *Operated*	2008	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	31	2.2	4	<1	<1	1	3	5	5	9
B. *Operated*	420	3.3	12	1	1	3	4	6	9	15
1. SINGLE DX	2028	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	451	3.2	11	<1	1	2	4	6	9	14
A. NOT OPERATED	51	2.3	3	<1	<1	2	3	5	5	9
B. OPERATED	2428	2.5	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	737	2.4	3	1	1	2	3	4	5	9
20-34	1401	2.5	3	1	1	2	3	4	5	8
35-49	260	2.7	5	1	1	2	3	4	6	13
50-64	61	3.7	35	<1	1	2	4	6	10	42
65+	20	4.0	7	1	1	3	5	9	10	10
GRAND TOTAL	**2479**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	39	1.2		<1	<1	<1	1	2	2	5
20-34	78	1.2		<1	<1	<1	1	2	3	5
35-49	80	1.4	4	<1	<1	<1	1	2	3	13
50-64	58	1.3	1	<1	<1	<1	1	2	2	7
65+	23	1.3	1	<1	<1	<1	1	2	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34										
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	3	9.0	112	1	1	5	17	21	21	21
B. *Operated*										
0-19 YRS	10	1.9	3	<1	<1	1	2	5	6	6
20-34	24	3.2	9	<1	<1	2	4	6	10	14
35-49	36	3.2	21	<1	<1	1	3	7	13	24
50-64	51	3.9	38	<1	<1	2	4	6	24	30
65+	32	3.3	11	<1	<1	2	5	9	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	278	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	9	4.8	40	<1	<1	3	5	15	21	21
B. *Operated*	153	3.3	21	<1	<1	2	4	7	10	26
1. SINGLE DX	281	1.3	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX	162	3.4	22	<1	<1	2	4	7	12	26
A. NOT OPERATED	12	3.8	32	<1	<1	1	5	10	19	21
B. OPERATED	431	2.0	9	<1	<1	<1	2	4	6	18
TOTAL 0-19 YRS	53	1.4	1	<1	<1	<1	1	2	4	6
20-34	102	1.7	3	<1	<1	<1	1	4	5	11
35-49	118	2.0	9	<1	<1	<1	2	4	6	19
50-64	112	2.5	19	<1	<1	1	2	5	6	28
65+	58	2.8	14	<1	<1	1	2	7	10	20
GRAND TOTAL	**443**	**2.1**	**10**	**<1**	**<1**	**<1**	**2**	**4**	**6**	**21**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.1	14	1	1	3	5	8	12	17
20-34	108	5.9	32	<1	1	4	8	16	19	21
35-49	81	6.6	45	1	1	4	9	16	21	34
50-64	67	5.5	34	1	1	3	6	11	19	31
65+	43	7.0	38	1	1	5	10	18	20	22
B. *Operated*										
0-19 YRS	195	2.4	16	<1	<1	1	2	4	7	17
20-34	294	3.6	38	<1	<1	2	4	7	11	28
35-49	223	3.5	24	<1	<1	2	4	8	13	27
50-64	216	3.6	34	<1	<1	1	3	8	15	32
65+	155	6.7	104	<1	<1	3	8	17	23	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	4.9	22	1	1	4	6	10	14	30
20-34	254	6.3	71	1	1	4	7	13	18	46
35-49	333	8.6	91	1	2	6	11	19	25	68
50-64	477	9.5	81	2	2	7	13	20	26	55
65+	1276	12.4	126	2	3	9	15	24	36	70
B. *Operated*										
0-19 YRS	187	7.4	121	<1	<1	3	9	20	29	55
20-34	447	13.8	286	<1	1	6	21	42	51	99+
35-49	546	11.8	240	<1	1	6	15	30	45	93
50-64	846	12.8	205	1	1	9	18	33	46	99+
65+	1804	18.7	292	2	3	14	26	48	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	5.4	29	1	1	3	7	13	19	23
B. *Operated*	1083	3.8	41	<1	<1	2	3	9	14	31
2. MULTIPLE DX										
A. *Not Operated*	2609	10.0	104	1	2	7	13	21	28	66
B. *Operated*	3830	15.3	268	1	1	11	21	40	61	99+
1. SINGLE DX	1558	4.3	38	<1	<1	2	5	10	16	29
2. MULTIPLE DX	6439	13.2	208	1	2	9	17	32	49	99+
A. NOT OPERATED	3084	9.3	96	1	2	7	12	20	27	60
B. OPERATED	4913	12.7	241	<1	1	7	18	34	53	99+
TOTAL 0-19 YRS	827	4.7	44	<1	<1	2	5	10	15	39
20-34	1103	8.5	165	<1	<1	4	9	23	40	74
35-49	1183	9.0	154	<1	1	5	11	22	32	82
50-64	1606	10.3	148	1	1	6	14	26	36	93
65+	3278	15.5	229	1	3	11	20	37	58	99+
GRAND TOTAL	**7997**	**11.4**	**188**	**<1**	**1**	**7**	**15**	**28**	**43**	**99+**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	53	1	1	3	10	19	20	20
20-34	21	3.7	9	1	1	3	4	9	11	12
35-49	15	7.5	62	1	2	6	9	11	28	34
50-64	10	9.3	167	1	2	5	9	28	45	45
65+	3	8.0	4	6	6	8	9	10	10	10
B. *Operated*										
0-19 YRS	13	4.5	11	<1	<1	4	7	9	11	11
20-34	9	4.0	11	1	1	3	5	9	12	12
35-49	12	6.4	26	1	2	6	8	14	17	18
50-64	7	7.6	63	1	1	6	11	21	23	23
65+	4	27.8	1194	7	7	13	48	79	79	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.4	71	1	1	3	11	20	28	32
20-34	130	6.6	28	2	2	5	8	13	15	28
35-49	94	7.5	26	2	3	7	9	15	21	99+
50-64	101	9.6	65	2	2	7	12	23	27	69
65+	119	9.8	58	3	3	8	12	19	29	99+
B. *Operated*										
0-19 YRS	17	12.9	251	2	2	8	22	85	99+	99+
20-34	54	13.6	196	2	2	10	16	34	47	65
35-49	78	15.3	230	2	2	11	18	35	43	76
50-64	70	14.2	175	1	2	11	18	32	51	93
65+	66	17.2	262	2	6	13	20	33	60	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	6.3	57	1	1	4	8	11	18	44
B. *Operated*	45	7.5	144	<1	1	5	8	13	19	79
2. MULTIPLE DX										
A. *Not Operated*	467	8.3	47	2	2	7	11	16	26	88
B. *Operated*	285	15.0	217	2	2	11	19	35	55	99+
1. SINGLE DX	100	6.8	96	1	1	4	8	12	19	62
2. MULTIPLE DX	752	10.8	122	2	2	8	13	24	35	99+
A. NOT OPERATED	522	8.1	48	2	2	6	10	16	26	60
B. OPERATED	330	14.0	214	2	2	10	18	33	51	99+
TOTAL 0-19 YRS	59	8.3	113	<1	1	5	11	24	48	99+
20-34	214	7.9	78	1	2	5	10	15	24	51
35-49	199	10.5	123	2	3	7	13	22	35	90
50-64	188	11.2	114	2	2	8	14	26	35	86
65+	192	12.7	161	3	3	10	15	28	41	99+
GRAND TOTAL	**852**	**10.4**	**120**	**2**	**2**	**7**	**13**	**23**	**34**	**98**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	6.3	33	2	2	4	8	12	20	31
20-34	20	4.6	8	1	1	4	6	9	10	11
35-49	17	5.2	10	2	2	4	7	8	12	14
50-64	42	4.9	10	1	2	4	6	9	13	15
65+	32	6.9	79	1	2	5	7	11	15	52
B. *Operated*										
0-19 YRS	8	4.1	15	<1	<1	2	8	9	10	10
20-34	17	6.0	11	1	2	5	8	11	12	12
35-49	62	4.9	14	1	1	4	6	10	12	16
50-64	112	6.9	26	1	1	5	11	15	17	20
65+	81	8.3	39	1	2	7	12	16	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	7.0	27	2	2	6	10	17	20	96
20-34	32	7.8	72	2	2	5	8	16	28	42
35-49	55	4.8	8	1	1	5	6	10	10	12
50-64	163	6.8	32	1	2	5	9	13	15	46
65+	315	8.3	65	2	3	6	10	15	20	52
B. *Operated*										
0-19 YRS	9	17.7	487	<1	2	10	19	53	74	74
20-34	40	7.4	44	1	1	5	10	16	22	30
35-49	100	7.2	57	1	2	5	10	14	19	45
50-64	326	9.7	73	1	2	9	13	17	23	48
65+	381	12.3	106	2	3	11	16	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	5.7	31	1	2	4	7	10	14	30
B. *Operated*	280	6.8	28	1	1	5	10	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	619	7.5	49	2	2	6	9	14	18	45
B. *Operated*	856	10.6	92	1	2	9	14	21	27	57
1. SINGLE DX	442	6.4	29	1	2	5	9	14	16	25
2. MULTIPLE DX	1475	9.3	76	1	2	7	12	18	24	55
A. NOT OPERATED	781	7.1	46	1	2	5	9	13	17	43
B. OPERATED	1136	9.6	79	1	2	8	13	19	24	50
TOTAL 0-19 YRS	122	7.3	67	1	2	5	10	15	21	81
20-34	109	6.8	41	1	2	5	8	14	18	35
35-49	234	5.9	32	1	1	4	8	12	15	23
50-64	643	8.2	53	1	2	6	12	16	19	44
65+	809	10.2	86	2	3	8	13	20	27	55
GRAND TOTAL	**1917**	**8.6**	**67**	**1**	**2**	**6**	**12**	**17**	**22**	**46**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	3	1.7		1	1	2	2	2	2	2
35-49	7	2.7	7	<1	<1	2	4	7	8	8
50-64	24	5.1	17	1	1	5	8	11	13	15
65+	51	5.0	14	1	1	4	7	10	15	15
B. *Operated*										
0-19 YRS	10	2.8	12	<1	<1	1	3	8	12	12
20-34	85	3.3	13	<1	1	2	4	7	12	19
35-49	237	4.9	22	<1	1	3	7	11	15	22
50-64	723	8.6	34	<1	1	9	12	15	17	23
65+	962	11.9	25	2	6	12	15	17	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	8	4.5	12	1	1	4	6	10	11	11
35-49	29	4.2	14	<1	1	2	5	11	14	14
50-64	122	5.4	46	<1	1	4	7	11	13	33
65+	590	8.0	94	1	1	6	10	16	25	94
B. *Operated*										
0-19 YRS	7	7.0	68	<1	<1	3	11	21	23	23
20-34	86	5.8	34	<1	1	4	8	13	18	30
35-49	297	7.2	48	<1	1	5	11	15	17	33
50-64	1501	10.4	52	1	2	10	14	17	22	36
65+	3763	14.4	64	4	8	13	16	22	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.7	14	1	1	4	7	10	14	15
B. *Operated*	2017	9.5	35	1	1	10	13	16	18	24
2. MULTIPLE DX										
A. *Not Operated*	751	7.4	83	1	1	5	9	14	21	83
B. *Operated*	5654	12.8	65	2	3	12	16	20	26	48
1. SINGLE DX	2105	9.3	35	1	1	10	13	16	18	24
2. MULTIPLE DX	6405	12.2	70	1	2	12	16	20	25	49
A. NOT OPERATED	839	7.1	76	1	1	5	9	14	20	80
B. OPERATED	7671	11.9	59	1	2	12	15	19	24	42
TOTAL 0-19 YRS	22	4.5	30	<1	<1	2	6	12	17	23
20-34	182	4.5	24	<1	1	3	6	11	14	24
35-49	570	6.0	37	<1	1	4	9	13	16	26
50-64	2370	9.5	48	1	1	9	13	16	20	32
65+	5366	13.1	64	2	4	12	16	20	26	50
GRAND TOTAL	**8510**	**11.5**	**63**	**1**	**2**	**11**	**15**	**19**	**23**	**45**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	6.7	43	<1	1	4	10	16	20	29
20-34	31	4.9	11	2	2	3	7	9	13	14
35-49	29	5.1	20	1	1	4	7	9	16	21
50-64	14	8.6	36	<1	<1	8	15	17	18	18
65+	19	5.0	35	<1	1	4	5	8	19	28
B. *Operated*										
0-19 YRS	26	10.6	47	1	4	10	14	16	22	36
20-34	113	4.8	19	1	1	4	6	11	13	21
35-49	115	5.2	36	<1	1	3	5	12	17	32
50-64	110	5.9	34	<1	1	4	9	12	15	31
65+	44	8.9	56	1	2	8	11	18	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.4	48	1	2	6	13	16	26	30
20-34	57	6.8	34	1	1	4	10	15	20	25
35-49	61	7.5	40	1	2	6	10	14	22	31
50-64	84	9.0	61	2	2	7	10	22	27	34
65+	225	10.3	90	2	3	7	12	22	30	54
B. *Operated*										
0-19 YRS	70	14.5	74	3	4	14	20	27	30	38
20-34	122	9.4	101	1	1	6	11	23	32	47
35-49	137	8.1	100	1	1	4	9	24	32	50
50-64	202	13.5	163	1	1	9	20	31	36	56
65+	282	18.3	240	2	3	14	25	40	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	5.9	29	1	1	4	7	14	18	28
B. *Operated*	408	6.0	36	1	1	4	9	13	16	32
2. MULTIPLE DX										
A. *Not Operated*	486	9.1	68	2	2	7	11	21	28	42
B. *Operated*	813	13.7	177	1	2	10	19	31	41	64
1. SINGLE DX	542	6.0	34	1	1	4	8	13	17	30
2. MULTIPLE DX	1299	12.0	141	1	2	8	16	28	35	57
A. NOT OPERATED	620	8.4	62	1	2	6	10	18	25	40
B. OPERATED	1221	11.1	143	1	1	7	15	27	35	56
TOTAL 0-19 YRS	196	10.5	65	1	2	9	15	22	28	34
20-34	323	6.9	56	1	1	4	9	14	22	42
35-49	342	6.7	63	1	1	4	9	15	26	36
50-64	410	10.4	113	1	1	7	14	26	32	49
65+	570	14.0	179	2	3	10	18	31	43	70
GRAND TOTAL	**1841**	**10.2**	**117**	**1**	**2**	**7**	**13**	**24**	**32**	**51**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	<1	<1	2	2	4	4	4
20-34	9	2.8	5	<1	<1	2	4	7	7	7
35-49	4	3.8	4	<1	<1	4	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	293	2.0	2	<1	<1	1	2	4	5	7
20-34	564	2.3	4	<1	<1	2	3	5	6	9
35-49	317	2.1	3	<1	<1	2	2	4	5	8
50-64	129	2.0	3	<1	<1	1	2	4	6	9
65+	27	2.1	4	<1	<1	1	2	4	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	4	<1	<1	1	3	6	6	6
20-34	26	1.6	1	<1	<1	1	2	3	4	4
35-49	23	1.9	3	<1	<1	1	2	5	7	7
50-64	9	1.4	1	<1	<1	1	2	3	3	3
65+	7	4.1	19	<1	<1	2	6	12	13	13
B. *Operated*										
0-19 YRS	225	2.6	4	<1	<1	2	4	5	6	9
20-34	637	2.6	6	<1	<1	2	3	5	7	10
35-49	414	2.3	4	<1	<1	2	3	5	6	11
50-64	351	2.4	4	<1	<1	2	3	4	6	12
65+	159	3.6	39	<1	<1	2	4	7	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.0	4	<1	<1	2	4	6	7	7
B. *Operated*	1330	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	71	2.0	4	<1	<1	1	2	4	7	12
B. *Operated*	1786	2.6	8	<1	<1	2	3	5	7	13
1. SINGLE DX	1351	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1857	2.5	8	<1	<1	2	3	5	7	13
A. NOT OPERATED	92	2.2	4	<1	<1	1	3	5	7	11
B. OPERATED	3116	2.4	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	530	2.3	3	<1	<1	2	3	5	5	8
20-34	1236	2.4	5	<1	<1	2	3	5	6	9
35-49	758	2.2	3	<1	<1	2	3	4	6	10
50-64	490	2.3	4	<1	<1	2	3	4	6	11
65+	194	3.5	33	<1	<1	2	3	7	11	22
GRAND TOTAL	**3208**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.9	4	1	1	2	4	5	7	11
20-34	41	3.5	7	<1	<1	3	4	8	9	10
35-49	19	3.3	8	<1	<1	2	6	8	9	9
50-64	15	5.3	15	<1	1	4	8	11	12	12
65+	21	4.4	6	1	2	4	5	8	10	11
B. *Operated*										
0-19 YRS	525	2.6	2	<1	1	2	3	5	5	8
20-34	895	2.9	3	1	1	3	4	5	6	9
35-49	260	2.9	3	<1	1	3	4	5	7	9
50-64	72	2.8	5	<1	<1	2	4	5	7	12
65+	34	5.2	44	<1	1	3	7	12	14	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.0	26	<1	<1	2	4	9	17	26
20-34	70	5.2	142	<1	<1	3	5	8	12	83
35-49	71	3.8	13	<1	1	3	5	8	11	20
50-64	76	4.9	15	<1	1	4	7	9	12	20
65+	234	7.5	52	2	2	6	9	14	21	47
B. *Operated*										
0-19 YRS	397	4.4	24	<1	1	3	5	9	13	23
20-34	475	3.7	18	<1	1	3	4	7	10	20
35-49	279	4.4	30	<1	1	3	5	10	14	28
50-64	176	4.9	34	<1	1	3	5	11	16	28
65+	201	9.4	118	<1	1	6	12	22	29	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.4	6	<1	1	3	5	7	9	12
B. *Operated*	1786	2.9	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	532	5.8	51	<1	1	4	7	12	17	36
B. *Operated*	1528	4.9	40	<1	1	3	5	10	16	32
1. SINGLE DX	1972	2.9	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	2060	5.1	43	<1	1	3	6	11	16	34
A. NOT OPERATED	718	5.2	41	<1	1	4	6	10	14	30
B. OPERATED	3314	3.8	22	<1	1	3	4	7	10	24
TOTAL 0-19 YRS	1093	3.4	13	<1	1	2	4	6	8	18
20-34	1481	3.3	15	<1	1	3	4	5	7	16
35-49	629	3.7	17	<1	1	3	4	7	10	22
50-64	339	4.5	23	<1	1	3	5	10	12	26
65+	490	8.0	78	1	2	5	10	17	25	64
GRAND TOTAL	**4032**	**4.1**	**25**	**<1**	**1**	**3**	**4**	**8**	**11**	**25**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	12.0	100	2	2	12	19	22	22	22
35-49	1	18.0		18	18	18	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.0	29	2	2	12	13	14	14	14
35-49	4	5.3	4	4	4	5	6	8	8	8
50-64	3	5.3	14	1	1	7	8	8	8	8
65+	9	6.8	20	2	3	6	8	14	17	17
B. *Operated*										
0-19 YRS										
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	1	16.0		16	16	16	16	16	16	16
50-64	8	15.9	71	5	6	16	18	29	33	33
65+	5	19.8	218	2	2	18	26	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	12.0		12	12	12	12	12	12	12
B. *Operated*	4	13.5	76	2	2	15	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	20	6.9	18	1	2	6	9	13	15	17
B. *Operated*	16	16.4	101	3	5	16	19	32	40	43
1. SINGLE DX	5	13.2	57	2	2	12	19	22	22	22
2. MULTIPLE DX	36	11.1	76	2	2	9	16	19	29	43
A. NOT OPERATED	21	7.1	18	1	2	6	10	13	15	17
B. OPERATED	20	15.8	93	2	4	16	19	27	38	43
TOTAL 0-19 YRS										
20-34	10	10.8	33	2	2	12	12	18	22	22
35-49	6	9.2	39	4	4	6	16	18	18	18
50-64	11	13.0	77	1	3	11	18	25	32	33
65+	14	11.4	121	2	2	7	17	22	38	43
GRAND TOTAL	**41**	**11.4**	**73**	**2**	**2**	**10**	**16**	**19**	**27**	**43**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	5.7	19	1	1	4	8	13	14	14
35-49	40	4.8	10	<1	1	4	6	10	11	13
50-64	56	4.8	18	1	1	4	6	10	15	20
65+	61	6.2	17	1	1	5	10	12	14	90
B. *Operated*										
0-19 YRS	5	6.2	10	1	1	7	8	9	9	9
20-34	41	3.5	9	1	1	2	5	8	10	13
35-49	160	4.4	14	1	1	3	7	10	13	16
50-64	170	4.9	22	1	1	3	7	11	14	22
65+	100	5.7	26	1	1	4	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	15	5.6	8	1	3	5	8	10	10	10
35-49	110	6.5	20	1	2	5	9	13	16	19
50-64	282	7.0	27	2	2	6	8	14	17	28
65+	828	8.8	61	2	3	7	11	16	22	68
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	42	5.5	24	1	1	4	8	13	17	19
35-49	187	6.8	46	1	1	5	9	13	22	48
50-64	394	8.0	91	1	1	6	9	16	24	47
65+	415	12.0	126	1	2	9	15	25	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	5.4	16	1	1	4	8	11	13	20
B. *Operated*	476	4.8	19	1	1	3	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	1237	8.1	50	2	2	7	10	15	20	41
B. *Operated*	1039	9.3	99	1	1	7	11	20	28	64
1. SINGLE DX	645	5.0	18	1	1	4	7	11	13	21
2. MULTIPLE DX	2276	8.7	72	1	2	7	11	17	24	56
A. NOT OPERATED	1406	7.8	46	1	2	6	10	14	20	40
B. OPERATED	1515	7.9	78	1	1	6	10	17	24	52
TOTAL 0-19 YRS	8	6.5	10	1	2	7	8	10	11	11
20-34	110	4.8	16	1	1	4	7	10	13	18
35-49	497	5.8	28	1	1	5	8	12	15	28
50-64	902	6.9	55	1	1	5	8	14	19	36
65+	1404	9.4	79	1	2	7	12	19	26	68
GRAND TOTAL	**2921**	**7.8**	**63**	**1**	**1**	**6**	**10**	**15**	**21**	**46**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	6.9	25	<1	1	7	10	13	17	20
20-34	530	6.8	23	1	1	6	9	13	16	23
35-49	870	7.4	23	1	2	7	10	13	16	23
50-64	374	7.6	20	1	2	7	10	13	16	21
65+	103	7.4	12	2	3	7	10	12	14	17
B. *Operated*										
0-19 YRS	115	5.0	17	1	1	4	6	9	13	23
20-34	2395	5.5	18	1	1	5	7	10	13	22
35-49	3141	5.8	22	1	1	5	8	11	14	24
50-64	1252	5.9	22	1	1	5	8	11	15	23
65+	232	7.0	37	1	1	6	9	14	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	28	1	1	7	11	14	14	14
20-34	345	7.3	24	1	1	6	10	13	16	28
35-49	670	8.4	32	1	2	7	11	15	18	29
50-64	742	8.9	36	2	3	8	11	15	19	28
65+	735	9.6	44	2	3	8	12	17	21	32
B. *Operated*										
0-19 YRS	35	7.5	85	1	1	5	7	20	30	43
20-34	790	7.9	45	1	2	7	10	15	20	33
35-49	1572	8.4	42	1	2	7	11	16	20	33
50-64	1279	9.2	57	1	2	7	11	18	24	40
65+	694	12.6	101	1	3	10	17	25	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1898	7.3	22	1	2	7	10	13	16	22
B. *Operated*	7135	5.7	21	1	1	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	2497	8.7	36	1	3	8	11	15	19	31
B. *Operated*	4370	9.2	59	1	2	7	11	18	24	39
1. SINGLE DX	9033	6.0	22	1	1	5	8	11	15	23
2. MULTIPLE DX	6867	9.0	51	1	2	8	11	17	22	36
A. NOT OPERATED	4395	8.1	30	1	2	7	11	14	17	26
B. OPERATED	11505	7.0	39	1	1	6	9	14	19	31
TOTAL 0-19 YRS	176	5.8	33	1	1	5	7	11	15	31
20-34	4060	6.3	26	1	1	5	8	12	15	24
35-49	6253	6.9	30	1	1	6	9	13	17	28
50-64	3647	7.8	39	1	1	7	10	15	19	31
65+	1764	10.3	68	1	3	8	13	20	25	44
GRAND TOTAL	**15900**	**7.3**	**37**	**1**	**1**	**6**	**9**	**14**	**18**	**30**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	2	<1	<1	3	4	5	5	5
20-34	70	5.5	17	1	1	5	7	12	14	17
35-49	115	5.5	16	1	1	5	8	10	14	20
50-64	45	7.5	24	1	2	7	9	13	17	27
65+	12	6.1	17	<1	1	6	8	12	15	16
B. *Operated*										
0-19 YRS	4	4.8	56	1	1	1	9	16	16	16
20-34	216	5.2	20	1	1	4	7	10	14	24
35-49	505	4.8	18	1	1	4	6	9	12	23
50-64	196	4.9	14	1	1	4	7	9	12	21
65+	24	4.6	12	<1	1	4	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.7	29	1	1	8	13	16	16	16
20-34	44	6.7	20	1	2	6	8	14	17	19
35-49	129	6.6	22	1	1	6	9	12	14	25
50-64	114	7.2	28	1	1	7	10	13	15	31
65+	107	8.5	42	2	2	7	11	17	19	35
B. *Operated*										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	90	5.8	19	1	1	5	8	10	13	21
35-49	342	7.0	37	1	1	6	8	12	20	38
50-64	245	7.6	43	1	1	6	9	15	21	30
65+	73	11.9	117	1	2	8	16	24	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	5.8	18	1	1	5	8	12	14	20
B. *Operated*	945	4.9	17	1	1	4	7	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	400	7.3	29	1	1	7	10	14	18	27
B. *Operated*	754	7.5	47	1	1	6	9	15	21	38
1. SINGLE DX	1194	5.1	18	1	1	4	7	10	13	22
2. MULTIPLE DX	1154	7.4	41	1	1	6	9	14	20	33
A. NOT OPERATED	649	6.7	26	1	1	6	9	13	16	25
B. OPERATED	1699	6.1	32	1	1	5	8	12	16	28
TOTAL 0-19 YRS	21	5.2	24	<1	1	3	8	14	16	16
20-34	420	5.5	19	1	1	5	7	11	14	21
35-49	1091	5.8	25	1	1	5	8	11	14	25
50-64	600	6.6	31	1	1	6	8	13	17	28
65+	216	9.1	67	1	2	7	11	18	24	44
GRAND TOTAL	**2348**	**6.3**	**30**	**1**	**1**	**5**	**8**	**12**	**16**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	98	5	5	12	19	19	19	19
20-34	18	5.6	32	<1	<1	4	6	9	19	26
35-49	29	5.6	15	1	1	5	7	12	14	15
50-64	16	8.9	24	1	2	8	13	14	15	16
65+	4	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	30	4.0	16	<1	1	2	7	10	11	14
35-49	39	3.5	14	1	1	1	7	9	11	13
50-64	12	3.2	18	1	1	2	3	10	14	15
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	48	2	2	6	9	19	23	23
20-34	28	6.7	26	2	2	5	8	13	17	25
35-49	39	7.8	49	1	2	6	10	15	20	39
50-64	35	7.4	22	3	3	6	9	15	18	21
65+	34	9.7	84	2	3	8	11	15	29	49
B. *Operated*										
0-19 YRS	3	14.0	433	1	1	3	29	38	38	38
20-34	36	5.6	21	1	1	5	7	12	15	21
35-49	47	5.9	20	1	1	6	10	12	13	16
50-64	13	8.6	56	1	1	7	12	17	27	29
65+	9	12.8	74	5	5	9	18	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	6.5	24	1	1	5	8	14	15	25
B. *Operated*	82	3.6	15	1	1	1	7	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	144	7.9	46	2	3	6	10	14	21	40
B. *Operated*	108	6.9	41	1	1	6	10	13	17	33
1. SINGLE DX	151	4.9	21	1	1	4	8	12	14	19
2. MULTIPLE DX	252	7.5	44	1	1	6	10	14	21	38
A. NOT OPERATED	213	7.5	39	1	2	6	9	14	19	33
B. OPERATED	190	5.5	32	1	1	3	8	12	14	29
TOTAL 0-19 YRS	13	9.6	117	1	2	5	12	26	36	38
20-34	112	5.4	23	1	1	4	8	11	14	25
35-49	154	5.7	27	1	1	5	8	12	14	22
50-64	76	7.3	30	1	1	6	10	14	17	27
65+	48	9.7	76	2	3	8	11	22	29	49
GRAND TOTAL	**403**	**6.5**	**37**	**1**	**1**	**5**	**9**	**13**	**16**	**30**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	61	5.6	14	<1	1	5	8	11	13	14
35-49	100	6.3	13	1	2	6	8	11	13	20
50-64	68	7.0	16	1	2	6	9	12	15	19
65+	27	7.2	24	1	1	7	9	12	15	25
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	64	3.7	16	1	1	2	4	9	14	20
35-49	81	4.1	26	1	1	2	4	12	16	25
50-64	34	3.7	13	1	1	2	4	10	12	13
65+	6	2.0	2	1	1	1	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	41	4	4	7	13	18	18	18
20-34	66	7.0	18	1	1	7	8	12	14	23
35-49	118	7.3	16	1	2	7	9	12	15	19
50-64	154	7.2	19	2	2	7	9	12	15	24
65+	242	8.8	34	2	3	7	11	15	20	32
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	41	6.2	30	1	1	4	9	13	17	27
35-49	49	7.2	34	1	1	6	10	16	23	99+
50-64	29	7.5	26	1	2	6	10	15	17	21
65+	47	11.2	69	2	2	9	14	23	28	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	6.4	15	1	2	6	8	11	13	20
B. *Operated*	186	3.9	20	1	1	2	4	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	584	7.9	25	2	3	7	10	14	17	26
B. *Operated*	167	8.2	45	1	2	7	11	17	23	39
1. SINGLE DX	444	5.3	19	1	1	4	8	11	14	20
2. MULTIPLE DX	751	7.9	29	2	2	7	10	14	18	28
A. NOT OPERATED	842	7.4	22	1	2	7	9	13	16	24
B. OPERATED	353	5.9	36	1	1	3	9	14	18	28
TOTAL 0-19 YRS	8	8.6	27	4	4	7	12	17	18	18
20-34	232	5.6	20	1	1	5	8	11	14	22
35-49	348	6.2	22	1	1	6	9	13	16	23
50-64	285	6.8	19	1	2	6	9	12	15	21
65+	322	8.9	39	2	3	8	11	16	22	33
GRAND TOTAL	**1195**	**7.0**	**27**	**1**	**2**	**6**	**9**	**13**	**16**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.4	7	<1	1	2	5	7	8	13
20-34	447	5.0	14	1	1	4	7	10	12	17
35-49	605	5.9	19	1	1	5	8	11	13	21
50-64	308	5.5	14	1	1	5	8	10	12	17
65+	132	5.9	19	1	1	5	7	11	14	23
B. *Operated*										
0-19 YRS	33	3.1	13	1	1	2	3	8	12	15
20-34	510	3.3	21	1	1	2	4	8	10	20
35-49	690	3.3	12	1	1	2	4	8	10	16
50-64	475	4.7	20	1	1	3	7	11	13	20
65+	260	5.4	21	1	1	4	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.5	42	<1	1	3	5	8	9	45
20-34	517	6.3	32	1	1	5	8	12	15	29
35-49	920	7.1	32	1	2	6	9	13	17	25
50-64	829	7.5	30	1	2	6	10	14	17	27
65+	1059	8.2	47	2	2	7	10	15	19	38
B. *Operated*										
0-19 YRS	15	6.8	68	1	1	4	8	14	28	33
20-34	349	5.9	49	1	1	4	8	13	18	39
35-49	703	6.7	60	1	1	4	9	15	21	34
50-64	775	8.0	50	1	1	7	11	16	22	34
65+	910	11.2	103	1	2	9	14	23	31	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1551	5.5	16	1	1	5	7	10	12	20
B. *Operated*	1968	3.9	18	1	1	2	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3394	7.4	37	1	2	6	10	14	17	31
B. *Operated*	2752	8.4	74	1	1	6	11	18	25	43
1. SINGLE DX	3519	4.6	18	1	1	3	7	10	12	19
2. MULTIPLE DX	6146	7.8	54	1	1	6	10	15	21	37
A. NOT OPERATED	4945	6.8	31	1	1	6	9	13	16	27
B. OPERATED	4720	6.5	56	1	1	4	9	14	20	35
TOTAL 0-19 YRS	176	4.0	27	<1	1	2	5	8	12	29
20-34	1823	5.1	29	1	1	3	7	11	14	24
35-49	2918	5.8	33	1	1	4	8	12	16	26
50-64	2387	6.8	34	1	1	6	9	13	17	29
65+	2361	8.9	68	1	2	7	11	17	24	44
GRAND TOTAL	**9665**	**6.7**	**43**	**1**	**1**	**5**	**9**	**14**	**18**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.4	4	1	1	3	4	7	7	10
20-34	66	3.7	8	1	2	3	5	7	8	18
35-49	63	3.7	6	1	1	3	5	7	9	13
50-64	43	4.2	8	1	1	3	6	8	10	13
65+	20	5.2	22	1	2	3	5	15	16	17
B. *Operated*										
0-19 YRS	134	2.1	3	<1	<1	1	2	4	5	9
20-34	424	2.0	3	<1	<1	1	2	4	5	8
35-49	549	2.2	7	<1	<1	2	3	4	5	8
50-64	409	2.3	4	<1	<1	2	3	5	6	11
65+	90	3.0	18	<1	<1	2	4	7	10	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.9	9	1	1	3	5	7	10	15
20-34	88	5.1	20	1	2	4	6	9	11	28
35-49	98	4.7	9	<1	1	4	7	9	11	15
50-64	163	5.2	12	1	1	5	7	10	12	19
65+	198	6.3	18	2	2	5	8	11	16	19
B. *Operated*										
0-19 YRS	79	2.7	11	<1	<1	2	3	5	7	19
20-34	281	3.2	12	<1	<1	2	4	6	9	18
35-49	489	3.4	11	<1	<1	2	4	7	10	18
50-64	562	3.6	11	<1	1	3	4	7	9	17
65+	307	5.4	41	<1	1	3	6	12	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	3.7	7	1	1	3	5	7	9	15
B. *Operated*	1606	2.2	5	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	622	5.3	15	1	2	4	7	10	12	19
B. *Operated*	1718	3.7	17	<1	<1	3	4	7	11	22
1. SINGLE DX	1915	2.5	6	<1	<1	2	3	5	6	11
2. MULTIPLE DX	2340	4.2	17	<1	1	3	5	8	11	20
A. NOT OPERATED	931	4.8	13	1	1	4	6	9	11	19
B. OPERATED	3324	3.0	12	<1	<1	2	3	6	8	19
TOTAL 0-19 YRS	405	2.9	6	<1	<1	2	4	6	7	14
20-34	859	2.9	9	<1	<1	2	3	6	8	14
35-49	1199	3.0	9	<1	<1	2	4	6	8	14
50-64	1177	3.4	10	<1	<1	3	4	7	9	15
65+	615	5.3	30	<1	<1	4	7	11	17	28
GRAND TOTAL	**4255**	**3.4**	**13**	**<1**	**<1**	**2**	**4**	**7**	**10**	**19**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	163	2.4	8	<1	<1	2	3	4	4	8
20-34	338	2.1	2	<1	<1	2	3	4	4	6
35-49	372	2.2	4	<1	<1	2	3	4	5	8
50-64	326	2.4	3	<1	<1	2	3	4	6	8
65+	121	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	11	1.3	1	<1	<1	1	1	2	4	4
35-49	15	1.3	1	<1	<1	1	1	2	4	4
50-64	34	1.4	1	<1	<1	1	2	3	3	5
65+	11	2.5	3	<1	<1	2	3	5	7	7
B. *Operated*										
0-19 YRS	176	2.3	2	<1	1	2	3	4	5	7
20-34	583	2.4	3	<1	1	2	3	4	5	7
35-49	772	2.5	2	<1	1	2	3	5	5	8
50-64	1203	2.8	4	<1	1	3	4	5	6	9
65+	791	3.3	14	<1	1	3	4	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	3	<1	<1	3	4	5	6	6
B. *Operated*	1320	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	73	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	3525	2.8	6	<1	1	2	4	5	6	9
1. SINGLE DX	1329	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	3598	2.7	6	<1	1	2	4	5	6	9
A. NOT OPERATED	82	1.7	2	<1	<1	1	2	4	5	7
B. OPERATED	4845	2.6	5	<1	1	2	3	5	6	8
TOTAL 0-19 YRS	343	2.4	5	<1	<1	2	3	4	5	7
20-34	932	2.3	2	<1	<1	2	3	4	5	7
35-49	1162	2.4	3	<1	<1	2	3	4	5	8
50-64	1566	2.7	4	<1	<1	2	4	5	6	8
65+	924	3.1	12	<1	1	3	4	5	7	12
GRAND TOTAL	**4927**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	3	4.0	13	<1	<1	3	7	8	8	8
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	92	1.4	1	<1	<1	<1	1	2	3	7
20-34	230	1.3	1	<1	<1	<1	1	2	3	5
35-49	137	1.5	1	<1	<1	<1	1	3	4	6
50-64	92	1.7	1	<1	<1	1	2	3	5	6
65+	28	2.0	3	<1	<1	1	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	9	3.2	11	<1	<1	1	5	9	9	9
50-64	12	4.8	8	1	2	4	7	9	10	10
65+	11	5.7	15	1	2	5	9	11	12	12
B. *Operated*										
0-19 YRS	21	1.7	1	<1	<1	1	2	3	4	5
20-34	55	1.7	1	<1	<1	1	2	4	4	6
35-49	84	2.3	8	<1	<1	1	3	4	7	18
50-64	102	3.1	13	<1	<1	2	3	6	8	23
65+	75	3.9	29	<1	<1	3	5	7	9	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	5	<1	<1	2	3	6	8	8
B. *Operated*	579	1.5	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	40	4.0	11	<1	<1	3	6	9	10	12
B. *Operated*	337	2.8	13	<1	<1	2	3	5	7	21
1. SINGLE DX	588	1.5	1	<1	<1	<1	1	3	4	6
2. MULTIPLE DX	377	2.9	13	<1	<1	2	3	6	9	20
A. NOT OPERATED	49	3.7	10	<1	<1	3	5	9	10	12
B. OPERATED	916	1.9	6	<1	<1	1	2	4	5	11
TOTAL 0-19 YRS	116	1.4	1	<1	<1	<1	1	2	3	6
20-34	294	1.4	1	<1	<1	<1	1	3	4	5
35-49	230	1.9	4	<1	<1	1	2	3	5	12
50-64	209	2.6	8	<1	<1	2	3	5	7	15
65+	116	3.6	22	<1	<1	2	5	7	10	31
GRAND TOTAL	**965**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	13.9	80	3	4	12	19	25	34	40
20-34	26	10.1	75	1	2	8	13	25	30	37
35-49	24	8.5	33	1	2	8	11	17	20	22
50-64	17	13.6	170	1	2	11	15	25	46	57
65+	9	20.3	519	4	5	13	20	58	78	78
B. *Operated*										
0-19 YRS	47	13.0	136	1	2	10	16	30	39	52
20-34	43	12.1	106	2	2	10	16	23	41	43
35-49	47	10.8	132	1	2	7	16	29	35	99+
50-64	47	13.9	116	2	3	10	20	30	37	45
65+	39	13.0	210	1	2	8	16	26	51	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	17.7	137	3	5	14	27	33	41	45
20-34	56	11.8	119	1	2	8	15	30	38	42
35-49	75	14.5	122	2	3	12	19	28	41	49
50-64	140	15.7	145	3	4	12	21	30	40	63
65+	221	17.7	131	5	6	15	24	34	40	62
B. *Operated*										
0-19 YRS	92	21.0	282	4	5	18	27	43	55	84
20-34	157	21.5	301	2	5	16	30	46	61	99
35-49	225	21.4	299	3	5	15	32	50	55	85
50-64	423	21.7	281	3	5	17	30	46	56	85
65+	586	22.3	274	4	6	18	31	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	12.6	115	2	3	11	16	24	33	61
B. *Operated*	223	12.5	137	1	2	9	17	28	40	62
2. MULTIPLE DX										
A. *Not Operated*	557	16.2	135	3	4	13	22	33	41	52
B. *Operated*	1483	21.8	283	3	5	17	30	46	58	92
1. SINGLE DX	355	12.6	128	1	2	10	17	27	36	60
2. MULTIPLE DX	2040	20.3	249	3	5	16	28	43	54	86
A. NOT OPERATED	689	15.5	133	2	4	12	21	31	40	55
B. OPERATED	1706	20.6	273	3	4	16	29	45	56	89
TOTAL 0-19 YRS	260	17.2	185	2	4	14	22	34	43	74
20-34	282	17.1	237	2	3	12	24	41	56	85
35-49	371	17.8	246	2	3	13	23	45	53	81
50-64	627	19.5	244	3	4	15	28	43	53	77
65+	855	20.7	243	4	5	17	29	43	55	92
GRAND TOTAL	**2395**	**19.1**	**238**	**3**	**4**	**15**	**27**	**42**	**52**	**84**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.9	16	<1	<1	2	6	9	13	75
20-34	45	2.8	5	<1	<1	2	3	6	8	9
35-49	75	2.9	4	1	1	3	4	5	6	12
50-64	61	4.0	6	1	1	3	5	8	9	11
65+	99	6.6	20	2	2	5	9	14	16	21
B. *Operated*										
0-19 YRS	563	4.0	11	1	1	3	5	8	10	16
20-34	485	3.6	9	<1	1	3	5	8	9	14
35-49	239	4.6	14	<1	1	4	7	10	13	16
50-64	138	5.2	20	<1	1	4	7	12	15	20
65+	89	8.5	38	<1	1	8	13	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	7.4	184	<1	<1	3	8	20	67	99+
20-34	107	3.7	16	<1	1	3	5	7	11	23
35-49	233	5.1	40	1	1	3	5	10	15	37
50-64	484	6.9	38	1	2	5	9	15	19	30
65+	2214	10.9	92	2	3	9	13	21	27	69
B. *Operated*										
0-19 YRS	248	6.6	71	1	1	4	8	14	21	45
20-34	411	6.1	85	1	1	3	7	12	20	49
35-49	362	8.3	123	<1	1	4	11	18	24	65
50-64	491	11.8	146	1	2	9	15	25	40	92
65+	975	16.9	176	3	5	14	21	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	4.3	14	<1	1	3	6	9	12	19
B. *Operated*	1514	4.3	15	<1	1	3	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*	3097	9.5	84	2	2	7	12	19	25	58
B. *Operated*	2487	11.8	156	1	2	9	15	26	37	83
1. SINGLE DX	1874	4.3	14	<1	1	3	6	9	13	17
2. MULTIPLE DX	5584	10.6	118	1	2	8	14	22	30	71
A. NOT OPERATED	3457	9.0	79	1	2	7	11	18	24	58
B. OPERATED	4001	9.0	116	1	1	5	12	20	29	67
TOTAL 0-19 YRS	950	4.8	39	<1	1	3	6	10	14	39
20-34	1048	4.5	41	<1	1	3	5	9	11	27
35-49	909	6.1	67	1	1	4	7	13	18	41
50-64	1174	8.6	87	1	2	6	11	18	25	65
65+	3377	12.5	121	2	3	10	15	24	33	80
GRAND TOTAL	**7458**	**9.0**	**99**	**1**	**1**	**6**	**12**	**19**	**26**	**65**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	15.3	704	1	1	3	29	55	55	55
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	105	3.6	6	<1	1	3	5	6	9	11
20-34	54	3.3	6	<1	<1	2	5	8	8	9
35-49	39	2.3	2	<1	<1	2	3	4	5	8
50-64	31	3.1	6	<1	<1	2	4	6	7	10
65+	6	2.3	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	60	<1	<1	1	3	8	25	33
20-34	8	2.9	14	<1	<1	1	4	9	11	11
35-49	9	7.4	101	<1	<1	2	10	24	32	32
50-64	10	4.3	34	<1	<1	2	4	15	17	17
65+	15	16.5	291	1	3	14	17	40	59	66
B. *Operated*										
0-19 YRS	293	5.6	59	<1	<1	4	6	9	17	51
20-34	121	6.5	81	<1	1	4	8	14	19	48
35-49	85	4.2	11	<1	1	3	5	8	10	17
50-64	87	4.8	12	<1	1	4	6	9	12	16
65+	52	6.4	28	1	2	5	9	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	11.0	466	1	1	2	4	50	55	55
B. *Operated*	235	3.2	5	<1	<1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	59	7.7	137	<1	<1	2	10	17	33	64
B. *Operated*	638	5.5	48	<1	1	4	6	10	15	33
1. SINGLE DX	241	3.4	16	<1	<1	3	5	6	8	10
2. MULTIPLE DX	697	5.7	56	<1	1	4	6	11	17	37
A. NOT OPERATED	65	8.0	161	<1	<1	2	10	17	35	64
B. OPERATED	873	4.9	38	<1	<1	4	6	9	13	25
TOTAL 0-19 YRS	419	5.1	52	<1	<1	4	6	9	14	47
20-34	183	5.4	59	<1	<1	3	7	10	16	30
35-49	134	3.9	15	<1	<1	3	5	8	10	20
50-64	129	4.3	12	<1	<1	3	6	9	12	17
65+	73	8.2	96	1	1	5	10	15	27	60
GRAND TOTAL	**938**	**5.1**	**47**	**<1**	**<1**	**4**	**6**	**9**	**14**	**33**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.0	13	<1	<1	5	6	11	11	11
35-49	14	4.3	14	1	1	3	7	10	11	11
50-64	14	5.1	10	2	2	4	6	9	13	14
65+	4	4.3	16	1	1	3	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34	13	4.0	24	1	1	2	5	11	17	18
35-49	9	2.6	11	1	1	1	2	8	11	11
50-64	6	4.3	10	1	1	4	6	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	7	5.4	10	2	2	4	7	10	11	11
35-49	24	7.9	71	1	1	5	9	21	29	32
50-64	32	6.2	26	2	2	4	8	13	15	25
65+	40	8.5	65	2	3	7	9	14	21	49
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	9	6.3	26	2	2	6	7	15	18	18
35-49	16	6.0	42	1	1	3	9	16	20	22
50-64	21	6.5	66	<1	1	5	8	11	24	39
65+	13	12.6	179	1	2	6	22	36	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.7	11	1	1	4	7	10	11	14
B. *Operated*	29	3.5	16	1	1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	105	7.4	50	2	2	5	9	15	21	40
B. *Operated*	61	7.6	79	1	1	5	9	19	32	39
1. SINGLE DX	68	4.2	13	1	1	3	6	10	11	17
2. MULTIPLE DX	166	7.5	60	1	2	5	9	15	25	39
A. NOT OPERATED	144	6.7	41	1	2	5	8	12	17	33
B. OPERATED	90	6.3	62	1	1	4	8	15	22	39
TOTAL 0-19 YRS	5	5.6	11	2	2	5	8	10	10	10
20-34	35	5.1	19	1	1	4	6	11	16	18
35-49	63	5.9	44	1	1	3	8	14	21	31
50-64	73	5.9	33	1	1	5	7	11	15	36
65+	58	9.0	89	1	2	6	9	19	33	48
GRAND TOTAL	**234**	**6.5**	**49**	**1**	**1**	**5**	**8**	**13**	**19**	**39**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	1.5	2	<1	<1	<1	1	3	4	8
20-34	91	3.8	14	<1	1	2	5	9	10	20
35-49	83	3.5	12	<1	1	2	5	7	9	19
50-64	53	3.5	6	1	1	3	5	7	8	10
65+	31	4.9	20	<1	1	3	8	10	16	19
B. *Operated*										
0-19 YRS	249	5.1	16	<1	<1	4	9	10	11	14
20-34	385	3.3	15	<1	1	2	4	8	12	19
35-49	261	3.3	13	<1	<1	2	4	8	9	16
50-64	237	2.8	11	<1	<1	2	3	5	9	18
65+	150	2.7	12	<1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	5.3	168	<1	<1	2	4	10	12	87
20-34	174	4.8	25	<1	1	3	6	9	13	31
35-49	216	4.5	23	1	1	3	5	9	13	29
50-64	225	5.0	27	1	2	4	6	9	15	28
65+	421	6.3	29	1	2	5	8	13	17	25
B. *Operated*										
0-19 YRS	494	6.4	63	1	1	3	10	13	21	41
20-34	576	4.5	37	<1	1	2	5	10	15	31
35-49	514	4.8	42	1	1	3	5	10	14	34
50-64	478	5.3	47	1	1	3	7	11	17	29
65+	408	7.3	87	1	1	4	9	16	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.0	10	<1	<1	2	4	7	9	16
B. *Operated*	1282	3.5	14	<1	<1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	1137	5.4	39	1	1	4	7	11	15	32
B. *Operated*	2470	5.5	54	1	1	3	7	12	18	37
1. SINGLE DX	1676	3.4	13	<1	<1	2	4	9	10	17
2. MULTIPLE DX	3607	5.5	50	1	1	3	7	12	17	36
A. NOT OPERATED	1531	4.8	33	<1	1	3	6	10	14	24
B. OPERATED	3752	4.8	42	<1	1	2	6	11	15	31
TOTAL 0-19 YRS	980	5.3	56	<1	<1	3	8	11	14	37
20-34	1226	4.1	27	<1	1	2	5	10	14	29
35-49	1074	4.2	29	<1	1	3	5	9	13	29
50-64	993	4.5	32	<1	1	3	5	10	14	26
65+	1010	6.1	52	1	1	4	8	13	19	40
GRAND TOTAL	**5283**	**4.8**	**39**	**<1**	**1**	**3**	**6**	**11**	**15**	**30**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	6.2	57	1	1	2	12	18	19	19
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	4	1.5		1	1	1	2	2	2	2
35-49	3	5.3	12	2	2	5	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	5.7	11	1	2	5	7	11	12	12
35-49	33	5.6	12	1	2	5	8	9	14	16
50-64	11	5.1	4	3	3	5	6	8	9	9
65+	6	5.3	4	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS										
20-34	7	5.9	37	1	1	3	11	15	16	16
35-49	3	11.0	133	2	2	7	20	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.1	45	1	1	2	7	17	19	19
B. *Operated*	7	3.1	8	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	70	5.6	9	2	2	5	7	9	12	16
B. *Operated*	10	7.4	60	1	1	5	12	20	24	24
1. SINGLE DX	15	4.2	27	1	1	2	4	12	17	19
2. MULTIPLE DX	80	5.8	15	1	2	5	7	11	13	22
A. NOT OPERATED	78	5.5	12	1	2	5	7	11	12	18
B. OPERATED	17	5.6	42	1	1	2	8	15	21	24
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	31	5.1	16	1	1	4	7	11	12	16
35-49	45	6.0	24	1	2	5	8	12	17	24
50-64	12	4.8	5	2	2	4	6	8	9	9
65+	6	5.3	4	3	3	5	7	8	8	8
GRAND TOTAL	**95**	**5.5**	**17**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.2	9	<1	<1	1	2	5	10	13
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	42	5.0	11	1	2	4	7	9	10	18
20-34	8	6.1	14	2	3	5	7	12	14	14
35-49	5	9.2	67	1	1	5	17	19	19	19
50-64	4	4.5	14	2	2	3	7	10	10	10
65+	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.7	215	<1	<1	3	13	99+	99+	99+
20-34	12	3.0	6	<1	<1	2	5	6	8	8
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64	4	23.3	1495	1	1	5	45	81	81	81
65+	6	13.5	411	1	1	5	13	50	54	54
B. *Operated*										
0-19 YRS	95	10.2	134	1	2	6	11	25	37	58
20-34	21	12.4	134	1	1	10	17	25	36	50
35-49	15	8.7	22	2	2	8	13	15	16	16
50-64	16	8.0	32	1	3	7	11	16	20	22
65+	8	12.0	59	3	3	11	18	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	8	<1	<1	1	3	4	10	13
B. *Operated*	61	5.7	17	1	2	5	7	10	16	19
2. MULTIPLE DX										
A. *Not Operated*	90	7.2	244	<1	1	3	8	99+	99+	99+
B. *Operated*	155	10.2	108	1	2	7	13	23	28	55
1. SINGLE DX	84	4.7	17	<1	1	4	7	10	15	19
2. MULTIPLE DX	245	9.1	159	1	1	5	12	26	75	99+
A. NOT OPERATED	113	6.2	199	<1	<1	3	6	83	99+	99+
B. OPERATED	216	8.9	87	1	2	6	11	18	25	52
TOTAL 0-19 YRS	222	7.5	128	<1	1	4	9	25	93	99+
20-34	41	8.4	89	1	1	5	11	20	25	50
35-49	25	7.7	30	1	2	6	12	16	17	19
50-64	24	10.0	256	1	2	6	11	17	40	81
65+	17	11.8	164	1	2	6	16	23	43	54
GRAND TOTAL	**329**	**8.0**	**127**	**<1**	**1**	**5**	**10**	**21**	**52**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.2	1	<1	<1	<1	<1	1	3	5
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	248	1.6	1	<1	<1	1	2	2	3	5
20-34	73	1.8	3	<1	<1	1	2	3	6	8
35-49	32	2.3	13	<1	<1	1	2	3	4	21
50-64	24	2.5	6	<1	<1	2	3	5	7	12
65+	14	2.6	1	1	2	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	4	<1	<1	1	2	5	8	9
20-34	3	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	109	2.6	9	<1	<1	2	3	6	8	16
20-34	29	2.2	2	<1	<1	2	3	4	4	6
35-49	18	2.1	1	<1	<1	2	3	4	4	4
50-64	27	2.1	2	<1	<1	2	2	4	5	8
65+	23	2.1	1	<1	<1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.6	3	<1	<1	<1	1	4	6	9
B. *Operated*	391	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	28	2.0	4	<1	<1	1	2	5	7	9
B. *Operated*	206	2.4	5	<1	<1	2	3	5	6	10
1. SINGLE DX	417	1.7	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	234	2.3	5	<1	<1	2	2	5	7	10
A. NOT OPERATED	54	1.8	4	<1	<1	1	1	4	7	9
B. OPERATED	597	2.0	4	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	401	1.8	3	<1	<1	1	2	3	5	9
20-34	108	1.9	2	<1	<1	1	2	4	5	8
35-49	51	2.3	9	<1	<1	1	3	4	4	21
50-64	53	2.2	4	<1	<1	2	2	4	5	12
65+	38	2.4	2	<1	1	2	3	5	5	6
GRAND TOTAL	**651**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	5	<1	<1	2	3	6	8	9
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	4.7	7	1	1	4	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	354	3.6	9	<1	1	2	6	8	9	13
20-34	59	5.2	34	1	1	2	8	9	13	33
35-49	38	4.6	19	1	1	2	7	12	14	17
50-64	18	3.6	13	1	1	2	5	9	12	14
65+	5	2.8	6	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	4.0	26	<1	1	2	5	9	14	36
20-34	25	[illegible].2	7	1	1	2	4	8	9	11
35-49	17	6.9	70	1	2	5	6	16	30	36
50-64	24	4.4	6	1	1	4	6	7	8	9
65+	40	5.6	13	1	2	5	7	11	14	17
B. *Operated*										
0-19 YRS	941	7.1	80	1	1	5	9	15	23	51
20-34	114	7.2	79	1	2	5	10	15	21	50
35-49	64	7.0	46	1	2	6	9	12	19	40
50-64	60	9.5	152	1	2	6	11	15	41	64
65+	62	10.8	125	1	1	8	12	32	38	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.9	5	<1	1	2	4	7	8	9
B. *Operated*	474	3.9	13	1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	260	4.4	23	<1	1	3	6	9	13	35
B. *Operated*	1241	7.4	84	1	1	5	9	15	24	50
1. SINGLE DX	517	3.8	13	<1	1	2	6	8	10	15
2. MULTIPLE DX	1501	6.9	75	1	1	4	9	14	23	49
A. NOT OPERATED	303	4.2	21	<1	1	3	5	8	12	33
B. OPERATED	1715	6.4	67	1	1	4	8	13	19	47
TOTAL 0-19 YRS	1482	5.9	59	1	1	3	8	12	17	47
20-34	200	6.1	58	1	1	3	8	12	17	37
35-49	120	6.2	41	1	2	4	8	12	17	38
50-64	108	7.1	95	1	1	5	8	12	17	57
65+	108	8.4	84	1	1	6	10	18	33	43
GRAND TOTAL	**2018**	**6.1**	**61**	**1**	**1**	**3**	**8**	**12**	**18**	**45**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	229	3.8	4	1	2	4	5	6	7	9
20-34	6	2.5	3	1	1	2	2	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.2		<1	<1	1	1	2	2	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	203	4.4	15	1	2	4	6	7	8	11
20-34	14	2.9	3	1	1	3	4	5	7	7
35-49	5	2.6	2	1	1	2	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	236	3.8	4	1	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	34	1.2		<1	<1	1	1	2	2	4
B. *Operated*	222	4.3	14	1	2	4	5	7	8	11
1. SINGLE DX	237	3.8	4	1	2	4	5	6	7	9
2. MULTIPLE DX	256	3.9	13	1	1	3	5	7	8	11
A. NOT OPERATED	35	1.2		<1	<1	1	1	2	2	4
B. OPERATED	458	4.0	9	1	2	4	5	7	8	9
TOTAL 0-19 YRS	467	3.9	9	1	1	4	5	7	7	9
20-34	20	2.8	3	1	1	2	4	5	6	7
35-49	6	2.7	1	1	1	3	4	4	4	4
50-64										
65+										
GRAND TOTAL	**493**	**3.8**	**9**	**1**	**1**	**3**	**5**	**6**	**7**	**9**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	3	<1	1	2	3	4	5	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	275	3.7	3	2	2	3	4	5	7	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.0	1	1	1	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	101	5.0	9	2	2	4	6	8	10	19
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.4	3	<1	1	2	3	4	5	8
B. *Operated*	275	3.7	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	11	2.0	1	1	1	2	3	3	3	3
B. *Operated*	101	5.0	9	2	2	4	6	8	10	19
1. SINGLE DX	307	3.6	3	1	2	3	4	5	6	10
2. MULTIPLE DX	112	4.7	9	2	2	4	6	7	9	19
A. NOT OPERATED	43	2.3	2	<1	1	2	3	4	5	8
B. OPERATED	376	4.0	5	2	2	4	5	6	8	12
TOTAL 0-19 YRS	419	3.9	5	1	2	4	4	6	8	11
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**419**	**3.9**	**5**	**1**	**2**	**4**	**4**	**6**	**8**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.7	118	<1	<1	1	3	5	11	99+
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	9	3.1	6	<1	<1	2	5	7	8	8
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	189	4.7	40	<1	<1	2	6	10	15	37
20-34	30	3.6	6	<1	1	3	6	7	8	8
35-49	15	3.7	12	<1	1	2	6	8	11	12
50-64	11	5.5	20	<1	<1	5	8	12	14	14
65+	5	4.0	23	<1	<1	1	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	7.2	169	<1	1	3	6	19	35	97
20-34	8	5.0	22	<1	<1	3	7	13	14	14
35-49	9	6.6	33	<1	<1	4	10	16	16	16
50-64	10	5.9	13	<1	1	6	7	11	12	12
65+	27	7.0	33	1	1	5	10	15	18	27
B. *Operated*										
0-19 YRS	270	8.6	140	1	1	5	11	19	32	76
20-34	48	6.2	19	1	1	6	9	11	14	19
35-49	40	7.5	39	1	1	6	10	19	20	23
50-64	23	7.4	30	1	1	8	11	14	17	22
65+	38	9.6	35	1	2	9	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.4	90	<1	<1	1	3	5	9	96
B. *Operated*	250	4.5	33	<1	1	2	6	9	12	34
2. MULTIPLE DX										
A. *Not Operated*	133	6.9	111	<1	1	4	8	15	22	92
B. *Operated*	419	8.3	101	1	1	6	11	18	23	67
1. SINGLE DX	315	4.3	45	<1	<1	2	5	9	12	42
2. MULTIPLE DX	552	7.9	104	1	1	5	10	17	23	68
A. NOT OPERATED	198	5.7	106	<1	<1	3	6	13	20	95
B. OPERATED	669	6.9	79	<1	1	4	9	15	21	56
TOTAL 0-19 YRS	587	6.8	113	<1	1	3	8	15	24	77
20-34	89	5.1	16	<1	1	4	7	10	12	19
35-49	73	6.0	31	<1	1	4	8	15	19	22
50-64	47	6.2	24	<1	1	6	10	12	14	22
65+	71	8.1	36	1	1	7	12	17	21	26
GRAND TOTAL	**867**	**6.6**	**85**	**<1**	**1**	**4**	**8**	**14**	**21**	**65**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	351	1.6	1	<1	<1	1	2	2	3	4
20-34	24	2.2	1	<1	1	2	3	4	5	5
35-49	8	1.9	1	<1	<1	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.1		<1	<1	<1	1	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	325	1.7	2	<1	<1	1	2	3	4	6
20-34	39	2.9	3	1	1	2	4	6	6	9
35-49	15	2.5	1	1	1	3	3	4	4	4
50-64	5	2.4	1	2	2	2	3	4	4	4
65+	4	1.5	1	1	1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	385	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	25	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	388	1.9	2	<1	<1	1	2	3	4	7
1. SINGLE DX	395	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	413	1.8	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	35	1.2		<1	<1	<1	1	2	3	3
B. OPERATED	773	1.7	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	706	1.6	1	<1	<1	1	2	3	3	6
20-34	66	2.6	2	<1	1	2	3	5	6	9
35-49	24	2.2	1	<1	1	2	3	4	4	4
50-64	6	2.3	1	2	2	2	2	4	4	4
65+	6	1.3	1	<1	<1	1	1	3	3	3
GRAND TOTAL	**808**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.3		<1	<1	1	2	2	2	2
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	8	2.5	5	<1	<1	1	4	6	6	6
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	454	4.3	14	<1	<1	3	6	10	12	16
20-34	99	3.9	7	<1	<1	4	6	8	9	10
35-49	27	3.5	7	<1	1	3	6	7	8	9
50-64	19	6.3	13	<1	2	6	8	10	14	17
65+	9	4.3	10	<1	<1	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.0	6	<1	<1	1	2	5	8	12
20-34	11	4.1	3	<1	1	4	5	6	7	7
35-49	15	3.3	6	1	1	3	5	6	8	9
50-64	24	4.4	13	1	1	4	6	8	11	17
65+	8	6.0	9	2	3	6	7	11	12	12
B. *Operated*										
0-19 YRS	303	7.7	75	<1	1	6	10	16	22	47
20-34	148	4.9	13	<1	1	5	6	9	12	19
35-49	87	5.1	10	<1	1	5	6	9	12	15
50-64	48	8.0	193	1	1	5	8	12	18	84
65+	42	11.2	70	2	3	8	15	24	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.3	4	<1	<1	1	2	6	7	8
B. *Operated*	608	4.3	12	<1	<1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	94	3.4	9	<1	<1	2	5	7	9	15
B. *Operated*	628	6.9	63	<1	1	5	8	14	19	43
1. SINGLE DX	634	4.2	12	<1	<1	3	6	9	11	15
2. MULTIPLE DX	722	6.5	57	<1	1	5	8	13	18	43
A. NOT OPERATED	120	3.2	8	<1	<1	2	5	7	8	14
B. OPERATED	1236	5.6	40	<1	1	4	7	11	15	29
TOTAL 0-19 YRS	807	5.5	40	<1	<1	4	8	12	15	30
20-34	260	4.5	10	<1	<1	4	6	8	10	16
35-49	137	4.5	9	<1	1	4	6	9	10	14
50-64	93	6.6	107	1	1	5	7	10	14	72
65+	59	9.4	60	1	2	8	12	21	25	41
GRAND TOTAL	**1356**	**5.4**	**37**	**<1**	**1**	**4**	**7**	**11**	**14**	**29**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	185	3.6	5	1	1	3	4	6	8	12
20-34	10	2.6	3	1	1	2	4	5	5	5
35-49	9	4.2	9	1	1	4	6	9	10	10
50-64	3	2.3		2	2	2	3	3	3	3
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.1		<1	<1	1	1	1	2	2
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	132	4.6	10	1	2	4	6	8	10	15
20-34	40	3.0	2	1	1	3	4	5	6	6
35-49	36	3.2	4	1	1	3	4	5	7	9
50-64	23	3.3	3	1	2	3	4	5	7	8
65+	19	3.4	4	1	1	3	4	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	5	1	1	1	4	5	5	5
B. *Operated*	208	3.6	5	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	22	1.0		<1	<1	1	1	1	2	2
B. *Operated*	250	3.9	7	1	1	3	5	7	9	14
1. SINGLE DX	211	3.6	5	1	1	3	5	6	8	13
2. MULTIPLE DX	272	3.7	7	1	1	3	5	7	9	14
A. NOT OPERATED	25	1.2	1	<1	<1	1	1	1	3	5
B. OPERATED	458	3.8	6	1	1	3	5	7	8	14
TOTAL 0-19 YRS	339	3.8	7	<1	1	3	5	7	8	14
20-34	51	2.9	2	1	1	3	4	5	5	6
35-49	46	3.3	5	1	1	3	4	6	8	10
50-64	27	3.1	3	1	1	3	4	5	6	8
65+	20	3.9	9	1	1	3	4	8	12	14
GRAND TOTAL	**483**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**8**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.8	37	<1	<1	1	2	4	10	41
20-34	13	4.2	14	<1	<1	3	6	10	12	13
35-49	8	4.0	10	<1	<1	3	5	9	11	11
50-64	5	5.0	22	<1	<1	3	9	11	11	11
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	778	3.7	12	<1	1	3	5	7	10	19
20-34	225	2.5	5	<1	<1	2	3	6	8	11
35-49	117	3.6	15	<1	1	2	5	10	12	18
50-64	43	3.0	4	<1	<1	2	4	6	7	8
65+	13	6.5	97	1	1	4	7	15	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.3	18	<1	<1	2	4	8	19	99+
20-34	32	4.8	22	<1	1	3	6	10	16	20
35-49	36	6.4	36	<1	1	5	8	14	16	32
50-64	22	7.1	33	1	2	6	8	18	21	24
65+	25	8.5	44	2	2	7	9	21	24	26
B. *Operated*										
0-19 YRS	534	5.7	54	<1	1	4	7	12	18	44
20-34	179	4.4	25	<1	1	2	6	11	16	24
35-49	143	5.1	21	<1	1	4	7	12	14	19
50-64	96	6.2	34	1	1	4	9	15	18	27
65+	50	10.4	77	1	2	8	16	24	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.1	32	<1	<1	1	3	6	11	37
B. *Operated*	1176	3.5	12	<1	<1	2	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	259	4.7	28	<1	<1	3	6	12	19	99+
B. *Operated*	1002	5.7	45	<1	1	4	7	13	18	33
1. SINGLE DX	1314	3.4	14	<1	<1	2	4	7	10	19
2. MULTIPLE DX	1261	5.5	41	<1	1	3	7	12	18	37
A. NOT OPERATED	397	4.2	30	<1	<1	2	5	10	17	99+
B. OPERATED	2178	4.5	28	<1	1	3	6	10	13	25
TOTAL 0-19 YRS	1565	4.3	30	<1	<1	3	5	9	13	33
20-34	449	3.5	16	<1	1	2	4	8	11	20
35-49	304	4.7	21	<1	1	3	7	12	13	20
50-64	166	5.5	28	<1	1	3	8	12	17	25
65+	91	9.1	70	1	2	7	12	22	26	38
GRAND TOTAL	**2575**	**4.4**	**29**	**<1**	**1**	**3**	**6**	**10**	**14**	**27**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1503	3.7	20	1	1	2	4	8	13	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	71	6.8	53	1	1	4	9	14	17	46
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1152	9.1	111	1	2	5	11	21	30	54
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	178	14.1	262	1	3	9	21	43	87	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1503	3.7	20	1	1	2	4	8	13	22
B. *Operated*	71	6.8	53	1	1	4	9	14	17	46
2. MULTIPLE DX										
A. *Not Operated*	1152	9.1	111	1	2	5	11	21	30	54
B. *Operated*	178	14.1	262	1	3	9	21	43	87	99+
1. SINGLE DX	1574	3.8	22	1	1	2	4	8	14	23
2. MULTIPLE DX	1330	9.8	134	1	2	6	12	23	34	88
A. NOT OPERATED	2655	6.0	67	1	1	3	7	15	21	38
B. OPERATED	249	12.0	213	1	2	8	14	34	79	99+
TOTAL 0-19 YRS	2904	6.5	82	1	1	3	7	16	23	52
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2904**	**6.5**	**82**	**1**	**1**	**3**	**7**	**16**	**23**	**52**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1040	2.4	3	<1	1	2	3	4	5	10
20-34	399	2.8	7	1	1	2	3	5	7	10
35-49	198	2.9	4	1	1	2	4	5	7	9
50-64	117	3.1	5	1	1	3	4	6	8	12
65+	90	4.1	6	1	2	3	6	8	9	11
B. *Operated*										
0-19 YRS	7	4.7	16	1	1	4	7	11	12	12
20-34	6	3.8	11	1	1	3	5	9	10	10
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	6	3.8	7	<1	<1	3	5	8	8	8
65+	5	4.0	4	2	2	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1877	2.8	9	1	1	2	3	5	6	11
20-34	625	3.8	12	1	1	3	5	7	9	18
35-49	668	5.2	32	1	2	4	6	10	14	31
50-64	769	5.7	27	1	2	4	7	11	14	33
65+	1584	7.3	56	2	2	5	9	14	18	50
B. *Operated*										
0-19 YRS	54	7.3	69	1	2	4	9	18	22	45
20-34	34	11.0	430	1	1	5	11	17	69	98
35-49	54	8.0	84	1	2	5	8	18	25	53
50-64	75	14.3	282	3	3	9	15	34	61	99+
65+	125	15.0	229	2	3	11	19	48	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1844	2.6	5	1	1	2	3	5	7	11
B. *Operated*	27	4.0	8	1	1	3	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	5523	4.9	31	1	1	3	6	9	13	28
B. *Operated*	342	12.1	220	2	2	8	14	28	59	99+
1. SINGLE DX	1871	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	5865	5.3	45	1	1	4	6	10	15	35
A. NOT OPERATED	7367	4.3	26	1	1	3	5	8	12	25
B. OPERATED	369	11.5	209	2	2	7	14	28	53	99+
TOTAL 0-19 YRS	2978	2.8	8	1	1	2	3	5	6	12
20-34	1064	3.7	25	1	1	3	4	7	9	18
35-49	923	4.9	30	1	1	3	6	9	14	27
50-64	967	6.0	50	1	2	4	7	12	16	41
65+	1804	7.6	70	2	2	6	9	15	21	76
GRAND TOTAL	**7736**	**4.7**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**32**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	309	2.6	2	1	1	2	3	5	5	7
20-34	58	4.3	8	1	2	4	5	9	10	15
35-49	35	4.5	7	1	1	4	5	8	10	11
50-64	33	4.4	6	2	2	4	5	8	10	12
65+	40	5.4	10	1	2	5	7	10	12	15
B. *Operated*										
0-19 YRS	4	7.8	95	1	1	4	14	22	22	22
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	3	5.3	16	<1	<1	6	8	9	9	9
50-64	5	5.8	14	2	2	5	9	11	11	11
65+	4	12.3	29	6	6	12	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	632	3.4	10	1	1	3	4	6	7	15
20-34	224	5.0	13	2	2	4	6	9	12	21
35-49	222	5.8	12	2	2	5	8	10	13	18
50-64	336	5.9	17	2	2	5	7	10	13	21
65+	876	7.2	29	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	30	8.5	32	1	3	7	13	16	26	99+
20-34	52	10.4	55	3	3	8	14	21	21	41
35-49	48	11.3	60	3	3	9	14	25	27	32
50-64	79	14.1	142	3	4	11	18	25	32	69
65+	157	14.3	100	3	5	13	17	28	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	475	3.3	5	1	1	3	4	6	8	12
B. *Operated*	18	7.9	34	<1	1	7	11	17	21	22
2. MULTIPLE DX										
A. *Not Operated*	2290	5.6	21	1	2	4	7	11	14	23
B. *Operated*	366	12.8	95	3	4	11	16	25	31	64
1. SINGLE DX	493	3.5	7	1	1	3	4	6	9	13
2. MULTIPLE DX	2656	6.6	37	1	2	5	8	13	18	31
A. NOT OPERATED	2765	5.2	19	1	2	4	7	10	13	22
B. OPERATED	384	12.6	93	3	4	11	16	25	31	63
TOTAL 0-19 YRS	975	3.3	9	1	1	3	4	6	7	16
20-34	336	5.8	23	2	2	4	7	12	15	22
35-49	308	6.5	23	2	2	5	8	12	15	26
50-64	453	7.2	47	2	2	5	8	13	19	34
65+	1077	8.2	45	2	3	6	10	15	21	35
GRAND TOTAL	**3149**	**6.1**	**34**	**1**	**2**	**4**	**7**	**13**	**16**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.6	3	<1	1	2	3	5	6	9
20-34	125	2.9	5	1	1	2	4	5	7	12
35-49	69	3.3	7	1	1	2	4	7	8	14
50-64	33	2.8	7	1	1	2	4	5	7	15
65+	6	3.8	3	2	2	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34	10	2.7	5	1	1	2	2	6	8	8
35-49	13	3.2	5	1	1	2	4	6	9	10
50-64	7	2.0	1	1	1	2	2	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.8	7	<1	1	2	3	5	7	15
20-34	196	3.7	8	1	1	3	5	8	10	13
35-49	175	3.4	5	1	1	3	5	7	7	11
50-64	131	5.1	33	1	1	4	6	9	14	34
65+	165	4.8	21	1	2	4	6	8	10	25
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	21	4.3	30	1	1	2	3	13	17	22
35-49	25	4.6	17	<1	1	3	6	10	13	18
50-64	15	7.3	35	2	2	6	8	9	23	27
65+	39	6.5	23	1	1	6	10	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.9	5	1	1	2	4	6	7	12
B. *Operated*	31	2.7	4	1	1	2	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*	736	4.0	15	1	1	3	5	8	10	17
B. *Operated*	102	5.6	25	1	1	4	9	12	16	24
1. SINGLE DX	307	2.9	5	1	1	2	4	6	7	12
2. MULTIPLE DX	838	4.2	16	1	1	3	5	8	11	19
A. NOT OPERATED	1012	3.7	13	1	1	3	5	7	9	15
B. OPERATED	133	4.9	22	1	1	3	7	11	15	23
TOTAL 0-19 YRS	114	2.7	5	<1	1	2	3	5	7	13
20-34	352	3.4	8	1	1	3	4	7	9	13
35-49	282	3.5	7	1	1	3	5	7	9	12
50-64	186	4.8	29	1	1	3	6	9	13	31
65+	211	5.1	21	1	1	4	6	10	12	21
GRAND TOTAL	**1145**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	<1	<1	2	2	3	3	3
20-34	26	3.2	3	1	1	3	4	5	6	8
35-49	38	3.0	3	<1	1	3	4	5	6	7
50-64	53	3.5	4	<1	1	3	5	6	6	7
65+	59	2.9	3	1	1	2	4	6	7	8
B. *Operated*										
0-19 YRS	15	3.1	12	<1	<1	1	5	8	11	12
20-34	29	4.7	7	1	1	4	6	9	10	12
35-49	43	3.5	5	1	1	4	5	7	7	8
50-64	70	4.8	7	1	2	5	6	8	9	16
65+	45	3.4	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	2	1	1	2	3	4	6	7
20-34	26	3.4	6	1	1	3	4	6	9	13
35-49	41	4.0	7	1	1	3	5	7	8	13
50-64	151	4.1	8	1	1	4	5	7	9	18
65+	332	4.2	22	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	10	3.2	6	<1	<1	3	4	7	9	9
20-34	29	4.9	8	1	1	4	7	9	9	12
35-49	84	4.8	7	1	2	5	6	8	9	16
50-64	189	5.6	11	1	2	5	7	10	12	18
65+	313	6.0	19	1	2	5	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	3.1	3	<1	1	3	4	6	6	8
B. *Operated*	202	4.0	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	567	4.1	16	1	1	3	5	7	9	18
B. *Operated*	625	5.6	15	1	2	5	7	10	13	21
1. SINGLE DX	391	3.6	5	1	1	3	5	6	7	10
2. MULTIPLE DX	1192	4.9	16	1	1	4	6	9	12	20
A. NOT OPERATED	756	3.8	13	1	1	3	5	7	9	17
B. OPERATED	827	5.2	13	1	2	5	6	9	12	20
TOTAL 0-19 YRS	55	2.6	5	<1	<1	2	3	6	8	12
20-34	110	4.1	7	1	1	4	5	8	9	13
35-49	206	4.0	6	1	1	4	6	7	8	12
50-64	463	4.7	9	1	1	4	6	8	10	17
65+	749	4.8	19	1	1	4	6	9	12	22
GRAND TOTAL	**1583**	**4.5**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	2	1	1	3	4	5	6	6
20-34	23	2.7	5	<1	1	2	4	5	7	11
35-49	11	2.7	4	1	1	2	4	6	7	7
50-64	10	2.7	9	1	1	2	3	7	11	11
65+	6	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	67	1.5	1	<1	<1	1	2	3	3	5
20-34	79	1.7	4	<1	<1	1	2	3	5	13
35-49	48	1.7	1	<1	<1	1	2	3	4	6
50-64	36	2.0	5	<1	<1	1	2	4	6	13
65+	17	2.7	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	5	1	1	4	5	7	8	9
20-34	34	3.5	10	<1	1	3	4	7	11	16
35-49	65	4.3	20	1	1	3	5	8	11	29
50-64	97	5.4	27	1	1	4	7	13	18	67
65+	218	8.1	83	1	2	5	10	19	26	51
B. *Operated*										
0-19 YRS	20	4.0	25	1	1	3	5	6	15	24
20-34	60	3.7	15	<1	<1	2	5	9	11	18
35-49	58	5.1	29	<1	1	3	7	14	21	93
50-64	73	9.2	217	<1	<1	4	10	24	41	99
65+	82	14.2	297	1	1	8	20	37	60	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.7	4	1	1	2	4	5	6	11
B. *Operated*	247	1.8	3	<1	<1	1	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	442	6.3	54	1	1	4	7	15	20	45
B. *Operated*	293	8.3	164	<1	1	3	9	21	35	88
1. SINGLE DX	308	2.0	3	<1	<1	1	2	4	5	12
2. MULTIPLE DX	735	7.1	99	<1	1	4	8	17	25	63
A. NOT OPERATED	503	5.9	49	1	1	4	7	13	19	44
B. OPERATED	540	5.3	101	<1	<1	2	5	14	23	63
TOTAL 0-19 YRS	126	2.6	7	<1	<1	2	3	5	6	13
20-34	196	2.8	9	<1	<1	2	3	7	9	16
35-49	182	3.8	19	<1	1	2	5	8	13	29
50-64	216	6.0	92	<1	1	3	7	14	22	96
65+	323	9.2	141	1	1	5	11	21	28	63
GRAND TOTAL	**1043**	**5.6**	**76**	**<1**	**<1**	**3**	**6**	**13**	**20**	**58**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	19.5	313	7	7	19	32	32	32	32
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	14.0	75	9	9	9	20	24	24	24
B. *Operated*										
0-19 YRS	3	4.0	27	<1	<1	1	8	10	10	10
20-34	10	4.7	10	<1	<1	4	6	9	12	12
35-49	4	6.8	10	2	2	8	9	9	9	9
50-64	14	11.2	92	1	3	9	13	24	35	38
65+	19	13.4	156	2	4	9	15	26	45	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.0	31	6	6	13	16	17	17	17
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	8.7	41	1	1	9	11	18	19	19
50-64	25	7.6	45	1	2	6	8	17	24	29
65+	90	9.5	96	2	3	6	12	17	29	59
B. *Operated*										
0-19 YRS	10	19.9	712	1	2	11	26	60	91	91
20-34	20	17.9	745	1	2	4	12	69	81	86
35-49	63	16.4	187	2	4	14	21	33	38	79
50-64	202	22.1	326	4	5	16	31	53	63	99+
65+	809	20.6	276	4	6	16	27	42	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	12.3	128	2	2	9	20	30	32	32
B. *Operated*	50	9.9	99	<1	1	8	12	18	30	57
2. MULTIPLE DX										
A. *Not Operated*	125	9.1	80	1	2	6	12	17	25	50
B. *Operated*	1104	20.6	293	3	6	15	27	44	62	99+
1. SINGLE DX	57	10.2	101	<1	1	8	12	22	31	56
2. MULTIPLE DX	1229	19.4	283	3	5	14	25	42	59	99+
A. NOT OPERATED	132	9.3	82	1	2	7	12	18	28	48
B. OPERATED	1154	20.1	289	3	5	15	26	43	61	99+
TOTAL 0-19 YRS	17	14.6	458	<1	1	10	16	28	69	91
20-34	33	13.6	495	<1	2	5	10	55	75	86
35-49	73	15.2	173	1	3	13	20	32	37	76
50-64	242	19.9	306	3	4	14	26	48	60	99+
65+	921	19.3	267	3	5	15	25	41	57	99+
GRAND TOTAL	**1286**	**19.0**	**278**	**3**	**4**	**14**	**25**	**41**	**58**	**99**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	2	<1	<1	2	2	4	5	8
20-34	460	2.3	2	<1	1	2	3	4	5	7
35-49	1473	2.5	2	1	1	2	3	4	5	7
50-64	1128	2.6	2	1	1	2	3	4	5	7
65+	418	2.9	3	1	1	3	4	5	6	10
B. *Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	29	2.5	4	1	1	2	3	5	8	9
35-49	202	2.4	3	1	1	2	2	4	6	10
50-64	266	2.3	15	1	1	2	2	3	5	7
65+	71	2.3	3	1	1	2	2	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.3	3	1	1	2	3	4	4	11
20-34	695	2.9	10	1	1	2	3	5	6	11
35-49	3310	3.1	4	1	1	3	4	5	7	10
50-64	4557	3.4	5	1	1	3	4	6	7	11
65+	3710	4.2	19	1	2	3	5	7	9	17
B. *Operated*										
0-19 YRS	5	3.8	21	1	1	2	5	12	12	12
20-34	59	3.9	12	1	1	2	5	9	10	18
35-49	478	3.5	8	1	1	2	5	7	9	14
50-64	836	3.7	12	1	1	2	4	8	10	16
65+	440	5.6	25	1	1	4	8	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3513	2.5	2	1	1	2	3	4	5	8
B. *Operated*	572	2.4	9	1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	12312	3.5	10	1	1	3	4	6	8	12
B. *Operated*	1818	4.1	15	1	1	2	5	9	11	17
1. SINGLE DX	4085	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	14130	3.6	10	1	1	3	4	6	8	14
A. NOT OPERATED	15825	3.3	8	1	1	3	4	6	7	12
B. OPERATED	2390	3.7	14	1	1	2	5	8	10	17
TOTAL 0-19 YRS	83	2.3	4	<1	1	2	3	4	5	12
20-34	1243	2.7	7	1	1	2	3	5	6	10
35-49	5463	2.9	4	1	1	2	4	5	6	10
50-64	6787	3.3	6	1	1	3	4	6	7	11
65+	4639	4.2	18	1	2	3	5	8	10	18
GRAND TOTAL	**18215**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.9	12	<1	1	2	3	5	7	21
20-34	12	2.3	3	<1	<1	2	3	5	6	6
35-49	16	3.3	4	<1	1	3	5	6	7	8
50-64	19	2.1	2	<1	<1	2	3	5	5	5
65+	29	3.3	9	<1	<1	2	4	7	11	12
B. *Operated*										
0-19 YRS	10	1.6	1	<1	<1	1	2	3	4	4
20-34	12	3.3	7	<1	<1	2	5	7	8	8
35-49	31	1.9	3	<1	1	2	2	2	6	10
50-64	46	2.6	4	<1	<1	2	4	6	7	9
65+	23	2.0	4	<1	<1	1	2	5	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	4.6	34	1	1	3	5	10	14	35
20-34	76	4.0	14	<1	1	3	5	9	12	19
35-49	115	4.1	12	1	1	3	5	9	10	18
50-64	250	5.3	37	1	1	4	7	10	13	18
65+	544	6.3	32	1	2	5	8	12	15	31
B. *Operated*										
0-19 YRS	37	8.4	184	<1	1	3	11	18	25	78
20-34	28	6.1	83	<1	<1	3	7	12	18	48
35-49	72	5.0	21	1	1	3	6	11	13	25
50-64	198	6.2	32	1	1	4	9	15	19	67
65+	254	7.8	63	<1	1	5	10	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	2.9	10	<1	1	2	4	5	7	17
B. *Operated*	122	2.3	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	1342	5.3	31	1	1	4	7	11	14	28
B. *Operated*	589	6.9	57	1	1	4	9	15	20	48
1. SINGLE DX	481	2.7	9	<1	1	2	3	5	7	12
2. MULTIPLE DX	1931	5.8	40	1	1	4	7	12	16	34
A. NOT OPERATED	1701	4.8	28	1	1	3	6	10	13	27
B. OPERATED	711	6.1	50	<1	1	4	8	14	19	43
TOTAL 0-19 YRS	687	4.1	34	1	1	2	4	8	13	29
20-34	128	4.3	28	<1	1	3	5	9	12	25
35-49	234	4.0	14	1	1	3	5	9	11	20
50-64	513	5.3	32	1	1	4	7	12	15	28
65+	850	6.5	41	1	1	5	8	13	17	35
GRAND TOTAL	**2412**	**5.2**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.2	6	<1	1	2	2	3	5	17
20-34	288	2.1	4	<1	1	2	2	4	4	10
35-49	412	1.8	1	<1	1	1	2	3	4	6
50-64	213	1.9	1	<1	1	2	2	3	4	5
65+	68	2.7	15	<1	1	2	3	5	6	28
B. *Operated*										
0-19 YRS	23	3.0	15	<1	<1	2	3	6	12	19
20-34	38	5.2	21	<1	1	3	6	13	15	21
35-49	53	3.9	7	1	1	3	5	8	9	14
50-64	37	4.9	12	1	1	4	7	9	11	16
65+	12	5.3	16	1	1	4	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	5	1	1	2	4	5	7	11
20-34	223	2.7	4	<1	1	2	3	5	6	12
35-49	324	2.8	8	1	1	2	3	5	7	14
50-64	326	3.3	11	1	1	2	4	6	8	16
65+	537	5.3	47	1	1	4	6	11	14	28
B. *Operated*										
0-19 YRS	32	7.9	75	<1	<1	4	11	24	29	31
20-34	76	5.4	18	1	1	5	7	11	14	23
35-49	102	6.3	18	2	2	5	8	13	16	20
50-64	137	6.1	17	1	1	5	8	11	13	22
65+	430	8.8	58	1	2	7	11	18	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	2.0	3	<1	1	2	2	3	4	7
B. *Operated*	163	4.4	14	<1	1	3	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	1458	3.8	24	1	1	3	5	7	11	22
B. *Operated*	777	7.6	44	1	2	6	10	15	20	32
1. SINGLE DX	1186	2.3	5	<1	1	2	3	4	6	12
2. MULTIPLE DX	2235	5.1	34	1	1	3	6	11	15	27
A. NOT OPERATED	2481	3.1	16	1	1	2	3	6	8	17
B. OPERATED	940	7.1	40	1	2	5	9	14	19	29
TOTAL 0-19 YRS	145	3.8	27	<1	<1	2	4	8	14	29
20-34	625	2.9	8	<1	1	2	3	6	8	15
35-49	891	2.8	8	<1	1	2	3	6	8	15
50-64	713	3.5	11	1	1	2	4	8	10	16
65+	1047	6.6	53	1	1	5	8	13	19	33
GRAND TOTAL	**3421**	**4.2**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1310	1.9	2	<1	1	2	2	3	4	7
20-34	1257	2.5	6	<1	1	2	3	4	6	9
35-49	662	2.7	6	1	1	2	3	5	7	12
50-64	312	2.9	4	<1	1	2	4	6	7	10
65+	165	3.4	7	<1	1	3	4	6	9	14
B. *Operated*										
0-19 YRS	117	3.4	5	1	1	3	4	6	8	12
20-34	185	3.8	8	<1	1	3	4	8	10	13
35-49	78	4.5	11	<1	1	4	6	9	13	15
50-64	21	4.9	19	<1	<1	4	7	11	14	17
65+	20	2.8	10	<1	<1	2	2	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	761	2.4	3	<1	1	2	3	4	6	10
20-34	1175	3.1	7	1	1	2	4	6	8	11
35-49	846	4.0	11	1	1	3	5	7	9	17
50-64	879	4.5	11	1	1	4	6	8	11	18
65+	1448	5.4	30	1	2	4	7	10	13	28
B. *Operated*										
0-19 YRS	92	4.8	34	1	1	4	6	9	12	37
20-34	258	5.3	25	<1	1	4	7	11	14	21
35-49	215	6.7	34	1	1	6	9	13	16	31
50-64	175	7.3	35	1	1	6	10	14	18	41
65+	222	9.5	74	1	2	8	11	18	26	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3706	2.4	5	<1	1	2	3	4	6	9
B. *Operated*	421	3.8	8	<1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	5109	4.0	15	1	1	3	5	8	10	18
B. *Operated*	962	6.9	44	1	1	6	9	13	17	42
1. SINGLE DX	4127	2.5	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	6071	4.5	21	1	1	3	6	9	12	22
A. NOT OPERATED	8815	3.3	11	1	1	2	4	7	8	15
B. OPERATED	1383	6.0	35	1	1	4	8	12	15	32
TOTAL 0-19 YRS	2280	2.3	4	<1	1	2	3	4	6	9
20-34	2875	3.1	9	<1	1	2	4	6	8	13
35-49	1801	3.9	13	1	1	3	5	8	10	18
50-64	1387	4.5	14	1	1	3	6	9	11	18
65+	1855	5.7	35	1	1	4	7	11	14	32
GRAND TOTAL	**10198**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.4	4	<1	1	2	3	4	6	13
20-34	60	2.3	3	<1	1	1	3	5	6	7
35-49	34	2.5	7	<1	<1	1	3	6	9	12
50-64	26	2.5	5	<1	<1	1	4	6	7	8
65+	27	3.2	7	<1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	5	3.6	16	1	1	1	6	10	10	10
20-34	20	3.6	7	<1	1	2	6	8	8	9
35-49	16	3.9	8	<1	<1	3	6	9	9	9
50-64	17	2.7	9	<1	<1	1	3	8	10	11
65+	19	3.1	12	<1	<1	1	4	6	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	319	3.0	11	1	1	2	3	6	8	17
20-34	151	3.9	24	<1	1	2	5	8	10	36
35-49	199	5.1	54	1	1	3	6	10	14	42
50-64	354	5.9	28	1	1	4	8	12	15	28
65+	686	6.4	47	1	2	5	8	12	16	44
B. *Operated*										
0-19 YRS	68	1.9	6	1	1	1	2	4	8	13
20-34	143	3.3	34	1	1	1	4	8	12	35
35-49	134	5.0	49	1	1	2	6	12	17	37
50-64	142	6.9	63	1	1	4	9	16	23	39
65+	291	9.1	95	1	1	7	12	21	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.5	5	<1	1	2	3	5	6	13
B. *Operated*	77	3.3	9	<1	<1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1709	5.3	37	1	1	4	7	11	14	30
B. *Operated*	778	6.3	68	1	1	3	8	16	22	46
1. SINGLE DX	346	2.7	6	<1	<1	2	3	6	7	13
2. MULTIPLE DX	2487	5.6	47	1	1	4	7	12	17	36
A. NOT OPERATED	1978	4.9	33	1	1	3	6	10	14	29
B. OPERATED	855	6.0	64	1	1	3	8	15	21	45
TOTAL 0-19 YRS	514	2.7	9	1	1	2	3	5	8	15
20-34	374	3.4	24	<1	1	2	4	7	10	32
35-49	383	4.8	46	<1	1	3	6	10	14	33
50-64	539	5.9	36	1	1	4	8	13	16	33
65+	1023	7.1	61	1	1	5	8	15	21	49
GRAND TOTAL	**2833**	**5.2**	**43**	**1**	**1**	**3**	**7**	**11**	**16**	**35**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	3.2	11	<1	1	2	4	6	9	15
20-34	235	2.9	11	1	1	2	3	5	7	24
35-49	248	2.7	5	1	1	2	3	5	7	11
50-64	341	3.0	7	1	1	2	4	6	8	11
65+	408	3.4	7	1	1	3	4	7	8	14
B. *Operated*										
0-19 YRS	39	2.7	8	<1	1	2	3	5	9	15
20-34	81	2.5	23	<1	<1	1	2	4	6	32
35-49	78	2.1	4	<1	<1	1	2	4	5	13
50-64	71	2.4	4	<1	<1	2	3	5	8	10
65+	25	3.3	14	<1	1	2	3	8	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	934	5.5	58	1	1	3	6	12	17	43
20-34	738	4.0	26	1	1	3	5	7	11	24
35-49	1032	4.2	15	1	1	3	5	8	11	20
50-64	2536	5.5	48	1	1	4	6	10	15	38
65+	7613	6.8	47	1	2	5	8	13	18	40
B. *Operated*										
0-19 YRS	116	8.8	237	1	1	3	11	25	59	99+
20-34	150	5.1	94	1	1	2	5	12	19	51
35-49	260	6.4	116	1	1	3	7	15	25	87
50-64	471	9.2	172	1	1	5	11	24	43	99+
65+	1140	12.2	191	1	2	8	15	29	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1763	3.1	9	1	1	2	4	6	8	14
B. *Operated*	294	2.4	10	<1	<1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	12853	6.1	45	1	2	4	7	12	16	38
B. *Operated*	2137	10.2	179	1	1	6	13	25	44	99+
1. SINGLE DX	2057	3.0	9	<1	1	2	4	6	8	15
2. MULTIPLE DX	14990	6.7	66	1	1	4	8	13	19	52
A. NOT OPERATED	14616	5.7	42	1	1	4	7	11	16	35
B. OPERATED	2431	9.2	165	1	1	5	12	23	40	99+
TOTAL 0-19 YRS	1620	4.9	56	1	1	3	5	10	15	46
20-34	1204	3.8	32	1	1	2	4	7	11	27
35-49	1618	4.2	31	1	1	3	5	8	11	27
50-64	3419	5.7	63	1	1	4	6	11	17	51
65+	9186	7.3	67	1	2	5	9	15	21	55
GRAND TOTAL	**17047**	**6.2**	**61**	**1**	**1**	**4**	**7**	**13**	**18**	**48**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	2.0	3	1	1	1	2	4	5	8
20-34	18	4.1	30	<1	1	3	5	6	18	25
35-49	10	4.0	11	1	1	3	4	10	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	4.3	16	2	2	2	7	9	9	9
B. *Operated*										
0-19 YRS	49	4.9	29	1	1	4	5	9	13	32
20-34	8	15.8	491	2	3	8	14	54	69	69
35-49	8	9.5	7	6	6	9	12	13	13	13
50-64	4	11.0	61	2	2	12	17	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	3.7	30	1	1	3	4	9	22	99+
20-34	45	7.1	38	1	2	4	9	18	21	24
35-49	29	8.5	138	<1	1	4	9	16	47	48
50-64	22	6.1	50	1	1	3	8	23	52	99+
65+	27	10.6	91	1	1	9	14	25	29	37
B. *Operated*										
0-19 YRS	96	11.2	209	1	2	6	11	31	50	91
20-34	91	17.0	334	2	2	10	22	43	58	81
35-49	33	15.6	251	2	3	13	19	48	63	99+
50-64	30	18.0	267	2	2	11	26	43	47	69
65+	21	16.1	179	2	4	13	30	41	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	2.2	5	1	1	1	2	4	6	10
B. *Operated*	69	7.0	89	1	2	4	8	13	20	62
2. MULTIPLE DX										
A. *Not Operated*	304	5.5	53	1	1	3	7	16	25	99+
B. *Operated*	271	14.8	264	2	2	9	19	41	57	96
1. SINGLE DX	349	3.2	25	1	1	2	3	7	9	23
2. MULTIPLE DX	575	9.9	174	1	1	5	12	28	47	99+
A. NOT OPERATED	584	3.9	33	1	1	2	4	9	16	99+
B. OPERATED	340	13.2	238	1	2	8	16	38	50	84
TOTAL 0-19 YRS	574	4.3	58	1	1	2	4	9	19	99+
20-34	162	12.8	250	1	2	7	16	31	48	77
35-49	80	11.0	170	1	1	7	14	27	47	88
50-64	57	12.7	194	1	2	8	18	37	46	97
65+	51	12.5	131	1	2	10	18	33	39	99
GRAND TOTAL	**924**	**7.3**	**128**	**1**	**1**	**3**	**8**	**20**	**38**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.9	18	1	1	2	3	5	8	26
20-34	29	4.9	8	1	1	5	7	7	8	15
35-49	10	5.6	17	1	1	3	10	11	11	11
50-64	9	5.0	15	2	2	4	6	11	14	14
65+	4	8.8	166	1	1	3	16	28	28	28
B. *Operated*										
0-19 YRS	16	3.5	7	1	1	3	5	8	8	8
20-34	15	6.7	36	1	1	7	8	9	22	26
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	5.1	28	1	1	3	6	12	17	99+
20-34	127	6.1	23	1	1	5	8	14	16	22
35-49	51	8.2	72	1	2	5	11	21	27	39
50-64	39	11.2	324	1	1	5	10	43	73	99+
65+	57	15.9	271	2	3	11	18	38	56	79
B. *Operated*										
0-19 YRS	80	17.6	362	1	2	11	23	46	62	97
20-34	113	14.3	218	1	2	10	20	39	65	99+
35-49	45	15.2	143	2	3	13	20	36	49	99+
50-64	26	25.4	744	1	3	17	37	94	99+	99+
65+	34	20.2	411	2	3	12	29	51	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	3.6	20	1	1	2	4	7	10	27
B. *Operated*	35	5.2	22	1	1	4	8	9	11	26
2. MULTIPLE DX										
A. *Not Operated*	442	7.7	101	1	1	5	9	17	25	89
B. *Operated*	298	16.9	319	1	2	11	22	43	75	99+
1. SINGLE DX	213	3.9	21	1	1	2	5	8	11	27
2. MULTIPLE DX	740	11.4	209	1	1	7	15	29	51	99+
A. NOT OPERATED	620	6.5	81	1	1	4	7	15	22	70
B. OPERATED	333	15.7	300	1	2	10	21	41	71	99+
TOTAL 0-19 YRS	390	6.9	122	1	1	3	7	18	33	96
20-34	284	9.3	116	1	1	6	11	21	30	91
35-49	108	10.9	108	1	2	8	16	23	37	73
50-64	76	15.1	475	1	2	7	18	68	93	99+
65+	95	17.2	318	2	3	11	22	41	64	95
GRAND TOTAL	**953**	**9.7**	**177**	**1**	**1**	**5**	**11**	**24**	**41**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	4	<1	1	2	3	4	8	9
20-34	33	1.8	1	<1	<1	1	2	4	4	5
35-49	13	1.8	2	<1	<1	1	2	4	5	5
50-64	3	5.7	20	1	1	6	9	10	10	10
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	405	1.7	2	<1	<1	1	2	3	4	8
20-34	588	2.2	3	<1	<1	2	3	4	5	10
35-49	135	2.5	8	<1	1	1	3	4	8	18
50-64	38	2.0	4	<1	1	1	2	4	4	13
65+	19	3.4	5	1	1	3	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.5	4	<1	1	2	3	5	6	12
20-34	142	2.5	5	<1	<1	2	3	5	6	12
35-49	49	3.0	5	<1	<1	2	4	6	7	10
50-64	35	3.3	5	<1	1	3	4	7	8	11
65+	74	7.8	101	1	1	5	10	16	23	61
B. *Operated*										
0-19 YRS	456	3.5	17	<1	1	2	4	7	10	20
20-34	945	4.1	17	1	1	3	5	8	12	20
35-49	319	5.1	26	1	1	4	7	10	16	24
50-64	104	4.9	44	<1	1	3	6	10	14	42
65+	132	8.5	144	1	2	5	10	18	24	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.1	3	<1	<1	1	2	4	5	10
B. *Operated*	1185	2.1	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	361	3.8	29	<1	1	2	4	7	12	23
B. *Operated*	1956	4.4	30	1	1	3	5	9	13	24
1. SINGLE DX	1250	2.1	3	<1	<1	1	3	4	5	9
2. MULTIPLE DX	2317	4.3	30	1	1	3	5	9	12	24
A. NOT OPERATED	426	3.5	25	<1	<1	2	4	6	11	21
B. OPERATED	3141	3.6	21	<1	1	2	4	8	11	20
TOTAL 0-19 YRS	936	2.7	10	<1	<1	2	3	5	8	13
20-34	1708	3.2	12	<1	1	2	4	7	9	17
35-49	516	4.1	20	<1	1	3	5	9	12	22
50-64	180	4.0	29	<1	1	2	4	9	12	29
65+	227	7.8	119	1	1	5	10	17	22	72
GRAND TOTAL	**3567**	**3.5**	**22**	**<1**	**1**	**2**	**4**	**8**	**11**	**21**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	4.0	9	1	1	3	5	8	9	15
20-34	285	5.2	34	1	1	4	7	10	12	25
35-49	115	5.4	15	1	1	5	7	10	13	19
50-64	119	5.9	21	1	2	5	7	11	15	24
65+	174	7.2	24	1	2	6	9	14	16	24
B. *Operated*										
0-19 YRS	21	11.4	48	2	3	12	15	23	24	25
20-34	42	10.0	67	2	3	7	13	22	28	40
35-49	15	9.1	28	2	2	9	13	16	19	20
50-64	13	9.1	47	1	2	8	12	16	25	27
65+	3	8.0	39	3	3	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	5.5	20	1	2	4	7	12	14	23
20-34	311	6.3	27	1	2	5	8	12	15	27
35-49	212	6.9	28	2	2	6	9	12	14	30
50-64	311	8.0	29	2	3	7	11	15	20	26
65+	1568	11.3	91	3	4	9	14	20	26	55
B. *Operated*										
0-19 YRS	67	10.2	61	2	3	8	13	23	27	34
20-34	173	13.6	238	2	3	9	17	27	37	94
35-49	71	12.3	76	2	4	10	17	23	36	87
50-64	87	18.3	338	2	3	14	24	37	50	94
65+	212	19.4	254	5	6	15	26	42	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	5.6	24	1	1	5	7	11	14	24
B. *Operated*	94	10.0	52	2	3	8	14	20	26	36
2. MULTIPLE DX										
A. *Not Operated*	2539	9.6	72	2	3	8	12	18	23	44
B. *Operated*	610	15.7	230	2	4	11	20	32	47	99
1. SINGLE DX	915	6.0	29	1	1	5	8	12	15	25
2. MULTIPLE DX	3149	10.8	108	2	3	8	13	21	28	64
A. NOT OPERATED	3360	8.6	63	1	2	7	11	16	21	40
B. OPERATED	704	15.0	210	2	4	11	19	30	43	98
TOTAL 0-19 YRS	353	6.2	32	1	1	4	8	14	19	27
20-34	811	7.7	87	1	2	5	9	15	21	48
35-49	413	7.5	38	1	2	6	9	14	20	37
50-64	530	9.3	94	2	2	7	11	19	25	47
65+	1957	11.8	111	3	4	9	14	22	30	73
GRAND TOTAL	**4064**	**9.7**	**94**	**2**	**2**	**7**	**12**	**19**	**26**	**55**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	6	4.3	5	1	1	4	5	8	8	8
35-49	3	9.7	100	2	2	6	17	21	21	21
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
0-19 YRS	4	17.0	133	2	2	19	26	27	27	27
20-34	9	14.9	87	2	5	12	20	30	31	31
35-49	4	15.5	55	9	9	13	20	26	26	26
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	8	13.4	135	3	3	10	27	72	99+	99+
35-49	8	10.3	114	2	2	7	14	28	33	33
50-64	7	17.9	275	1	2	13	21	46	52	52
65+	20	11.4	60	2	3	9	17	19	28	35
B. *Operated*										
0-19 YRS	24	25.9	387	9	10	24	66	99+	99+	99+
20-34	50	29.4	335	11	12	28	52	99+	99+	99+
35-49	15	33.7	696	6	14	23	66	99	99+	99+
50-64	12	35.0	725	9	11	33	77	99+	99+	99+
65+	5	31.4	212	14	16	45	87	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.5	29	1	1	5	8	15	19	21
B. *Operated*	18	14.8	85	2	2	13	25	28	30	31
2. MULTIPLE DX										
A. *Not Operated*	47	11.9	110	2	2	9	17	29	37	99+
B. *Operated*	106	29.9	427	10	12	26	62	99+	99+	99+
1. SINGLE DX	33	11.0	75	1	2	9	15	26	28	31
2. MULTIPLE DX	153	24.4	398	3	6	21	45	99+	99+	99+
A. NOT OPERATED	62	10.6	95	2	2	8	15	24	34	94
B. OPERATED	124	27.7	405	9	10	25	52	99+	99+	99+
TOTAL 0-19 YRS	35	20.5	352	2	4	21	32	99+	99+	99+
20-34	73	23.8	326	3	5	23	36	89	99+	99+
35-49	30	22.6	506	2	2	16	30	81	99+	99+
50-64	21	26.5	594	2	6	19	52	90	99+	99+
65+	27	15.1	141	3	4	13	22	47	99+	99+
GRAND TOTAL	**186**	**22.0**	**366**	**2**	**4**	**18**	**34**	**96**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	1	1	2	3	3	3
20-34	52	2.1	1	1	1	2	3	4	4	5
35-49	59	2.4	2	<1	1	2	4	5	5	7
50-64	58	2.9	3	1	1	3	4	5	7	9
65+	59	3.5	16	1	1	2	4	6	10	27
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34										
35-49	3	6.7	4	5	5	6	8	9	9	9
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.3	5	1	1	3	4	6	9	9
20-34	231	3.6	8	1	1	3	5	7	8	12
35-49	318	4.5	16	1	1	3	6	9	11	15
50-64	432	5.2	15	1	2	4	7	10	13	21
65+	971	8.5	88	2	2	6	9	16	23	57
B. *Operated*										
0-19 YRS	20	8.8	28	2	2	8	13	14	18	22
20-34	84	6.3	37	1	1	4	8	11	20	32
35-49	91	9.6	79	2	3	7	11	20	32	47
50-64	96	10.3	124	1	1	7	12	22	31	64
65+	155	14.5	144	3	4	11	18	28	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	2.7	6	1	1	2	3	5	6	10
B. *Operated*	8	6.0	11	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1999	6.5	54	1	2	5	7	12	17	44
B. *Operated*	446	10.8	110	1	2	8	13	23	31	58
1. SINGLE DX	251	2.8	6	1	1	2	3	5	6	10
2. MULTIPLE DX	2445	7.3	67	1	2	5	8	14	20	50
A. NOT OPERATED	2242	6.1	50	1	1	4	7	12	16	42
B. OPERATED	454	10.7	108	1	2	8	13	23	31	58
TOTAL 0-19 YRS	84	4.4	16	1	1	3	6	10	13	20
20-34	367	4.0	16	1	1	3	5	8	10	26
35-49	471	5.2	31	1	1	4	6	11	13	33
50-64	588	5.8	36	1	1	4	7	11	16	27
65+	1186	9.0	97	2	2	6	11	18	27	57
GRAND TOTAL	**2696**	**6.8**	**63**	**1**	**2**	**5**	**8**	**13**	**20**	**48**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	5.0	28	1	1	3	6	10	14	32
20-34	48	7.1	34	2	2	5	9	14	20	27
35-49	32	6.5	12	2	2	6	8	11	13	17
50-64	42	8.5	29	3	3	7	10	14	23	25
65+	178	8.4	36	2	3	7	11	16	18	32
B. *Operated*										
0-19 YRS	9	6.6	18	1	1	6	9	13	14	14
20-34	9	15.8	221	1	3	11	20	41	48	48
35-49	8	9.6	36	3	3	9	13	19	21	21
50-64	1	13.0		13	13	13	13	13	13	13
65+	4	27.0	195	7	7	31	36	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	6.8	45	1	2	5	8	14	17	41
20-34	174	9.5	62	2	3	7	12	18	24	43
35-49	101	13.6	147	2	3	10	17	28	42	61
50-64	145	11.8	72	3	4	9	16	20	30	41
65+	1312	14.3	146	3	4	11	17	27	39	84
B. *Operated*										
0-19 YRS	66	14.7	165	3	3	10	20	33	45	58
20-34	115	23.4	382	4	6	17	30	52	74	98
35-49	71	23.9	285	7	9	17	36	59	95	99+
50-64	52	28.9	296	7	9	26	43	53	61	64
65+	198	24.9	340	6	9	20	33	60	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	7.5	33	2	2	6	10	14	18	31
B. *Operated*	31	12.9	135	1	3	9	15	33	38	48
2. MULTIPLE DX										
A. *Not Operated*	1839	13.2	131	3	4	10	16	25	36	74
B. *Operated*	502	23.5	326	5	7	18	33	54	66	99+
1. SINGLE DX	388	7.9	43	2	2	6	10	15	20	34
2. MULTIPLE DX	2341	15.4	190	3	4	11	19	33	48	94
A. NOT OPERATED	2196	12.2	119	2	3	10	15	23	33	68
B. OPERATED	533	22.9	321	4	6	17	32	53	65	99+
TOTAL 0-19 YRS	239	8.6	87	1	2	5	10	18	29	50
20-34	346	13.9	213	3	3	9	16	31	45	86
35-49	212	15.8	206	2	4	12	20	39	55	99+
50-64	240	14.9	168	3	4	10	18	35	44	61
65+	1692	14.9	174	3	4	11	18	29	46	94
GRAND TOTAL	**2729**	**14.3**	**176**	**3**	**3**	**11**	**17**	**30**	**45**	**84**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.2	22	<1	1	1	3	10	15	23
20-34	20	3.0	6	<1	<1	2	4	7	9	10
35-49	12	2.3	4	1	1	1	3	6	7	7
50-64	17	2.4	3	<1	1	2	4	5	6	6
65+	76	3.3	11	<1	1	2	4	8	11	17
B. *Operated*										
0-19 YRS	670	3.1	16	1	1	2	3	5	14	21
20-34	111	3.7	22	<1	1	3	4	7	9	32
35-49	76	3.8	6	1	1	3	5	8	10	11
50-64	100	4.3	16	1	1	3	5	8	12	22
65+	171	4.7	11	1	1	4	6	8	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.8	23	1	1	2	4	8	17	21
20-34	36	6.1	141	1	1	2	5	8	35	60
35-49	30	5.9	95	1	1	4	5	9	11	56
50-64	92	8.4	186	1	1	4	8	16	26	82
65+	503	9.5	120	1	2	6	11	20	34	85
B. *Operated*										
0-19 YRS	235	5.3	36	1	1	3	6	14	19	28
20-34	133	9.6	139	1	2	5	12	19	33	56
35-49	118	9.7	141	1	2	6	13	22	33	94
50-64	220	9.2	102	1	2	6	11	20	28	51
65+	618	11.3	182	1	2	7	14	25	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	3.1	14	<1	1	2	3	7	11	20
B. *Operated*	1128	3.6	16	1	1	2	4	7	11	20
2. MULTIPLE DX										
A. *Not Operated*	701	8.7	125	1	1	5	10	19	33	74
B. *Operated*	1324	9.6	139	1	2	6	12	21	31	79
1. SINGLE DX	1337	3.5	15	1	1	2	4	7	11	20
2. MULTIPLE DX	2025	9.3	134	1	2	5	11	20	32	76
A. NOT OPERATED	910	7.4	105	1	1	4	9	17	26	73
B. OPERATED	2452	6.8	91	1	1	4	8	16	23	48
TOTAL 0-19 YRS	1029	3.7	22	1	1	2	3	8	15	23
20-34	300	6.5	94	1	1	3	7	14	24	46
35-49	236	6.9	92	1	1	4	7	15	24	61
50-64	429	7.6	100	1	1	5	9	15	24	62
65+	1368	9.4	135	1	2	6	11	20	33	88
GRAND TOTAL	**3362**	**7.0**	**95**	**1**	**1**	**4**	**8**	**16**	**24**	**61**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.4	1	<1	1	1	2	2	3	5
20-34	15	2.5	8	<1	<1	2	3	5	10	12
35-49	13	2.9	4	1	1	3	4	6	8	8
50-64	12	2.2	2	<1	<1	1	3	4	5	5
65+	12	7.0	175	<1	<1	2	5	22	44	48
B. *Operated*										
0-19 YRS	1193	1.7	2	<1	1	1	2	3	4	6
20-34	414	2.7	4	1	1	2	3	5	6	11
35-49	299	2.5	3	1	1	2	3	5	6	9
50-64	348	2.4	3	1	1	2	3	4	6	9
65+	308	2.7	5	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.8	7	<1	<1	2	4	7	10	99+
20-34	27	4.2	13	<1	1	3	6	10	12	14
35-49	26	3.3	6	<1	1	3	5	7	8	10
50-64	24	5.6	37	1	1	4	7	11	21	28
65+	98	7.5	77	1	1	4	9	15	26	51
B. *Operated*										
0-19 YRS	343	3.5	21	1	1	2	4	7	10	24
20-34	339	5.4	31	1	1	4	6	12	15	32
35-49	239	5.3	49	1	1	3	6	12	19	39
50-64	364	4.7	21	1	1	3	6	10	13	21
65+	665	7.5	109	1	1	4	8	16	27	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.5	24	<1	<1	1	2	5	6	29
B. *Operated*	2562	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	216	5.5	46	1	1	3	7	11	18	50
B. *Operated*	1950	5.6	58	1	1	3	6	12	17	44
1. SINGLE DX	2665	2.2	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	2166	5.6	57	1	1	3	6	12	17	44
A. NOT OPERATED	319	4.5	41	<1	1	3	5	10	14	48
B. OPERATED	4512	3.7	30	1	1	2	4	7	11	28
TOTAL 0-19 YRS	1628	2.1	7	<1	1	1	2	4	6	12
20-34	795	3.9	18	1	1	3	5	8	11	19
35-49	577	3.7	24	1	1	2	4	7	10	29
50-64	748	3.6	14	1	1	3	4	7	10	20
65+	1083	6.1	82	1	1	3	7	13	21	57
GRAND TOTAL	**4831**	**3.7**	**31**	**1**	**1**	**2**	**4**	**8**	**11**	**28**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	4	4	4
20-34	25	3.2	5	1	1	2	5	6	8	9
35-49	10	2.6	5	<1	<1	2	3	6	8	8
50-64	10	2.1	2	1	1	2	3	4	5	5
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	304	1.6	1	<1	<1	1	2	3	4	6
20-34	423	1.8	1	<1	<1	1	2	3	4	6
35-49	180	1.7	2	<1	<1	1	2	3	4	7
50-64	79	2.3	2	<1	1	2	3	4	5	8
65+	40	2.5	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	5	<1	1	2	3	5	7	10
20-34	35	4.0	37	<1	1	3	4	7	8	37
35-49	18	3.1	4	<1	<1	3	5	6	7	7
50-64	14	6.9	30	1	2	4	9	16	18	18
65+	22	9.2	182	<1	1	4	11	23	39	62
B. *Operated*										
0-19 YRS	148	3.4	14	<1	1	2	4	9	11	18
20-34	330	3.0	6	1	1	2	4	6	8	11
35-49	179	3.7	26	1	1	2	4	8	10	28
50-64	118	2.9	6	1	1	2	4	6	8	14
65+	84	4.9	43	1	1	3	5	11	15	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.7	4	<1	1	2	4	6	7	9
B. *Operated*	1026	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	109	5.0	58	<1	1	3	5	10	16	47
B. *Operated*	859	3.4	15	1	1	2	4	7	10	18
1. SINGLE DX	1082	1.8	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	968	3.6	20	1	1	2	4	7	10	22
A. NOT OPERATED	165	4.2	41	<1	1	3	4	8	12	35
B. OPERATED	1885	2.5	8	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	480	2.2	6	<1	<1	1	2	4	6	12
20-34	813	2.4	5	<1	1	2	3	5	6	10
35-49	387	2.7	14	<1	1	2	3	6	8	19
50-64	221	2.9	7	1	1	2	4	6	8	15
65+	149	4.8	56	<1	1	3	5	10	15	49
GRAND TOTAL	**2050**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	22.4	541	2	2	16	31	59	72	74
20-34	6	4.3	16	1	1	2	9	10	10	10
35-49	5	9.8	21	4	4	12	13	15	15	15
50-64	12	10.3	89	1	1	8	15	23	32	33
65+	106	9.6	91	1	1	8	12	21	27	50
B. *Operated*										
0-19 YRS	84	8.5	57	2	2	7	9	15	25	42
20-34	37	10.9	92	4	5	8	10	19	24	60
35-49	74	8.9	30	4	4	8	11	14	17	38
50-64	280	11.2	52	5	6	10	13	17	20	47
65+	1179	14.2	54	6	8	13	16	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	11.3	165	1	1	7	14	26	44	53
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	18	17.1	533	1	1	7	24	63	67	68
50-64	51	14.7	176	3	4	11	18	37	57	99
65+	647	14.9	228	2	3	11	18	32	53	99+
B. *Operated*										
0-19 YRS	83	14.6	127	2	4	11	19	29	38	90
20-34	99	15.1	134	3	5	11	19	30	35	64
35-49	144	15.9	143	5	7	13	19	34	49	99+
50-64	739	16.3	125	6	8	13	19	29	41	99+
65+	9065	19.8	169	8	9	16	23	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	11.3	170	1	1	8	13	24	36	70
B. *Operated*	1654	13.1	57	5	6	12	15	20	24	41
2. MULTIPLE DX										
A. *Not Operated*	742	14.8	229	2	3	10	18	32	55	99+
B. *Operated*	10130	19.4	166	7	9	16	23	36	52	99+
1. SINGLE DX	1805	12.9	66	4	6	12	15	20	25	46
2. MULTIPLE DX	10872	19.0	172	7	8	16	23	36	52	99+
A. NOT OPERATED	893	14.2	220	1	2	10	18	32	52	99+
B. OPERATED	11784	18.5	156	7	8	15	22	34	48	99+
TOTAL 0-19 YRS	213	12.6	161	2	2	8	15	28	40	72
20-34	144	13.4	125	2	4	10	16	26	35	61
35-49	241	13.7	144	3	5	10	16	27	45	99+
50-64	1082	14.8	113	6	7	12	17	26	38	99+
65+	10997	18.8	164	7	8	15	22	35	50	99+
GRAND TOTAL	**12677**	**18.2**	**161**	**6**	**8**	**15**	**21**	**34**	**48**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	18.3	218	1	2	18	26	37	47	63
20-34	11	12.2	255	<1	<1	5	17	41	47	48
35-49	4	20.8	579	3	3	12	37	55	55	55
50-64	7	17.3	205	6	6	10	27	41	43	43
65+	32	10.0	114	1	1	9	12	19	20	59
B. *Operated*										
0-19 YRS	286	12.1	179	1	1	7	18	28	40	62
20-34	91	10.8	72	1	3	9	13	18	29	50
35-49	29	14.3	338	3	3	9	14	32	49	95
50-64	21	10.3	38	1	2	9	14	21	22	22
65+	56	14.2	118	4	4	12	16	21	33	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	20.9	286	2	3	20	30	42	56	94
20-34	30	18.0	529	1	2	7	20	53	59	92
35-49	14	11.4	183	1	3	6	9	31	44	48
50-64	42	15.6	445	1	1	8	21	53	85	99+
65+	234	20.5	434	2	4	12	30	63	79	99+
B. *Operated*										
0-19 YRS	359	18.7	204	2	3	15	26	42	49	73
20-34	310	19.3	249	5	7	14	22	45	59	99+
35-49	112	21.3	397	3	5	15	27	55	89	99+
50-64	148	23.6	358	3	6	18	31	59	74	99+
65+	528	23.7	309	6	9	18	31	55	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	17.1	216	1	2	15	25	37	47	62
B. *Operated*	483	12.2	155	1	1	9	16	25	37	62
2. MULTIPLE DX										
A. *Not Operated*	441	19.7	394	1	3	13	28	54	75	99+
B. *Operated*	1457	21.4	286	3	6	16	28	48	68	99+
1. SINGLE DX	765	14.0	183	1	1	10	20	30	43	62
2. MULTIPLE DX	1898	21.0	312	3	5	16	28	50	69	99+
A. NOT OPERATED	723	18.7	326	1	2	14	26	47	61	99+
B. OPERATED	1940	19.1	269	2	4	15	25	45	62	99+
TOTAL 0-19 YRS	994	17.0	220	1	2	14	24	37	48	70
20-34	442	17.3	242	2	5	13	20	40	54	99
35-49	159	19.2	378	3	4	13	26	48	80	99+
50-64	218	20.6	357	2	4	15	27	51	73	99+
65+	850	21.7	334	3	6	16	29	55	76	99+
GRAND TOTAL	**2663**	**19.0**	**285**	**2**	**3**	**15**	**25**	**46**	**62**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	2.4	3	1	1	2	3	4	5	8
20-34	72	3.1	8	1	1	2	4	6	6	16
35-49	59	3.6	6	1	1	3	5	7	9	12
50-64	39	5.9	117	1	1	3	5	11	28	58
65+	65	6.1	13	1	2	6	8	11	13	17
B. *Operated*										
0-19 YRS	693	3.6	11	1	1	3	5	7	9	15
20-34	460	5.3	18	1	2	4	7	10	12	23
35-49	310	6.4	35	1	2	5	8	12	18	28
50-64	218	6.7	26	1	2	5	9	13	16	27
65+	90	8.1	30	1	2	7	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.0	120	1	1	3	5	9	11	76
20-34	83	4.9	21	1	1	3	6	11	14	24
35-49	74	7.4	77	1	1	4	8	22	30	44
50-64	88	7.5	64	1	1	5	9	14	21	47
65+	243	10.9	98	2	3	8	14	23	31	72
B. *Operated*										
0-19 YRS	286	8.3	72	1	2	5	10	19	27	42
20-34	459	11.4	133	2	2	8	14	27	40	99+
35-49	277	12.4	176	2	3	9	14	28	52	99+
50-64	306	14.1	166	3	4	10	19	28	49	87
65+	391	15.2	141	2	4	13	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	3.6	19	1	1	3	4	7	9	16
B. *Operated*	1771	5.1	22	1	1	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	557	8.3	87	1	1	5	10	19	26	51
B. *Operated*	1719	12.4	142	2	3	9	16	28	42	99+
1. SINGLE DX	2178	4.8	21	1	1	4	6	10	13	23
2. MULTIPLE DX	2276	11.4	132	1	2	8	15	26	38	99+
A. NOT OPERATED	964	6.3	64	1	1	4	8	13	22	48
B. OPERATED	3490	8.7	94	1	2	6	11	20	29	62
TOTAL 0-19 YRS	1220	4.6	35	1	1	3	5	9	13	29
20-34	1074	7.7	77	1	2	5	9	16	25	60
35-49	720	8.6	101	1	2	6	10	18	28	73
50-64	651	10.2	116	1	2	7	12	22	30	67
65+	789	12.3	114	2	3	9	16	27	40	99+
GRAND TOTAL	**4454**	**8.2**	**89**	**1**	**1**	**5**	**10**	**19**	**27**	**59**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.2	2	<1	1	2	3	4	5	8
20-34	101	3.2	7	<1	1	2	4	7	9	13
35-49	68	3.9	34	1	1	3	4	6	8	42
50-64	54	4.1	9	1	1	3	5	8	11	14
65+	57	4.0	12	<1	1	3	6	9	10	16
B. *Operated*										
0-19 YRS	609	3.1	5	1	1	3	4	6	7	12
20-34	1031	4.1	10	1	1	4	5	7	9	15
35-49	810	4.3	8	1	1	4	5	7	9	15
50-64	663	5.0	10	1	2	5	6	8	11	16
65+	332	6.4	40	2	2	5	7	11	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.4	9	1	1	2	5	8	11	13
20-34	110	4.6	15	1	1	4	6	9	13	19
35-49	85	5.4	13	1	2	5	8	10	13	71
50-64	128	6.7	45	1	2	5	8	14	18	37
65+	290	9.5	106	1	2	7	11	20	35	92
B. *Operated*										
0-19 YRS	340	5.5	32	1	1	4	6	11	16	32
20-34	807	6.4	45	1	2	5	7	12	16	37
35-49	631	6.7	48	1	2	5	8	13	17	41
50-64	720	7.3	46	2	3	5	9	13	20	39
65+	973	10.8	112	3	3	8	13	20	29	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	3.4	13	1	1	3	4	7	9	14
B. *Operated*	3445	4.3	12	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	679	7.1	64	1	2	5	9	14	21	57
B. *Operated*	3471	7.8	67	2	2	6	9	14	21	43
1. SINGLE DX	3799	4.3	13	1	1	4	5	8	10	16
2. MULTIPLE DX	4150	7.7	67	1	2	5	9	14	21	48
A. NOT OPERATED	1033	5.8	49	1	1	4	7	12	17	46
B. OPERATED	6916	6.1	43	1	2	4	7	11	15	34
TOTAL 0-19 YRS	1089	3.8	15	1	1	3	4	7	10	21
20-34	2049	5.0	25	1	1	4	6	9	12	26
35-49	1594	5.3	27	1	2	4	6	9	13	28
50-64	1565	6.2	31	1	2	5	7	11	14	33
65+	1652	9.4	97	2	3	7	11	18	26	61
GRAND TOTAL	**7949**	**6.0**	**44**	**1**	**2**	**4**	**7**	**11**	**16**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.5		1	1	1	2	3	3	3
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	8	3.4	18	1	1	2	4	11	13	13
50-64	4	2.3	6	<1	<1	1	4	6	6	6
65+										
B. *Operated*										
0-19 YRS	25	1.6	1	<1	1	1	2	3	3	3
20-34	25	2.1	2	<1	1	2	3	4	5	5
35-49	7	3.4	4	1	1	3	5	6	6	6
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.8	10	1	1	2	3	6	9	18
20-34	92	3.3	8	1	1	3	4	8	11	12
35-49	34	4.3	17	1	1	2	6	10	12	18
50-64	38	5.3	19	1	1	4	6	13	15	17
65+	93	9.4	84	1	2	7	11	19	31	83
B. *Operated*										
0-19 YRS	36	5.4	37	1	1	4	6	13	21	28
20-34	50	4.7	17	1	1	4	6	10	12	23
35-49	22	7.5	25	1	2	7	10	13	18	21
50-64	21	9.5	195	1	2	5	10	18	44	65
65+	29	12.1	167	1	1	8	15	25	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.1	6	<1	1	1	2	5	7	13
B. *Operated*	62	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	316	5.4	40	1	1	3	7	12	15	38
B. *Operated*	158	7.2	79	1	1	5	8	15	22	59
1. SINGLE DX	91	2.1	3	<1	1	2	3	4	6	10
2. MULTIPLE DX	474	6.0	54	1	1	4	8	13	18	42
A. NOT OPERATED	345	5.1	38	1	1	3	6	11	15	36
B. OPERATED	220	5.8	63	1	1	3	6	13	19	46
TOTAL 0-19 YRS	132	3.2	16	1	1	2	3	6	9	23
20-34	172	3.5	10	<1	1	3	4	8	11	15
35-49	71	5.1	20	1	1	3	8	11	13	20
50-64	66	6.4	77	1	1	4	8	12	16	59
65+	124	9.9	103	1	2	7	12	21	33	71
GRAND TOTAL	**565**	**5.4**	**47**	**1**	**1**	**3**	**6**	**12**	**16**	**39**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.5	43	2	2	5	12	18	19	19
20-34	8	5.5	31	1	1	2	11	14	14	14
35-49	5	11.2	17	6	6	13	14	16	16	16
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	9.3	64	1	1	10	15	17	17	17
B. *Operated*										
0-19 YRS	11	20.8	425	4	5	15	20	58	69	70
20-34	26	15.5	207	3	3	12	18	33	43	72
35-49	9	26.6	807	4	4	18	39	75	75	75
50-64	6	24.2	351	9	9	18	32	55	58	58
65+	8	10.6	47	2	2	12	16	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.3	7	1	1	3	4	8	8	8
B. *Operated*	6	8.0	43	3	3	6	10	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	25	7.9	34	1	1	8	13	16	17	19
B. *Operated*	60	18.3	331	3	4	14	19	43	71	75
1. SINGLE DX	12	5.7	28	1	1	4	8	13	19	20
2. MULTIPLE DX	85	15.3	265	2	2	11	18	32	61	75
A. NOT OPERATED	31	7.0	32	1	1	6	12	15	17	19
B. OPERATED	66	17.4	313	3	3	12	19	36	70	75
TOTAL 0-19 YRS	21	14.0	285	1	2	10	17	33	59	70
20-34	40	11.9	164	1	2	9	15	22	35	72
35-49	15	21.0	520	4	4	13	21	74	75	75
50-64	8	19.8	319	4	5	12	27	50	58	58
65+	13	9.5	45	1	1	10	15	18	19	19
GRAND TOTAL	**97**	**14.1**	**245**	**1**	**2**	**10**	**17**	**28**	**55**	**75**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	4	1.0		1	1	1	1	1	1	1
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	46	2.0	1	<1	1	2	3	4	4	6
20-34	200	2.1	1	<1	1	2	3	4	4	6
35-49	81	2.2	2	<1	1	2	3	4	4	8
50-64	36	1.9	2	<1	<1	1	3	4	4	6
65+	29	2.2	8	<1	<1	1	2	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	15	2.5	4	<1	1	2	3	4	8	9
35-49	10	2.7	14	1	1	2	2	8	13	13
50-64	7	3.7	5	1	1	3	6	7	7	7
65+	17	5.8	51	1	1	4	6	14	25	30
B. *Operated*										
0-19 YRS	15	3.3	8	1	1	2	4	7	11	12
20-34	54	2.7	3	1	1	2	4	5	6	10
35-49	27	2.4	3	<1	1	2	3	4	6	9
50-64	37	4.5	36	1	1	3	5	8	19	31
65+	76	6.7	100	<1	1	3	8	15	35	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*	392	2.1	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	52	3.7	23	1	1	2	4	8	13	30
B. *Operated*	209	4.5	47	1	1	2	5	9	16	48
1. SINGLE DX	407	2.1	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX	261	4.3	42	1	1	2	5	9	14	42
A. NOT OPERATED	67	3.2	19	<1	1	2	4	6	10	27
B. OPERATED	601	2.9	19	<1	1	2	3	5	8	30
TOTAL 0-19 YRS	69	2.2	3	<1	<1	2	3	4	4	11
20-34	273	2.3	2	<1	1	2	3	4	4	8
35-49	122	2.2	3	<1	1	2	3	4	5	10
50-64	80	3.3	19	<1	1	2	4	6	7	28
65+	124	5.4	73	<1	1	2	7	11	30	68
GRAND TOTAL	**668**	**3.0**	**19**	**<1**	**1**	**2**	**3**	**5**	**8**	**30**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	4	<1	<1	1	4	6	6	6
20-34	8	3.4	6	1	1	3	5	7	7	7
35-49	3	1.7	1	<1	<1	<1	2	3	3	3
50-64	5	2.8	4	1	1	2	4	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	268	2.0	3	<1	<1	1	2	4	5	10
20-34	542	1.9	2	<1	<1	1	2	4	5	7
35-49	332	1.7	2	<1	<1	1	2	3	5	7
50-64	148	1.8	2	<1	<1	1	2	4	5	7
65+	28	2.4	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	5	1	1	2	2	6	8	8
20-34	11	3.2	10	<1	<1	1	5	8	11	11
35-49	17	2.1	5	<1	<1	1	2	5	8	9
50-64	8	4.9	24	<1	<1	3	8	13	13	13
65+	13	3.5	7	<1	1	2	6	8	9	9
B. *Operated*										
0-19 YRS	250	2.2	3	<1	<1	2	3	5	6	9
20-34	531	2.4	5	<1	<1	2	3	5	6	9
35-49	369	2.3	6	<1	<1	1	2	5	8	12
50-64	342	2.5	10	<1	<1	2	3	5	6	16
65+	133	3.5	21	<1	<1	2	3	8	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.8	4	<1	<1	2	4	6	7	7
B. *Operated*	1318	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	59	3.0	9	<1	<1	2	4	8	10	13
B. *Operated*	1625	2.5	7	<1	<1	2	3	5	7	14
1. SINGLE DX	1343	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	1684	2.5	7	<1	<1	2	3	5	7	14
A. NOT OPERATED	84	3.0	8	<1	<1	2	4	7	9	13
B. OPERATED	2943	2.2	5	<1	<1	1	3	4	6	11
TOTAL 0-19 YRS	536	2.1	3	<1	<1	1	3	4	6	9
20-34	1092	2.2	4	<1	<1	1	3	4	5	9
35-49	721	2.0	4	<1	<1	1	2	4	6	11
50-64	503	2.4	8	<1	<1	2	3	4	6	15
65+	175	3.3	17	<1	<1	2	3	7	11	24
GRAND TOTAL	**3027**	**2.2**	**5**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	28	<1	<1	1	3	10	16	24
20-34	29	5.1	24	1	1	3	7	14	15	20
35-49	12	4.3	4	1	1	5	6	6	7	7
50-64	9	8.3	96	<1	1	5	9	25	32	32
65+	3	3.3	6	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	135	2.8	17	<1	<1	1	2	7	11	25
20-34	136	2.9	9	<1	<1	2	3	7	9	17
35-49	74	2.8	7	<1	<1	2	4	6	8	14
50-64	32	2.2	3	<1	<1	2	3	4	5	8
65+	14	3.9	28	<1	<1	1	4	11	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.3	9	1	2	5	8	10	10	10
20-34	124	6.4	9	2	3	6	8	10	11	16
35-49	114	6.3	7	2	3	6	8	10	11	14
50-64	55	7.2	11	1	3	7	9	11	14	17
65+	27	9.8	33	3	4	8	12	17	20	29
B. *Operated*										
0-19 YRS	81	8.5	116	1	1	5	9	25	37	49
20-34	144	7.9	103	1	1	5	10	17	28	82
35-49	83	6.0	62	<1	1	4	8	14	17	49
50-64	64	7.4	71	<1	1	4	9	23	28	33
65+	82	12.1	219	<1	1	6	14	34	45	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	4.7	30	<1	1	3	5	12	15	30
B. *Operated*	391	2.8	11	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	337	6.7	11	2	3	7	8	10	12	18
B. *Operated*	454	8.4	117	1	1	4	10	21	33	61
1. SINGLE DX	468	3.1	15	<1	<1	2	3	7	10	20
2. MULTIPLE DX	791	7.7	73	1	1	6	9	14	25	45
A. NOT OPERATED	414	6.4	15	1	2	6	8	10	13	21
B. OPERATED	845	5.8	76	<1	1	3	7	13	24	44
TOTAL 0-19 YRS	257	4.8	55	<1	1	2	5	11	19	42
20-34	433	5.7	45	1	1	4	7	11	15	37
35-49	283	5.2	25	<1	1	4	7	10	12	18
50-64	160	6.4	42	<1	1	5	8	13	22	32
65+	126	10.5	160	<1	1	6	12	30	37	63
GRAND TOTAL	**1259**	**6.0**	**56**	**<1**	**1**	**4**	**7**	**12**	**18**	**42**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	2	2	3	4	4
20-34	22	3.1	11	<1	<1	2	4	9	12	13
35-49	7	2.4	2	<1	<1	2	3	5	5	5
50-64	12	2.6	5	1	1	2	3	5	8	9
65+	6	6.3	25	1	1	5	10	14	14	14
B. *Operated*										
0-19 YRS	216	3.2	4	<1	<1	3	5	6	6	9
20-34	328	3.3	4	<1	<1	3	5	6	7	9
35-49	101	3.5	8	<1	1	3	5	7	7	16
50-64	38	3.9	5	1	1	4	5	7	8	10
65+	12	4.8	8	1	2	4	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	8	<1	<1	2	4	7	9	9
20-34	23	2.9	3	<1	1	2	4	5	7	8
35-49	24	6.8	53	<1	1	5	8	15	25	33
50-64	33	5.6	28	1	1	4	8	12	26	99+
65+	72	6.4	31	1	2	5	7	12	18	29
B. *Operated*										
0-19 YRS	289	3.8	5	<1	1	4	5	6	7	11
20-34	467	4.1	8	1	1	4	5	7	8	16
35-49	163	4.2	8	<1	1	4	6	8	9	14
50-64	59	4.8	9	1	2	5	6	8	11	17
65+	48	7.9	51	2	2	6	9	16	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.9	8	<1	1	2	3	7	10	14
B. *Operated*	695	3.4	5	<1	<1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	166	5.5	29	1	1	4	7	11	17	32
B. *Operated*	1026	4.3	10	<1	1	4	5	7	9	16
1. SINGLE DX	758	3.3	5	<1	<1	3	5	6	7	10
2. MULTIPLE DX	1192	4.4	13	<1	1	4	6	8	10	21
A. NOT OPERATED	229	4.8	25	<1	1	3	6	10	14	31
B. OPERATED	1721	3.9	8	<1	1	4	5	7	8	14
TOTAL 0-19 YRS	535	3.5	5	<1	1	3	5	6	7	10
20-34	840	3.7	7	<1	1	3	5	7	8	13
35-49	295	4.2	12	<1	1	3	5	8	9	18
50-64	142	4.5	12	1	1	4	6	8	11	34
65+	138	6.8	36	1	2	5	8	13	21	30
GRAND TOTAL	**1950**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.2	4	1	1	3	5	6	7	8
20-34	282	5.2	13	1	2	4	7	10	12	18
35-49	309	5.6	11	1	2	5	7	10	12	17
50-64	118	5.3	16	1	2	4	6	10	12	22
65+	38	5.8	14	2	2	5	7	11	15	18
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	45	3.5	12	<1	1	2	5	7	11	18
35-49	54	3.9	13	1	1	2	6	10	12	14
50-64	13	3.5	14	<1	1	2	4	10	12	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.8	10	1	1	4	7	9	9	15
20-34	313	6.2	17	1	2	5	8	12	14	19
35-49	454	6.4	16	1	2	6	8	11	13	20
50-64	341	6.8	24	2	3	6	8	11	15	23
65+	387	8.0	40	2	3	7	10	14	19	37
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	55	7.9	63	1	1	7	10	17	25	38
35-49	52	8.5	38	1	2	7	11	18	22	25
50-64	35	8.6	54	2	2	6	12	15	24	36
65+	25	15.0	127	5	7	12	17	36	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	5.3	13	1	2	4	7	10	12	18
B. *Operated*	113	3.7	12	1	1	2	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	1525	6.8	25	2	2	6	8	12	15	26
B. *Operated*	169	9.2	67	1	1	7	12	18	25	40
1. SINGLE DX	894	5.1	13	1	2	4	7	10	12	18
2. MULTIPLE DX	1694	7.1	29	1	2	6	9	13	16	31
A. NOT OPERATED	2306	6.3	21	1	2	5	8	11	14	22
B. OPERATED	282	7.0	52	1	1	5	10	14	21	37
TOTAL 0-19 YRS	67	3.9	8	1	1	3	6	8	9	14
20-34	695	5.8	20	1	1	5	8	11	14	20
35-49	869	6.1	16	1	2	5	8	11	13	20
50-64	507	6.5	25	2	2	5	8	11	14	26
65+	450	8.2	46	2	3	7	10	15	21	41
GRAND TOTAL	**2588**	**6.4**	**25**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.7	5	<1	1	2	3	5	7	12
20-34	242	4.4	13	1	1	3	6	10	12	16
35-49	203	4.9	13	1	1	4	7	9	11	17
50-64	82	4.4	13	1	1	4	5	9	11	20
65+	19	3.6	8	1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	4	5.0	38	1	1	3	9	14	14	14
20-34	95	2.4	6	1	1	1	2	6	8	13
35-49	79	2.9	23	1	1	1	2	8	13	29
50-64	22	3.2	13	<1	1	1	3	10	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	3.9	10	<1	1	3	5	7	10	16
20-34	922	5.9	14	1	2	5	7	10	13	21
35-49	816	6.2	13	1	2	6	8	11	13	18
50-64	401	6.1	13	2	2	6	8	10	13	19
65+	278	6.6	21	1	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	7	2.7	8	<1	<1	2	3	8	9	9
20-34	99	5.9	39	1	1	4	8	14	18	31
35-49	110	6.2	42	1	1	4	9	14	17	34
50-64	53	6.9	25	1	1	6	10	16	17	20
65+	21	11.8	105	1	2	9	16	29	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	4.3	12	1	1	3	6	9	11	16
B. *Operated*	201	2.7	14	1	1	1	2	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	2598	6.0	15	1	2	5	8	11	13	19
B. *Operated*	290	6.6	44	1	1	4	9	15	19	35
1. SINGLE DX	841	3.9	13	1	1	3	5	8	11	16
2. MULTIPLE DX	2888	6.0	18	1	2	5	8	11	14	21
A. NOT OPERATED	3238	5.6	15	1	2	5	7	10	13	19
B. OPERATED	491	5.0	35	1	1	2	7	12	16	32
TOTAL 0-19 YRS	286	3.5	9	<1	1	2	5	7	9	15
20-34	1358	5.4	16	1	1	4	7	10	13	21
35-49	1208	5.8	17	1	1	5	7	11	14	19
50-64	558	5.8	15	1	2	5	8	11	13	20
65+	319	6.8	28	1	2	5	9	13	17	30
GRAND TOTAL	**3729**	**5.5**	**17**	**1**	**1**	**5**	**7**	**11**	**13**	**20**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.3	3	<1	1	2	3	5	6	7
20-34	46	2.3	4	<1	<1	2	3	5	6	11
35-49	48	2.8	9	<1	1	2	3	6	9	16
50-64	22	3.1	3	1	1	3	4	5	7	8
65+	16	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	75	1.7	1	<1	<1	1	2	3	3	5
20-34	317	2.3	2	<1	<1	2	3	4	5	7
35-49	317	2.8	3	<1	1	3	4	5	6	9
50-64	293	3.4	5	1	1	3	4	6	7	11
65+	82	4.1	6	1	2	4	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.3	3	<1	1	2	3	5	6	7
20-34	66	3.1	5	<1	1	3	4	7	8	11
35-49	61	3.2	6	<1	1	3	4	7	8	14
50-64	79	4.1	13	<1	1	3	5	8	12	20
65+	190	6.7	57	1	2	5	8	14	18	65
B. *Operated*										
0-19 YRS	25	2.5	5	<1	1	2	3	6	8	9
20-34	93	2.8	5	1	1	2	3	6	8	12
35-49	149	3.5	9	1	1	3	4	6	7	15
50-64	276	4.8	45	1	2	3	5	9	12	29
65+	233	5.9	32	1	2	4	6	11	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.6	5	<1	1	2	3	5	7	12
B. *Operated*	1084	2.8	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	439	4.8	32	1	1	3	6	10	14	22
B. *Operated*	776	4.6	29	1	1	3	5	8	12	25
1. SINGLE DX	1254	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	1215	4.7	30	1	1	3	5	9	13	24
A. NOT OPERATED	609	4.2	25	1	1	3	5	9	12	21
B. OPERATED	1860	3.6	15	1	1	3	4	6	8	18
TOTAL 0-19 YRS	181	2.1	2	<1	<1	2	2	4	6	8
20-34	522	2.5	3	<1	1	2	3	5	6	9
35-49	575	3.0	5	1	1	3	4	5	7	12
50-64	670	4.1	22	1	1	3	5	7	10	18
65+	521	5.8	37	1	2	4	6	11	16	27
GRAND TOTAL	**2469**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1388	1.4	1	<1	1	1	2	2	3	4
20-34	458	1.8	2	<1	<1	1	2	3	4	7
35-49	137	2.0	3	<1	1	1	2	4	6	9
50-64	43	2.1	2	1	1	2	3	4	5	5
65+	59	2.2	3	<1	1	2	3	4	6	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1829	1.9	3	<1	1	1	2	4	5	8
20-34	1543	2.8	6	<1	1	2	4	6	8	11
35-49	654	3.7	11	1	1	3	5	8	11	16
50-64	454	3.9	9	1	1	3	5	8	10	15
65+	632	5.9	61	1	1	4	7	11	15	46
B. *Operated*										
0-19 YRS	547	2.5	13	<1	1	2	3	5	7	16
20-34	642	3.6	28	<1	1	2	4	8	12	28
35-49	250	4.0	18	1	1	3	5	9	12	21
50-64	156	4.8	32	1	1	3	5	11	17	28
65+	277	7.6	109	1	1	4	9	17	26	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2085	1.5	1	<1	1	1	2	3	3	6
B. *Operated*	5	2.0	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	5112	3.1	14	1	1	2	4	7	9	15
B. *Operated*	1872	4.0	37	1	1	2	4	9	13	30
1. SINGLE DX	2090	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	6984	3.3	21	1	1	2	4	7	9	20
A. NOT OPERATED	7197	2.6	11	<1	1	2	3	6	8	14
B. OPERATED	1877	4.0	37	1	1	2	4	9	13	30
TOTAL 0-19 YRS	3765	1.8	4	<1	1	1	2	3	4	8
20-34	2643	2.8	11	<1	1	2	3	6	8	15
35-49	1042	3.5	12	1	1	2	4	8	10	16
50-64	654	4.0	15	1	1	3	5	8	11	20
65+	970	6.1	73	1	1	4	7	13	17	52
GRAND TOTAL	**9074**	**2.9**	**17**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	410	1.8	8	<1	1	1	2	3	4	12
20-34	142	3.4	17	<1	1	2	4	8	13	20
35-49	46	2.8	7	<1	1	2	4	6	7	16
50-64	23	3.9	9	1	1	3	6	9	10	11
65+	23	5.7	34	1	1	3	10	15	19	21
B. *Operated*										
0-19 YRS	21	8.1	31	2	3	7	9	15	22	26
20-34	16	8.3	45	<1	1	7	14	14	21	24
35-49	11	7.7	25	1	1	9	13	14	14	14
50-64	13	16.4	531	2	3	9	15	41	80	89
65+	20	8.6	23	2	3	8	11	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	3.6	57	<1	1	2	3	9	18	99+
20-34	456	5.0	69	<1	1	3	5	10	16	56
35-49	184	5.6	38	1	1	4	7	12	17	26
50-64	133	6.0	44	1	1	4	7	13	21	32
65+	412	9.7	113	1	2	7	12	22	34	81
B. *Operated*										
0-19 YRS	195	11.9	269	1	1	5	17	35	55	99+
20-34	244	16.0	393	<1	1	8	25	53	69	99+
35-49	123	16.5	337	1	1	10	25	44	82	99+
50-64	117	14.7	242	1	2	10	21	40	67	99+
65+	295	17.4	279	2	3	12	24	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	2.4	11	<1	1	1	2	5	8	16
B. *Operated*	81	9.5	114	1	2	8	11	15	23	70
2. MULTIPLE DX										
A. *Not Operated*	1759	5.8	76	1	1	3	7	14	22	70
B. *Operated*	974	15.5	311	1	1	9	22	44	67	99+
1. SINGLE DX	725	3.2	28	<1	1	1	3	8	12	21
2. MULTIPLE DX	2733	9.3	181	1	1	4	11	26	41	99+
A. NOT OPERATED	2403	4.9	61	<1	1	2	6	12	19	53
B. OPERATED	1055	15.0	299	1	1	9	21	41	66	99+
TOTAL 0-19 YRS	1200	4.4	86	<1	1	1	3	10	23	86
20-34	858	8.0	178	<1	1	3	8	21	39	94
35-49	364	9.0	164	1	1	4	11	24	37	98
50-64	286	9.9	163	1	1	6	13	26	38	99+
65+	750	12.6	189	1	2	8	16	32	44	99
GRAND TOTAL	**3458**	**8.0**	**155**	**1**	**1**	**3**	**9**	**22**	**36**	**96**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.9	1	<1	1	2	2	4	4	5
20-34	43	3.0	3	<1	1	3	4	5	6	7
35-49	12	2.3	1	<1	<1	2	3	4	4	4
50-64	6	2.3	4	<1	<1	2	3	6	6	6
65+	7	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	21	4.6	5	2	2	4	7	8	9	9
20-34	67	5.3	17	2	2	4	6	9	13	22
35-49	11	7.9	85	1	1	4	9	23	31	32
50-64	3	4.7	4	3	3	4	6	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.2	17	1	1	3	5	7	11	28
20-34	102	3.9	10	1	1	3	5	8	11	14
35-49	64	5.9	24	1	1	4	9	12	14	23
50-64	93	5.0	12	1	1	4	7	9	12	18
65+	133	7.7	79	1	2	5	9	14	18	58
B. *Operated*										
0-19 YRS	100	8.7	42	2	3	8	10	13	21	39
20-34	269	9.2	64	2	3	7	11	17	28	65
35-49	124	12.0	157	3	3	8	13	30	44	76
50-64	101	11.5	183	3	4	8	12	25	30	88
65+	116	12.7	83	3	4	10	16	24	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.5	2	<1	1	2	3	5	6	7
B. *Operated*	103	5.5	21	2	2	4	7	9	14	27
2. MULTIPLE DX										
A. *Not Operated*	450	5.6	36	1	1	4	7	11	14	29
B. *Operated*	710	10.5	99	3	3	8	12	21	31	76
1. SINGLE DX	192	4.1	15	1	1	3	5	8	9	22
2. MULTIPLE DX	1160	8.6	80	1	2	6	10	17	25	56
A. NOT OPERATED	539	5.1	32	1	1	4	6	10	13	25
B. OPERATED	813	9.9	92	2	3	7	12	20	30	69
TOTAL 0-19 YRS	200	6.2	33	1	2	5	8	12	14	28
20-34	481	7.0	47	1	2	5	8	14	20	39
35-49	211	9.4	114	1	2	6	11	20	35	67
50-64	203	8.2	107	1	2	6	9	15	25	65
65+	257	9.8	86	2	2	7	13	20	31	65
GRAND TOTAL	**1352**	**8.0**	**73**	**1**	**2**	**6**	**10**	**16**	**23**	**51**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	3.6	8	1	1	3	5	8	10	12
20-34	95	2.5	3	<1	1	2	4	5	7	59
35-49	30	3.5	16	1	1	2	4	7	8	22
50-64	9	2.8	2	<1	1	2	4	5	5	5
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	65	7.5	13	1	4	7	9	12	14	19
20-34	87	6.9	11	2	4	7	8	10	11	21
35-49	22	7.5	14	1	2	7	10	12	15	16
50-64	8	7.5	6	2	3	8	9	10	10	10
65+	5	9.2	3	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	4.2	13	1	1	3	6	9	12	17
20-34	250	4.1	10	1	1	3	5	8	10	14
35-49	96	4.1	23	1	1	3	5	9	12	28
50-64	51	5.1	27	1	1	3	6	10	16	28
65+	78	5.6	14	1	2	4	8	11	12	18
B. *Operated*										
0-19 YRS	252	12.0	122	2	4	8	13	25	34	59
20-34	460	13.6	179	3	5	9	14	30	43	75
35-49	161	15.4	244	2	4	11	16	33	51	93
50-64	96	15.5	195	4	5	11	17	33	55	90
65+	99	17.3	191	2	3	14	24	38	46	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.2	7	1	1	2	4	7	9	12
B. *Operated*	187	7.3	11	2	4	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	752	4.4	15	1	1	3	6	9	11	19
B. *Operated*	1068	14.0	179	2	4	10	15	31	44	75
1. SINGLE DX	503	4.7	13	1	1	4	7	9	11	18
2. MULTIPLE DX	1820	10.0	134	1	1	7	11	22	34	65
A. NOT OPERATED	1068	4.0	13	1	1	3	5	9	11	18
B. OPERATED	1255	13.0	160	2	4	9	14	28	40	74
TOTAL 0-19 YRS	773	6.9	61	1	1	5	8	13	20	39
20-34	892	9.1	119	1	1	7	10	18	30	70
35-49	309	10.2	167	1	1	7	12	22	33	87
50-64	164	11.2	149	1	2	8	14	23	36	76
65+	185	11.9	141	2	2	9	14	30	38	63
GRAND TOTAL	**2323**	**8.9**	**112**	**1**	**1**	**6**	**10**	**18**	**29**	**63**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	6	2.3	2	<1	<1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	100	2.4	3	<1	1	2	3	5	6	9
20-34	80	2.6	4	1	1	2	3	4	5	11
35-49	33	3.2	9	<1	1	2	4	8	11	12
50-64	9	2.4	6	<1	<1	1	3	6	8	8
65+	6	3.2	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	1	<1	<1	2	2	4	4	4
20-34	16	2.3	1	<1	1	2	3	4	4	4
35-49	6	5.2	12	1	1	5	8	10	10	10
50-64	4	2.8	3	<1	<1	2	4	5	5	5
65+	7	3.1	8	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	126	2.8	4	<1	1	2	4	5	7	11
20-34	156	3.6	9	1	1	3	5	7	9	22
35-49	50	3.2	7	<1	1	2	4	7	9	13
50-64	48	4.0	10	1	1	3	6	8	10	15
65+	51	6.4	94	<1	1	4	8	10	19	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	228	2.6	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	43	2.8	4	<1	1	2	3	6	8	10
B. *Operated*	431	3.7	18	<1	1	3	5	7	9	19
1. SINGLE DX	244	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	474	3.6	17	<1	1	3	4	7	9	18
A. NOT OPERATED	59	2.5	4	<1	<1	2	3	5	7	10
B. OPERATED	659	3.3	14	<1	1	2	4	7	9	15
TOTAL 0-19 YRS	244	2.6	4	<1	1	2	3	5	6	9
20-34	258	3.2	7	1	1	3	4	6	8	17
35-49	90	3.3	8	<1	1	2	4	7	10	13
50-64	62	3.7	9	<1	1	3	5	7	9	15
65+	64	5.8	78	<1	1	4	8	9	14	61
GRAND TOTAL	**718**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**7**	**9**	**14**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.5	4	<1	1	2	3	5	7	12
20-34	50	1.7	1	1	1	1	2	4	5	5
35-49	19	2.8	5	<1	<1	3	3	5	8	10
50-64	6	2.8	7	1	1	2	5	7	7	7
65+	4	2.8		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	194	1.6	1	<1	<1	1	2	3	4	7
20-34	86	2.4	9	<1	<1	1	3	4	6	20
35-49	33	2.2	2	<1	<1	2	3	4	6	7
50-64	21	2.0	2	<1	<1	2	2	3	5	8
65+	13	2.1	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.8	5	<1	1	2	4	6	7	11
20-34	141	2.9	9	<1	<1	2	4	6	9	16
35-49	53	2.9	5	1	1	2	4	6	8	10
50-64	31	3.8	12	1	1	3	5	8	12	16
65+	68	6.5	26	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	395	2.5	7	<1	1	2	3	5	8	11
20-34	511	3.8	37	<1	1	2	4	7	10	32
35-49	171	4.0	38	<1	1	2	5	8	12	29
50-64	146	4.0	14	1	1	3	5	8	11	18
65+	253	5.4	45	1	1	3	7	12	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.3	3	1	1	2	3	5	5	10
B. *Operated*	347	1.9	4	<1	<1	1	2	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	392	3.6	12	<1	1	2	5	8	10	17
B. *Operated*	1476	3.8	29	1	1	2	4	8	11	24
1. SINGLE DX	496	2.0	4	<1	<1	1	2	4	5	9
2. MULTIPLE DX	1868	3.7	25	<1	1	2	4	8	11	21
A. NOT OPERATED	541	3.2	10	<1	1	2	4	7	9	16
B. OPERATED	1823	3.4	25	<1	1	2	4	7	10	21
TOTAL 0-19 YRS	758	2.3	5	<1	1	1	3	5	7	10
20-34	788	3.4	27	<1	1	2	4	6	9	23
35-49	276	3.5	26	<1	1	2	4	7	10	18
50-64	204	3.8	12	1	1	3	5	8	10	17
65+	338	5.4	40	1	1	4	7	12	15	30
GRAND TOTAL	**2364**	**3.4**	**21**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.8	1	1	1	1	2	4	4	6
20-34	155	1.8	2	<1	<1	1	2	3	4	8
35-49	48	1.9	2	<1	<1	1	2	4	5	7
50-64	14	3.7	32	<1	1	2	4	6	19	23
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	105	2.2	3	<1	<1	1	3	5	6	8
20-34	127	3.1	7	<1	1	2	4	7	9	14
35-49	40	3.3	7	<1	1	2	5	7	9	13
50-64	11	4.0	15	1	1	2	8	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	4	1	1	2	3	5	7	11
20-34	111	3.0	15	<1	<1	2	3	6	8	23
35-49	35	2.6	3	1	1	2	3	4	5	9
50-64	17	2.7	12	<1	<1	1	3	6	12	15
65+	5	3.6	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	113	4.9	28	1	1	4	7	10	11	33
20-34	250	6.7	85	1	1	5	8	13	18	83
35-49	78	8.4	157	1	1	5	8	22	28	77
50-64	27	8.4	43	1	2	6	14	20	21	22
65+	20	8.3	168	1	2	6	8	10	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	1.9	3	<1	1	1	2	3	4	8
B. *Operated*	283	2.9	6	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	207	2.9	10	<1	1	2	3	5	7	16
B. *Operated*	488	6.7	85	1	1	5	8	12	19	63
1. SINGLE DX	569	2.4	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	695	5.6	66	1	1	3	7	10	16	41
A. NOT OPERATED	493	2.3	6	<1	1	2	3	4	6	13
B. OPERATED	771	5.3	60	1	1	3	6	10	14	40
TOTAL 0-19 YRS	325	3.1	13	<1	1	2	4	7	9	14
20-34	643	4.2	42	<1	1	2	5	9	13	38
35-49	201	4.9	71	<1	1	3	5	9	12	47
50-64	69	5.3	34	1	1	3	7	15	21	23
65+	26	7.1	133	1	1	5	7	8	22	62
GRAND TOTAL	**1264**	**4.1**	**41**	**<1**	**1**	**2**	**5**	**8**	**11**	**32**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.0	3	1	1	3	4	5	6	10
20-34	165	2.9	2	<1	1	3	4	5	6	7
35-49	57	3.2	10	<1	<1	3	4	6	8	21
50-64	25	3.0	3	1	1	3	4	5	6	7
65+	14	3.8	7	1	1	3	5	7	9	10
B. *Operated*										
0-19 YRS	476	2.0	4	<1	<1	1	2	4	6	11
20-34	766	2.2	5	<1	<1	1	3	4	6	10
35-49	309	2.3	6	<1	<1	2	3	5	6	12
50-64	180	2.3	4	<1	<1	1	2	5	7	11
65+	55	2.5	6	<1	1	2	3	5	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	3.6	17	<1	1	3	4	6	10	26
20-34	188	4.6	50	1	1	3	5	8	12	32
35-49	87	4.5	31	1	1	3	5	8	11	36
50-64	55	5.2	16	1	2	4	7	9	12	24
65+	41	6.0	21	1	2	5	8	13	17	20
B. *Operated*										
0-19 YRS	435	2.9	14	<1	1	2	3	7	9	20
20-34	851	3.3	24	<1	1	2	4	7	10	25
35-49	403	3.4	18	1	1	2	4	7	10	22
50-64	246	3.7	29	1	1	2	4	7	12	31
65+	180	5.3	88	1	1	3	5	11	16	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	3.0	4	<1	1	3	4	5	6	10
B. *Operated*	1786	2.2	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	456	4.6	34	1	1	3	5	8	11	24
B. *Operated*	2115	3.5	27	1	1	2	4	7	11	26
1. SINGLE DX	2132	2.3	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX	2571	3.7	28	1	1	2	4	7	11	25
A. NOT OPERATED	802	3.9	21	1	1	3	4	7	9	23
B. OPERATED	3901	2.9	17	<1	1	2	3	6	8	20
TOTAL 0-19 YRS	1081	2.6	9	<1	1	2	3	5	7	14
20-34	1970	3.0	18	<1	1	2	3	6	8	22
35-49	856	3.1	15	<1	1	2	4	6	9	20
50-64	506	3.3	18	<1	1	2	4	7	10	21
65+	290	4.8	61	1	1	3	5	10	15	33
GRAND TOTAL	**4703**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	21	<1	1	2	4	7	9	27
20-34	110	3.0	7	1	1	2	4	5	5	18
35-49	31	4.1	8	1	1	3	6	8	10	11
50-64	6	4.3	9	1	1	3	7	9	9	9
65+	7	3.9	8	1	1	3	4	9	10	10
B. *Operated*										
0-19 YRS	348	3.3	13	<1	1	2	4	7	8	22
20-34	274	3.6	22	<1	1	2	4	8	10	16
35-49	101	4.0	21	<1	1	3	5	8	11	28
50-64	44	3.2	8	<1	1	2	4	8	10	12
65+	21	5.4	26	1	1	3	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	4.1	22	1	1	3	4	7	9	32
20-34	91	3.6	9	1	1	3	5	7	10	16
35-49	35	5.4	30	1	2	3	7	11	15	29
50-64	36	5.0	9	1	1	4	7	8	10	15
65+	34	7.7	31	2	3	5	10	15	21	24
B. *Operated*										
0-19 YRS	232	6.7	50	1	1	5	8	15	21	39
20-34	253	7.0	82	1	1	4	8	14	22	54
35-49	111	9.1	83	1	2	6	12	23	26	49
50-64	85	9.4	106	2	2	6	12	20	28	90
65+	94	12.9	156	1	3	9	15	29	43	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	13	1	1	3	4	7	8	17
B. *Operated*	788	3.5	17	<1	1	2	4	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	281	4.7	19	1	1	3	6	9	12	23
B. *Operated*	775	8.2	88	1	1	5	10	19	26	52
1. SINGLE DX	1055	3.5	16	<1	1	2	4	7	9	21
2. MULTIPLE DX	1056	7.3	72	1	1	5	9	16	24	47
A. NOT OPERATED	548	4.0	17	1	1	3	5	8	10	22
B. OPERATED	1563	5.8	58	1	1	3	7	13	20	41
TOTAL 0-19 YRS	778	4.4	28	<1	1	3	5	9	14	28
20-34	728	4.7	42	1	1	3	5	10	13	33
35-49	278	6.2	51	1	1	4	8	14	23	33
50-64	171	6.7	64	1	1	4	8	14	20	65
65+	156	10.3	115	1	2	7	12	23	31	58
GRAND TOTAL	**2111**	**5.4**	**48**	**1**	**1**	**3**	**6**	**11**	**17**	**38**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	12	2.7	4	<1	<1	2	4	6	7	7
20-34	23	2.7	9	<1	<1	1	3	7	10	13
35-49	7	3.4	8	<1	<1	2	6	8	8	8
50-64	4	3.5	4	<1	<1	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	4.2	17	<1	<1	3	6	11	11	11
35-49	2	4.0	18	<1	<1	3	7	7	7	7
50-64	3	5.0	7	3	3	4	7	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	49	5.7	37	1	1	4	7	14	17	99+
20-34	97	7.3	97	<1	1	4	9	18	23	87
35-49	40	9.5	213	<1	1	6	10	33	56	99+
50-64	22	8.4	134	1	1	4	11	32	69	99+
65+	29	15.9	384	1	1	7	25	40	68	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	5.0	9	1	1	6	7	8	9	9
B. *Operated*	47	2.9	7	<1	<1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	14	3.9	9	<1	<1	3	5	8	10	11
B. *Operated*	237	8.5	149	1	1	5	10	22	37	99+
1. SINGLE DX	57	3.2	8	<1	<1	2	5	7	8	13
2. MULTIPLE DX	251	8.2	142	1	1	4	10	20	36	99+
A. NOT OPERATED	24	4.3	9	<1	1	3	7	8	10	11
B. OPERATED	284	7.5	130	1	1	4	9	19	35	99+
TOTAL 0-19 YRS	66	4.8	30	1	1	3	6	13	17	89
20-34	127	6.3	79	<1	1	3	8	16	20	79
35-49	51	8.4	173	<1	1	6	8	21	35	99+
50-64	31	7.2	98	1	1	4	9	19	49	99+
65+	33	14.3	354	1	1	5	23	39	64	72
GRAND TOTAL	**308**	**7.3**	**121**	**<1**	**1**	**4**	**8**	**18**	**34**	**99+**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	5.3	19	1	1	5	9	9	9	9
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	16	2.3	3	<1	<1	2	3	5	6	6
20-34	46	2.8	7	<1	<1	2	3	6	7	14
35-49	15	2.3	5	<1	1	1	3	6	7	8
50-64	4	4.3	18	<1	<1	3	7	10	10	10
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	19.0	1541	1	1	3	7	90	99	99+
20-34	20	7.8	151	<1	<1	5	9	13	36	57
35-49	4	7.5	40	1	1	6	12	16	16	16
50-64	8	8.4	43	2	2	6	11	19	22	22
65+	11	12.7	114	2	3	11	17	31	35	35
B. *Operated*										
0-19 YRS	19	6.4	164	<1	<1	2	5	15	38	56
20-34	46	5.2	45	1	1	4	6	12	23	99+
35-49	21	6.5	65	1	1	3	8	17	29	30
50-64	19	8.0	42	1	2	5	13	16	22	26
65+	7	6.1	53	<1	<1	3	8	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.0	22	1	1	3	9	12	13	13
B. *Operated*	82	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	49	10.3	267	1	1	6	11	20	36	99
B. *Operated*	112	6.2	67	1	1	4	7	15	25	72
1. SINGLE DX	90	3.0	8	<1	<1	2	4	6	9	14
2. MULTIPLE DX	161	7.5	130	1	1	4	9	16	28	94
A. NOT OPERATED	57	9.6	235	1	1	5	11	18	33	96
B. OPERATED	194	4.8	44	<1	1	3	6	10	16	49
TOTAL 0-19 YRS	42	6.6	291	<1	<1	2	4	10	32	99
20-34	116	4.7	49	<1	1	3	6	10	14	71
35-49	42	5.1	42	1	1	2	7	11	21	30
50-64	32	7.4	39	<1	1	5	10	16	21	26
65+	19	10.2	91	<1	1	7	14	25	32	35
GRAND TOTAL	**251**	**5.9**	**91**	**<1**	**1**	**3**	**6**	**13**	**20**	**57**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	3.7	3	1	1	4	5	6	6	10
20-34	51	3.1	3	1	1	3	4	5	6	7
35-49	16	4.0	6	1	1	4	6	8	9	9
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	4	5.8	26	1	1	4	9	13	13	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.0	3	1	2	4	5	6	7	9
20-34	55	4.1	11	<1	1	4	5	7	11	17
35-49	17	4.9	27	<1	1	4	5	6	18	24
50-64	10	3.7	3	<1	1	4	5	6	6	6
65+	20	4.5	17	<1	<1	3	6	11	15	15
B. *Operated*										
0-19 YRS	15	4.9	9	2	2	4	6	7	12	14
20-34	13	4.2	6	1	1	5	5	7	9	10
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64	4	5.0	3	3	3	5	6	7	7	7
65+	8	4.4	8	<1	<1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.6	4	1	1	4	5	6	6	10
B. *Operated*	6	4.7	19	1	1	4	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	184	4.2	9	<1	1	4	5	6	9	17
B. *Operated*	46	4.3	7	1	1	4	6	7	8	14
1. SINGLE DX	194	3.6	4	1	1	4	5	6	6	11
2. MULTIPLE DX	230	4.2	8	<1	1	4	5	7	8	16
A. NOT OPERATED	372	3.9	6	1	1	4	5	6	7	15
B. OPERATED	52	4.3	8	1	1	4	6	7	10	14
TOTAL 0-19 YRS	218	3.9	4	1	1	4	5	6	7	12
20-34	120	3.7	7	<1	1	4	5	6	8	16
35-49	39	4.1	15	<1	1	4	5	6	9	24
50-64	17	4.1	4	1	2	4	5	7	8	8
65+	30	4.4	13	<1	<1	4	6	8	15	15
GRAND TOTAL	**424**	**3.9**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	1.9	2	<1	1	1	2	3	5	7
20-34	292	2.3	4	<1	1	2	3	5	7	10
35-49	124	2.4	3	<1	1	2	3	5	6	10
50-64	71	2.9	7	1	1	2	4	6	9	16
65+	98	4.2	10	1	1	3	5	8	11	16
B. *Operated*										
0-19 YRS	60	2.6	10	<1	<1	1	3	5	7	22
20-34	54	3.2	22	<1	1	2	4	5	8	30
35-49	32	2.0	3	<1	<1	1	3	4	5	8
50-64	21	4.6	17	<1	1	3	6	12	13	14
65+	20	5.0	47	<1	<1	3	5	9	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	2.3	5	<1	1	2	3	4	6	13
20-34	639	2.8	8	<1	1	2	3	5	8	14
35-49	355	3.4	10	1	1	3	4	7	10	19
50-64	338	4.6	37	1	1	3	6	9	11	22
65+	1143	7.7	100	1	2	5	9	15	21	80
B. *Operated*										
0-19 YRS	75	3.0	9	<1	1	2	4	7	8	18
20-34	131	4.9	40	1	1	3	5	9	15	36
35-49	82	5.5	27	1	1	4	6	11	19	23
50-64	54	8.9	120	1	2	6	11	19	28	66
65+	180	10.6	94	1	2	8	15	26	38	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	2.4	4	<1	1	2	3	5	7	11
B. *Operated*	187	3.1	18	<1	<1	2	4	6	9	27
2. MULTIPLE DX										
A. *Not Operated*	3036	4.8	51	1	1	3	5	10	14	50
B. *Operated*	522	7.1	68	1	1	4	9	18	24	74
1. SINGLE DX	1119	2.5	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	3558	5.1	54	1	1	3	6	11	16	52
A. NOT OPERATED	3968	4.2	41	1	1	2	5	9	12	31
B. OPERATED	709	6.0	58	<1	1	3	7	15	23	55
TOTAL 0-19 YRS	1043	2.2	5	<1	1	2	3	4	6	12
20-34	1116	2.9	12	<1	1	2	3	6	8	17
35-49	593	3.4	11	1	1	2	4	7	10	20
50-64	484	4.8	43	1	1	3	6	9	14	24
65+	1441	7.8	94	1	2	5	9	16	24	85
GRAND TOTAL	**4677**	**4.5**	**44**	**1**	**1**	**3**	**5**	**9**	**14**	**36**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	1	1	1	1	2	3	4	5
20-34	42	2.3	3	<1	1	2	3	4	6	10
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	22	6.2	96	1	1	4	6	13	32	44
20-34	33	3.9	46	<1	<1	2	3	10	14	37
35-49	12	4.3	10	1	1	4	5	9	12	12
50-64	7	1.7	1	<1	<1	2	2	3	3	3
65+	3	12.0	223	<1	<1	6	23	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	13	1	1	2	6	10	12	13
20-34	32	3.1	6	1	1	2	4	6	9	10
35-49	22	6.1	43	1	1	4	6	16	21	27
50-64	12	4.5	9	1	2	4	6	9	11	11
65+	13	8.8	55	2	2	5	14	19	24	25
B. *Operated*										
0-19 YRS	33	5.4	30	1	1	4	6	17	19	19
20-34	89	5.6	41	1	1	4	7	13	19	76
35-49	31	5.2	33	1	1	3	7	12	22	23
50-64	27	9.4	111	1	1	5	13	25	29	46
65+	11	8.3	113	2	2	5	9	22	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.2	3	1	1	2	3	4	5	11
B. *Operated*	77	4.7	57	<1	1	2	5	9	20	42
2. MULTIPLE DX										
A. *Not Operated*	101	4.8	25	1	1	3	6	11	16	26
B. *Operated*	191	6.2	53	1	1	4	8	16	23	44
1. SINGLE DX	159	3.4	31	<1	1	2	4	6	11	36
2. MULTIPLE DX	292	5.7	43	1	1	3	7	14	19	40
A. NOT OPERATED	183	3.7	17	1	1	2	4	8	12	23
B. OPERATED	268	5.8	54	1	1	3	7	14	23	43
TOTAL 0-19 YRS	101	4.4	36	1	1	2	5	9	17	34
20-34	196	4.2	29	1	1	2	5	9	14	39
35-49	77	4.9	28	1	1	3	6	11	16	26
50-64	49	6.7	72	1	1	4	8	17	25	46
65+	28	9.0	84	1	2	5	11	23	30	39
GRAND TOTAL	**451**	**4.9**	**40**	**1**	**1**	**3**	**6**	**11**	**18**	**39**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.0		<1	<1	1	1	1	1	1
B. *Operated*	6	2.0	4	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	2.4	2	<1	<1	2	3	4	4	4
1. SINGLE DX	17	1.4	1	<1	<1	1	1	2	5	6
2. MULTIPLE DX	8	2.4	2	<1	<1	2	3	4	4	4
A. NOT OPERATED	11	1.0		<1	<1	1	1	1	1	1
B. OPERATED	14	2.2	2	<1	<1	2	3	4	6	6
TOTAL 0-19 YRS	14	1.5	1	<1	<1	1	2	3	4	4
20-34	7	1.4	1	<1	<1	1	1	3	4	4
35-49	4	2.8	6	<1	<1	2	4	6	6	6
50-64										
65+										
GRAND TOTAL	**25**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	1.2	1	<1	<1	1	1	2	3	5
20-34	76	1.7	4	<1	<1	1	1	3	6	13
35-49	74	1.6	3	<1	<1	1	1	3	4	12
50-64	84	1.2		<1	<1	1	1	2	2	3
65+	71	1.4	1	<1	<1	1	2	2	3	7
B. *Operated*										
0-19 YRS	98	1.5	2	<1	<1	1	1	3	5	8
20-34	20	3.3	7	<1	<1	2	5	8	9	10
35-49	13	1.2		1	1	1	2	2	2	2
50-64	18	2.9	9	<1	<1	1	3	9	9	9
65+	9	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	2.5	7	<1	<1	2	3	5	6	15
20-34	52	2.6	8	<1	1	2	3	6	8	16
35-49	61	2.4	11	<1	<1	1	2	6	9	18
50-64	96	2.9	10	<1	1	2	3	6	10	16
65+	236	3.3	14	1	1	2	4	7	9	21
B. *Operated*										
0-19 YRS	52	3.6	14	<1	<1	2	5	7	12	19
20-34	26	7.7	24	1	1	8	10	14	17	18
35-49	41	6.1	64	<1	1	4	7	12	24	42
50-64	61	4.7	55	<1	1	2	5	10	22	94
65+	128	6.8	103	1	1	4	9	15	19	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	1.3	1	<1	<1	1	1	2	3	7
B. *Operated*	158	1.9	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	532	2.9	11	<1	1	2	3	6	9	17
B. *Operated*	308	5.8	68	<1	1	3	8	13	18	84
1. SINGLE DX	832	1.4	2	<1	<1	1	1	2	4	9
2. MULTIPLE DX	840	4.0	34	<1	1	2	5	9	13	31
A. NOT OPERATED	1206	2.0	6	<1	<1	1	2	4	6	15
B. OPERATED	466	4.5	49	<1	1	2	6	10	15	68
TOTAL 0-19 YRS	606	1.7	3	<1	<1	1	1	3	5	10
20-34	174	3.1	12	<1	<1	1	4	8	10	17
35-49	189	2.8	22	<1	<1	1	2	7	10	24
50-64	259	2.8	19	<1	<1	1	3	7	10	28
65+	444	4.0	41	1	1	2	5	9	14	37
GRAND TOTAL	**1672**	**2.7**	**20**	**<1**	**<1**	**1**	**3**	**6**	**10**	**19**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.5	17	2	2	4	6	10	16	18
20-34	14	4.7	23	1	1	3	6	10	16	18
35-49	9	6.2	24	<1	1	5	9	14	16	16
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	2	10.5	61	5	5	10	16	16	16	16
B. *Operated*										
0-19 YRS	43	8.9	74	<1	1	6	14	20	23	46
20-34	37	8.9	106	<1	1	5	10	28	30	40
35-49	15	9.3	48	2	2	7	12	20	25	27
50-64	9	9.0	49	<1	<1	11	13	18	21	21
65+	3	10.0	93	3	3	6	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.6	33	1	1	5	10	17	22	99+
20-34	47	7.4	105	1	1	4	9	16	23	62
35-49	24	9.2	63	2	2	6	12	22	28	29
50-64	21	14.0	279	1	2	9	18	29	51	76
65+	25	12.5	63	1	2	11	17	28	29	29
B. *Operated*										
0-19 YRS	111	17.5	139	2	4	17	26	34	41	76
20-34	139	15.1	172	1	2	13	20	30	41	85
35-49	99	16.7	132	2	4	14	22	36	39	49
50-64	74	25.1	512	3	4	18	36	71	85	99+
65+	104	26.9	430	3	7	21	47	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	5.5	21	1	1	4	7	13	17	18
B. *Operated*	107	9.0	77	<1	1	6	13	21	27	43
2. MULTIPLE DX										
A. *Not Operated*	154	9.2	103	1	1	6	12	20	29	75
B. *Operated*	527	19.6	277	2	4	15	28	47	63	99+
1. SINGLE DX	148	8.0	64	1	1	5	10	19	26	40
2. MULTIPLE DX	681	17.3	256	1	2	13	24	41	61	99+
A. NOT OPERATED	195	8.4	88	1	1	6	11	20	28	70
B. OPERATED	634	17.8	259	1	3	14	25	41	61	99+
TOTAL 0-19 YRS	204	12.9	123	1	2	9	20	29	38	78
20-34	237	12.0	153	1	1	8	17	28	36	72
35-49	147	14.1	119	2	2	12	20	30	38	48
50-64	107	20.9	451	2	3	13	30	68	76	99+
65+	134	23.6	385	2	5	18	39	61	90	99+
GRAND TOTAL	**829**	**15.6**	**234**	**1**	**2**	**11**	**21**	**38**	**54**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	4.2	11	1	1	3	6	8	10	18
20-34	76	4.0	21	<1	1	2	6	10	13	24
35-49	37	4.8	27	<1	1	3	7	12	16	22
50-64	15	4.9	25	1	1	3	7	14	16	17
65+	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	46	7.1	43	1	2	4	10	15	24	26
20-34	26	6.8	28	1	1	6	9	15	17	17
35-49	8	6.9	63	<1	<1	2	12	20	22	22
50-64	6	10.8	84	2	2	9	19	23	24	24
65+	5	6.8	25	2	2	4	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	341	5.0	21	1	1	3	7	11	14	21
20-34	227	4.6	27	1	1	3	6	10	17	26
35-49	139	5.0	23	1	1	3	7	10	15	25
50-64	91	9.2	75	1	2	6	13	21	28	39
65+	93	8.8	51	1	2	7	12	20	26	71
B. Operated										
0-19 YRS	152	9.5	78	1	2	6	14	22	27	46
20-34	146	8.3	64	1	1	6	12	17	20	42
35-49	71	11.7	79	2	2	10	17	22	30	43
50-64	52	11.6	116	2	3	9	13	27	36	50
65+	45	16.7	235	1	3	12	23	39	50	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	4.2	16	1	1	3	6	9	13	20
B. Operated	91	7.2	41	1	1	5	11	16	22	25
2. MULTIPLE DX										
A. Not Operated	891	5.7	34	1	1	4	8	13	18	32
B. Operated	466	10.4	98	1	2	7	14	22	30	49
1. SINGLE DX	412	4.9	23	1	1	3	7	11	14	24
2. MULTIPLE DX	1357	7.3	61	1	1	5	9	17	22	39
A. NOT OPERATED	1212	5.3	30	1	1	3	7	12	17	29
B. OPERATED	557	9.9	90	1	2	7	14	21	28	48
TOTAL 0-19 YRS	729	5.9	36	1	1	4	7	13	18	28
20-34	475	5.8	40	1	1	3	8	14	17	31
35-49	255	6.9	49	1	1	4	10	17	20	31
50-64	164	9.6	86	1	2	7	12	22	31	42
65+	146	11.1	120	1	2	7	15	26	36	65
GRAND TOTAL	**1769**	**6.8**	**53**	**1**	**1**	**4**	**9**	**16**	**21**	**38**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.9	4	<1	1	2	3	6	8	9
20-34	19	3.4	9	<1	<1	3	5	6	10	13
35-49	13	3.7	15	1	1	2	5	10	11	11
50-64	1	13.0		13	13	13	13	13	13	13
65+	3	1.7	1	1	1	1	3	3	3	3
B. Operated										
0-19 YRS	39	2.0	3	<1	1	1	2	4	6	8
20-34	89	1.8	2	<1	<1	1	2	4	5	8
35-49	34	2.0	3	<1	1	1	2	4	6	8
50-64	11	2.2	3	<1	<1	2	2	5	7	7
65+	2	12.0	242	1	1	12	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.0	7	<1	<1	2	4	7	9	10
20-34	44	5.0	25	1	1	3	6	11	14	25
35-49	28	8.0	113	<1	1	4	8	23	35	46
50-64	25	5.4	30	<1	1	4	8	10	16	27
65+	38	9.8	86	2	2	8	12	27	40	99+
B. Operated										
0-19 YRS	88	2.1	6	<1	1	1	2	4	7	16
20-34	192	3.6	39	<1	<1	2	3	6	14	37
35-49	69	4.3	50	<1	<1	2	5	14	25	99+
50-64	39	8.2	258	<1	<1	2	4	33	64	99+
65+	22	11.1	173	<1	1	8	32	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.4	10	<1	1	2	4	9	11	13
B. Operated	175	2.0	5	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	148	6.7	61	1	1	4	8	13	26	46
B. Operated	410	4.2	66	<1	<1	2	3	11	26	99+
1. SINGLE DX	229	2.4	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	558	4.9	66	<1	1	2	5	12	26	99+
A. NOT OPERATED	202	5.8	49	1	1	3	8	12	20	44
B. OPERATED	585	3.6	49	<1	<1	2	3	7	17	90
TOTAL 0-19 YRS	158	2.3	5	<1	1	2	2	5	7	15
20-34	344	3.3	27	<1	<1	2	3	6	11	31
35-49	144	4.4	51	<1	<1	2	4	11	23	99+
50-64	76	6.5	146	<1	1	2	6	19	35	94
65+	65	9.9	115	1	1	7	16	38	99+	99+
GRAND TOTAL	**787**	**4.1**	**50**	**<1**	**1**	**2**	**4**	**9**	**18**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.0	2	<1	1	2	3	4	5	8
20-34	125	2.8	6	<1	1	2	3	5	8	12
35-49	51	3.2	15	1	1	2	4	6	10	26
50-64	30	3.3	20	<1	1	2	3	7	9	24
65+	17	3.7	9	1	1	3	4	8	11	12
B. *Operated*										
0-19 YRS	35	3.4	7	<1	1	3	4	7	9	12
20-34	38	4.1	25	1	1	2	5	8	17	24
35-49	18	4.3	18	<1	<1	3	6	11	14	16
50-64	9	3.6	5	<1	<1	4	5	6	6	6
65+	8	3.9	9	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	2.7	5	<1	1	2	3	6	8	12
20-34	244	3.6	25	<1	1	2	4	8	10	15
35-49	156	4.1	13	1	1	3	5	7	11	14
50-64	134	4.6	24	1	1	3	6	10	12	27
65+	224	7.6	81	1	2	5	9	15	22	44
B. *Operated*										
0-19 YRS	76	9.2	104	1	1	6	12	21	28	49
20-34	146	9.3	205	1	1	5	10	23	47	99+
35-49	68	9.6	100	1	1	6	14	25	31	41
50-64	48	10.3	188	1	2	5	16	26	34	99+
65+	68	15.2	160	1	3	11	23	32	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	2.6	7	1	1	2	3	5	6	12
B. *Operated*	108	3.8	15	<1	1	3	5	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	930	4.6	36	1	1	3	5	10	13	32
B. *Operated*	406	10.4	162	1	1	6	14	26	35	90
1. SINGLE DX	501	2.9	9	1	1	2	3	6	8	14
2. MULTIPLE DX	1336	6.4	81	1	1	4	7	14	24	54
A. NOT OPERATED	1323	4.0	28	1	1	3	5	8	11	27
B. OPERATED	514	9.0	138	1	1	5	11	24	31	76
TOTAL 0-19 YRS	453	3.6	27	<1	1	2	4	8	12	29
20-34	553	4.9	75	<1	1	3	5	10	16	65
35-49	293	5.3	40	1	1	3	6	12	16	35
50-64	221	5.6	64	1	1	3	6	11	23	51
65+	317	8.9	103	1	2	6	11	19	30	51
GRAND TOTAL	**1837**	**5.4**	**64**	**1**	**1**	**3**	**6**	**12**	**20**	**43**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	984	1.7	2	<1	<1	1	2	3	4	7
20-34	412	1.8	2	<1	<1	1	2	3	4	7
35-49	163	1.9	2	<1	<1	1	2	3	5	11
50-64	51	3.1	13	1	1	2	3	6	9	19
65+	32	3.2	8	1	1	3	3	8	10	13
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1683	3.3	32	<1	1	2	3	6	10	31
20-34	2409	3.7	32	<1	1	2	4	8	12	29
35-49	1250	4.5	48	<1	1	2	4	10	15	34
50-64	636	5.5	42	1	1	3	7	12	18	35
65+	866	6.9	47	1	2	5	9	13	18	34
B. *Operated*										
0-19 YRS	18	8.2	96	<1	1	5	7	28	33	33
20-34	64	12.8	300	1	1	5	15	39	59	98
35-49	48	12.0	169	1	2	7	15	33	42	51
50-64	52	16.3	387	1	2	9	19	64	82	99+
65+	91	16.9	212	1	4	12	22	45	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1642	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	6844	4.3	39	<1	1	2	5	9	14	32
B. *Operated*	273	14.4	254	1	2	9	19	39	55	99+
1. SINGLE DX	1644	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	7117	4.7	51	<1	1	2	5	10	16	41
A. NOT OPERATED	8486	3.8	33	<1	1	2	4	8	13	29
B. OPERATED	275	14.3	254	1	2	9	19	39	54	99+
TOTAL 0-19 YRS	2686	2.7	22	<1	1	1	3	5	8	25
20-34	2885	3.6	36	<1	1	2	3	7	12	31
35-49	1462	4.4	49	<1	1	2	4	10	16	37
50-64	739	6.1	72	1	1	3	7	13	20	62
65+	989	7.7	70	1	2	5	9	16	22	51
GRAND TOTAL	**8761**	**4.2**	**43**	**<1**	**1**	**2**	**4**	**9**	**14**	**36**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	445	2.4	5	<1	<1	1	3	5	6	11
20-34	142	1.4	1	<1	<1	1	1	2	3	7
35-49	79	1.5	2	<1	1	1	2	3	4	8
50-64	35	1.7	1	<1	1	1	2	3	4	5
65+	27	1.9	3	<1	1	1	3	5	5	6
B. *Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	2.9	8	<1	1	2	4	6	9	14
20-34	277	3.2	31	<1	1	2	3	6	12	28
35-49	200	2.8	8	<1	1	2	4	6	8	13
50-64	145	3.8	63	1	1	2	4	7	11	48
65+	136	5.5	71	<1	1	3	6	11	20	77
B. *Operated*										
0-19 YRS	16	9.5	62	1	1	8	16	18	24	27
20-34	23	6.9	47	1	1	4	11	16	20	27
35-49	13	16.9	355	1	1	14	22	41	63	68
50-64	10	14.5	147	1	2	10	25	33	40	40
65+	15	20.0	423	3	4	14	22	68	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	728	2.0	4	<1	<1	1	2	5	6	9
B. *Operated*	4	4.8	11	1	1	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1065	3.4	30	<1	1	2	4	7	10	22
B. *Operated*	77	12.7	203	1	1	9	17	26	38	68
1. SINGLE DX	732	2.0	4	<1	<1	1	2	5	6	9
2. MULTIPLE DX	1142	4.1	47	<1	1	2	4	9	14	33
A. NOT OPERATED	1793	2.9	20	<1	1	1	3	6	8	19
B. OPERATED	81	12.3	197	1	1	9	16	26	37	68
TOTAL 0-19 YRS	768	2.7	8	<1	<1	1	4	6	8	14
20-34	444	2.9	23	<1	1	1	3	6	9	22
35-49	294	3.1	30	<1	1	1	3	6	9	26
50-64	190	4.0	62	1	1	2	4	8	14	44
65+	178	6.2	107	<1	1	3	7	14	23	72
GRAND TOTAL	**1874**	**3.3**	**31**	**<1**	**1**	**2**	**4**	**6**	**10**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	242	2.2	4	<1	1	2	3	4	6	8
20-34	128	1.9	1	<1	<1	1	2	4	5	6
35-49	84	2.1	3	<1	1	1	3	4	5	10
50-64	66	2.2	3	<1	1	2	3	4	5	10
65+	39	2.2	5	<1	1	1	2	5	8	10
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	20.5	1107	<1	<1	5	40	70	70	70
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	3.6	23	<1	1	2	4	8	13	29
20-34	229	3.2	8	1	1	2	4	7	8	14
35-49	237	3.8	16	1	1	2	5	9	12	31
50-64	325	4.6	18	1	1	3	6	10	13	22
65+	792	6.8	56	1	1	5	8	13	18	45
B. *Operated*										
0-19 YRS	18	8.6	289	1	1	1	5	55	82	99+
20-34	35	4.9	58	1	1	1	7	13	15	41
35-49	43	10.2	277	1	1	3	12	48	63	99+
50-64	61	10.1	341	1	1	3	10	43	72	98
65+	113	13.0	248	1	1	8	20	44	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	2.1	3	<1	1	1	3	4	5	10
B. *Operated*	9	10.4	507	<1	<1	3	5	46	70	70
2. MULTIPLE DX										
A. *Not Operated*	1894	5.1	35	1	1	3	6	11	15	29
B. *Operated*	270	10.5	255	1	1	4	14	41	70	99+
1. SINGLE DX	568	2.2	11	<1	1	1	3	4	5	10
2. MULTIPLE DX	2164	5.8	66	1	1	3	7	12	19	70
A. NOT OPERATED	2453	4.4	29	1	1	3	6	9	13	26
B. OPERATED	279	10.5	261	1	1	4	13	41	70	99+
TOTAL 0-19 YRS	573	3.2	24	<1	1	2	3	7	10	32
20-34	396	3.1	22	<1	1	2	4	6	8	16
35-49	366	4.2	48	1	1	2	5	9	15	67
50-64	452	5.0	63	1	1	3	5	10	15	48
65+	945	7.4	81	1	1	5	9	15	25	83
GRAND TOTAL	**2732**	**5.0**	**57**	**1**	**1**	**3**	**6**	**11**	**16**	**59**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.5	8	<1	1	3	5	7	10	12
20-34	42	4.3	18	<1	1	2	6	11	13	19
35-49	20	5.1	25	<1	<1	4	6	10	17	22
50-64	22	5.3	20	<1	<1	5	8	9	14	20
65+	44	7.0	86	1	1	4	8	24	26	46
B. *Operated*										
0-19 YRS	120	3.7	8	<1	1	3	4	7	10	15
20-34	249	3.6	11	<1	<1	2	5	9	11	15
35-49	214	4.5	31	<1	<1	3	6	10	12	27
50-64	305	7.0	50	1	1	5	9	15	19	39
65+	477	6.6	65	1	1	4	8	16	20	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	6.2	42	<1	1	4	8	14	18	32
20-34	91	6.1	56	1	1	4	7	9	26	40
35-49	128	6.9	34	1	1	5	9	14	18	31
50-64	206	8.0	89	1	1	6	10	16	28	44
65+	448	7.8	72	1	1	6	9	17	26	54
B. *Operated*										
0-19 YRS	546	8.1	99	1	1	5	9	19	31	56
20-34	587	8.8	157	1	1	5	10	21	33	74
35-49	818	8.6	121	1	1	5	10	20	30	58
50-64	1717	9.5	111	1	1	6	12	22	31	58
65+	3469	11.7	178	1	2	7	15	27	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	5.2	38	<1	1	3	7	11	19	30
B. *Operated*	1365	5.5	44	<1	1	3	7	12	16	37
2. MULTIPLE DX										
A. *Not Operated*	995	7.4	66	1	1	5	9	15	24	43
B. *Operated*	7137	10.3	150	1	2	6	13	24	36	69
1. SINGLE DX	1518	5.5	43	<1	1	3	7	12	16	36
2. MULTIPLE DX	8132	9.9	140	1	1	6	12	23	34	67
A. NOT OPERATED	1148	7.1	63	1	1	5	9	15	23	42
B. OPERATED	8502	9.5	136	1	1	6	12	22	33	64
TOTAL 0-19 YRS	813	7.0	77	1	1	4	8	14	24	48
20-34	969	7.0	109	<1	1	4	8	15	26	68
35-49	1180	7.6	96	<1	1	5	9	16	26	54
50-64	2250	9.0	101	1	1	6	12	20	29	55
65+	4438	10.7	158	1	2	7	14	26	38	72
GRAND TOTAL	**9650**	**9.2**	**128**	**1**	**1**	**5**	**11**	**21**	**32**	**62**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	1.7	2	<1	<1	1	2	3	4	8
20-34	141	2.1	3	<1	1	1	3	4	5	10
35-49	71	2.5	4	1	1	2	3	5	6	10
50-64	107	2.9	5	1	1	2	4	5	6	14
65+	122	3.6	11	1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	150	1.8	3	<1	<1	1	2	3	5	12
20-34	163	2.5	8	<1	1	2	3	5	7	15
35-49	100	2.8	7	<1	1	2	4	5	7	15
50-64	39	2.9	3	1	1	2	4	6	6	7
65+	49	3.6	8	1	1	3	4	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.4	3	1	1	2	3	5	6	10
20-34	79	3.3	12	<1	1	2	4	8	12	16
35-49	73	3.4	7	1	1	3	4	7	8	12
50-64	154	3.7	6	1	1	3	5	6	8	13
65+	364	4.3	21	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	63	1.5	1	1	1	1	2	3	3	7
20-34	172	3.2	15	1	1	2	4	8	9	18
35-49	128	3.8	16	1	1	2	5	9	11	21
50-64	198	3.9	20	1	1	2	5	9	10	26
65+	460	5.0	37	1	1	3	6	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.5	5	<1	1	2	3	5	6	10
B. *Operated*	501	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	709	3.9	14	1	1	3	5	7	9	15
B. *Operated*	1021	4.1	26	1	1	2	5	10	13	26
1. SINGLE DX	1065	2.5	6	<1	1	2	3	5	6	11
2. MULTIPLE DX	1730	4.0	21	1	1	3	5	9	12	22
A. NOT OPERATED	1273	3.3	11	1	1	2	4	6	8	14
B. OPERATED	1522	3.6	20	1	1	2	4	8	12	23
TOTAL 0-19 YRS	375	1.8	2	<1	1	1	2	3	4	9
20-34	555	2.7	10	<1	1	2	3	6	9	16
35-49	372	3.2	9	1	1	2	4	7	9	16
50-64	498	3.5	11	1	1	3	5	7	9	14
65+	995	4.5	26	1	1	3	5	9	13	26
GRAND TOTAL	**2795**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.1	13	2	2	4	7	9	12	19
20-34	105	5.3	9	2	2	5	7	9	12	16
35-49	97	5.2	9	1	2	5	7	9	11	16
50-64	58	7.3	29	2	3	6	9	13	17	31
65+	47	6.6	14	2	3	6	8	13	14	16
B. *Operated*										
0-19 YRS	45	6.1	19	1	2	5	8	11	15	19
20-34	91	7.2	73	1	1	6	9	12	17	54
35-49	81	6.7	22	1	2	5	10	14	16	19
50-64	60	7.7	38	1	2	6	11	15	19	34
65+	42	8.2	89	1	2	5	11	18	20	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.2	26	2	2	5	8	12	16	28
20-34	128	6.6	20	2	2	5	9	13	16	21
35-49	165	8.1	72	2	3	6	10	15	18	79
50-64	214	9.3	57	2	3	7	12	18	24	39
65+	337	9.7	46	2	3	8	12	17	23	37
B. *Operated*										
0-19 YRS	64	11.8	131	2	3	9	14	26	37	58
20-34	153	12.3	201	2	3	7	14	28	39	97
35-49	201	12.6	108	2	3	9	17	28	36	47
50-64	291	15.3	168	2	4	11	20	36	46	87
65+	419	17.6	250	3	4	13	23	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	5.7	14	2	2	5	7	10	13	19
B. *Operated*	319	7.1	48	1	2	5	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	937	8.6	49	2	3	7	11	16	21	37
B. *Operated*	1128	15.1	195	2	3	11	20	34	47	98
1. SINGLE DX	674	6.4	30	1	2	5	8	12	15	23
2. MULTIPLE DX	2065	12.1	139	2	3	9	15	27	37	73
A. NOT OPERATED	1292	7.8	41	2	3	6	10	15	19	33
B. OPERATED	1447	13.3	173	2	3	9	17	30	43	88
TOTAL 0-19 YRS	250	7.4	55	2	2	5	9	14	19	47
20-34	477	8.2	93	2	2	6	10	15	24	55
35-49	544	9.0	75	2	2	6	11	18	27	47
50-64	623	11.8	116	2	3	8	14	27	36	55
65+	845	13.4	166	2	3	9	16	28	42	88
GRAND TOTAL	**2739**	**10.7**	**118**	**2**	**3**	**7**	**13**	**23**	**33**	**66**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.8	5	<1	<1	2	4	6	7	8
20-34	93	2.7	5	1	1	2	3	6	8	9
35-49	68	4.6	13	1	1	4	6	10	12	15
50-64	57	4.9	31	1	1	4	6	9	12	34
65+	56	4.9	20	1	1	4	7	9	11	25
B. *Operated*										
0-19 YRS	28	6.4	140	1	1	3	6	8	35	59
20-34	74	4.4	14	1	1	3	7	9	13	17
35-49	78	5.6	34	<1	1	4	8	11	17	30
50-64	87	5.5	44	1	1	3	7	11	18	40
65+	74	7.0	35	1	1	6	10	15	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.2	13	<1	1	2	4	7	11	21
20-34	193	3.8	20	1	1	2	5	9	11	23
35-49	248	4.5	17	1	1	3	6	10	13	20
50-64	282	5.7	34	1	1	4	7	12	15	30
65+	532	7.0	47	1	1	5	9	14	19	40
B. *Operated*										
0-19 YRS	214	3.9	48	1	1	1	4	11	15	37
20-34	522	5.2	80	1	1	2	5	13	20	49
35-49	532	6.9	130	1	1	3	8	17	29	73
50-64	697	7.9	90	1	1	5	11	20	28	94
65+	1259	9.4	171	1	1	5	12	24	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.9	15	1	1	3	6	9	10	18
B. *Operated*	341	5.7	41	1	1	4	8	11	17	32
2. MULTIPLE DX										
A. *Not Operated*	1355	5.5	34	1	1	4	7	12	15	31
B. *Operated*	3224	7.7	127	1	1	3	10	19	30	70
1. SINGLE DX	657	4.8	29	1	1	3	7	10	13	26
2. MULTIPLE DX	4579	7.0	100	1	1	3	9	16	26	57
A. NOT OPERATED	1671	5.2	31	1	1	4	7	11	15	29
B. OPERATED	3565	7.5	119	1	1	3	10	19	29	67
TOTAL 0-19 YRS	384	3.8	42	1	1	1	4	8	13	35
20-34	882	4.6	54	1	1	2	5	11	16	42
35-49	926	6.0	84	1	1	3	7	13	21	46
50-64	1123	7.0	71	1	1	5	9	16	24	53
65+	1921	8.6	128	1	1	5	11	20	31	70
GRAND TOTAL	**5236**	**6.8**	**92**	**1**	**1**	**3**	**8**	**16**	**25**	**56**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.5	2	1	1	2	4	5	5	6
20-34	9	2.7	1	1	1	3	3	4	4	4
35-49	7	5.1	24	1	1	3	8	13	14	14
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	3	3.0	12	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.5	19	<1	1	2	4	7	15	21
20-34	17	3.3	3	1	1	3	4	6	7	7
35-49	24	5.4	32	1	1	3	6	11	17	28
50-64	38	4.4	17	1	1	3	6	10	13	20
65+	78	4.2	17	1	1	3	5	10	14	18
B. *Operated*										
0-19 YRS	3	5.0	16	1	1	5	8	9	9	9
20-34	3	8.7	12	5	5	9	11	12	12	12
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	14	8.8	63	1	1	6	17	21	24	25
65+	17	5.8	11	1	1	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.1	7	1	1	3	4	6	8	14
B. *Operated*	3	4.3	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	188	4.2	18	1	1	3	5	10	12	21
B. *Operated*	39	6.9	31	1	1	6	9	15	19	25
1. SINGLE DX	45	3.2	7	1	1	3	4	6	8	14
2. MULTIPLE DX	227	4.7	21	1	1	3	6	10	15	22
A. NOT OPERATED	230	4.0	16	1	1	3	5	9	12	20
B. OPERATED	42	6.7	29	1	1	6	9	13	19	25
TOTAL 0-19 YRS	54	3.2	12	1	1	2	4	6	9	21
20-34	31	3.8	6	1	1	3	5	7	9	12
35-49	33	5.2	28	1	1	3	6	11	14	28
50-64	56	5.4	31	1	1	3	7	14	19	25
65+	98	4.4	16	1	1	3	6	10	12	18
GRAND TOTAL	**272**	**4.4**	**19**	**1**	**1**	**3**	**6**	**10**	**14**	**21**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1144	1.4	1	<1	<1	1	2	2	3	4
35-49	560	1.6	1	<1	<1	1	2	3	3	5
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	30	1.3	1	<1	<1	<1	1	2	3	6
35-49	21	1.1		<1	<1	<1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	1013	1.8	2	<1	<1	1	2	3	4	6
35-49	631	1.9	2	<1	<1	1	2	4	5	7
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	1709	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	51	1.2	1	<1	<1	<1	1	2	2	6
B. *Operated*	1650	1.8	2	<1	<1	1	2	4	4	6
1. SINGLE DX	1713	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	1701	1.8	2	<1	<1	1	2	4	4	6
A. NOT OPERATED	55	1.2	1	<1	<1	<1	1	2	2	6
B. OPERATED	3359	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	7	2.0	1	<1	<1	2	3	4	4	4
20-34	2190	1.6	1	<1	<1	1	2	3	4	5
35-49	1213	1.7	1	<1	<1	1	2	3	4	6
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+										
GRAND TOTAL	**3414**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	659	3.2	3	2	2	3	4	5	6	10
2500+	52241	3.0	2	1	2	3	3	5	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	13	3.5	2	1	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	24	62.5	259	26	37	65	69	84	89	90
1000-1499	121	39.8	321	14	21	36	49	67	82	99+
1500-1749	157	26.1	117	11	15	25	31	39	44	70
1750-2499	2497	7.9	55	2	2	5	10	17	22	37
2500+	36699	3.8	5	2	2	3	5	6	6	11
B. *Operated*										
1-999 G	43	79.0	226	53	61	94	99+	99+	99+	99+
1000-1499	106	52.8	309	24	33	54	66	85	99	99+
1500-1749	78	38.0	278	20	23	33	44	63	78	99+
1750-2499	221	21.0	162	5	7	19	27	35	42	90
2500+	581	8.7	84	2	3	6	10	16	23	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52900	3.0	2	1	2	3	3	5	5	6
B. *Operated*	13	3.5	2	1	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	39498	4.3	19	2	2	3	5	6	8	23
B. *Operated*	1029	21.1	496	2	3	12	33	66	92	99+
1. SINGLE DX	52913	3.0	2	1	2	3	3	5	5	6
2. MULTIPLE DX	40527	4.7	38	2	2	3	5	6	10	35
A. NOT OPERATED	92398	3.5	9	2	2	3	4	5	6	13
B. OPERATED	1042	20.8	494	2	3	12	32	65	92	99+
TOTAL 1-999 G	67	73.1	298	52	55	85	99+	99+	99+	99+
1000-1499	227	45.9	357	20	24	44	59	75	94	99+
1500-1749	235	30.0	201	12	16	28	35	46	60	87
1750-2499	3377	7.8	67	2	2	5	10	18	24	40
2500+	89534	3.3	4	2	2	3	4	5	6	9
GRAND TOTAL	**93440**	**3.7**	**18**	**2**	**2**	**3**	**4**	**5**	**6**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	99	4.7	2	2	3	4	6	7	7	9
2500+	471	4.5	3	2	3	5	6	6	7	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	3	65.7	345	45	45	71	78	81	81	81
1000-1499	33	39.5	346	17	22	32	49	74	75	78
1500-1749	37	25.9	83	12	14	26	32	37	44	48
1750-2499	539	9.6	56	3	4	7	12	19	24	37
2500+	527	5.3	5	3	3	5	6	7	9	15
B. *Operated*										
1-999 G	11	73.5	411	35	54	84	99+	99+	99+	99+
1000-1499	29	55.5	309	29	37	52	68	90	99	99+
1500-1749	22	41.9	115	21	32	41	52	70	99+	99+
1750-2499	53	22.2	133	8	11	19	27	37	41	66
2500+	12	11.2	23	5	6	10	13	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	4.5	2	2	3	5	6	6	7	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1139	9.2	92	3	3	6	9	19	27	54
B. *Operated*	127	36.6	533	8	11	37	54	89	99+	99+
1. SINGLE DX	570	4.5	2	2	3	5	6	6	7	8
2. MULTIPLE DX	1266	11.9	204	3	3	6	13	29	48	90
A. NOT OPERATED	1709	7.6	67	3	3	5	7	15	23	46
B. OPERATED	127	36.6	533	8	11	37	54	89	99+	99+
TOTAL 1-999 G	14	71.9	381	35	48	83	99	99+	99+	99+
1000-1499	62	47.0	388	18	23	48	61	78	90	99+
1500-1749	59	31.9	154	14	17	33	41	51	60	99+
1750-2499	691	9.9	69	3	3	7	13	20	26	41
2500+	1010	5.0	4	3	3	5	6	7	8	14
GRAND TOTAL	**1836**	**9.6**	**153**	**3**	**3**	**5**	**8**	**22**	**37**	**83**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	3	3.0	1	2	2	3	4	4	4	4
2500+	101	2.5	2	1	1	2	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	56.0	450	41	41	56	71	71	71	71
1500-1749	1	27.0		27	27	27	27	27	27	27
1750-2499	17	7.9	57	2	2	4	11	21	23	24
2500+	69	3.6	8	1	1	3	4	7	11	15
B. *Operated*										
1-999 G										
1000-1499	5	51.6	142	39	39	49	63	65	65	65
1500-1749										
1750-2499	1	4.0		4	4	4	4	4	4	4
2500+	2	8.5	1	8	8	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.6	2	1	1	2	3	4	5	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	89	5.9	89	1	1	3	5	13	22	59
B. *Operated*	8	34.9	616	4	5	40	56	64	65	65
1. SINGLE DX	104	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX	97	8.3	191	1	2	3	6	21	42	68
A. NOT OPERATED	193	4.1	44	1	1	3	3	6	12	35
B. OPERATED	8	34.9	616	4	5	40	56	64	65	65
TOTAL 1-999 G										
1000-1499	7	52.9	174	39	39	49	64	70	71	71
1500-1749	1	27.0		27	27	27	27	27	27	27
1750-2499	21	7.0	49	2	2	4	8	20	23	24
2500+	172	3.1	5	1	1	3	3	5	8	14
GRAND TOTAL	**201**	**5.3**	**101**	**1**	**1**	**3**	**4**	**8**	**20**	**64**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	16	2.3	3	<1	<1	2	3	6	7	7
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	8	2.8	9	<1	<1	1	4	8	9	9
65+	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	371	2.0	2	<1	<1	2	2	4	5	8
20-34	475	2.1	3	<1	<1	2	2	4	5	8
35-49	231	2.0	2	<1	<1	2	3	4	5	7
50-64	166	2.6	4	<1	<1	2	3	5	6	12
65+	91	2.6	4	<1	<1	2	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.0		<1	<1	1	1	1	1	1
20-34	10	1.8	5	<1	<1	<1	1	5	8	8
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64	6	2.2	2	1	1	2	3	4	4	4
65+	11	5.6	89	<1	<1	1	3	24	27	27
B. *Operated*										
0-19 YRS	268	2.9	17	<1	<1	2	3	5	7	24
20-34	205	3.0	9	<1	1	2	4	6	8	14
35-49	118	2.7	4	<1	<1	2	3	6	7	10
50-64	98	4.2	27	<1	<1	3	4	10	14	31
65+	150	5.0	24	<1	1	4	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.1	4	<1	<1	1	2	5	7	9
B. *Operated*	1334	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.5	24	<1	<1	1	1	4	11	27
B. *Operated*	839	3.4	16	<1	1	2	4	7	10	24
1. SINGLE DX	1370	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	885	3.4	17	<1	<1	2	4	7	10	24
A. NOT OPERATED	82	2.3	15	<1	<1	1	2	4	7	25
B. OPERATED	2173	2.7	8	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	654	2.4	9	<1	<1	2	3	4	5	11
20-34	706	2.4	5	<1	<1	2	3	4	6	11
35-49	361	2.2	3	<1	<1	2	3	4	6	8
50-64	278	3.2	13	<1	<1	2	4	6	10	22
65+	256	4.1	20	<1	1	3	5	9	12	24
GRAND TOTAL	**2255**	**2.6**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	3	1	1	1	1	2	5	9
20-34	5	3.6	10	1	1	3	5	9	9	9
35-49	23	3.4	19	1	2	2	3	5	11	23
50-64	10	1.4		1	1	1	2	2	2	2
65+	26	2.7	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	13	5.2	21	<1	1	3	8	13	15	15
35-49	38	1.8	3	<1	<1	<1	2	5	7	99+
50-64	50	3.8	15	<1	<1	2	5	9	13	19
65+	35	4.1	18	1	1	2	6	12	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	86	2.5	7	1	1	2	3	4	5	18
B. *Operated*	139	3.4	14	<1	<1	2	4	9	13	27
1. SINGLE DX	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX	225	3.0	11	<1	<1	2	3	7	12	20
A. NOT OPERATED	87	2.4	7	1	1	2	3	4	5	18
B. OPERATED	141	3.4	14	<1	<1	2	4	9	13	25
TOTAL 0-19 YRS	25	1.4	3	1	1	1	1	2	4	9
20-34	20	4.5	17	<1	<1	3	6	11	13	15
35-49	61	2.4	10	<1	<1	2	3	5	7	91
50-64	60	3.4	13	<1	<1	2	4	8	12	18
65+	62	3.5	11	1	1	2	4	8	12	16
GRAND TOTAL	**228**	**3.0**	**11**	**<1**	**<1**	**2**	**3**	**7**	**12**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	520	2.3	5	<1	<1	1	3	5	6	12
20-34	574	2.4	15	<1	<1	1	3	4	6	27
35-49	290	2.0	7	<1	<1	1	2	4	5	9
50-64	272	1.8	6	<1	<1	1	2	4	4	16
65+	215	3.1	23	<1	<1	1	3	6	11	25
B. *Operated*										
0-19 YRS	140	3.0	14	<1	<1	2	3	8	10	18
20-34	446	3.4	8	<1	<1	3	5	7	9	11
35-49	371	3.5	10	<1	<1	2	5	9	10	13
50-64	219	4.7	20	<1	<1	2	8	11	12	17
65+	209	5.4	17	<1	1	5	9	11	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1514	4.7	81	<1	<1	2	4	10	26	57
20-34	1951	7.1	113	<1	<1	2	6	28	28	46
35-49	2918	4.8	62	1	1	2	4	8	28	40
50-64	7883	3.9	42	1	1	2	4	6	13	37
65+	8214	6.0	94	1	1	3	5	15	26	52
B. *Operated*										
0-19 YRS	374	5.2	116	<1	1	2	5	10	18	99+
20-34	811	5.1	82	<1	1	3	5	10	16	72
35-49	1168	5.1	42	1	1	3	6	11	16	39
50-64	1956	5.9	61	1	1	3	8	12	17	45
65+	2436	7.7	121	1	1	4	10	16	27	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1871	2.3	11	<1	<1	1	2	4	6	17
B. *Operated*	1385	3.9	13	<1	<1	2	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	22480	5.1	74	1	1	2	5	11	25	47
B. *Operated*	6745	6.3	86	1	1	3	8	13	20	62
1. SINGLE DX	3256	3.0	12	<1	<1	2	4	7	9	15
2. MULTIPLE DX	29225	5.4	77	1	1	2	5	12	24	50
A. NOT OPERATED	24351	4.9	69	<1	1	2	5	10	24	45
B. OPERATED	8130	5.9	75	<1	1	3	7	12	18	55
TOTAL 0-19 YRS	2548	4.2	68	<1	<1	2	4	8	18	57
20-34	3782	5.5	82	<1	<1	2	5	16	28	44
35-49	4747	4.6	50	<1	1	2	5	9	22	38
50-64	10330	4.2	45	1	1	2	5	8	14	38
65+	11074	6.3	98	1	1	3	6	15	25	55
GRAND TOTAL	**32481**	**5.2**	**71**	**<1**	**1**	**2**	**5**	**11**	**22**	**48**

Operation Groups

Length of Stay Tables
Operation Groups

312 Hospitals, Northeastern Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57220	2.9	11	<1	<1	2	3	5	7	15
20-34	140263	3.1	7	<1	1	3	4	5	7	12
35-49	52435	3.8	14	<1	1	3	5	8	10	18
50-64	37671	4.6	19	<1	1	3	6	10	12	20
65+	30362	5.6	31	<1	1	4	8	12	15	25
2. MULTIPLE DX										
0-19 YRS	55329	5.5	73	<1	1	3	6	11	19	55
20-34	139445	5.2	38	1	1	4	6	9	14	34
35-49	105502	6.7	56	1	1	5	8	13	19	43
50-64	152875	8.4	80	1	2	6	10	17	24	52
65+	320278	11.0	119	2	2	8	14	23	32	75
TOT. SINGLE DX	317951	3.6	13	<1	1	3	4	7	10	17
" MULTIPLE DX	773429	8.4	91	1	2	6	10	18	26	58
TOTAL 0-19 YRS	112549	4.1	43	<1	1	2	4	8	13	37
20-34	279708	4.1	24	<1	1	3	5	7	10	25
35-49	157937	5.7	44	<1	1	4	7	11	16	36
50-64	190546	7.6	70	1	1	5	10	15	22	47
65+	350640	10.5	114	1	2	8	13	22	31	71
GRAND TOTAL	**1091380**	**7.0**	**73**	**1**	**1**	**4**	**8**	**15**	**22**	**50**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	7.6	41	1	1	7	9	16	22	29
20-34	64	10.9	49	4	4	9	13	21	25	39
35-49	75	10.2	33	2	3	9	13	17	20	32
50-64	89	11.3	71	2	4	9	14	19	26	50
65+	79	11.7	62	2	5	10	15	21	32	41
2. MULTIPLE DX										
0-19 YRS	149	13.5	192	1	2	9	18	37	57	99+
20-34	126	21.1	378	2	5	14	31	57	83	99+
35-49	193	17.5	194	6	6	13	22	41	59	99+
50-64	336	20.7	342	5	6	14	23	49	70	96
65+	524	21.4	241	5	7	17	28	45	56	99+
TOT. SINGLE DX	351	10.6	54	2	3	9	14	19	24	36
" MULTIPLE DX	1328	19.7	274	4	6	14	26	45	62	99+
TOTAL 0-19 YRS	193	12.1	164	1	2	8	15	31	48	99+
20-34	190	17.7	291	3	4	12	23	45	61	99+
35-49	268	15.4	160	4	6	12	19	32	45	99+
50-64	425	18.7	300	4	6	13	21	44	66	93
65+	603	20.2	228	5	7	15	27	44	54	99+
GRAND TOTAL	**1679**	**17.8**	**241**	**3**	**5**	**13**	**22**	**41**	**57**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	8.5	60	2	3	7	10	13	25	43
20-34	24	10.5	164	3	4	8	10	14	31	69
35-49	29	8.6	29	1	2	8	11	17	20	21
50-64	30	13.7	135	4	4	10	16	26	38	59
65+	19	12.7	117	4	5	8	16	24	39	49
2. MULTIPLE DX										
0-19 YRS	54	16.1	239	3	4	10	25	42	68	99+
20-34	61	21.1	220	7	8	16	28	44	70	99+
35-49	58	21.4	170	6	9	18	30	43	56	99+
50-64	77	24.4	353	5	6	18	37	57	71	99+
65+	147	25.9	409	6	8	21	36	70	97	99+
TOT. SINGLE DX	139	10.5	97	2	4	8	12	19	27	60
" MULTIPLE DX	397	22.9	320	5	7	18	33	55	79	99+
TOTAL 0-19 YRS	91	13.0	179	2	4	8	13	37	46	99+
20-34	85	18.1	226	6	6	13	26	40	69	99+
35-49	87	17.1	160	2	5	13	24	39	48	99+
50-64	107	21.4	314	5	6	15	30	53	62	99+
65+	166	24.4	393	5	7	20	34	64	92	99+
GRAND TOTAL	**536**	**19.7**	**291**	**4**	**5**	**14**	**28**	**50**	**69**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	4.4	7	1	2	4	5	8	9	17
20-34	22	4.6	10	1	1	4	7	9	11	14
35-49	9	7.2	7	3	3	8	9	10	11	11
50-64	9	4.4	8	1	1	4	7	9	10	10
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	85	10.4	174	2	3	6	10	25	35	93
20-34	70	11.1	124	2	3	8	12	23	31	65
35-49	30	13.9	207	3	3	8	17	37	44	63
50-64	30	15.0	245	4	4	9	18	39	47	73
65+	15	15.1	146	4	4	10	25	32	40	43
TOT. SINGLE DX	139	4.7	9	1	2	4	6	8	9	15
" MULTIPLE DX	230	12.0	171	2	3	8	13	28	40	78
TOTAL 0-19 YRS	182	7.2	94	2	2	5	7	13	24	80
20-34	92	9.5	105	1	2	7	11	18	27	60
35-49	39	12.4	168	3	3	8	13	33	41	63
50-64	39	12.6	209	2	3	8	11	34	44	73
65+	17	14.0	140	3	4	10	20	32	39	43
GRAND TOTAL	**369**	**9.2**	**122**	**2**	**2**	**6**	**9**	**19**	**31**	**72**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	7.8	35	2	3	7	8	16	24	26
20-34	11	8.3	18	3	4	8	11	15	15	15
35-49	8	6.9	16	1	2	7	8	13	15	15
50-64	10	11.8	38	6	6	9	16	21	26	26
65+	14	9.7	27	3	5	8	13	15	22	24
2. MULTIPLE DX										
0-19 YRS	75	18.2	418	3	3	11	23	51	76	99+
20-34	34	21.1	464	2	4	12	29	51	77	84
35-49	26	16.5	258	6	7	11	21	90	99+	99+
50-64	46	23.2	444	6	6	17	37	77	99+	99+
65+	145	20.0	218	5	5	17	27	41	91	99+
TOT. SINGLE DX	85	8.6	31	3	3	7	10	15	24	26
" MULTIPLE DX	326	19.9	324	3	5	15	27	55	92	99+
TOTAL 0-19 YRS	117	14.5	304	3	3	8	18	36	56	99
20-34	45	18.0	384	3	4	11	20	47	65	84
35-49	34	14.2	217	4	5	10	19	72	99+	99+
50-64	56	21.1	389	6	6	15	30	56	99	99+
65+	159	19.1	210	4	5	15	26	40	81	99+
GRAND TOTAL	**411**	**17.5**	**284**	**3**	**4**	**12**	**24**	**45**	**82**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	4.0	5	2	2	3	5	8	9	12
20-34	29	10.5	116	2	2	7	11	30	38	42
35-49	7	9.0	44	1	2	8	16	18	18	18
50-64	8	6.1	14	2	2	5	9	12	12	12
65+	8	10.6	154	2	2	4	15	31	38	38
2. MULTIPLE DX										
0-19 YRS	319	10.3	189	2	2	5	11	29	46	93
20-34	101	17.3	321	2	3	11	21	60	67	99+
35-49	56	19.8	322	4	6	13	25	50	64	99+
50-64	52	17.0	266	2	3	13	29	46	99+	99+
65+	74	21.8	345	2	4	18	28	61	88	99+
TOT. SINGLE DX	129	6.3	49	2	2	4	7	12	18	39
" MULTIPLE DX	602	14.4	268	2	2	8	19	40	62	99+
TOTAL 0-19 YRS	396	9.1	160	2	2	4	9	24	40	82
20-34	130	15.8	283	2	3	10	20	41	66	99+
35-49	63	18.6	302	3	5	13	22	50	59	99+
50-64	60	15.6	246	2	3	11	25	42	99+	99+
65+	82	20.7	336	2	3	17	27	57	86	99+
GRAND TOTAL	**731**	**12.9**	**239**	**2**	**2**	**7**	**16**	**37**	**59**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	12.2	87	5	5	7	19	27	27	27
20-34	98	7.2	19	3	3	6	8	11	16	25
35-49	183	7.7	19	3	4	7	9	14	18	23
50-64	194	8.1	17	3	4	7	10	13	16	25
65+	143	9.4	26	5	6	8	11	14	18	38
2. MULTIPLE DX										
0-19 YRS	26	14.9	236	4	5	8	17	41	47	66
20-34	119	13.6	197	4	4	10	16	23	36	88
35-49	290	11.6	92	4	5	9	13	21	33	70
50-64	467	12.6	116	4	5	9	13	28	36	56
65+	620	15.9	152	5	6	12	20	32	43	84
TOT. SINGLE DX	623	8.2	21	3	4	7	10	14	17	27
" MULTIPLE DX	1522	13.9	138	4	5	10	16	29	39	68
TOTAL 0-19 YRS	31	14.5	210	4	5	8	17	38	42	66
20-34	217	10.7	127	3	4	8	11	19	25	71
35-49	473	10.1	68	3	4	8	12	18	26	53
50-64	661	11.3	91	4	5	8	12	22	31	54
65+	763	14.7	135	5	6	11	18	31	39	69
GRAND TOTAL	**2145**	**12.2**	**111**	**4**	**5**	**9**	**14**	**24**	**34**	**64**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	7.1	19	2	4	5	9	15	16	18
20-34	73	6.2	19	1	2	5	8	13	16	23
35-49	68	6.5	26	2	2	5	8	13	16	25
50-64	29	9.4	33	2	3	9	13	18	20	23
65+	21	8.8	33	1	2	8	12	17	20	22
2. MULTIPLE DX										
0-19 YRS	67	15.4	176	4	4	11	21	33	42	66
20-34	93	14.4	226	2	4	10	17	32	63	99+
35-49	91	13.8	163	2	3	10	19	33	54	99+
50-64	124	17.1	268	2	4	12	21	46	61	99+
65+	137	19.6	225	3	5	15	27	44	58	99+
TOT. SINGLE DX	220	7.1	26	1	2	6	9	15	17	25
" MULTIPLE DX	512	16.5	222	2	4	12	22	41	57	99+
TOTAL 0-19 YRS	96	12.9	143	3	4	8	17	29	36	63
20-34	166	10.8	151	2	3	7	13	23	40	96
35-49	159	10.7	117	2	2	7	14	25	38	95
50-64	153	15.6	233	2	3	10	18	42	59	99
65+	158	18.2	213	3	4	14	25	41	56	97
GRAND TOTAL	**732**	**13.6**	**181**	**2**	**3**	**9**	**17**	**33**	**47**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	2.5	3	<1	<1	2	2	5	6	7
20-34	63	2.3	8	<1	<1	1	3	4	6	20
35-49	84	2.5	8	<1	<1	2	3	4	10	17
50-64	74	2.2	2	<1	<1	2	3	5	6	6
65+	34	2.8	4	<1	1	2	3	6	7	9
2. MULTIPLE DX										
0-19 YRS	26	5.4	25	<1	1	3	8	14	16	19
20-34	60	4.5	41	<1	<1	2	4	11	18	34
35-49	79	5.6	55	<1	<1	3	6	11	19	41
50-64	96	5.7	41	1	1	3	8	13	19	33
65+	82	6.3	105	1	1	3	6	14	26	61
TOT. SINGLE DX	277	2.4	6	<1	<1	2	3	5	6	12
" MULTIPLE DX	343	5.6	59	<1	1	3	6	12	19	38
TOTAL 0-19 YRS	48	4.0	17	<1	<1	2	5	9	14	19
20-34	123	3.4	26	<1	<1	2	3	6	12	31
35-49	163	4.0	33	<1	<1	2	4	10	12	37
50-64	170	4.2	28	<1	<1	2	5	10	13	31
65+	116	5.3	78	1	1	3	5	9	21	53
GRAND TOTAL	**620**	**4.2**	**37**	**<1**	**<1**	**2**	**4**	**9**	**14**	**34**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.9	2	<1	<1	1	2	3	5	7
20-34	335	1.6	1	<1	<1	1	2	3	4	6
35-49	449	1.7	2	<1	<1	1	2	3	4	9
50-64	354	1.5	1	<1	<1	1	2	3	4	6
65+	155	1.6	2	<1	<1	1	2	2	4	11
2. MULTIPLE DX										
0-19 YRS	124	2.3	6	<1	1	2	2	4	8	38
20-34	324	3.0	21	<1	<1	2	3	6	8	32
35-49	346	3.3	35	<1	<1	2	3	6	10	36
50-64	429	2.6	12	<1	<1	2	2	5	8	21
65+	353	3.5	27	<1	<1	2	3	7	15	34
TOT. SINGLE DX	1380	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1576	3.0	23	<1	<1	2	3	6	10	32
TOTAL 0-19 YRS	211	2.1	5	<1	<1	1	2	4	6	17
20-34	659	2.3	12	<1	<1	1	2	4	6	25
35-49	795	2.4	18	<1	<1	1	2	4	6	23
50-64	783	2.1	8	<1	<1	1	2	4	6	14
65+	508	2.9	21	<1	<1	1	3	6	10	31
GRAND TOTAL	**2956**	**2.4**	**13**	**<1**	**<1**	**1**	**2**	**4**	**7**	**22**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	15	5.3	2	2	4	6	6	7	8	8
35-49	9	6.8	6	3	4	7	9	10	11	11
50-64	9	4.7	11	1	1	4	7	10	10	10
65+	6	16.8	255	2	2	10	28	42	44	44
2. MULTIPLE DX										
0-19 YRS										
20-34	11	8.1	56	<1	1	5	8	22	24	24
35-49	12	7.9	11	4	4	7	10	13	14	14
50-64	47	11.7	62	2	4	10	17	20	28	39
65+	105	16.4	303	4	5	11	19	30	51	92
TOT. SINGLE DX	42	7.0	52	1	2	6	7	10	18	44
" MULTIPLE DX	175	14.1	212	3	4	10	17	26	37	86
TOTAL 0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	26	6.5	26	1	2	5	6	8	22	24
35-49	21	7.4	9	3	4	7	9	12	13	14
50-64	56	10.6	61	1	3	9	15	20	25	39
65+	111	16.5	299	4	5	11	19	30	44	91
GRAND TOTAL	**217**	**12.7**	**188**	**3**	**4**	**9**	**14**	**24**	**33**	**84**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	4.9	7	1	2	4	6	10	10	10
20-34	16	1.9	3	<1	<1	1	2	5	6	7
35-49	14	4.2	15	1	1	3	4	10	14	15
50-64	18	3.9	30	<1	<1	2	4	7	18	25
65+	8	7.9	154	2	2	2	7	29	38	38
2. MULTIPLE DX										
0-19 YRS	4	18.0	1068	<1	<1	2	35	67	67	67
20-34	5	4.4	12	<1	<1	3	7	9	9	9
35-49	16	7.2	66	<1	1	6	8	31	77	99+
50-64	36	6.9	78	<1	<1	3	10	18	27	41
65+	56	12.9	214	1	2	8	18	26	38	85
TOT. SINGLE DX	68	4.1	32	<1	<1	2	5	8	11	36
" MULTIPLE DX	117	10.1	173	<1	1	6	13	25	38	92
TOTAL 0-19 YRS	16	8.2	254	<1	1	4	6	10	50	67
20-34	21	2.5	6	<1	<1	1	3	7	8	9
35-49	30	5.8	44	1	1	4	7	16	33	99+
50-64	54	5.9	64	<1	<1	3	7	14	24	41
65+	64	12.3	207	1	2	7	17	27	38	82
GRAND TOTAL	**185**	**7.9**	**129**	**<1**	**1**	**4**	**9**	**23**	**33**	**80**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	3.5	3	1	2	3	4	5	5	12
20-34	353	3.3	2	1	2	3	4	5	5	7
35-49	428	3.3	1	1	2	3	4	5	5	8
50-64	290	3.5	1	1	2	3	4	5	6	8
65+	115	3.8	5	2	2	3	4	5	6	17
2. MULTIPLE DX										
0-19 YRS	27	4.6	15	2	2	3	5	7	16	19
20-34	175	4.1	4	2	2	4	5	7	8	14
35-49	282	4.2	6	2	2	4	5	6	9	15
50-64	392	4.8	23	2	3	4	5	7	9	18
65+	331	6.7	65	2	3	5	7	11	18	43
TOT. SINGLE DX	1223	3.4	2	1	2	3	4	5	5	9
" MULTIPLE DX	1207	5.1	29	2	2	4	5	8	11	25
TOTAL 0-19 YRS	64	4.0	8	1	2	3	4	5	8	18
20-34	528	3.6	3	1	2	3	4	5	6	10
35-49	710	3.7	4	2	2	3	4	5	7	13
50-64	682	4.3	14	2	2	4	5	6	7	15
65+	446	6.0	52	2	2	4	6	10	15	39
GRAND TOTAL	**2430**	**4.2**	**16**	**2**	**2**	**4**	**5**	**6**	**8**	**18**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	1.7	1	<1	1	1	2	3	4	8
20-34	65	2.6	2	1	1	2	4	5	6	7
35-49	49	2.6	3	1	1	2	3	5	5	12
50-64	55	3.3	3	1	1	3	4	5	8	11
65+	16	5.3	32	1	1	4	5	11	20	24
2. MULTIPLE DX										
0-19 YRS	19	1.9	1	<1	1	2	3	4	52	99+
20-34	53	6.9	61	1	2	4	8	13	26	44
35-49	87	8.7	131	2	2	4	9	21	32	66
50-64	180	6.6	41	2	2	4	7	13	19	39
65+	175	9.9	105	3	3	6	12	23	34	67
TOT. SINGLE DX	305	2.5	5	<1	1	2	3	5	5	11
" MULTIPLE DX	514	7.9	82	2	2	5	8	18	27	56
TOTAL 0-19 YRS	139	1.7	1	<1	1	1	2	3	4	18
20-34	118	4.5	34	1	1	3	5	8	12	37
35-49	136	6.5	94	1	1	4	6	12	25	65
50-64	235	5.8	34	1	2	4	6	11	18	38
65+	191	9.5	101	2	3	6	12	22	31	64
GRAND TOTAL	**819**	**5.9**	**60**	**1**	**1**	**4**	**6**	**12**	**21**	**43**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	8.1	40	3	3	6	11	19	21	21
20-34	25	8.1	13	2	5	7	10	14	15	16
35-49	19	7.6	4	5	5	7	8	11	13	13
50-64	14	9.6	36	1	4	8	9	22	23	23
65+	8	7.9	4	5	5	8	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	22	10.8	49	4	6	8	13	20	27	34
20-34	30	10.1	36	6	6	8	11	17	22	33
35-49	43	14.7	127	5	6	11	18	24	40	58
50-64	84	13.9	153	3	6	10	16	24	32	75
65+	80	16.7	171	2	5	12	21	33	48	66
TOT. SINGLE DX	73	8.3	16	3	5	7	9	13	16	23
" MULTIPLE DX	259	14.2	136	4	6	10	17	25	35	58
TOTAL 0-19 YRS	29	10.1	47	3	4	8	12	20	24	34
20-34	55	9.2	26	3	5	8	11	14	19	32
35-49	62	12.5	100	5	6	9	14	22	28	58
50-64	98	13.3	139	2	5	9	16	24	28	71
65+	88	15.9	163	2	5	12	20	32	45	65
GRAND TOTAL	**332**	**12.9**	**116**	**4**	**5**	**10**	**15**	**23**	**32**	**57**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	1.1		<1	<1	<1	1	1	2	2
20-34	11	3.3	47	<1	<1	<1	2	11	23	24
35-49	17	1.2		<1	<1	<1	1	2	3	3
50-64	26	1.3		<1	<1	1	2	2	3	3
65+	28	2.2	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	13	2.1	4	<1	<1	1	2	4	8	9
20-34	6	2.7	7	<1	<1	<1	5	7	7	7
35-49	28	1.9	5	<1	<1	<1	2	4	7	12
50-64	32	3.7	20	<1	<1	2	3	12	13	19
65+	102	5.7	132	<1	<1	2	5	12	18	73
TOT. SINGLE DX	128	1.6	5	<1	<1	<1	1	2	3	12
" MULTIPLE DX	181	4.4	82	<1	<1	2	4	10	14	45
TOTAL 0-19 YRS	59	1.3	1	<1	<1	<1	1	2	2	8
20-34	17	3.1	32	<1	<1	<1	2	7	18	24
35-49	45	1.6	4	<1	<1	<1	1	2	5	12
50-64	58	2.6	13	<1	<1	1	2	7	12	19
65+	130	5.0	106	<1	<1	2	4	10	17	60
GRAND TOTAL	**309**	**3.2**	**52**	**<1**	**<1**	**1**	**2**	**7**	**12**	**28**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	1.4		<1	<1	1	2	2	3	4
20-34	23	1.4		<1	<1	1	2	3	4	4
35-49	66	1.4	2	<1	<1	1	1	2	3	11
50-64	73	1.3		<1	<1	1	2	2	2	3
65+	42	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	187	2.8	6	<1	1	2	3	5	7	16
20-34	232	3.5	28	<1	1	2	4	7	8	40
35-49	193	2.7	12	<1	<1	2	3	5	7	16
50-64	275	2.6	11	<1	1	2	3	5	8	22
65+	336	4.6	49	<1	1	2	5	11	20	99+
TOT. SINGLE DX	284	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	1223	3.3	25	<1	1	2	3	7	11	35
TOTAL 0-19 YRS	267	2.3	5	<1	<1	2	3	5	6	14
20-34	255	3.3	26	<1	1	2	4	7	8	34
35-49	259	2.4	10	<1	<1	1	3	4	6	14
50-64	348	2.3	10	<1	<1	1	2	4	7	19
65+	378	4.2	45	<1	<1	2	4	10	19	88
GRAND TOTAL	**1507**	**3.0**	**21**	**<1**	**<1**	**2**	**3**	**6**	**9**	**27**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.1		<1	<1	1	1	2	2	2
20-34	14	1.4		<1	<1	1	2	2	3	3
35-49	17	1.6		<1	<1	2	2	2	2	2
50-64	16	1.7	1	<1	1	1	2	3	5	6
65+	35	2.1	3	<1	1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	11	3.3	31	<1	<1	1	3	10	19	20
35-49	13	2.0	1	1	1	2	3	4	4	4
50-64	32	2.4	5	1	1	2	2	6	9	10
65+	115	2.5	6	<1	<1	2	3	4	6	16
TOT. SINGLE DX	95	1.7	2	<1	<1	1	2	3	4	9
" MULTIPLE DX	181	2.4	7	<1	1	2	3	4	6	18
TOTAL 0-19 YRS	23	1.3		<1	<1	1	1	2	3	4
20-34	25	2.2	14	<1	<1	1	2	3	7	20
35-49	30	1.8	1	<1	<1	2	2	3	4	4
50-64	48	2.1	4	<1	1	1	2	5	8	10
65+	150	2.4	6	<1	1	2	3	4	6	14
GRAND TOTAL	**276**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.8	4	<1	<1	1	1	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	9.5	61	4	4	9	15	15	15	15
65+	4	3.0	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	6	3.0	7	<1	<1	2	4	8	8	8
35-49	3	3.0	12	<1	<1	1	5	7	7	7
50-64	3	5.3	56	1	1	1	11	14	14	14
65+	14	5.9	93	<1	<1	1	6	26	30	31
TOT. SINGLE DX	15	3.0	14	<1	<1	1	4	6	13	15
" MULTIPLE DX	31	4.4	49	<1	<1	1	4	10	24	31
TOTAL 0-19 YRS	11	1.9	3	<1	<1	1	3	4	6	6
20-34	7	2.7	7	<1	<1	1	4	7	8	8
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	5	7.0	49	1	1	4	14	15	15	15
65+	18	5.2	73	<1	<1	2	5	20	29	31
GRAND TOTAL	**46**	**3.9**	**37**	**<1**	**<1**	**1**	**4**	**8**	**17**	**31**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	2.3	1	1	1	2	3	4	5	5
20-34	17	2.9	2	1	1	3	4	5	5	5
35-49	12	2.8	3	1	1	3	4	5	7	7
50-64	15	1.6		1	1	1	2	2	4	4
65+	53	2.1	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	5	3.8	9	1	1	2	6	8	8	8
20-34	15	4.2	16	<1	1	3	5	11	14	15
35-49	19	3.6	12	1	1	2	4	9	13	15
50-64	46	3.2	19	<1	1	2	3	6	10	26
65+	241	3.0	14	1	1	2	4	5	7	20
TOT. SINGLE DX	106	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	326	3.1	15	1	1	2	4	6	8	19
TOTAL 0-19 YRS	14	2.9	4	1	1	2	3	6	8	8
20-34	32	3.5	9	1	1	3	4	6	11	15
35-49	31	3.3	9	1	1	3	4	6	11	15
50-64	61	2.8	15	1	1	2	2	5	8	25
65+	294	2.9	12	1	1	2	4	5	6	16
GRAND TOTAL	**432**	**2.9**	**12**	**1**	**1**	**2**	**4**	**5**	**7**	**17**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	2.9	3	<1	1	2	4	5	7	9
20-34	36	2.4	1	<1	1	2	3	4	5	5
35-49	17	2.1	3	<1	<1	1	3	5	6	7
50-64	12	2.8	21	<1	<1	1	2	8	16	17
65+	15	1.9	2	<1	1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	26	3.4	4	<1	<1	3	5	6	8	10
20-34	43	5.8	59	1	1	3	5	10	29	37
35-49	18	7.1	363	<1	<1	2	4	8	53	83
50-64	29	2.3	5	<1	<1	1	3	6	11	99+
65+	53	3.8	31	<1	<1	2	4	9	18	31
TOT. SINGLE DX	123	2.5	4	<1	<1	2	3	5	6	11
" MULTIPLE DX	169	4.4	65	<1	<1	2	4	8	17	74
TOTAL 0-19 YRS	69	3.1	4	<1	1	3	4	6	7	10
20-34	79	4.3	36	1	1	3	4	6	13	35
35-49	35	4.7	190	<1	<1	1	4	5	8	83
50-64	41	2.4	9	<1	<1	1	3	5	13	99+
65+	68	3.4	26	<1	<1	2	3	9	12	29
GRAND TOTAL	**292**	**3.6**	**40**	**<1**	**<1**	**2**	**4**	**6**	**9**	**34**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.5		<1	<1	1	2	3	3	3
20-34	11	2.4	1	<1	1	2	3	4	6	6
35-49	18	2.5	3	<1	<1	2	3	5	7	8
50-64	51	1.9	1	<1	<1	1	2	3	4	8
65+	75	2.3	2	<1	<1	2	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	13	2.0	3	<1	<1	2	2	4	7	8
20-34	12	3.5	4	<1	<1	3	5	6	7	7
35-49	20	4.0	30	1	1	2	5	7	17	26
50-64	92	3.7	32	<1	<1	2	3	7	13	36
65+	277	3.4	23	<1	<1	2	4	7	9	22
TOT. SINGLE DX	170	2.1	2	<1	<1	2	3	4	6	8
" MULTIPLE DX	414	3.4	25	<1	<1	2	4	7	9	24
TOTAL 0-19 YRS	28	1.8	2	<1	<1	1	2	3	4	8
20-34	23	3.0	3	<1	<1	3	4	6	7	7
35-49	38	3.3	18	<1	1	2	4	6	8	26
50-64	143	3.1	22	<1	<1	2	3	6	9	26
65+	352	3.1	20	<1	<1	2	4	6	9	21
GRAND TOTAL	**584**	**3.1**	**19**	**<1**	**<1**	**2**	**3**	**6**	**8**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	3.1	9	1	1	2	4	5	11	13
20-34	19	2.2	2	<1	<1	1	3	5	6	7
35-49	11	3.0	6	<1	<1	2	4	7	10	10
50-64	17	2.5	3	<1	1	2	3	6	6	6
65+	27	2.6	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
0-19 YRS	20	4.1	9	1	1	4	5	7	11	14
20-34	25	4.4	19	<1	1	4	5	7	13	22
35-49	16	1.8	2	<1	<1	1	2	4	5	6
50-64	43	4.5	30	<1	<1	2	5	11	15	30
65+	181	3.9	21	<1	1	2	5	9	11	22
TOT. SINGLE DX	89	2.6	5	<1	1	2	3	5	7	13
" MULTIPLE DX	285	3.9	21	<1	1	2	5	8	12	23
TOTAL 0-19 YRS	35	3.7	9	1	1	3	5	7	12	14
20-34	44	3.5	13	<1	1	3	4	7	8	22
35-49	27	2.3	4	<1	<1	2	3	4	7	10
50-64	60	3.9	24	<1	<1	2	5	8	14	29
65+	208	3.7	19	1	1	2	4	9	11	20
GRAND TOTAL	**374**	**3.6**	**17**	**<1**	**1**	**2**	**4**	**7**	**11**	**21**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.2		<1	<1	1	1	2	2	2
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	10	1.8		<1	<1	2	2	2	2	2
50-64	109	1.7		<1	<1	2	2	3	3	4
65+	489	1.7		<1	<1	2	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	16	1.6		<1	<1	1	2	3	3	3
20-34	6	3.0	2	2	2	2	4	6	6	6
35-49	27	1.7		<1	<1	2	2	3	4	5
50-64	207	2.2	8	<1	<1	2	2	3	5	15
65+	1360	2.3	8	<1	1	2	2	3	4	17
TOT. SINGLE DX	633	1.7	1	<1	<1	2	2	2	3	4
" MULTIPLE DX	1616	2.2	9	<1	<1	2	2	3	4	16
TOTAL 0-19 YRS	37	1.4		<1	<1	1	2	2	3	3
20-34	10	3.3	6	1	1	2	4	7	9	9
35-49	37	1.8	1	<1	<1	2	2	3	3	5
50-64	316	2.0	6	<1	<1	2	2	3	4	13
65+	1849	2.1	7	<1	<1	2	2	3	4	14
GRAND TOTAL	**2249**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.3		<1	<1	1	2	2	2	3
20-34	12	1.6		<1	<1	1	2	3	3	3
35-49	58	1.6		<1	<1	1	2	2	3	7
50-64	355	1.5		<1	<1	1	2	2	2	3
65+	1352	1.5		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	24	1.9	1	<1	<1	2	2	3	4	7
20-34	21	2.4	10	<1	<1	2	2	3	9	16
35-49	113	1.9	1	<1	<1	2	2	3	4	7
50-64	803	2.2	20	<1	<1	2	2	3	4	14
65+	5085	2.2	16	<1	<1	2	2	3	4	15
TOT. SINGLE DX	1812	1.5		<1	<1	1	2	2	2	4
" MULTIPLE DX	6046	2.2	17	<1	<1	2	2	3	4	15
TOTAL 0-19 YRS	59	1.5	1	<1	<1	1	2	3	3	7
20-34	33	2.1	7	<1	<1	2	2	3	3	16
35-49	171	1.8	1	<1	<1	2	2	3	4	7
50-64	1158	2.0	14	<1	<1	2	2	2	3	11
65+	6437	2.1	13	<1	<1	2	2	2	4	13
GRAND TOTAL	**7858**	**2.1**	**13**	**<1**	**<1**	**2**	**2**	**2**	**4**	**13**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	1.5		<1	<1	1	2	2	2	2
50-64	41	1.3		<1	<1	1	2	2	2	2
65+	128	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	6	2.2	5	<1	<1	1	2	6	7	7
50-64	83	2.7	33	<1	<1	2	2	3	4	38
65+	341	1.7		<1	<1	2	2	2	3	5
TOT. SINGLE DX	177	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	438	1.9	7	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34	6	1.2		<1	<1	1	1	2	2	2
35-49	12	1.8	3	<1	<1	1	2	4	7	7
50-64	124	2.2	23	<1	<1	1	2	2	3	36
65+	469	1.6	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**615**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	3.3	2	1	2	3	5	6	6	7
20-34	82	3.2	3	1	2	3	4	5	7	13
35-49	93	3.3	3	1	2	3	4	6	7	10
50-64	220	3.4	2	1	2	3	4	6	6	9
65+	167	3.4	2	2	2	3	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	32	4.4	25	1	1	3	4	7	12	29
20-34	88	3.9	13	2	2	3	4	6	6	25
35-49	103	3.4	3	1	2	3	4	6	7	9
50-64	390	3.7	9	1	1	3	4	6	8	15
65+	644	4.0	7	1	2	3	5	7	9	16
TOT. SINGLE DX	586	3.4	3	1	2	3	4	6	6	9
" MULTIPLE DX	1257	3.8	9	1	2	3	5	6	8	16
TOTAL 0-19 YRS	56	3.9	16	1	2	3	5	6	8	28
20-34	170	3.6	9	1	2	3	4	6	7	14
35-49	196	3.4	3	1	2	3	4	6	7	10
50-64	610	3.6	7	1	2	3	4	6	7	13
65+	811	3.9	6	1	2	3	5	6	8	16
GRAND TOTAL	**1843**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.7	8	<1	<1	2	3	5	10	13
20-34	16	2.7	1	2	2	2	3	4	5	6
35-49	11	3.4	5	<1	1	2	5	7	8	8
50-64	20	2.5	1	<1	1	2	3	4	5	6
65+	47	3.3	9	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
0-19 YRS	14	8.6	344	<1	1	3	9	72	93	99+
20-34	71	3.3	5	1	1	3	4	6	7	13
35-49	61	3.4	4	<1	1	3	4	7	7	11
50-64	184	3.6	26	<1	<1	2	4	7	9	18
65+	339	3.2	9	<1	<1	2	4	7	10	16
TOT. SINGLE DX	112	3.0	6	<1	<1	2	3	6	8	15
" MULTIPLE DX	669	3.4	20	<1	<1	2	4	7	9	16
TOTAL 0-19 YRS	32	5.3	158	<1	<1	2	4	12	63	99+
20-34	87	3.2	4	1	1	3	4	6	7	13
35-49	72	3.4	5	<1	1	3	4	7	7	11
50-64	204	3.5	24	<1	<1	2	4	6	9	17
65+	386	3.2	9	<1	<1	2	4	7	10	16
GRAND TOTAL	**781**	**3.4**	**18**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	570	1.1		<1	<1	<1	1	2	2	2
20-34	64	1.3		<1	<1	1	2	2	2	3
35-49	39	1.5		<1	<1	1	2	2	2	3
50-64	8	1.3		<1	<1	1	2	2	2	2
65+	10	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	251	1.2		<1	<1	1	1	2	2	2
20-34	34	1.2		<1	<1	1	1	2	2	2
35-49	23	1.5		<1	<1	1	2	2	3	3
50-64	19	1.8	3	<1	<1	1	2	2	6	9
65+	22	1.9	1	<1	1	2	2	3	4	6
TOT. SINGLE DX	691	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	349	1.3		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	821	1.1		<1	<1	<1	1	2	2	2
20-34	98	1.3		<1	<1	1	2	2	2	3
35-49	62	1.5		<1	<1	1	2	2	2	3
50-64	27	1.6	2	<1	<1	1	2	2	3	9
65+	32	1.7	1	<1	1	2	2	3	3	6
GRAND TOTAL	**1040**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
TOT. SINGLE DX										
" MULTIPLE DX	7	1.9	5	<1	<1	1	1	6	7	7
TOTAL 0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
GRAND TOTAL	**7**	**1.9**	**5**	**<1**	**<1**	**1**	**1**	**6**	**7**	**7**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	2.7	5	<1	<1	2	4	7	8	10
20-34	46	2.4	4	<1	<1	2	3	4	5	13
35-49	28	3.9	10	1	1	3	5	9	12	13
50-64	16	2.9	6	1	1	2	3	8	9	10
65+	27	4.8	105	<1	1	2	3	11	19	54
2. MULTIPLE DX										
0-19 YRS	37	3.6	11	<1	1	2	5	9	12	14
20-34	54	4.2	9	1	1	3	5	10	11	96
35-49	55	4.3	15	1	1	3	4	11	13	21
50-64	64	4.1	14	<1	1	3	5	10	13	15
65+	123	6.4	138	1	1	2	7	12	23	71
TOT. SINGLE DX	165	3.2	23	<1	<1	2	3	6	9	13
" MULTIPLE DX	333	4.9	60	1	1	3	6	10	14	68
TOTAL 0-19 YRS	85	3.1	8	<1	<1	2	4	7	9	14
20-34	100	3.4	8	<1	1	3	4	8	10	56
35-49	83	4.2	14	1	1	3	4	10	12	19
50-64	80	3.8	13	<1	1	3	5	9	13	15
65+	150	6.1	132	1	1	2	6	12	21	71
GRAND TOTAL	**498**	**4.4**	**48**	**<1**	**1**	**2**	**5**	**9**	**13**	**48**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.5	1	<1	<1	1	2	2	4	7
20-34	56	1.6	2	<1	<1	1	2	2	4	8
35-49	24	2.0	9	<1	<1	1	2	3	8	16
50-64	18	1.9	7	<1	<1	1	2	3	9	13
65+	27	2.0	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	128	3.0	10	<1	1	2	3	6	8	16
20-34	74	4.0	25	<1	<1	2	5	9	19	82
35-49	51	4.1	95	<1	1	2	4	8	11	69
50-64	60	6.3	107	<1	1	3	7	14	21	60
65+	139	6.8	61	1	1	3	10	18	21	46
TOT. SINGLE DX	281	1.6	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	452	4.9	53	<1	1	2	5	12	18	47
TOTAL 0-19 YRS	284	2.2	6	<1	<1	1	2	4	6	11
20-34	130	3.0	17	<1	<1	1	3	7	10	41
35-49	75	3.4	69	<1	<1	1	3	6	11	56
50-64	78	5.3	88	<1	<1	2	6	12	18	58
65+	166	6.0	55	1	1	3	8	17	21	42
GRAND TOTAL	**733**	**3.6**	**36**	**<1**	**<1**	**2**	**3**	**8**	**13**	**27**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.5		<1	<1	2	2	2	2	2
20-34	85	1.7		1	1	1	2	3	3	5
35-49	154	1.7		1	1	2	2	3	3	4
50-64	111	1.8		1	1	2	2	3	3	5
65+	43	1.7		<1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	15	1.4		1	1	1	2	2	2	2
20-34	48	1.8		1	1	2	2	3	3	4
35-49	55	1.7		1	1	2	2	3	3	4
50-64	81	1.7		1	1	1	2	3	4	5
65+	54	2.2	1	1	1	2	3	4	5	6
TOT. SINGLE DX	406	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	253	1.8	1	1	1	2	2	3	4	5
TOTAL 0-19 YRS	28	1.5		<1	1	1	2	2	2	2
20-34	133	1.7	1	1	1	2	2	3	3	4
35-49	209	1.7	1	1	1	2	2	3	3	4
50-64	192	1.7	1	1	1	2	2	3	3	5
65+	97	2.0	1	1	1	2	2	4	4	6
GRAND TOTAL	**659**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	231	1.2		<1	<1	1	1	2	2	2
20-34	120	1.4		<1	1	1	2	2	2	4
35-49	87	1.4		<1	1	1	2	2	3	3
50-64	81	1.5		<1	1	1	2	2	3	5
65+	28	1.5		<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	205	1.4	1	<1	1	1	2	2	3	7
20-34	151	1.5	1	1	1	1	2	2	3	9
35-49	128	1.6		<1	<1	1	2	2	3	4
50-64	137	1.8	1	1	1	2	2	3	4	6
65+	63	1.6	1	<1	1	1	2	2	4	6
TOT. SINGLE DX	547	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	684	1.6	1	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	436	1.3	1	<1	<1	1	1	2	2	5
20-34	271	1.5	1	1	1	1	2	2	3	4
35-49	215	1.5		<1	1	1	2	2	3	4
50-64	218	1.7	1	<1	1	1	2	3	3	5
65+	91	1.6	1	<1	1	1	2	2	3	6
GRAND TOTAL	**1231**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	766	1.2		<1	<1	<1	<1	1	1	7
20-34	26	1.7	5	<1	<1	<1	1	2	9	11
35-49	20	1.2		<1	<1	1	1	2	2	2
50-64	20	1.1		<1	<1	1	1	1	2	2
65+	9	1.4	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	1007	1.6	9	<1	<1	1	1	2	4	12
20-34	44	3.0	13	<1	<1	2	4	6	9	22
35-49	21	5.7	55	<1	<1	2	11	16	22	28
50-64	30	6.1	89	<1	<1	2	7	16	20	47
65+	38	7.5	56	<1	<1	6	12	17	19	35
TOT. SINGLE DX	841	1.2	1	<1	<1	<1	<1	1	1	7
" MULTIPLE DX	1140	2.0	16	<1	<1	1	1	3	8	19
TOTAL 0-19 YRS	1773	1.4	6	<1	<1	<1	1	1	3	10
20-34	70	2.5	10	<1	<1	1	3	6	8	20
35-49	41	3.5	33	<1	<1	1	2	12	16	28
50-64	50	4.1	59	<1	<1	1	3	11	19	47
65+	47	6.3	51	<1	<1	3	10	16	19	35
GRAND TOTAL	**1981**	**1.7**	**10**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**14**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	1.9	4	<1	1	1	2	3	6	14
20-34	61	1.5		1	1	1	2	3	3	4
35-49	68	2.1	2	1	1	2	2	3	5	9
50-64	53	2.1	3	1	1	2	2	3	3	15
65+	27	2.6	4	1	1	2	3	6	8	9
2. MULTIPLE DX										
0-19 YRS	166	2.5	9	1	1	2	2	5	10	15
20-34	136	2.8	26	1	1	2	3	4	8	27
35-49	109	2.8	17	1	1	2	2	5	8	27
50-64	121	2.8	22	1	1	2	3	4	8	27
65+	77	6.0	115	1	1	3	5	13	25	63
TOT. SINGLE DX	294	2.0	3	1	1	2	2	3	4	9
" MULTIPLE DX	609	3.1	32	1	1	2	3	5	11	30
TOTAL 0-19 YRS	251	2.3	8	1	1	1	2	4	8	15
20-34	197	2.4	19	1	1	2	2	3	6	18
35-49	177	2.5	12	1	1	2	2	4	6	23
50-64	174	2.6	17	1	1	2	2	3	5	18
65+	104	5.1	88	1	1	3	4	9	16	60
GRAND TOTAL	**903**	**2.7**	**23**	**1**	**1**	**2**	**3**	**4**	**8**	**22**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	1.4	1	<1	<1	1	1	2	3	7
20-34	55	1.7	1	<1	<1	1	2	3	4	8
35-49	52	1.8		<1	1	2	2	3	4	4
50-64	54	2.2	2	<1	1	2	3	4	5	8
65+	23	2.4	5	<1	1	2	2	5	8	11
2. MULTIPLE DX										
0-19 YRS	105	2.7	36	<1	<1	1	2	3	11	39
20-34	60	2.1	3	<1	1	1	2	4	6	10
35-49	61	2.0	3	<1	1	1	2	4	5	12
50-64	75	2.8	10	<1	1	2	3	5	8	19
65+	47	3.1	16	<1	1	2	3	7	9	26
TOT. SINGLE DX	264	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	348	2.6	17	<1	1	2	2	5	7	21
TOTAL 0-19 YRS	185	2.2	21	<1	<1	1	2	3	5	23
20-34	115	1.9	3	<1	1	1	2	3	4	10
35-49	113	1.9	2	<1	1	1	2	3	4	9
50-64	129	2.5	7	<1	1	2	3	5	6	16
65+	70	2.9	13	<1	1	2	3	6	9	23
GRAND TOTAL	**612**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**14**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	1.6		<1	1	1	2	3	4	4
20-34	358	1.6		<1	<1	1	2	3	3	4
35-49	169	1.4		<1	1	1	2	2	3	3
50-64	60	1.6		<1	1	1	2	3	3	5
65+	8	1.6	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	417	1.6		1	1	1	2	3	3	5
20-34	922	1.6	1	1	1	1	2	3	3	5
35-49	531	1.7	1	1	1	1	2	3	3	5
50-64	306	1.9	6	1	1	1	2	3	4	11
65+	67	2.4	10	<1	1	1	2	5	7	19
TOT. SINGLE DX	734	1.6	1	<1	1	1	2	3	3	4
" MULTIPLE DX	2243	1.7	2	1	1	1	2	3	3	6
TOTAL 0-19 YRS	556	1.6	1	1	1	1	2	3	4	4
20-34	1280	1.6	1	<1	1	1	2	3	3	5
35-49	700	1.6	1	<1	1	1	2	3	3	5
50-64	366	1.9	6	1	1	1	2	3	4	10
65+	75	2.3	9	1	1	1	2	4	7	18
GRAND TOTAL	**2977**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	315	1.6	1	<1	1	1	2	2	3	6
20-34	685	1.5		<1	1	1	2	2	3	5
35-49	277	1.4		<1	1	1	2	2	3	4
50-64	136	1.5		<1	<1	1	2	2	3	4
65+	31	1.5		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	643	1.7	2	1	1	1	2	3	4	8
20-34	1398	1.6	2	<1	1	1	2	2	3	6
35-49	791	1.7	2	<1	1	1	2	3	4	7
50-64	390	1.9	4	1	1	1	2	3	4	13
65+	161	3.7	26	1	1	2	3	9	15	45
TOT. SINGLE DX	1444	1.5	1	<1	1	1	2	2	3	5
" MULTIPLE DX	3383	1.8	4	<1	1	1	2	3	4	10
TOTAL 0-19 YRS	958	1.7	2	<1	1	1	2	3	4	6
20-34	2083	1.6	2	<1	1	1	2	2	3	5
35-49	1068	1.6	2	<1	1	1	2	3	4	6
50-64	526	1.8	4	<1	1	1	2	3	4	11
65+	192	3.3	23	<1	1	2	3	7	14	36
GRAND TOTAL	**4827**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.9	2	<1	<1	1	2	4	5	8
20-34	65	2.0	5	<1	<1	1	2	4	5	16
35-49	57	1.5		<1	<1	1	2	3	3	4
50-64	74	1.8	3	<1	<1	1	2	3	5	11
65+	74	1.6	2	<1	<1	1	2	2	3	10
2. MULTIPLE DX										
0-19 YRS	98	3.1	75	<1	1	1	3	5	7	51
20-34	173	2.5	14	<1	1	1	2	4	8	23
35-49	191	1.9	3	<1	<1	1	2	3	5	13
50-64	247	3.1	46	<1	1	2	3	6	9	21
65+	266	5.4	80	<1	1	2	6	13	23	59
TOT. SINGLE DX	305	1.8	3	<1	<1	1	2	3	4	9
" MULTIPLE DX	975	3.4	46	<1	1	2	3	7	12	33
TOTAL 0-19 YRS	133	2.8	56	<1	<1	1	2	5	7	26
20-34	238	2.4	12	<1	<1	1	2	4	8	22
35-49	248	1.8	3	<1	<1	1	2	3	4	12
50-64	321	2.8	37	<1	<1	2	3	5	9	20
65+	340	4.6	66	<1	<1	2	5	10	18	51
GRAND TOTAL	**1280**	**3.0**	**36**	**<1**	**<1**	**1**	**3**	**6**	**10**	**27**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	257	1.4	1	<1	<1	1	1	2	3	7
20-34	223	1.8	2	<1	<1	1	2	4	5	10
35-49	86	2.4	3	<1	<1	1	4	5	7	8
50-64	81	4.3	7	1	1	4	5	8	9	15
65+	51	3.2	2	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	175	2.5	8	<1	<1	1	3	5	9	14
20-34	340	3.3	10	1	1	2	4	7	9	19
35-49	195	3.7	7	1	1	3	5	7	9	12
50-64	226	5.3	16	1	1	4	6	10	14	21
65+	407	6.2	28	1	2	5	7	12	17	31
TOT. SINGLE DX	698	2.1	4	<1	<1	1	3	5	6	10
" MULTIPLE DX	1343	4.5	19	1	1	3	6	9	12	23
TOTAL 0-19 YRS	432	1.8	5	<1	<1	1	2	3	5	10
20-34	563	2.7	8	<1	<1	2	3	6	8	15
35-49	281	3.3	6	<1	1	2	5	7	8	12
50-64	307	5.0	14	1	1	4	6	10	12	20
65+	458	5.9	27	1	2	5	7	11	16	31
GRAND TOTAL	**2041**	**3.7**	**15**	**<1**	**<1**	**2**	**5**	**8**	**10**	**20**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	2.1	4	1	1	1	2	5	7	8
20-34	82	1.8	3	<1	1	1	2	3	5	13
35-49	90	1.9	4	<1	1	1	2	3	4	15
50-64	56	2.0	1	1	1	2	3	3	4	9
65+	22	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	50	3.8	28	1	1	2	3	11	14	28
20-34	127	2.8	8	1	1	2	3	4	8	16
35-49	187	3.0	12	1	1	2	3	5	9	24
50-64	162	3.0	10	1	1	2	3	5	10	19
65+	108	4.1	26	1	1	2	4	9	12	29
TOT. SINGLE DX	271	1.9	3	1	1	1	2	3	4	10
" MULTIPLE DX	634	3.2	15	1	1	2	3	6	10	20
TOTAL 0-19 YRS	71	3.3	22	1	1	2	3	8	14	26
20-34	209	2.4	7	1	1	2	3	4	6	16
35-49	277	2.6	10	1	1	2	3	4	8	21
50-64	218	2.8	8	1	1	2	3	4	8	18
65+	130	3.7	23	1	1	2	4	8	12	24
GRAND TOTAL	**905**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**9**	**19**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.6	11	<1	<1	1	3	6	8	18
20-34	76	2.9	8	<1	<1	2	4	6	7	17
35-49	51	2.6	6	<1	<1	2	3	6	8	14
50-64	47	2.4	5	<1	1	2	3	4	6	15
65+	21	2.5	3	<1	1	2	4	4	6	8
2. MULTIPLE DX										
0-19 YRS	80	4.3	34	<1	1	2	5	10	15	30
20-34	177	4.3	90	1	1	2	3	6	9	61
35-49	216	3.1	23	1	1	2	3	7	13	24
50-64	208	3.6	23	1	1	2	4	8	12	29
65+	156	5.8	63	1	1	3	6	14	22	39
TOT. SINGLE DX	225	2.7	7	<1	<1	2	4	5	7	16
" MULTIPLE DX	837	4.1	46	1	1	2	4	9	15	38
TOTAL 0-19 YRS	110	3.9	29	<1	<1	2	5	9	15	30
20-34	253	3.9	66	1	1	2	4	6	9	47
35-49	267	3.1	20	<1	1	2	3	7	13	22
50-64	255	3.4	20	1	1	2	3	7	12	27
65+	177	5.4	57	1	1	3	5	13	20	39
GRAND TOTAL	**1062**	**3.8**	**38**	**<1**	**1**	**2**	**4**	**8**	**13**	**36**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	509	1.1		<1	<1	1	1	2	2	3
20-34	356	1.2		<1	<1	<1	1	2	2	2
35-49	45	1.3		<1	<1	1	1	2	3	6
50-64	31	2.3	10	<1	<1	1	2	4	13	15
65+	34	1.6		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	407	2.2	38	<1	<1	1	2	2	4	25
20-34	479	3.2	46	<1	<1	1	2	6	10	38
35-49	272	3.8	57	<1	<1	2	3	9	16	31
50-64	301	4.7	62	<1	1	2	5	12	21	52
65+	424	7.0	150	1	1	2	7	19	33	99+
TOT. SINGLE DX	975	1.2	1	<1	<1	1	1	2	2	3
" MULTIPLE DX	1883	4.1	75	<1	<1	2	3	9	18	65
TOTAL 0-19 YRS	916	1.6	17	<1	<1	1	1	2	3	9
20-34	835	2.3	28	<1	<1	1	2	4	7	25
35-49	317	3.4	50	<1	<1	1	2	8	15	29
50-64	332	4.5	58	<1	<1	2	4	12	20	45
65+	458	6.6	141	<1	1	2	7	18	33	99+
GRAND TOTAL	**2858**	**3.1**	**52**	**<1**	**<1**	**1**	**2**	**6**	**12**	**42**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.7	19	<1	<1	<1	1	1	1	28
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	2	2.0		2	2	2	2	2	2	2
50-64	7	3.6	26	<1	<1	1	3	13	15	15
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	71	3.2	125	<1	<1	<1	1	3	13	96
20-34	55	2.1	6	<1	<1	2	2	2	2	19
35-49	15	3.3	13	<1	<1	1	5	9	11	12
50-64	5	1.8		<1	<1	2	2	3	3	3
65+	3	10.0	49	2	2	13	14	15	15	15
TOT. SINGLE DX	51	1.9	18	<1	<1	<1	1	2	3	28
" MULTIPLE DX	149	2.9	65	<1	<1	1	2	3	12	82
TOTAL 0-19 YRS	108	2.7	89	<1	<1	<1	1	2	4	89
20-34	59	2.1	7	<1	<1	2	2	2	2	19
35-49	17	3.1	12	<1	<1	2	3	9	11	12
50-64	12	2.8	15	<1	<1	2	3	7	14	15
65+	4	7.8	53	1	1	7	14	15	15	15
GRAND TOTAL	**200**	**2.7**	**53**	**<1**	**<1**	**1**	**2**	**3**	**10**	**66**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.8	1	<1	<1	1	2	4	5	5
20-34	18	2.1	1	<1	<1	2	3	4	5	5
35-49	17	1.5		<1	<1	1	2	2	2	2
50-64	33	1.7		<1	<1	1	2	3	3	5
65+	12	3.0	4	<1	1	3	3	6	9	9
2. MULTIPLE DX										
0-19 YRS	61	2.0	2	<1	<1	1	2	5	6	89
20-34	86	2.9	22	<1	1	2	3	5	9	77
35-49	67	2.7	10	<1	1	2	3	6	9	17
50-64	90	4.5	43	1	1	2	5	11	18	37
65+	83	4.4	29	1	1	2	5	12	15	28
TOT. SINGLE DX	104	1.9	2	<1	<1	2	2	3	5	7
" MULTIPLE DX	387	3.4	24	<1	1	2	3	8	14	34
TOTAL 0-19 YRS	85	2.0	2	<1	<1	1	2	5	5	67
20-34	104	2.7	19	<1	1	2	3	5	7	66
35-49	84	2.5	8	<1	1	2	3	5	8	17
50-64	123	3.7	33	<1	1	2	3	9	16	29
65+	95	4.2	26	1	1	2	5	11	15	27
GRAND TOTAL	**491**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**6**	**11**	**27**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	45	2.1	1	<1	<1	2	3	4	5	5
20-34	168	2.5	1	1	1	2	3	5	5	6
35-49	186	2.8	3	1	1	2	4	5	5	8
50-64	194	2.9	3	1	1	3	3	5	7	11
65+	157	3.0	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	33	3.0	3	1	1	2	4	5	6	9
20-34	81	3.5	8	1	1	2	5	6	10	15
35-49	137	3.6	12	1	1	3	4	7	11	18
50-64	250	4.2	18	1	1	3	5	8	13	26
65+	330	4.9	24	1	1	3	5	10	14	27
TOT. SINGLE DX	750	2.8	3	1	1	2	3	5	6	8
" MULTIPLE DX	831	4.3	19	1	1	3	5	8	13	24
TOTAL 0-19 YRS	78	2.5	3	<1	<1	2	4	5	5	8
20-34	249	2.8	4	1	1	2	4	5	6	12
35-49	323	3.1	7	1	1	3	4	5	7	16
50-64	444	3.6	12	1	1	3	4	7	10	16
65+	487	4.3	19	1	1	3	5	8	13	24
GRAND TOTAL	**1581**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	112	3.5	3	1	1	3	4	6	7	9
20-34	4	3.3	3	2	2	3	4	6	6	6
35-49	6	2.0		<1	<1	2	3	3	3	3
50-64	4	1.3		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	137	4.5	20	1	2	4	5	7	9	17
20-34	8	3.5	4	1	1	3	4	7	8	8
35-49	7	2.4	2	1	1	2	4	5	5	5
50-64	5	16.8	888	2	2	3	23	70	70	70
65+	3	5.3	1	4	4	6	6	6	6	6
TOT. SINGLE DX	126	3.3	3	1	1	3	4	6	7	9
" MULTIPLE DX	160	4.8	45	1	2	4	5	7	9	47
TOTAL 0-19 YRS	249	4.0	13	1	2	3	5	7	8	11
20-34	12	3.4	4	1	1	3	4	7	8	8
35-49	13	2.2	2	<1	1	2	3	4	5	5
50-64	9	9.9	512	1	1	2	4	45	70	70
65+	3	5.3	1	4	4	6	6	6	6	6
GRAND TOTAL	**286**	**4.1**	**27**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	2.8	4	<1	<1	2	4	6	7	9
20-34	67	3.1	5	<1	<1	2	4	7	8	11
35-49	75	3.4	18	<1	1	2	3	7	13	24
50-64	107	3.3	12	<1	<1	2	4	9	11	17
65+	80	4.5	27	<1	1	2	5	12	17	22
2. MULTIPLE DX										
0-19 YRS	278	3.8	44	<1	1	2	5	7	9	23
20-34	205	4.5	23	<1	1	3	6	10	12	38
35-49	176	6.2	83	<1	1	3	7	13	18	49
50-64	298	8.7	98	1	1	5	12	17	30	52
65+	445	9.5	159	1	1	5	12	23	29	90
TOT. SINGLE DX	568	3.2	11	<1	<1	2	4	7	10	18
" MULTIPLE DX	1402	7.0	100	<1	1	4	8	15	25	59
TOTAL 0-19 YRS	517	3.3	26	<1	<1	2	4	6	8	14
20-34	272	4.1	19	<1	1	3	5	9	11	30
35-49	251	5.4	65	<1	1	3	6	12	16	38
50-64	405	7.2	81	<1	1	4	10	16	23	44
65+	525	8.7	143	1	1	5	11	21	28	82
GRAND TOTAL	**1970**	**5.9**	**77**	**<1**	**1**	**3**	**7**	**13**	**19**	**44**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3096	1.2		<1	1	1	1	2	2	3
20-34	1954	1.4	4	1	1	1	1	2	2	4
35-49	194	1.4		<1	1	1	2	2	2	5
50-64	37	1.5		<1	1	1	2	3	3	5
65+	14	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	878	1.3	2	<1	1	1	1	2	3	7
20-34	473	1.7	2	1	1	1	2	3	4	10
35-49	79	2.0	5	1	1	1	2	3	6	15
50-64	23	3.6	20	1	1	2	3	13	15	15
65+	15	3.6	12	1	1	2	4	10	11	11
TOT. SINGLE DX	5295	1.3	2	<1	1	1	1	2	2	3
" MULTIPLE DX	1468	1.5	3	1	1	1	1	2	3	9
TOTAL 0-19 YRS	3974	1.2	1	<1	1	1	1	2	2	3
20-34	2427	1.4	4	1	1	1	2	2	3	5
35-49	273	1.5	2	1	1	1	2	2	3	10
50-64	60	2.3	9	1	1	1	2	4	10	15
65+	29	2.6	7	<1	1	2	3	7	10	11
GRAND TOTAL	**6763**	**1.3**	**2**	**<1**	**1**	**1**	**1**	**2**	**2**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4043	1.1		<1	<1	1	1	1	2	2
20-34	150	1.2		1	1	1	1	2	2	4
35-49	10	1.2		<1	<1	1	1	2	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	3331	1.2		<1	1	1	1	2	2	3
20-34	55	1.5	3	1	1	1	1	2	2	13
35-49	6	1.3		1	1	1	1	3	3	3
50-64										
65+	3	1.7	1	1	1	1	3	3	3	3
TOT. SINGLE DX	4207	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	3395	1.2		<1	1	1	1	2	2	3
TOTAL 0-19 YRS	7374	1.1		<1	1	1	1	2	2	3
20-34	205	1.3	1	1	1	1	1	2	2	5
35-49	16	1.3		<1	1	1	1	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	5	1.4	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**7602**	**1.1**		**<1**	**1**	**1**	**1**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	1.0		<1	<1	1	1	1	1	2
20-34	11	1.1		<1	<1	1	1	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	612	1.2	2	<1	<1	1	1	1	2	3
20-34	8	1.5		1	1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	258	1.0		<1	<1	1	1	1	1	2
" MULTIPLE DX	623	1.2	2	<1	<1	1	1	1	2	3
TOTAL 0-19 YRS	859	1.1	2	<1	<1	1	1	1	2	3
20-34	19	1.3		<1	<1	1	2	2	2	2
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	**881**	**1.1**	**2**	**<1**	**<1**	**1**	**1**	**1**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	371	2.2	2	<1	1	2	3	4	5	8
20-34	226	2.4	4	<1	1	2	3	4	5	9
35-49	83	2.6	7	<1	1	2	3	4	6	19
50-64	47	2.5	6	<1	<1	2	3	5	8	14
65+	34	5.3	147	1	1	3	4	8	8	73
2. MULTIPLE DX										
0-19 YRS	117	3.9	23	1	1	3	5	8	12	31
20-34	106	3.6	8	1	1	3	4	7	9	17
35-49	85	5.6	70	1	1	3	5	10	23	45
50-64	119	5.8	45	<1	1	3	8	14	16	35
65+	139	8.1	114	<1	1	4	11	19	28	81
TOT. SINGLE DX	761	2.4	10	<1	1	2	3	4	6	10
" MULTIPLE DX	566	5.5	57	1	1	3	6	13	19	44
TOTAL 0-19 YRS	488	2.6	8	1	1	2	3	5	6	13
20-34	332	2.8	6	1	1	2	3	5	7	14
35-49	168	4.1	42	1	1	2	4	7	15	41
50-64	166	4.8	37	<1	1	2	6	13	15	28
65+	173	7.5	122	<1	1	4	9	18	27	78
GRAND TOTAL	**1327**	**3.7**	**33**	**1**	**1**	**2**	**4**	**7**	**13**	**28**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	1.6	2	<1	<1	1	2	2	5	8
20-34	25	3.0	3	<1	1	3	4	5	7	8
35-49	18	2.9	3	<1	<1	2	4	5	6	7
50-64	24	4.1	34	<1	1	3	5	6	13	30
65+	24	2.8	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	45	3.2	5	<1	1	3	4	6	7	14
20-34	19	8.6	266	<1	1	2	6	40	53	54
35-49	32	5.2	43	1	1	3	6	12	13	36
50-64	100	6.6	131	1	2	4	6	11	18	77
65+	206	6.5	61	1	1	4	8	15	20	32
TOT. SINGLE DX	112	2.9	10	<1	<1	2	4	5	7	16
" MULTIPLE DX	402	6.2	81	1	1	4	6	13	19	53
TOTAL 0-19 YRS	66	2.7	5	<1	<1	2	3	5	7	13
20-34	44	5.4	122	<1	1	2	4	8	30	54
35-49	50	4.3	29	1	1	3	5	8	13	36
50-64	124	6.1	113	1	1	4	6	9	17	75
65+	230	6.1	57	1	1	4	7	14	20	32
GRAND TOTAL	**514**	**5.4**	**68**	**1**	**1**	**3**	**6**	**11**	**17**	**46**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.9	2	<1	<1	1	2	3	6	9
20-34	71	1.2		<1	<1	1	1	2	2	2
35-49	135	1.2		<1	<1	1	1	2	2	3
50-64	192	1.5	1	<1	<1	1	2	2	2	8
65+	86	1.5	1	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
0-19 YRS	62	5.0	97	<1	1	2	3	14	31	49
20-34	44	1.8	1	<1	<1	1	2	3	5	6
35-49	106	3.6	30	<1	<1	1	3	10	14	30
50-64	235	4.0	53	<1	<1	2	3	9	18	38
65+	249	5.1	92	<1	<1	2	3	14	25	62
TOT. SINGLE DX	556	1.5	1	<1	<1	1	2	2	2	7
" MULTIPLE DX	696	4.3	65	<1	<1	2	3	11	20	52
TOTAL 0-19 YRS	134	3.3	49	<1	1	2	2	4	9	36
20-34	115	1.4	1	<1	<1	1	2	2	3	6
35-49	241	2.3	15	<1	<1	1	2	3	9	26
50-64	427	2.9	32	<1	<1	1	2	7	10	26
65+	335	4.2	71	<1	<1	2	2	11	20	61
GRAND TOTAL	**1252**	**3.0**	**39**	**<1**	**<1**	**1**	**2**	**6**	**11**	**38**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	18	11.9	88	<1	1	13	18	19	30	37
65+	8	11.4	64	2	2	11	14	24	27	27
2. MULTIPLE DX										
0-19 YRS	12	3.9	12	1	1	2	6	10	12	12
20-34	6	2.0	1	1	1	2	2	4	4	4
35-49	13	6.6	36	1	1	4	11	14	20	21
50-64	47	11.9	153	<1	1	9	16	28	36	53
65+	40	14.8	109	1	2	14	18	29	40	43
TOT. SINGLE DX	31	10.3	78	<1	1	11	16	19	27	37
" MULTIPLE DX	118	11.0	119	<1	1	9	15	27	32	52
TOTAL 0-19 YRS	13	3.8	12	1	1	2	5	10	12	12
20-34	9	1.7	1	<1	<1	1	2	3	4	4
35-49	14	6.6	33	1	1	5	10	13	19	21
50-64	65	11.9	134	<1	1	11	17	27	34	53
65+	48	14.2	102	1	2	13	18	27	38	43
GRAND TOTAL	**149**	**10.8**	**110**	**<1**	**1**	**9**	**15**	**26**	**31**	**51**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	6	12.5	11	10	10	11	13	18	19	19
50-64	22	16.0	27	8	9	15	19	24	26	28
65+	19	14.5	17	10	10	14	18	20	22	23
2. MULTIPLE DX										
0-19 YRS										
20-34	2	26.5	181	17	17	26	36	36	36	36
35-49	26	23.9	187	12	12	21	33	45	74	99+
50-64	102	21.9	215	10	11	17	25	43	54	99+
65+	105	21.3	163	9	10	15	29	42	66	99+
TOT. SINGLE DX	47	14.9	22	9	10	14	18	22	24	28
" MULTIPLE DX	235	21.9	187	10	11	17	28	43	65	99+
TOTAL 0-19 YRS										
20-34	2	26.5	181	17	17	26	36	36	36	36
35-49	32	21.8	174	10	11	18	28	43	66	99+
50-64	124	20.9	187	10	11	16	23	37	48	99+
65+	124	20.2	147	10	10	15	27	41	53	99+
GRAND TOTAL	**282**	**20.7**	**166**	**10**	**10**	**16**	**25**	**40**	**51**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	56.3	1117	5	18	93	99+	99+	99+	99+
20-34	12	25.1	535	5	6	18	29	66	79	81
35-49	14	32.0	491	7	8	30	63	97	99+	99+
50-64	52	29.2	637	2	6	23	79	99+	99+	99+
65+	83	39.1	844	5	8	47	82	99+	99+	99+
TOT. SINGLE DX	1	12.0		12	12	12	12	12	12	12
" MULTIPLE DX	169	35.3	773	4	8	35	81	99+	99+	99+
TOTAL 0-19 YRS	8	56.3	1118	5	18	93	99+	99+	99+	99+
20-34	12	25.1	535	5	6	18	29	66	79	81
35-49	15	30.7	483	7	9	29	59	95	99+	99+
50-64	52	29.2	637	2	6	23	79	99+	99+	99+
65+	83	39.1	845	5	8	47	82	99+	99+	99+
GRAND TOTAL	**170**	**35.1**	**772**	**4**	**8**	**35**	**81**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	3.8	10	<1	<1	2	6	9	10	10
20-34	8	3.9	14	1	1	2	7	9	10	10
35-49	8	4.0	6	1	1	4	5	8	9	9
50-64	12	9.8	327	1	1	4	9	29	61	66
65+	12	7.8	122	<1	<1	2	11	25	34	36
2. MULTIPLE DX										
0-19 YRS	76	14.3	411	1	1	7	20	56	90	99+
20-34	45	31.8	905	2	2	24	58	96	99+	99+
35-49	61	20.1	497	1	1	16	40	81	99+	99+
50-64	177	27.9	605	1	2	24	53	99	99+	99+
65+	257	32.8	646	2	4	36	63	99+	99+	99+
TOT. SINGLE DX	60	5.8	96	<1	1	3	7	10	18	63
" MULTIPLE DX	616	27.8	646	1	2	24	56	99+	99+	99+
TOTAL 0-19 YRS	96	12.1	346	1	1	6	15	49	79	99+
20-34	53	27.6	869	1	1	14	54	95	99+	99+
35-49	69	18.2	466	1	1	9	35	81	99+	99+
50-64	189	26.8	606	1	2	23	52	96	99+	99+
65+	269	31.7	650	1	3	33	61	99+	99+	99+
GRAND TOTAL	**676**	**25.8**	**636**	**1**	**2**	**21**	**53**	**98**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	8.5	157	<1	1	4	9	24	43	46
20-34	58	5.8	25	<1	1	4	8	12	17	19
35-49	82	4.3	20	<1	<1	2	6	10	15	19
50-64	177	4.7	21	<1	1	3	7	12	14	21
65+	122	4.9	24	<1	<1	3	7	12	15	22
2. MULTIPLE DX										
0-19 YRS	18	11.9	97	1	2	10	15	27	33	37
20-34	351	16.5	128	2	4	15	22	33	40	98
35-49	593	15.4	176	2	3	13	20	29	40	70
50-64	1249	11.1	110	1	2	9	15	22	30	76
65+	2416	13.0	134	2	2	10	17	26	37	66
TOT. SINGLE DX	451	4.9	26	<1	1	3	7	12	15	20
" MULTIPLE DX	4627	13.1	135	1	2	10	17	26	36	69
TOTAL 0-19 YRS	30	10.5	120	1	1	7	15	26	37	46
20-34	409	15.0	128	1	2	13	21	31	38	79
35-49	675	14.0	170	1	2	11	19	28	38	68
50-64	1426	10.3	104	1	1	8	14	21	28	69
65+	2538	12.6	133	1	2	10	16	25	36	64
GRAND TOTAL	**5078**	**12.4**	**131**	**1**	**2**	**10**	**16**	**25**	**34**	**67**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	7	10.0	110	<1	<1	7	16	27	29	29
65+	2	13.0	162	4	4	13	22	22	22	22
TOT. SINGLE DX										
" MULTIPLE DX	10	10.5	94	<1	<1	8	18	25	29	29
TOTAL 0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	7	10.0	111	<1	<1	7	16	27	29	29
65+	2	13.0	162	4	4	13	22	22	22	22
GRAND TOTAL	**10**	**10.5**	**94**	**<1**	**<1**	**8**	**18**	**25**	**29**	**29**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	7.5	21	1	2	6	9	15	17	18
20-34	45	8.7	22	1	4	7	12	16	18	21
35-49	57	7.6	27	1	1	7	10	16	18	21
50-64	125	7.8	29	<1	1	8	10	13	19	26
65+	86	7.3	32	<1	1	8	11	15	19	25
2. MULTIPLE DX										
0-19 YRS	54	12.2	66	2	5	10	16	24	41	99+
20-34	146	15.2	119	4	6	13	19	26	39	81
35-49	232	14.4	144	2	5	11	17	30	43	64
50-64	648	12.8	115	2	4	10	16	24	31	70
65+	982	13.9	134	1	2	11	18	28	36	70
TOT. SINGLE DX	330	7.8	28	1	1	7	10	15	18	25
" MULTIPLE DX	2062	13.6	127	2	3	11	17	26	36	71
TOTAL 0-19 YRS	71	11.1	59	2	4	9	15	24	34	99+
20-34	191	13.7	104	3	5	11	17	25	35	69
35-49	289	13.1	128	1	3	10	16	26	42	61
50-64	773	12.0	105	1	3	9	15	23	29	60
65+	1068	13.4	130	1	2	11	17	27	35	65
GRAND TOTAL	**2392**	**12.8**	**118**	**1**	**3**	**10**	**16**	**25**	**33**	**65**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.3	1	6	6	7	8	9	9	9
20-34	2	15.0	50	10	10	15	20	20	20	20
35-49	22	8.8	7	5	6	8	10	14	14	14
50-64	81	12.4	76	7	8	10	13	20	23	63
65+	52	12.4	50	7	8	10	13	18	31	43
2. MULTIPLE DX										
0-19 YRS	7	15.6	53	7	7	16	22	24	25	25
20-34	20	17.7	123	8	9	14	19	39	41	42
35-49	86	15.3	105	6	8	12	19	29	42	83
50-64	430	15.2	80	7	8	13	19	26	32	71
65+	569	17.5	107	8	9	15	21	30	37	69
TOT. SINGLE DX	163	11.8	57	6	7	10	13	18	23	42
" MULTIPLE DX	1112	16.4	98	7	8	14	20	28	35	70
TOTAL 0-19 YRS	13	11.8	45	6	6	9	17	23	25	25
20-34	22	17.5	115	8	9	14	19	39	40	42
35-49	108	14.0	93	6	6	11	16	27	41	73
50-64	511	14.7	81	7	8	12	18	25	31	71
65+	621	17.1	105	8	9	14	21	29	37	69
GRAND TOTAL	**1275**	**15.8**	**95**	**7**	**8**	**13**	**19**	**27**	**34**	**69**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	2.5	9	<1	1	1	2	5	10	17
20-34	46	6.3	58	<1	<1	4	8	15	23	39
35-49	57	5.4	32	<1	1	3	7	14	16	26
50-64	109	4.6	21	<1	<1	3	7	10	13	21
65+	65	4.8	20	<1	<1	3	8	10	16	19
2. MULTIPLE DX										
0-19 YRS	90	8.9	149	1	1	5	12	21	30	98
20-34	184	13.1	167	1	2	9	18	27	40	78
35-49	300	12.5	125	1	2	9	17	27	36	67
50-64	767	11.5	113	1	2	9	15	23	31	59
65+	1466	14.4	164	2	3	11	18	30	44	99+
TOT. SINGLE DX	372	4.4	26	<1	<1	2	6	11	16	23
" MULTIPLE DX	2807	13.1	148	1	2	10	17	27	39	75
TOTAL 0-19 YRS	185	5.6	88	1	1	2	6	14	20	76
20-34	230	11.7	153	1	1	8	16	26	36	70
35-49	357	11.4	118	1	1	8	15	25	32	65
50-64	876	10.7	107	1	2	8	14	22	30	57
65+	1531	14.0	162	1	2	11	18	29	41	99+
GRAND TOTAL	**3179**	**12.1**	**142**	**1**	**2**	**9**	**16**	**26**	**36**	**73**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.5	4	4	4	7	8	9	9	9
20-34	30	5.8	12	2	2	5	7	10	14	17
35-49	11	10.7	95	3	3	6	12	29	32	32
50-64	9	11.1	23	6	7	9	13	19	22	22
65+	3	20.0	25	15	15	20	24	25	25	25
2. MULTIPLE DX										
0-19 YRS	17	10.9	153	2	3	7	11	28	44	51
20-34	40	11.0	106	2	3	7	14	25	34	47
35-49	21	13.5	62	3	5	13	18	21	29	38
50-64	58	13.3	169	2	3	9	15	28	47	64
65+	62	16.6	196	2	3	12	23	34	44	74
TOT. SINGLE DX	59	8.3	40	2	3	6	10	16	24	32
" MULTIPLE DX	198	13.7	155	2	3	10	18	29	43	58
TOTAL 0-19 YRS	23	9.7	117	2	3	7	10	17	38	51
20-34	70	8.7	72	2	3	6	10	19	26	46
35-49	32	12.6	73	3	4	11	17	23	31	38
50-64	67	13.0	149	2	4	9	15	27	45	62
65+	65	16.7	189	2	3	13	23	33	44	73
GRAND TOTAL	**257**	**12.4**	**133**	**2**	**3**	**9**	**15**	**27**	**37**	**51**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	5.4	18	2	2	4	6	8	12	27
20-34	447	5.7	12	2	3	5	7	10	12	19
35-49	164	7.2	29	2	3	6	8	14	16	33
50-64	61	8.6	47	2	3	6	11	19	24	31
65+	39	9.4	59	2	2	7	11	24	28	30
2. MULTIPLE DX										
0-19 YRS	167	12.7	176	2	4	8	13	27	40	84
20-34	428	9.4	59	3	3	7	11	19	26	47
35-49	345	11.8	107	3	4	8	15	25	36	60
50-64	650	12.7	137	3	4	9	15	25	36	90
65+	1114	14.7	148	3	4	11	19	29	38	70
TOT. SINGLE DX	811	6.4	22	2	3	5	8	12	15	27
" MULTIPLE DX	2704	12.9	131	3	4	9	16	26	36	72
TOTAL 0-19 YRS	267	10.0	129	2	3	7	11	23	33	77
20-34	875	7.5	39	2	3	6	9	14	20	34
35-49	509	10.3	87	3	3	7	12	20	31	55
50-64	711	12.4	131	3	4	9	15	25	34	87
65+	1153	14.5	146	3	4	11	18	29	38	70
GRAND TOTAL	**3515**	**11.4**	**114**	**3**	**3**	**8**	**14**	**23**	**32**	**67**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	5.8	12	1	3	6	7	7	8	21
20-34	119	7.1	76	1	1	5	9	13	21	57
35-49	82	5.3	34	<1	1	3	7	11	18	29
50-64	94	5.7	36	<1	1	3	8	14	19	27
65+	70	5.5	51	<1	<1	3	7	13	17	43
2. MULTIPLE DX										
0-19 YRS	76	9.8	70	1	4	7	11	21	30	40
20-34	134	13.2	144	1	2	10	16	27	38	74
35-49	199	13.3	191	1	2	9	17	32	42	85
50-64	446	12.4	129	2	2	9	17	27	34	63
65+	783	13.4	152	1	2	10	18	28	40	86
TOT. SINGLE DX	504	6.0	41	<1	1	5	7	12	16	29
" MULTIPLE DX	1638	12.9	147	1	2	10	17	28	37	70
TOTAL 0-19 YRS	215	7.3	37	1	3	6	7	10	20	37
20-34	253	10.3	121	1	1	8	13	23	30	69
35-49	281	10.9	159	1	1	7	15	27	36	69
50-64	540	11.2	120	1	2	8	15	25	32	51
65+	853	12.7	149	1	2	10	17	28	38	81
GRAND TOTAL	**2142**	**11.3**	**131**	**1**	**2**	**8**	**15**	**25**	**34**	**65**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	7.2	5	5	5	7	8	10	12	14
20-34	28	8.3	5	4	6	8	10	12	12	13
35-49	37	10.6	10	4	7	10	13	14	16	18
50-64	50	11.9	16	7	8	11	14	18	21	22
65+	35	13.5	14	8	9	13	17	19	19	21
2. MULTIPLE DX										
0-19 YRS	335	12.4	94	5	6	9	14	23	32	72
20-34	84	16.7	229	6	7	11	17	40	47	82
35-49	148	17.0	145	7	8	12	20	35	43	62
50-64	437	17.6	190	8	8	13	20	34	48	99
65+	613	19.9	192	8	9	16	23	35	48	83
TOT. SINGLE DX	231	9.8	16	5	5	9	12	16	17	21
" MULTIPLE DX	1617	17.3	177	7	8	13	20	32	44	84
TOTAL 0-19 YRS	416	11.4	82	5	6	9	12	20	28	65
20-34	112	14.6	186	6	7	10	15	32	42	77
35-49	185	15.7	125	7	8	12	18	28	40	62
50-64	487	17.0	176	8	8	13	19	31	44	96
65+	648	19.6	185	8	9	16	23	35	46	83
GRAND TOTAL	**1848**	**16.4**	**163**	**6**	**7**	**12**	**19**	**30**	**42**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	46	10.3	7	7	8	10	11	13	17	20
50-64	163	10.1	5	7	8	10	11	13	15	18
65+	105	11.9	10	8	9	11	14	16	18	25
2. MULTIPLE DX										
0-19 YRS										
20-34	23	14.8	88	7	8	12	18	25	34	49
35-49	601	11.5	29	7	7	10	13	18	23	35
50-64	2677	13.3	61	7	8	11	15	21	27	48
65+	2234	16.3	108	8	8	13	19	28	38	78
TOT. SINGLE DX	314	10.7	8	7	8	10	12	14	16	20
" MULTIPLE DX	5535	14.4	80	7	8	12	16	24	31	61
TOTAL 0-19 YRS										
20-34	23	14.8	88	7	8	12	18	25	34	49
35-49	647	11.4	28	7	7	10	12	18	22	34
50-64	2840	13.2	59	7	8	11	15	21	27	47
65+	2339	16.1	105	8	8	13	19	28	37	78
GRAND TOTAL	**5849**	**14.2**	**77**	**7**	**8**	**12**	**16**	**23**	**30**	**60**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	1.6		<1	<1	2	2	2	2	6
20-34	99	2.6	4	1	1	2	2	6	8	11
35-49	695	2.8	7	1	1	2	2	7	10	13
50-64	1406	2.8	8	1	1	2	2	6	10	14
65+	694	2.6	6	1	1	2	2	5	8	13
2. MULTIPLE DX										
0-19 YRS	534	2.7	12	<1	1	2	2	5	7	21
20-34	278	4.7	26	1	1	2	6	11	15	26
35-49	2771	4.1	18	1	1	2	5	10	12	21
50-64	7770	4.4	26	1	1	2	6	11	14	23
65+	5420	5.9	47	1	1	2	8	14	18	31
TOT. SINGLE DX	3098	2.6	7	1	1	2	2	5	9	13
" MULTIPLE DX	16773	4.8	32	1	1	2	6	11	15	26
TOTAL 0-19 YRS	738	2.4	9	<1	1	2	2	4	7	16
20-34	377	4.2	22	1	1	2	5	10	13	24
35-49	3466	3.9	17	1	1	2	5	9	12	20
50-64	9176	4.1	24	1	1	2	5	10	13	22
65+	6114	5.5	44	1	1	2	8	13	17	29
GRAND TOTAL	**19871**	**4.4**	**29**	**1**	**1**	**2**	**6**	**11**	**14**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.1	6	<1	1	4	6	8	9	9
20-34	7	5.6	7	2	2	6	8	9	9	9
35-49	20	3.8	9	<1	1	3	5	8	11	13
50-64	68	4.8	14	1	1	4	6	12	13	16
65+	351	4.3	13	1	1	3	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	25	7.9	93	1	2	6	9	12	25	50
20-34	30	9.3	97	1	2	7	12	17	21	53
35-49	121	9.8	67	2	3	8	12	16	27	45
50-64	756	10.8	91	2	3	9	14	19	27	59
65+	4857	11.2	107	2	3	9	14	21	29	64
TOT. SINGLE DX	455	4.3	13	1	1	4	6	8	11	16
" MULTIPLE DX	5789	11.1	104	2	3	9	14	21	29	62
TOTAL 0-19 YRS	34	6.9	72	1	2	5	7	12	16	50
20-34	37	8.6	82	1	2	7	11	16	20	53
35-49	141	8.9	64	2	2	7	11	16	25	42
50-64	824	10.3	88	2	3	8	14	18	26	57
65+	5208	10.8	104	2	3	8	13	21	28	62
GRAND TOTAL	**6244**	**10.6**	**101**	**2**	**3**	**8**	**13**	**20**	**28**	**61**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	4.7	125	1	1	2	2	7	18	59
20-34	9	6.1	16	2	2	6	7	12	15	15
35-49	136	4.5	12	2	2	3	5	10	11	18
50-64	264	4.5	12	2	2	3	6	10	12	20
65+	100	5.1	15	2	2	4	6	11	13	20
2. MULTIPLE DX										
0-19 YRS	59	8.6	210	1	2	4	10	20	28	90
20-34	75	12.7	130	2	3	10	16	26	39	57
35-49	571	7.0	45	2	3	5	9	13	17	42
50-64	1491	7.1	43	2	3	5	9	14	18	35
65+	883	9.0	53	2	3	7	12	18	23	41
TOT. SINGLE DX	535	4.7	18	2	2	3	6	10	12	20
" MULTIPLE DX	3079	7.8	53	2	3	6	10	15	21	40
TOTAL 0-19 YRS	85	7.4	186	1	2	2	7	18	27	81
20-34	84	12.0	122	2	2	8	16	25	39	55
35-49	707	6.5	40	2	2	4	9	12	16	37
50-64	1755	6.7	40	2	2	5	8	13	18	34
65+	983	8.6	51	2	3	7	11	17	22	40
GRAND TOTAL	**3614**	**7.3**	**49**	**2**	**2**	**5**	**9**	**15**	**20**	**40**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	209	2.7	3	<1	1	2	3	5	6	10
20-34	92	3.0	9	<1	<1	2	4	7	9	16
35-49	109	2.8	10	<1	<1	1	3	8	10	16
50-64	125	3.4	19	<1	<1	1	4	10	13	20
65+	92	4.4	22	<1	1	2	5	11	15	24
2. MULTIPLE DX										
0-19 YRS	641	4.9	32	1	2	3	5	11	15	99+
20-34	210	11.4	147	1	2	8	14	23	40	85
35-49	368	10.7	127	1	1	8	14	25	34	62
50-64	1017	10.2	108	1	1	8	13	22	30	51
65+	2738	12.8	124	2	3	10	17	26	34	64
TOT. SINGLE DX	627	3.1	12	<1	<1	2	4	7	10	18
" MULTIPLE DX	4974	11.0	117	1	2	8	15	24	32	62
TOTAL 0-19 YRS	850	4.3	26	1	1	3	5	8	13	56
20-34	302	8.8	121	<1	1	6	12	19	30	64
35-49	477	8.9	112	<1	1	5	12	21	32	52
50-64	1142	9.4	103	1	1	7	13	20	28	51
65+	2830	12.5	123	1	2	10	17	25	34	64
GRAND TOTAL	**5601**	**10.1**	**111**	**1**	**1**	**7**	**14**	**22**	**31**	**60**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	2.5	1	<1	1	3	3	4	4	4
20-34	389	2.7	2	1	1	2	3	4	5	7
35-49	553	2.8	3	1	1	2	3	4	5	8
50-64	333	3.3	5	1	1	3	4	6	7	12
65+	92	3.5	6	1	1	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	116	4.9	54	1	2	3	5	8	14	49
35-49	283	4.4	17	1	1	3	5	8	13	27
50-64	285	4.7	30	1	1	3	5	8	12	29
65+	193	7.2	81	1	2	4	8	15	21	54
TOT. SINGLE DX	1380	2.9	4	1	1	3	4	5	6	9
" MULTIPLE DX	879	5.2	42	1	1	3	5	10	14	34
TOTAL 0-19 YRS	15	2.5	1	<1	1	3	4	4	4	4
20-34	505	3.2	15	1	1	2	4	5	6	15
35-49	836	3.3	9	1	1	3	4	6	8	16
50-64	618	3.9	18	1	1	3	4	7	9	21
65+	285	6.0	60	1	2	4	6	12	19	37
GRAND TOTAL	**2259**	**3.8**	**20**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.2	33	1	1	7	9	16	17	17
20-34	11	7.3	58	<1	1	3	14	20	22	22
35-49	49	8.0	23	2	2	8	9	13	17	25
50-64	171	8.7	17	2	4	8	11	14	16	25
65+	167	9.5	38	2	3	9	12	16	18	28
2. MULTIPLE DX										
0-19 YRS	78	10.4	109	2	3	8	12	17	44	89
20-34	147	9.8	81	2	2	7	13	23	31	55
35-49	452	12.6	124	2	2	10	15	27	36	56
50-64	1749	13.8	140	3	5	10	16	26	37	79
65+	3093	17.3	180	5	7	13	21	35	48	94
TOT. SINGLE DX	404	8.9	29	2	3	8	11	15	17	26
" MULTIPLE DX	5519	15.5	164	3	5	12	19	32	43	85
TOTAL 0-19 YRS	84	10.2	105	1	3	8	11	17	43	86
20-34	158	9.6	80	2	2	7	13	22	31	53
35-49	501	12.1	117	2	2	9	15	26	35	56
50-64	1920	13.4	131	3	5	10	15	25	35	77
65+	3260	16.9	176	4	6	13	20	34	47	91
GRAND TOTAL	**5923**	**15.1**	**158**	**3**	**5**	**11**	**18**	**31**	**42**	**85**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	22.0	128	14	14	22	30	30	30	30
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX	3	19.7	80	14	14	15	26	30	30	30
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64	2	22.0	128	14	14	22	30	30	30	30
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**4**	**16.5**	**94**	**7**	**7**	**14**	**22**	**30**	**30**	**30**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	10	3.6	1	1	1	4	4	5	6	6
65+	13	6.6	52	1	1	5	9	18	24	25
2. MULTIPLE DX										
0-19 YRS	33	8.3	221	1	2	4	6	15	23	86
20-34	224	5.4	27	1	2	4	6	11	14	28
35-49	408	6.1	35	<1	1	4	8	13	17	30
50-64	771	7.5	67	1	2	5	9	15	21	47
65+	1058	9.6	112	2	2	6	12	20	30	58
TOT. SINGLE DX	35	4.9	32	1	1	4	5	12	20	25
" MULTIPLE DX	2494	8.0	82	1	2	5	10	16	23	50
TOTAL 0-19 YRS	35	8.5	215	1	2	4	7	22	23	86
20-34	232	5.3	27	1	1	4	6	11	13	28
35-49	410	6.1	35	<1	1	4	8	13	17	30
50-64	781	7.5	67	1	2	5	9	15	21	46
65+	1071	9.6	112	1	2	6	12	20	30	58
GRAND TOTAL	**2529**	**8.0**	**81**	**1**	**2**	**5**	**10**	**16**	**23**	**49**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	132	5.2	18	1	1	4	7	10	13	23
20-34	108	5.5	50	<1	1	2	7	16	22	33
35-49	160	6.7	41	1	1	5	9	15	20	30
50-64	384	6.7	44	1	2	5	8	11	14	37
65+	398	7.0	24	1	2	6	9	13	16	24
2. MULTIPLE DX										
0-19 YRS	909	18.1	383	1	2	10	26	53	74	99+
20-34	542	10.4	193	1	1	6	12	25	42	85
35-49	936	11.2	148	1	2	7	14	26	39	83
50-64	3291	11.3	123	2	2	9	14	23	33	72
65+	6555	13.4	154	2	3	10	17	28	40	84
TOT. SINGLE DX	1182	6.5	35	1	1	5	9	13	16	29
" MULTIPLE DX	12233	12.9	167	2	2	9	16	28	42	89
TOTAL 0-19 YRS	1041	16.4	356	1	2	9	22	50	72	99+
20-34	650	9.6	173	1	1	5	11	24	39	84
35-49	1096	10.5	136	1	2	7	13	25	37	74
50-64	3675	10.8	117	1	2	8	13	22	32	70
65+	6953	13.0	149	2	3	10	16	27	39	83
GRAND TOTAL	**13415**	**12.3**	**159**	**1**	**2**	**9**	**15**	**27**	**40**	**85**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	3.0	9	<1	<1	2	4	7	9	16
20-34	209	2.8	9	<1	<1	2	3	7	10	13
35-49	161	3.2	17	<1	<1	2	3	7	10	27
50-64	163	3.1	12	<1	<1	2	4	7	10	22
65+	117	4.1	15	<1	1	3	5	9	13	19
2. MULTIPLE DX										
0-19 YRS	90	5.4	27	<1	1	4	7	11	13	29
20-34	269	8.4	107	<1	1	5	11	20	31	75
35-49	287	9.8	160	1	1	6	12	21	36	83
50-64	555	8.8	91	1	1	6	11	20	28	48
65+	812	10.5	94	1	2	8	15	22	30	47
TOT. SINGLE DX	831	3.2	12	<1	<1	2	4	7	10	17
" MULTIPLE DX	2013	9.4	103	1	1	6	13	21	29	55
TOTAL 0-19 YRS	271	3.8	16	<1	<1	2	5	9	11	16
20-34	478	5.9	72	<1	<1	3	8	14	22	49
35-49	448	7.4	118	<1	1	4	8	16	26	64
50-64	718	7.5	80	<1	1	4	10	18	26	44
65+	929	9.7	89	1	1	7	14	21	28	45
GRAND TOTAL	**2844**	**7.6**	**85**	**<1**	**1**	**4**	**10**	**18**	**26**	**47**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	6.4	54	<1	<1	3	12	18	18	18
20-34	13	3.9	4	<1	1	4	5	7	8	8
35-49	37	3.8	12	<1	1	4	4	7	9	21
50-64	52	5.2	27	1	1	3	7	12	17	28
65+	49	5.8	14	1	1	5	8	10	13	18
2. MULTIPLE DX										
0-19 YRS	11	4.6	9	1	1	6	7	8	9	9
20-34	44	8.0	42	1	2	7	10	12	18	37
35-49	96	9.3	119	1	2	6	11	22	33	90
50-64	239	9.4	91	2	3	7	11	17	28	66
65+	281	9.8	81	2	3	7	12	20	27	68
TOT. SINGLE DX	159	5.0	20	1	1	4	7	10	16	21
" MULTIPLE DX	671	9.4	87	2	2	7	11	19	28	70
TOTAL 0-19 YRS	19	5.4	27	<1	1	3	7	14	18	18
20-34	57	7.1	36	1	2	6	9	11	14	36
35-49	133	7.8	96	1	1	5	9	20	25	81
50-64	291	8.7	82	1	2	6	10	17	28	58
65+	330	9.2	73	2	2	7	11	18	26	63
GRAND TOTAL	**830**	**8.6**	**77**	**1**	**2**	**6**	**10**	**17**	**26**	**62**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	8.0	32	4	4	8	12	12	12	12
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64										
65+	2	24.5	421	10	10	24	39	39	39	39
TOT. SINGLE DX	3	12.0	100	2	2	12	19	22	22	22
" MULTIPLE DX	5	15.4	185	4	4	12	19	39	39	39
TOTAL 0-19 YRS	3	12.7	81	4	4	12	19	22	22	22
20-34	3	8.7	33	2	2	12	12	12	12	12
35-49										
50-64										
65+	2	24.5	421	10	10	24	39	39	39	39
GRAND TOTAL	**8**	**14.1**	**137**	**2**	**3**	**12**	**17**	**34**	**39**	**39**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	47.0		47	47	47	47	47	47	47
20-34	1	25.0		25	25	25	25	25	25	25
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15	43.5	157	24	27	44	53	94	99+	99+
20-34	11	45.4	434	10	20	43	56	73	89	90
35-49	3	33.0	37	26	26	36	37	37	37	37
50-64	1	28.0		28	28	28	28	28	28	28
65+										
TOT. SINGLE DX	2	36.0	242	25	25	36	47	47	47	47
" MULTIPLE DX	30	42.6	249	24	26	42	51	76	99	99+
TOTAL 0-19 YRS	16	43.7	148	24	28	45	49	91	99+	99+
20-34	12	43.7	430	11	20	42	54	70	87	90
35-49	3	33.0	37	26	26	36	37	37	37	37
50-64	1	28.0		28	28	28	28	28	28	28
65+										
GRAND TOTAL	**32**	**42.2**	**243**	**24**	**25**	**42**	**49**	**72**	**98**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	167	5.4	26	<1	1	5	7	10	12	33
20-34	157	7.4	43	2	2	6	8	13	18	42
35-49	88	6.8	29	1	2	6	8	12	15	35
50-64	107	6.7	34	<1	2	6	8	11	18	32
65+	81	6.0	19	1	1	5	8	11	13	25
2. MULTIPLE DX										
0-19 YRS	317	12.1	188	1	2	8	14	25	39	81
20-34	577	13.3	158	3	4	9	15	30	42	66
35-49	598	12.5	128	2	3	9	15	28	37	66
50-64	1121	12.3	116	2	3	10	15	25	33	60
65+	3562	13.8	133	3	4	11	17	27	37	73
TOT. SINGLE DX	600	6.4	32	1	1	5	8	11	15	33
" MULTIPLE DX	6175	13.2	136	3	4	10	16	27	37	71
TOTAL 0-19 YRS	484	9.8	143	1	1	7	10	21	34	70
20-34	734	12.0	140	2	4	8	13	27	40	63
35-49	686	11.8	120	2	3	9	15	26	35	64
50-64	1228	11.9	112	2	3	9	14	24	32	59
65+	3643	13.6	133	3	4	11	17	27	36	72
GRAND TOTAL	**6775**	**12.6**	**130**	**2**	**3**	**9**	**15**	**26**	**35**	**69**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	8.9	111	1	2	6	9	21	35	49
20-34	47	9.0	95	1	1	5	11	23	34	39
35-49	46	9.6	132	<1	1	5	12	27	35	58
50-64	38	7.9	205	<1	<1	3	7	19	46	67
65+	21	6.1	55	<1	1	3	7	17	23	29
2. MULTIPLE DX										
0-19 YRS	225	17.0	380	2	2	10	25	51	80	99+
20-34	336	15.8	263	1	2	11	22	37	57	99+
35-49	510	15.4	242	1	2	10	22	38	50	63
50-64	778	12.5	168	1	2	8	18	31	40	65
65+	1069	15.8	242	1	2	11	20	39	56	99+
TOT. SINGLE DX	202	8.6	123	<1	1	5	10	22	34	58
" MULTIPLE DX	2918	14.9	238	1	2	10	20	37	51	99+
TOTAL 0-19 YRS	275	15.5	341	1	2	9	21	47	77	99+
20-34	383	15.0	248	1	2	10	21	36	52	95
35-49	556	14.9	236	1	2	10	21	37	49	62
50-64	816	12.3	171	1	1	7	17	30	40	66
65+	1090	15.6	241	1	2	11	20	39	55	99+
GRAND TOTAL	**3120**	**14.5**	**233**	**1**	**2**	**10**	**20**	**36**	**51**	**96**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.0	24	<1	1	2	2	7	8	32
20-34	47	5.6	115	<1	<1	3	5	9	17	67
35-49	56	3.7	19	<1	<1	1	5	11	13	21
50-64	84	3.7	21	<1	<1	1	5	9	13	24
65+	103	4.0	19	<1	<1	2	6	11	13	21
2. MULTIPLE DX										
0-19 YRS	71	5.3	60	1	1	2	6	15	26	88
20-34	127	6.9	61	<1	1	5	9	14	20	40
35-49	318	8.6	126	1	1	6	10	17	25	64
50-64	720	8.8	96	1	1	6	11	20	30	61
65+	1356	10.2	109	1	2	7	13	22	29	69
TOT. SINGLE DX	350	3.9	34	<1	<1	2	5	9	13	25
" MULTIPLE DX	2592	9.3	105	1	1	7	12	20	29	62
TOTAL 0-19 YRS	131	4.3	45	<1	1	2	4	9	19	56
20-34	174	6.5	75	<1	<1	4	8	12	20	50
35-49	374	7.9	114	<1	1	5	9	16	23	62
50-64	804	8.2	91	<1	1	5	11	19	29	60
65+	1459	9.8	106	1	1	7	13	21	28	67
GRAND TOTAL	**2942**	**8.7**	**100**	**<1**	**1**	**6**	**11**	**19**	**28**	**61**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	290	3.8	5	2	2	3	4	5	7	11
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	16.5	113	9	9	16	24	24	24	24
50-64	2	10.5	5	9	9	10	12	12	12	12
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	102	5.1	9	2	2	4	6	8	10	20
20-34	10	10.8	56	3	4	10	10	21	31	31
35-49	8	15.9	82	6	7	16	26	74	99+	99+
50-64	19	17.6	216	7	8	14	16	58	80	99+
65+	38	20.8	167	9	10	17	27	37	52	62
TOT. SINGLE DX	297	4.0	7	2	2	4	4	6	8	13
" MULTIPLE DX	177	10.6	116	2	3	7	13	24	33	89
TOTAL 0-19 YRS	392	4.1	7	2	2	4	5	6	8	15
20-34	12	9.9	51	3	4	9	10	18	29	31
35-49	10	16.0	77	6	7	16	24	60	97	99+
50-64	21	17.0	200	7	8	14	16	57	77	99+
65+	39	20.5	169	7	9	16	26	36	51	62
GRAND TOTAL	**474**	**6.5**	**58**	**2**	**2**	**4**	**6**	**14**	**21**	**56**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	8.8	25	1	1	9	11	15	15	15
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	17.0	118	5	6	16	25	33	34	34
65+	14	17.2	347	4	5	8	21	34	66	75
2. MULTIPLE DX										
0-19 YRS	65	25.4	589	3	5	20	50	93	99+	99+
20-34	27	20.2	327	2	4	17	35	91	99+	99+
35-49	41	19.5	370	1	2	14	41	67	99+	99+
50-64	159	20.5	381	3	4	14	34	63	99+	99+
65+	1292	24.2	434	3	5	19	36	70	97	99+
TOT. SINGLE DX	30	14.1	209	1	4	9	21	28	34	75
" MULTIPLE DX	1584	23.7	433	3	5	18	36	71	99+	99+
TOTAL 0-19 YRS	70	24.3	567	3	5	18	45	90	99+	99+
20-34	29	19.3	316	2	4	16	29	87	99+	99+
35-49	43	18.7	366	1	2	12	40	67	99+	99+
50-64	166	20.4	370	3	4	14	34	60	99+	99+
65+	1306	24.1	434	3	5	19	36	70	97	99+
GRAND TOTAL	**1614**	**23.5**	**430**	**3**	**5**	**18**	**36**	**71**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.9	3	1	1	4	6	6	6	6
20-34	37	4.0	10	<1	<1	3	6	9	11	13
35-49	47	4.1	14	<1	<1	3	5	9	10	22
50-64	79	4.7	10	<1	<1	4	7	8	10	16
65+	53	4.8	8	<1	<1	5	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	16	8.8	71	1	2	6	9	18	30	35
20-34	139	7.8	46	<1	2	6	9	16	24	34
35-49	307	8.2	69	<1	2	6	10	14	22	56
50-64	717	8.5	49	1	3	7	10	16	21	37
65+	2167	11.5	114	3	4	9	13	22	32	66
TOT. SINGLE DX	225	4.5	11	<1	<1	4	6	8	10	15
" MULTIPLE DX	3346	10.4	95	2	3	8	12	20	28	58
TOTAL 0-19 YRS	25	7.0	52	1	2	6	7	17	22	35
20-34	176	7.0	42	<1	1	5	9	15	21	33
35-49	354	7.7	64	<1	1	6	9	14	21	53
50-64	796	8.1	46	<1	2	7	10	15	20	37
65+	2220	11.3	113	3	4	8	13	22	31	65
GRAND TOTAL	**3571**	**10.0**	**92**	**1**	**3**	**8**	**12**	**20**	**27**	**57**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	13	9.6	15	4	6	9	11	14	19	20
35-49	44	11.9	25	7	7	10	14	18	25	28
50-64	42	12.0	19	7	8	11	14	16	22	28
65+	34	13.2	31	8	9	12	15	21	26	32
2. MULTIPLE DX										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	47	19.0	155	8	8	14	24	41	44	54
35-49	131	15.1	134	7	8	11	17	24	38	99
50-64	326	19.1	170	8	9	15	22	37	48	68
65+	704	22.0	193	9	10	18	26	42	52	88
TOT. SINGLE DX	133	12.0	24	7	8	11	14	18	24	29
" MULTIPLE DX	1209	20.3	184	8	9	16	24	40	51	86
TOTAL 0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	60	17.0	140	7	7	12	19	39	42	54
35-49	175	14.3	109	7	7	11	16	23	29	90
50-64	368	18.3	158	8	9	14	21	32	46	67
65+	738	21.5	190	9	10	18	26	42	52	88
GRAND TOTAL	**1342**	**19.5**	**175**	**8**	**9**	**15**	**23**	**37**	**48**	**82**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49	1	13.0		13	13	13	13	13	13	13
50-64	6	11.8	2	9	9	12	12	14	14	14
65+	3	20.0	49	13	13	20	25	27	27	27
2. MULTIPLE DX										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	2	25.0	200	15	15	25	35	35	35	35
35-49	23	18.7	265	7	9	13	15	53	62	63
50-64	75	23.5	129	10	12	21	30	45	51	88
65+	135	22.6	144	11	11	20	27	42	52	99+
TOT. SINGLE DX	11	15.7	44	9	11	13	18	28	29	29
" MULTIPLE DX	236	22.5	151	10	11	20	27	43	52	99+
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	3	26.3	105	15	15	29	33	35	35	35
35-49	24	18.5	255	8	9	13	15	52	62	63
50-64	81	22.7	129	10	12	21	29	44	50	85
65+	138	22.5	142	11	11	20	27	42	52	99+
GRAND TOTAL	**247**	**22.2**	**148**	**10**	**11**	**19**	**27**	**43**	**52**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	9.3	13	5	6	9	10	14	18	20
35-49	19	9.3	15	4	5	8	10	16	18	19
50-64	22	11.7	41	6	6	10	11	21	29	31
65+	7	13.0	14	8	9	13	15	19	20	20
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	18	19.8	172	8	9	15	23	44	50	52
35-49	49	12.5	109	5	6	10	13	19	27	65
50-64	63	15.7	179	7	7	12	17	26	45	86
65+	115	22.6	364	8	9	15	25	45	64	97
TOT. SINGLE DX	67	10.5	24	5	6	9	11	16	20	30
" MULTIPLE DX	246	18.5	266	7	7	13	20	37	51	91
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	37	14.4	116	6	6	10	16	25	44	52
35-49	68	11.6	85	5	6	10	12	18	21	62
50-64	85	14.6	146	6	7	11	16	26	35	77
65+	122	22.0	349	8	9	15	24	45	63	97
GRAND TOTAL	**313**	**16.8**	**225**	**6**	**7**	**11**	**18**	**32**	**49**	**88**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	6.0	8	2	3	6	8	10	12	12
20-34	126	7.0	4	4	5	7	8	10	11	14
35-49	116	8.0	64	4	4	7	9	11	13	41
50-64	48	8.8	10	5	5	8	10	12	13	24
65+	38	10.2	28	3	6	10	11	16	18	33
2. MULTIPLE DX										
0-19 YRS	90	21.5	427	5	5	15	35	83	99+	99+
20-34	243	9.9	52	4	5	8	11	16	21	49
35-49	485	11.1	81	5	5	8	12	22	30	67
50-64	373	14.0	120	5	6	10	16	29	41	99+
65+	725	19.8	200	7	8	15	24	42	55	99+
TOT. SINGLE DX	356	7.8	29	4	4	7	9	11	13	19
" MULTIPLE DX	1916	15.3	164	5	6	11	19	32	48	99+
TOTAL 0-19 YRS	118	17.8	371	3	4	10	28	68	99+	99+
20-34	369	8.9	38	4	5	8	10	13	19	39
35-49	601	10.5	79	4	5	8	11	19	27	66
50-64	421	13.5	111	5	6	10	15	27	39	99+
65+	763	19.4	196	7	8	15	24	40	54	99+
GRAND TOTAL	**2272**	**14.1**	**150**	**5**	**5**	**10**	**16**	**30**	**44**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	59	5.1	20	<1	1	4	6	10	18	22
20-34	141	5.5	17	<1	<1	5	7	11	13	23
35-49	140	4.6	16	<1	<1	4	6	9	13	18
50-64	206	3.4	17	<1	<1	1	5	9	10	22
65+	203	3.5	14	<1	<1	1	5	9	11	16
2. MULTIPLE DX										
0-19 YRS	99	11.0	274	1	2	6	9	21	52	91
20-34	330	8.6	79	1	2	7	9	16	24	53
35-49	475	8.3	64	1	2	6	11	16	20	45
50-64	1070	7.8	48	<1	1	6	10	15	19	38
65+	3281	10.5	100	1	2	8	13	20	29	58
TOT. SINGLE DX	749	4.2	17	<1	<1	3	6	9	12	20
" MULTIPLE DX	5255	9.6	90	1	2	7	12	18	26	55
TOTAL 0-19 YRS	158	8.8	187	1	1	5	8	17	28	85
20-34	471	7.7	63	<1	2	6	9	13	20	47
35-49	615	7.5	56	<1	<1	6	9	14	18	38
50-64	1276	7.1	46	<1	<1	6	9	15	18	35
65+	3484	10.0	98	1	2	8	12	20	28	57
GRAND TOTAL	**6004**	**8.9**	**84**	**<1**	**1**	**7**	**11**	**18**	**25**	**53**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	11.4	66	5	6	8	12	21	34	39
20-34	19	10.2	12	7	7	9	11	16	19	20
35-49	27	11.6	23	6	7	10	15	20	21	22
50-64	25	11.4	28	6	6	10	13	18	26	26
65+	32	12.1	51	5	6	9	15	23	29	33
2. MULTIPLE DX										
0-19 YRS	69	18.4	460	5	6	11	22	79	99+	99+
20-34	139	15.5	158	7	7	12	17	30	45	99+
35-49	152	18.0	226	7	8	12	20	36	53	85
50-64	282	19.8	202	7	8	15	24	43	54	94
65+	761	21.6	227	8	9	17	27	43	60	99+
TOT. SINGLE DX	125	11.4	37	6	7	10	13	20	25	34
" MULTIPLE DX	1403	20.1	231	7	8	15	25	42	59	99+
TOTAL 0-19 YRS	91	16.7	373	5	6	10	16	66	99+	99+
20-34	158	14.9	144	7	7	11	16	27	35	98
35-49	179	17.0	201	7	7	12	19	33	51	79
50-64	307	19.1	194	7	8	14	24	41	54	90
65+	793	21.2	224	8	9	17	26	42	59	99+
GRAND TOTAL	**1528**	**19.4**	**220**	**7**	**8**	**15**	**23**	**40**	**58**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	12.9	126	5	6	8	15	23	42	51
20-34	77	13.0	66	6	6	10	15	27	30	40
35-49	156	10.5	25	6	7	9	11	17	20	32
50-64	337	10.7	15	6	7	10	12	16	19	24
65+	378	11.3	22	7	8	10	12	16	21	29
2. MULTIPLE DX										
0-19 YRS	49	18.8	255	7	8	12	22	36	59	79
20-34	264	15.8	138	7	7	12	18	27	40	68
35-49	649	14.3	74	7	8	11	16	25	32	49
50-64	2108	14.9	95	7	8	12	17	25	33	60
65+	5787	17.9	136	8	9	14	21	31	42	83
TOT. SINGLE DX	965	11.1	26	6	7	10	12	17	21	30
" MULTIPLE DX	8857	16.9	125	8	8	13	20	30	39	77
TOTAL 0-19 YRS	66	17.3	227	6	7	12	20	34	52	78
20-34	341	15.1	123	6	7	12	18	27	37	67
35-49	805	13.6	67	7	7	11	15	23	30	42
50-64	2445	14.3	86	7	8	11	16	23	31	55
65+	6165	17.5	132	8	9	14	21	31	41	81
GRAND TOTAL	**9822**	**16.3**	**118**	**7**	**8**	**13**	**19**	**29**	**38**	**75**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	11.0	38	4	4	10	15	19	19	19
20-34	5	9.6	5	7	7	9	11	13	13	13
35-49	5	9.0	9	4	4	10	11	12	12	12
50-64	8	10.6	20	3	4	12	14	15	15	15
65+	20	10.4	14	4	7	10	12	15	18	19
2. MULTIPLE DX										
0-19 YRS	16	16.6	300	6	6	13	18	24	62	78
20-34	27	11.4	29	4	5	10	15	21	33	99+
35-49	52	13.4	71	6	7	12	17	20	23	59
50-64	108	16.9	179	6	7	12	21	35	47	72
65+	281	18.9	172	8	9	15	22	34	57	99+
TOT. SINGLE DX	42	10.2	15	3	5	10	13	15	18	19
" MULTIPLE DX	484	17.4	164	6	8	14	21	30	49	99+
TOTAL 0-19 YRS	20	15.5	249	5	6	12	18	22	51	78
20-34	32	11.1	26	4	6	10	14	20	25	99+
35-49	57	13.0	67	5	7	11	17	20	23	58
50-64	116	16.5	171	6	6	12	19	32	45	69
65+	301	18.3	167	8	9	15	22	32	53	99+
GRAND TOTAL	**526**	**16.8**	**155**	**6**	**7**	**13**	**20**	**29**	**47**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	5.9	16	2	3	5	7	9	11	27
20-34	67	8.6	8	6	6	8	9	11	12	23
35-49	86	8.1	7	4	5	8	10	12	13	16
50-64	87	9.0	12	4	4	9	11	13	15	21
65+	130	8.6	13	2	5	9	10	12	13	18
2. MULTIPLE DX										
0-19 YRS	113	11.0	93	3	4	8	12	20	38	78
20-34	180	12.8	107	5	5	9	15	28	39	64
35-49	267	13.8	143	5	6	10	14	26	37	69
50-64	549	13.5	120	5	6	10	15	25	36	66
65+	1122	14.8	136	5	6	11	17	28	40	76
TOT. SINGLE DX	447	8.1	13	3	4	8	10	12	13	20
" MULTIPLE DX	2231	14.0	130	5	6	10	16	27	39	70
TOTAL 0-19 YRS	190	8.9	68	3	3	7	10	16	27	57
20-34	247	11.6	84	5	6	9	11	21	34	53
35-49	353	12.4	117	5	5	9	13	23	31	55
50-64	636	12.9	108	4	6	10	14	23	31	63
65+	1252	14.2	128	5	6	11	16	27	38	75
GRAND TOTAL	**2678**	**13.0**	**115**	**4**	**5**	**10**	**14**	**24**	**35**	**66**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.3	8	2	2	7	8	10	11	11
20-34	4	9.8	2	8	8	10	11	11	11	11
35-49	4	9.0	2	8	8	9	10	11	11	11
50-64	19	13.2	59	4	7	10	18	26	30	30
65+	22	11.0	14	5	7	11	13	16	18	19
2. MULTIPLE DX										
0-19 YRS	14	25.1	640	5	5	16	34	96	99	99+
20-34	29	21.6	219	7	8	19	29	61	98	99+
35-49	57	16.7	103	6	7	14	22	33	54	99+
50-64	209	19.2	153	8	9	16	23	34	43	83
65+	589	22.2	215	7	9	18	28	44	67	99+
TOT. SINGLE DX	56	10.9	31	3	6	10	13	18	21	30
" MULTIPLE DX	898	21.2	203	7	9	17	26	42	60	99+
TOTAL 0-19 YRS	21	18.9	502	3	4	11	24	72	98	99+
20-34	33	20.2	208	7	8	16	28	55	92	99+
35-49	61	16.2	101	7	8	14	21	33	51	99+
50-64	228	18.7	148	7	8	16	22	33	42	78
65+	611	21.8	213	7	9	18	28	43	66	99+
GRAND TOTAL	**954**	**20.6**	**199**	**7**	**8**	**17**	**25**	**41**	**58**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3962	4.0	5	2	2	3	4	7	8	11
20-34	2840	4.1	3	2	2	4	5	6	8	11
35-49	958	4.9	9	2	3	4	6	8	9	14
50-64	373	5.9	8	2	3	5	8	10	11	15
65+	121	6.9	15	3	3	6	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	1236	6.3	24	2	3	5	8	12	16	25
20-34	1159	6.2	14	3	3	5	8	11	13	22
35-49	668	7.9	25	3	3	7	10	14	17	29
50-64	567	9.7	52	3	4	8	11	16	21	32
65+	469	12.6	104	4	5	10	15	21	28	67
TOT. SINGLE DX	8254	4.3	6	2	2	4	5	7	9	12
" MULTIPLE DX	4099	7.7	39	3	3	6	9	14	18	33
TOTAL 0-19 YRS	5198	4.6	11	2	2	4	5	8	10	17
20-34	3999	4.7	8	2	2	4	5	8	10	15
35-49	1626	6.2	18	2	3	5	7	11	14	22
50-64	940	8.2	38	3	3	7	10	14	18	28
65+	590	11.4	91	4	4	9	13	20	26	62
GRAND TOTAL	**12353**	**5.4**	**20**	**2**	**2**	**4**	**6**	**10**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	4.0	2	2	2	4	5	6	8	9
20-34	28	4.7	8	2	3	4	5	7	9	18
35-49	8	6.0	10	3	3	5	8	11	12	12
50-64	8	7.3	23	2	3	5	10	15	17	17
65+										
2. MULTIPLE DX										
0-19 YRS	12	4.8	1	3	3	5	6	6	7	7
20-34	27	5.6	6	3	3	5	7	9	11	13
35-49	8	7.6	26	4	4	6	7	16	20	20
50-64	4	6.0	3	4	4	6	7	8	8	8
65+	3	32.0	111	22	22	31	40	43	43	43
TOT. SINGLE DX	82	4.8	8	2	3	4	5	8	10	18
" MULTIPLE DX	54	7.2	49	3	3	5	7	11	22	43
TOTAL 0-19 YRS	50	4.2	2	2	3	4	5	6	7	9
20-34	55	5.2	8	2	3	4	6	8	10	18
35-49	16	6.8	18	3	3	6	7	12	18	20
50-64	12	6.8	16	2	3	6	9	12	16	17
65+	3	32.0	111	22	22	31	40	43	43	43
GRAND TOTAL	**136**	**5.7**	**25**	**2**	**3**	**4**	**6**	**9**	**13**	**33**

605: Operations on appendix except appendectomy (47.2-47.9)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
0-19 YRS	11	8.6	26	3	3	9	10	15	21	22
20-34	8	7.5	6	3	4	8	9	10	11	11
35-49	8	8.6	8	5	5	9	10	13	14	14
50-64	4	11.0	54	7	7	8	15	22	22	22
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	10	12.2	92	3	3	9	16	28	33	33
20-34	7	15.0	53	5	6	16	22	24	24	24
35-49	8	12.5	29	8	8	11	14	21	24	24
50-64	7	11.0	14	7	7	9	14	17	17	17
65+	12	16.9	89	6	8	14	19	32	40	41
TOT. SINGLE DX	32	9.0	21	3	4	9	10	15	21	22
" MULTIPLE DX	44	13.8	62	4	6	12	17	24	29	41
TOTAL 0-19 YRS	21	10.3	58	3	3	9	11	22	27	33
20-34	15	11.0	41	3	5	9	15	23	24	24
35-49	16	10.6	22	5	6	9	14	14	21	24
50-64	11	11.0	25	7	7	9	14	19	22	22
65+	13	17.1	83	6	8	15	19	31	39	41
GRAND TOTAL	**76**	**11.8**	**50**	**4**	**5**	**9**	**15**	**22**	**24**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
0-19 YRS	40	4.5	27	<1	1	3	5	10	17	26
20-34	41	3.2	5	<1	<1	2	4	7	8	9
35-49	46	4.3	19	<1	<1	3	5	12	14	18
50-64	85	2.9	5	<1	<1	2	4	6	8	12
65+	158	4.0	19	<1	1	3	4	9	12	23
2. MULTIPLE DX										
0-19 YRS	35	6.8	56	<1	1	4	9	20	24	29
20-34	62	7.2	59	1	1	5	7	14	20	41
35-49	99	7.0	50	1	1	5	8	15	21	40
50-64	240	7.3	69	1	1	5	9	16	24	46
65+	868	8.4	81	1	2	6	11	18	26	47
TOT. SINGLE DX	370	3.7	16	<1	<1	2	4	8	12	20
" MULTIPLE DX	1304	8.0	76	1	1	5	10	18	24	45
TOTAL 0-19 YRS	75	5.6	42	<1	1	3	6	14	22	28
20-34	103	5.6	41	<1	1	4	7	11	17	40
35-49	145	6.1	42	<1	1	4	7	13	18	31
50-64	325	6.1	56	<1	1	4	8	13	20	45
65+	1026	7.7	75	1	1	5	10	17	24	44
GRAND TOTAL	**1674**	**7.0**	**65**	**1**	**1**	**4**	**9**	**16**	**22**	**42**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
0-19 YRS	21	3.0	4	<1	1	2	4	6	8	9
20-34	118	2.8	5	1	1	2	3	5	7	13
35-49	111	3.2	8	1	1	3	4	5	9	16
50-64	48	3.6	7	1	1	3	4	7	11	14
65+	13	5.1	17	1	2	3	6	13	14	14
2. MULTIPLE DX										
0-19 YRS	19	5.7	45	<1	1	3	8	11	22	30
20-34	96	5.2	31	1	1	4	6	10	13	34
35-49	122	5.1	32	1	1	3	5	12	20	27
50-64	101	6.3	55	1	1	4	7	12	23	39
65+	103	8.6	63	1	2	7	11	17	21	47
TOT. SINGLE DX	311	3.2	7	1	1	3	4	6	9	14
" MULTIPLE DX	441	6.2	47	1	1	4	8	13	20	36
TOTAL 0-19 YRS	40	4.3	25	<1	1	3	4	9	11	30
20-34	214	3.8	18	1	1	3	4	8	11	17
35-49	233	4.2	22	1	1	3	4	9	13	26
50-64	149	5.4	42	1	1	4	6	11	19	36
65+	116	8.2	59	1	2	6	10	16	20	43
GRAND TOTAL	**752**	**5.0**	**33**	**1**	**1**	**3**	**5**	**11**	**15**	**28**

608: Proctectomy (48.4-48.6)

				PERCENTILES						
TYPE OF PATIENT (1)	**TOTAL PATIENTS (2)**	**AVG. STAY (3)**	**VARIANCE (4)**	**5TH (5)**	**10TH (6)**	**50TH (7)**	**75TH (8)**	**90TH (9)**	**95TH (10)**	**99TH (11)**
1. SINGLE DX										
0-19 YRS	9	12.8	55	6	6	9	19	24	27	27
20-34	16	10.9	6	7	7	11	13	15	15	15
35-49	35	10.1	11	7	7	9	11	15	18	19
50-64	118	11.9	20	7	8	11	14	17	20	28
65+	114	12.3	17	7	8	12	15	17	20	25
2. MULTIPLE DX										
0-19 YRS	28	14.9	99	6	7	12	16	27	34	54
20-34	41	16.6	72	8	9	14	20	33	40	99+
35-49	123	16.6	144	7	9	14	18	26	34	74
50-64	519	15.3	74	8	9	13	17	23	29	54
65+	1316	19.5	131	9	10	16	23	33	44	75
TOT. SINGLE DX	292	11.8	19	7	8	11	14	17	20	26
" MULTIPLE DX	2027	18.1	120	8	9	15	21	30	40	72
TOTAL 0-19 YRS	37	14.4	87	6	7	11	16	26	31	54
20-34	57	15.0	60	8	8	13	18	25	36	96
35-49	158	15.1	123	7	8	12	17	23	33	68
50-64	637	14.7	66	8	9	13	17	22	28	49
65+	1430	18.9	126	9	10	16	22	32	44	74
GRAND TOTAL	**2319**	**17.3**	**111**	**8**	**9**	**14**	**20**	**29**	**39**	**67**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	4.6	18	1	1	3	6	9	15	21
20-34	404	4.4	14	<1	<1	3	6	8	11	20
35-49	438	4.0	14	<1	<1	3	5	8	9	17
50-64	465	4.2	11	<1	<1	4	5	8	11	16
65+	440	4.7	16	<1	<1	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	255	5.7	23	1	1	4	7	11	14	26
20-34	1414	6.7	48	1	2	5	8	12	17	34
35-49	2146	6.8	35	1	2	5	8	13	17	33
50-64	3838	7.8	54	1	2	6	9	14	19	45
65+	9324	9.8	82	2	3	7	12	18	25	55
TOT. SINGLE DX	1845	4.3	14	<1	<1	4	6	8	11	20
" MULTIPLE DX	16977	8.6	68	2	3	7	10	16	22	48
TOTAL 0-19 YRS	353	5.4	22	1	1	4	7	11	14	26
20-34	1818	6.2	42	1	2	5	7	11	16	30
35-49	2584	6.4	33	<1	2	5	8	12	17	31
50-64	4303	7.4	51	1	2	6	9	14	19	42
65+	9764	9.6	81	2	3	7	11	18	25	55
GRAND TOTAL	**18822**	**8.2**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**46**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	2.3	8	<1	<1	1	3	4	4	17
20-34	212	2.4	2	1	1	2	3	4	5	9
35-49	233	2.4	1	1	1	2	3	4	4	7
50-64	115	2.5	2	1	1	2	3	4	5	8
65+	32	2.5	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	19	2.8	7	<1	1	2	4	6	9	12
20-34	212	3.4	13	1	1	3	4	6	9	16
35-49	263	3.3	9	1	1	3	4	6	8	22
50-64	219	3.0	5	1	1	3	4	5	7	11
65+	147	3.9	27	1	1	3	4	6	10	20
TOT. SINGLE DX	623	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	860	3.3	12	1	1	3	4	6	8	18
TOTAL 0-19 YRS	50	2.5	8	<1	<1	2	3	4	6	17
20-34	424	2.9	8	1	1	2	3	5	6	14
35-49	496	2.9	6	1	1	3	3	5	6	13
50-64	334	2.8	5	1	1	2	3	5	6	9
65+	179	3.6	23	1	1	3	4	6	9	19
GRAND TOTAL	**1483**	**2.9**	**8**	**1**	**1**	**3**	**3**	**5**	**6**	**14**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.8	1	<1	<1	1	3	4	5	5
20-34	162	2.0	1	<1	<1	2	3	4	5	7
35-49	100	2.3	3	<1	1	2	3	4	5	10
50-64	51	2.8	5	<1	1	2	3	5	7	16
65+	21	2.1	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	19	3.6	19	<1	<1	3	4	7	15	20
20-34	180	2.9	10	1	1	2	4	5	7	14
35-49	208	3.4	11	1	1	3	4	6	9	14
50-64	189	3.7	13	1	1	3	4	6	9	23
65+	167	5.9	80	1	1	4	6	10	13	54
TOT. SINGLE DX	353	2.2	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	763	3.9	28	1	1	3	4	7	10	26
TOTAL 0-19 YRS	38	2.7	11	<1	<1	1	3	5	8	20
20-34	342	2.5	6	<1	1	2	3	5	5	10
35-49	308	3.0	9	<1	1	2	4	5	7	14
50-64	240	3.5	12	1	1	3	4	6	8	19
65+	188	5.4	73	1	1	3	6	10	12	53
GRAND TOTAL	**1116**	**3.3**	**21**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	2.8	1	1	1	3	4	4	4	4
20-34	168	3.0	2	1	1	3	4	5	6	8
35-49	209	3.1	2	1	1	3	4	5	6	7
50-64	161	3.1	3	1	1	3	4	6	6	10
65+	58	3.1	2	1	1	3	4	6	6	7
2. MULTIPLE DX										
0-19 YRS	20	3.1	3	1	1	3	4	6	8	9
20-34	751	3.3	9	1	1	3	4	6	7	14
35-49	1307	3.4	5	1	1	3	4	6	7	11
50-64	1149	3.9	12	1	1	3	5	7	9	21
65+	738	5.0	25	1	1	4	6	10	14	23
TOT. SINGLE DX	601	3.1	3	1	1	3	4	5	6	7
" MULTIPLE DX	3965	3.8	13	1	1	3	5	7	9	18
TOTAL 0-19 YRS	25	3.0	3	1	1	3	4	6	7	9
20-34	919	3.2	8	1	1	3	4	6	7	13
35-49	1516	3.3	5	1	1	3	4	6	7	11
50-64	1310	3.8	11	1	1	3	5	7	9	20
65+	796	4.9	25	1	1	4	6	10	14	23
GRAND TOTAL	**4566**	**3.7**	**11**	**1**	**1**	**3**	**5**	**6**	**8**	**17**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	3.8	18	<1	1	3	5	6	10	28
20-34	192	2.7	2	1	1	2	3	5	6	9
35-49	195	3.0	6	1	1	2	4	6	8	14
50-64	101	3.1	5	<1	1	3	4	5	7	13
65+	42	5.0	104	<1	1	3	5	7	16	66
2. MULTIPLE DX										
0-19 YRS	61	6.2	39	1	2	4	8	13	19	36
20-34	193	3.6	9	1	1	3	5	7	10	19
35-49	242	4.2	15	1	1	3	5	8	10	20
50-64	230	5.6	37	1	1	4	7	12	17	36
65+	240	7.4	86	1	2	5	9	16	22	73
TOT. SINGLE DX	576	3.1	13	1	1	2	4	5	8	15
″ MULTIPLE DX	966	5.4	41	1	1	3	6	11	17	34
TOTAL 0-19 YRS	107	5.2	32	1	1	3	6	11	14	32
20-34	385	3.2	7	1	1	2	4	6	8	13
35-49	437	3.7	12	1	1	3	4	7	9	19
50-64	331	4.8	29	1	1	3	5	9	16	34
65+	282	7.1	90	1	1	4	8	15	22	70
GRAND TOTAL	**1542**	**4.5**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	2	14.0	288	2	2	14	26	26	26	26
35-49	3	11.0	12	7	7	13	13	13	13	13
50-64	7	5.3	14	1	1	5	8	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	4	5.8	3	4	4	5	7	8	8	8
20-34	10	13.4	69	5	5	12	18	26	30	30
35-49	9	11.7	99	1	1	10	19	26	29	29
50-64	22	20.9	247	1	2	19	25	47	53	60
65+	40	19.3	141	1	2	20	29	33	36	46
TOT. SINGLE DX	16	7.7	40	1	1	6	11	13	22	26
″ MULTIPLE DX	85	17.6	161	1	2	17	27	33	39	56
TOTAL 0-19 YRS	7	5.1	2	4	4	5	6	8	8	8
20-34	12	13.5	83	2	4	12	20	27	30	30
35-49	12	11.5	75	1	1	11	16	24	28	29
50-64	29	17.1	235	1	1	12	22	42	50	60
65+	41	19.1	139	2	3	19	29	33	36	46
GRAND TOTAL	**101**	**16.0**	**155**	**1**	**2**	**14**	**24**	**32**	**37**	**54**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	5.7	28	1	1	4	8	13	16	21
20-34	101	4.3	70	<1	<1	1	5	10	17	48
35-49	117	2.3	7	<1	<1	1	2	6	9	14
50-64	127	2.3	8	<1	<1	1	2	6	8	15
65+	64	3.4	45	<1	1	1	2	8	14	43
2. MULTIPLE DX										
0-19 YRS	62	14.3	373	1	1	8	15	44	76	98
20-34	203	11.0	165	1	1	8	14	30	39	99+
35-49	299	9.2	124	1	1	6	12	24	29	78
50-64	687	10.0	137	1	1	7	14	23	33	59
65+	890	11.6	118	1	1	9	16	25	33	52
TOT. SINGLE DX	432	3.1	30	<1	<1	1	2	8	12	24
″ MULTIPLE DX	2141	10.8	138	1	1	8	14	25	35	63
TOTAL 0-19 YRS	85	12.0	294	1	1	7	12	36	56	95
20-34	304	8.8	143	<1	1	5	11	24	35	83
35-49	416	7.2	101	<1	1	3	10	18	28	59
50-64	814	8.8	125	<1	1	5	13	21	31	55
65+	954	11.0	118	1	1	8	15	24	33	52
GRAND TOTAL	**2573**	**9.5**	**128**	**1**	**1**	**6**	**13**	**23**	**32**	**61**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	195	5.6	3	3	4	5	6	8	9	12
20-34	2080	5.6	4	3	4	5	6	8	9	12
35-49	2069	5.9	4	3	4	6	7	8	10	13
50-64	1609	6.4	6	4	4	6	7	9	11	14
65+	758	7.7	9	4	5	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	149	8.8	65	4	4	7	9	14	19	51
20-34	2145	7.3	19	4	4	6	8	12	14	24
35-49	3043	7.7	23	4	4	6	9	12	15	24
50-64	4303	9.3	41	4	5	8	11	15	19	35
65+	6237	12.8	76	5	6	10	15	22	28	54
TOT. SINGLE DX	6711	6.1	6	3	4	6	7	9	10	14
″ MULTIPLE DX	15877	10.1	54	4	5	8	12	17	22	43
TOTAL 0-19 YRS	344	7.0	33	3	4	6	8	10	13	38
20-34	4225	6.5	13	3	4	6	7	10	12	20
35-49	5112	7.0	17	4	4	6	8	11	13	21
50-64	5912	8.5	33	4	4	7	10	14	17	30
65+	6995	12.2	72	5	6	10	14	21	27	52
GRAND TOTAL	**22588**	**8.9**	**43**	**4**	**4**	**7**	**10**	**15**	**20**	**37**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	9.7	14	7	7	8	12	14	14	14
20-34	28	6.1	35	1	1	4	9	17	18	19
35-49	38	5.8	25	1	1	4	10	12	14	22
50-64	40	7.2	35	1	1	7	12	16	18	24
65+	72	10.1	65	1	2	9	15	19	22	45
2. MULTIPLE DX										
0-19 YRS	11	14.3	87	<1	2	12	20	27	33	34
20-34	49	9.7	45	1	2	8	13	21	23	27
35-49	124	12.7	131	2	2	10	16	24	29	66
50-64	295	14.3	132	2	3	12	18	29	37	61
65+	1015	16.1	133	2	4	14	20	30	38	63
TOT. SINGLE DX	181	7.9	47	1	1	7	12	17	19	24
" MULTIPLE DX	1494	15.3	132	2	3	13	19	29	37	62
TOTAL 0-19 YRS	14	13.3	73	1	3	11	19	23	32	34
20-34	77	8.4	44	1	1	7	12	19	21	27
35-49	162	11.1	115	1	2	9	15	22	28	53
50-64	335	13.4	126	1	2	11	17	28	36	59
65+	1087	15.7	131	2	4	14	19	29	38	62
GRAND TOTAL	**1675**	**14.5**	**128**	**2**	**3**	**12**	**18**	**28**	**36**	**60**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.9	6	<1	<1	2	4	7	8	8
20-34	33	6.8	52	<1	1	5	9	17	24	32
35-49	66	5.7	32	<1	<1	5	8	10	17	30
50-64	70	6.0	59	<1	<1	3	8	13	22	46
65+	76	5.3	40	<1	<1	2	7	16	21	26
2. MULTIPLE DX										
0-19 YRS	16	16.1	383	1	2	7	17	55	61	63
20-34	113	14.4	274	1	1	9	16	33	58	89
35-49	269	14.8	224	1	2	10	19	35	49	82
50-64	429	14.4	190	1	2	10	18	35	46	80
65+	695	13.8	165	1	2	11	18	30	44	99+
TOT. SINGLE DX	253	5.7	44	<1	<1	3	8	13	19	30
" MULTIPLE DX	1522	14.2	193	1	2	10	18	33	48	91
TOTAL 0-19 YRS	24	11.7	292	<1	1	5	11	42	59	63
20-34	146	12.7	234	1	1	8	14	30	53	83
35-49	335	13.0	199	1	1	8	17	32	43	77
50-64	499	13.2	181	1	2	9	17	33	44	72
65+	771	13.0	160	1	2	10	17	28	41	97
GRAND TOTAL	**1775**	**13.0**	**180**	**1**	**2**	**9**	**17**	**30**	**43**	**83**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	4.3	23	<1	1	3	5	7	10	31
20-34	236	4.8	15	1	1	4	6	10	13	19
35-49	194	4.7	13	<1	1	4	6	10	13	16
50-64	227	5.0	17	<1	<1	4	7	9	12	22
65+	238	5.8	38	<1	1	5	7	11	14	38
2. MULTIPLE DX										
0-19 YRS	170	7.4	69	1	2	5	9	15	25	60
20-34	534	7.0	64	1	2	5	8	14	19	52
35-49	750	7.3	47	1	2	5	9	14	20	37
50-64	1435	7.7	44	1	2	6	10	14	19	42
65+	5117	9.9	91	2	3	7	12	19	27	69
TOT. SINGLE DX	997	5.0	22	<1	1	4	6	10	13	24
" MULTIPLE DX	8006	9.0	78	2	2	7	11	18	25	55
TOTAL 0-19 YRS	272	6.2	54	1	1	4	7	12	19	45
20-34	770	6.3	50	1	2	4	7	12	17	32
35-49	944	6.8	42	1	2	5	8	14	18	35
50-64	1662	7.3	42	1	2	6	9	14	19	37
65+	5355	9.7	90	2	3	7	12	19	26	66
GRAND TOTAL	**9003**	**8.6**	**73**	**1**	**2**	**6**	**10**	**17**	**24**	**52**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1197	1.5		<1	<1	1	2	3	3	5
20-34	1909	2.0	1	1	1	2	3	3	4	5
35-49	1686	2.3	1	1	1	2	3	4	5	6
50-64	2235	2.4	1	1	1	2	3	4	5	7
65+	1732	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	681	1.9	11	<1	<1	1	2	3	4	9
20-34	866	2.6	2	1	1	2	3	4	5	9
35-49	1293	2.8	5	1	1	2	3	5	6	10
50-64	2747	3.3	8	1	1	3	4	6	8	15
65+	4800	4.8	29	1	1	3	5	9	13	28
TOT. SINGLE DX	8759	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	10387	3.8	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	1878	1.7	5	<1	<1	1	2	3	3	6
20-34	2775	2.2	2	1	1	2	3	4	4	6
35-49	2979	2.5	3	1	1	2	3	4	5	8
50-64	4982	2.9	5	1	1	2	4	5	6	12
65+	6532	4.3	23	1	1	3	5	8	11	24
GRAND TOTAL	**19146**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**7**	**16**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	397	1.5		<1	<1	1	2	2	3	4
20-34	136	2.5	1	1	1	2	3	4	5	5
35-49	179	2.7	1	1	1	3	4	4	5	6
50-64	271	3.0	2	1	1	3	4	5	6	7
65+	166	3.3	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	377	3.8	135	<1	<1	1	2	4	9	86
20-34	75	2.7	2	1	1	3	4	4	5	7
35-49	168	3.1	3	1	1	3	4	5	6	10
50-64	412	3.9	5	1	2	3	5	6	8	12
65+	498	5.3	27	1	2	4	6	10	13	39
TOT. SINGLE DX	1149	2.4	2	<1	1	2	3	4	5	6
" MULTIPLE DX	1530	4.2	45	1	1	3	4	7	10	43
TOTAL 0-19 YRS	774	2.6	68	<1	<1	1	2	3	4	61
20-34	211	2.6	2	1	1	2	3	4	5	6
35-49	347	2.9	2	1	1	3	4	4	5	9
50-64	683	3.5	4	1	1	3	4	6	7	11
65+	664	4.8	22	1	2	4	5	9	11	33
GRAND TOTAL	**2679**	**3.4**	**27**	**<1**	**1**	**3**	**4**	**6**	**8**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.3	1	<1	<1	2	4	33	90	99+
20-34	68	2.3	1	1	1	2	3	4	4	7
35-49	84	2.5	1	1	1	2	3	4	5	6
50-64	81	2.6	2	<1	1	2	4	5	5	6
65+	115	4.2	11	1	1	3	5	8	13	16
2. MULTIPLE DX										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	33	3.0	1	1	1	3	4	5	5	6
35-49	41	3.9	10	1	1	3	4	6	12	17
50-64	112	4.0	11	1	1	3	5	8	9	21
65+	421	7.6	52	2	2	6	9	15	21	38
TOT. SINGLE DX	359	3.0	5	1	1	3	4	5	7	14
" MULTIPLE DX	614	6.4	42	1	2	4	8	13	18	36
TOTAL 0-19 YRS	18	2.2	2	<1	1	2	4	4	57	99+
20-34	101	2.5	2	1	1	2	3	4	5	7
35-49	125	2.9	5	1	1	2	4	5	6	15
50-64	193	3.4	8	1	1	3	4	6	8	17
65+	536	6.9	46	2	2	5	8	14	18	36
GRAND TOTAL	**973**	**5.2**	**31**	**1**	**1**	**4**	**6**	**11**	**15**	**32**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	155	1.7	1	<1	<1	1	2	3	3	6
20-34	163	2.1	1	<1	1	2	3	4	4	6
35-49	242	2.4	2	<1	1	2	3	5	5	7
50-64	185	2.8	2	1	1	2	4	5	6	8
65+	78	4.0	5	1	1	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	53	4.5	199	<1	<1	1	2	6	9	97
20-34	85	3.3	7	1	1	3	4	6	7	17
35-49	261	3.8	12	1	1	3	4	6	9	16
50-64	344	5.4	29	1	2	4	6	11	15	31
65+	343	7.8	67	1	2	5	9	16	21	47
TOT. SINGLE DX	823	2.5	3	<1	1	2	3	5	5	8
" MULTIPLE DX	1086	5.6	46	1	1	4	6	11	16	35
TOTAL 0-19 YRS	208	2.4	53	<1	<1	1	2	3	5	20
20-34	248	2.5	4	<1	1	2	3	4	5	8
35-49	503	3.1	8	<1	1	3	4	5	7	15
50-64	529	4.5	22	1	1	3	5	8	13	23
65+	421	7.1	58	1	2	5	8	15	20	44
GRAND TOTAL	**1909**	**4.2**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.7	1	<1	<1	1	2	3	4	6
20-34	241	2.8	3	1	1	2	4	5	6	9
35-49	374	3.8	4	1	1	3	5	7	8	10
50-64	411	3.9	5	1	1	4	5	7	8	11
65+	273	4.8	6	1	2	4	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	16	3.3	13	<1	1	2	4	8	13	15
20-34	173	4.2	13	1	1	3	5	7	8	17
35-49	555	5.7	19	2	2	5	7	10	12	23
50-64	874	6.3	18	2	2	5	8	11	14	23
65+	1128	8.0	46	2	3	7	9	14	20	36
TOT. SINGLE DX	1347	3.8	5	-1	1	3	5	7	8	11
" MULTIPLE DX	2746	6.7	31	2	2	6	8	12	16	27
TOTAL 0-19 YRS	64	2.1	5	<1	<1	1	3	4	5	14
20-34	414	3.4	8	1	1	3	4	6	7	12
35-49	929	4.9	14	1	2	4	6	8	11	18
50-64	1285	5.6	16	1	2	5	7	10	13	22
65+	1401	7.4	40	2	3	6	9	13	18	34
GRAND TOTAL	**4093**	**5.8**	**25**	**1**	**2**	**5**	**7**	**10**	**14**	**25**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	11	4.9	14	<1	<1	4	8	11	12	12
35-49	13	6.1	14	1	2	7	8	12	13	13
50-64	13	7.1	14	1	1	8	9	11	13	14
65+	15	9.7	14	5	5	10	11	14	18	20
2. MULTIPLE DX										
0-19 YRS	12	17.8	141	2	5	15	30	34	36	36
20-34	20	8.3	11	3	4	8	10	14	15	16
35-49	45	11.8	106	5	6	9	14	16	30	57
50-64	95	11.7	98	4	5	9	13	18	25	66
65+	141	16.4	141	7	8	13	19	32	48	99+
TOT. SINGLE DX	55	7.0	16	1	1	7	10	12	14	20
" MULTIPLE DX	313	13.8	121	5	6	11	16	26	36	82
TOTAL 0-19 YRS	15	15.3	138	2	4	11	25	33	35	36
20-34	31	7.1	15	1	2	7	9	12	15	16
35-49	58	10.5	91	2	3	8	12	16	20	57
50-64	108	11.1	90	4	5	9	12	18	24	60
65+	156	15.7	133	6	7	12	19	32	45	98
GRAND TOTAL	**368**	**12.8**	**111**	**4**	**5**	**10**	**14**	**24**	**34**	**78**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	4.3	14	<1	1	3	6	9	11	21
20-34	162	4.1	22	<1	1	3	6	8	10	23
35-49	120	4.9	12	<1	1	4	7	10	12	17
50-64	113	5.9	27	<1	1	4	8	13	16	24
65+	61	8.1	130	1	1	5	9	16	20	72
2. MULTIPLE DX										
0-19 YRS	138	6.7	30	1	1	5	9	15	18	28
20-34	274	8.4	118	1	1	6	10	15	26	86
35-49	568	11.8	139	2	2	8	14	24	38	67
50-64	947	11.7	107	2	3	9	15	23	33	62
65+	1364	13.9	149	2	3	11	18	28	39	74
TOT. SINGLE DX	540	5.1	33	<1	1	4	7	11	13	23
" MULTIPLE DX	3291	12.1	132	2	3	9	15	25	35	70
TOTAL 0-19 YRS	222	5.8	26	<1	1	5	7	12	16	24
20-34	436	6.8	87	1	1	5	8	13	18	52
35-49	688	10.6	124	1	2	7	13	22	32	63
50-64	1060	11.1	103	1	2	8	14	22	31	55
65+	1425	13.7	149	2	3	10	17	28	39	74
GRAND TOTAL	**3831**	**11.1**	**124**	**1**	**2**	**8**	**14**	**23**	**32**	**67**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	5.5	9	1	2	5	8	10	12	14
20-34	218	5.6	12	1	2	5	7	9	12	22
35-49	96	6.8	25	2	3	6	8	11	16	31
50-64	69	8.1	17	2	3	8	10	14	15	22
65+	42	8.9	25	2	4	8	12	16	20	21
2. MULTIPLE DX										
0-19 YRS	147	9.5	82	2	3	7	10	22	29	48
20-34	427	9.4	78	3	3	6	11	18	26	51
35-49	283	12.6	152	3	4	8	15	28	37	75
50-64	314	15.6	150	5	6	12	19	32	45	68
65+	528	19.0	188	6	7	15	23	37	50	74
TOT. SINGLE DX	524	6.4	18	1	2	6	8	11	14	23
" MULTIPLE DX	1699	14.1	154	3	4	10	17	29	41	64
TOTAL 0-19 YRS	246	7.9	57	2	3	6	9	14	23	41
20-34	645	8.1	59	2	3	6	9	15	22	46
35-49	379	11.2	127	3	4	7	13	24	32	61
50-64	383	14.3	135	4	5	11	17	28	41	63
65+	570	18.2	183	6	7	14	22	35	49	71
GRAND TOTAL	**2223**	**12.3**	**132**	**3**	**4**	**9**	**15**	**25**	**37**	**61**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	186	2.7	4	<1	<1	2	4	6	7	10
20-34	727	2.1	3	<1	<1	1	2	5	6	9
35-49	158	2.0	2	<1	<1	1	2	5	6	9
50-64	19	1.9	1	<1	<1	2	2	4	6	6
65+	8	2.5	14	<1	<1	1	2	9	12	12
2. MULTIPLE DX										
0-19 YRS	193	3.5	13	<1	<1	3	5	7	8	14
20-34	1224	2.5	7	<1	<1	1	3	6	7	14
35-49	339	2.6	10	<1	<1	1	3	6	9	19
50-64	51	4.5	23	<1	<1	2	6	12	16	21
65+	45	8.7	136	1	1	3	11	26	33	51
TOT. SINGLE DX	1098	2.2	3	<1	<1	1	3	5	6	9
" MULTIPLE DX	1852	2.9	13	<1	<1	1	4	6	8	19
TOTAL 0-19 YRS	379	3.1	9	<1	<1	2	4	6	8	12
20-34	1951	2.4	6	<1	<1	1	3	5	7	11
35-49	497	2.4	8	<1	<1	1	2	5	7	13
50-64	70	3.8	19	<1	<1	2	5	10	13	20
65+	53	7.8	122	1	1	2	9	26	31	51
GRAND TOTAL	**2950**	**2.6**	**9**	**<1**	**<1**	**1**	**3**	**6**	**7**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	6.2	12	<1	1	6	8	11	14	15
20-34	173	5.8	15	<1	<1	5	7	10	14	21
35-49	160	7.1	29	<1	1	6	9	13	15	29
50-64	121	8.6	24	3	3	8	11	15	18	27
65+	84	9.6	26	2	3	9	11	16	20	27
2. MULTIPLE DX										
0-19 YRS	107	12.2	233	2	3	8	11	24	46	79
20-34	616	7.2	82	<1	1	5	8	13	20	57
35-49	596	10.2	96	2	3	7	12	19	29	52
50-64	622	13.2	140	2	4	10	16	25	33	62
65+	1070	16.8	153	5	7	13	21	33	44	94
TOT. SINGLE DX	601	7.3	24	<1	2	7	9	13	16	25
" MULTIPLE DX	3011	12.6	141	2	3	9	15	25	36	71
TOTAL 0-19 YRS	170	10.0	159	1	2	7	10	17	30	70
20-34	789	6.9	68	<1	1	5	7	12	18	49
35-49	756	9.5	84	1	3	7	11	18	27	51
50-64	743	12.4	125	2	3	10	15	23	30	59
65+	1154	16.3	148	4	7	13	20	32	42	87
GRAND TOTAL	**3612**	**11.7**	**126**	**1**	**3**	**9**	**14**	**23**	**33**	**67**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	7.8	99	3	3	5	8	12	26	52
20-34	18	8.3	5	5	6	8	9	12	14	14
35-49	43	8.4	4	5	6	8	9	11	13	15
50-64	76	9.1	5	6	6	8	10	13	14	16
65+	55	9.9	8	7	7	9	11	15	15	20
2. MULTIPLE DX										
0-19 YRS	61	11.1	93	4	5	8	12	22	32	55
20-34	83	12.2	137	4	5	9	13	23	36	94
35-49	110	11.9	76	6	7	10	12	18	21	59
50-64	315	13.8	86	7	7	11	15	23	28	55
65+	588	16.1	126	7	8	13	18	27	35	71
TOT. SINGLE DX	216	8.9	17	4	6	8	10	13	15	18
" MULTIPLE DX	1157	14.5	113	6	7	11	17	25	33	67
TOTAL 0-19 YRS	85	10.2	96	3	3	7	11	21	31	55
20-34	101	11.5	116	4	5	8	12	21	32	91
35-49	153	10.9	58	6	7	9	11	15	20	50
50-64	391	12.9	74	6	7	10	14	21	26	51
65+	643	15.6	119	7	8	12	18	26	35	67
GRAND TOTAL	**1373**	**13.6**	**102**	**6**	**7**	**11**	**15**	**23**	**31**	**61**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	120	6.2	14	2	2	6	9	11	13	19
20-34	146	6.1	19	1	2	6	8	10	13	25
35-49	149	6.2	14	2	2	6	8	11	13	20
50-64	161	6.7	18	1	2	6	9	12	15	19
65+	79	6.3	18	1	2	5	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	179	10.8	114	2	2	7	14	24	32	66
20-34	307	10.9	97	1	2	9	14	22	31	54
35-49	423	10.5	93	1	2	8	14	21	28	52
50-64	539	11.6	110	1	2	9	15	22	29	59
65+	746	13.1	123	2	2	10	17	27	34	60
TOT. SINGLE DX	655	6.3	17	1	2	6	8	11	13	20
" MULTIPLE DX	2194	11.7	111	1	2	9	15	24	32	57
TOTAL 0-19 YRS	299	8.9	80	2	2	6	10	19	26	53
20-34	453	9.4	78	1	2	7	12	19	25	48
35-49	572	9.4	76	1	2	7	12	18	27	46
50-64	700	10.5	93	1	2	8	13	20	27	54
65+	825	12.4	118	1	2	10	16	25	33	58
GRAND TOTAL	**2849**	**10.5**	**95**	**1**	**2**	**8**	**13**	**21**	**29**	**53**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	12.0	21	7	7	13	15	16	16	16
20-34	77	6.3	10	1	1	6	8	10	12	15
35-49	105	6.6	17	1	2	6	9	12	15	19
50-64	87	8.1	21	1	2	8	11	15	17	20
65+	42	8.5	13	2	4	8	11	13	15	16
2. MULTIPLE DX										
0-19 YRS	12	7.2	18	2	2	7	10	14	15	15
20-34	75	8.0	33	1	2	7	10	16	19	33
35-49	159	9.0	38	2	3	8	12	15	19	36
50-64	206	9.9	57	2	3	8	13	19	24	74
65+	316	12.2	92	2	2	10	17	21	28	51
TOT. SINGLE DX	314	7.2	17	1	2	7	10	13	15	18
" MULTIPLE DX	768	10.4	67	2	2	9	13	20	24	49
TOTAL 0-19 YRS	15	8.1	22	2	2	8	12	15	16	16
20-34	152	7.1	23	1	1	7	9	11	16	23
35-49	264	8.0	31	1	2	7	11	14	18	28
50-64	293	9.3	47	1	3	8	12	17	21	51
65+	358	11.8	84	2	2	10	15	21	27	50
GRAND TOTAL	**1082**	**9.5**	**55**	**1**	**2**	**8**	**12**	**18**	**21**	**45**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	6.5	5	4	4	6	8	10	11	14
20-34	10	7.3	5	2	3	8	9	10	10	10
35-49	7	10.4	15	3	4	11	13	15	15	15
50-64	5	11.4	7	8	8	11	13	15	15	15
65+	6	12.3	35	9	9	10	13	23	24	24
2. MULTIPLE DX										
0-19 YRS	132	10.0	55	4	5	8	11	16	23	52
20-34	31	11.6	18	6	6	12	15	17	17	21
35-49	38	12.8	57	3	6	11	15	22	28	42
50-64	53	19.1	139	8	9	15	24	39	46	55
65+	77	20.6	279	6	9	16	23	34	67	87
TOT. SINGLE DX	158	7.1	9	4	4	6	8	11	13	15
" MULTIPLE DX	331	14.4	137	5	6	11	16	26	35	74
TOTAL 0-19 YRS	262	8.3	33	4	4	7	9	12	16	29
20-34	41	10.5	18	4	6	9	14	17	17	21
35-49	45	12.4	51	3	6	11	14	22	27	42
50-64	58	18.4	132	8	8	14	22	38	45	55
65+	83	20.0	265	6	9	16	23	34	62	87
GRAND TOTAL	**489**	**12.0**	**107**	**4**	**5**	**9**	**14**	**22**	**29**	**58**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	6.0	15	<1	1	5	9	12	13	15
20-34	250	3.9	5	1	1	3	5	7	8	14
35-49	350	3.9	6	1	1	3	5	7	9	12
50-64	279	3.9	6	1	1	3	5	7	8	14
65+	102	4.6	10	1	2	4	6	8	11	17
2. MULTIPLE DX										
0-19 YRS	50	9.3	23	2	3	8	12	16	19	19
20-34	171	5.4	15	1	2	5	7	10	12	19
35-49	302	5.8	22	1	2	5	7	10	13	24
50-64	388	6.0	24	1	2	5	8	11	15	30
65+	403	8.5	63	2	2	7	11	17	25	42
TOT. SINGLE DX	1020	4.1	7	1	1	4	5	7	9	14
" MULTIPLE DX	1314	6.8	36	1	2	5	9	13	17	32
TOTAL 0-19 YRS	89	7.9	22	1	2	7	11	15	16	19
20-34	421	4.5	10	1	1	4	6	8	10	16
35-49	652	4.8	15	1	1	4	6	9	11	17
50-64	667	5.1	18	1	1	4	7	10	12	18
65+	505	7.8	55	1	2	6	10	15	22	39
GRAND TOTAL	**2334**	**5.6**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	2.4	4	<1	<1	1	4	6	7	10
20-34	280	3.5	7	<1	<1	3	5	7	8	13
35-49	400	3.5	7	<1	<1	3	5	7	8	14
50-64	409	3.4	7	<1	<1	3	5	7	9	14
65+	342	3.4	10	<1	<1	2	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	194	4.5	55	<1	<1	2	5	10	13	43
20-34	584	6.5	57	<1	1	5	8	13	17	38
35-49	902	6.6	41	<1	1	5	8	14	19	32
50-64	1680	7.2	63	<1	1	5	9	15	21	45
65+	4354	10.1	113	1	2	7	13	22	32	91
TOT. SINGLE DX	1552	3.4	8	<1	<1	3	5	7	8	15
" MULTIPLE DX	7714	8.7	91	1	1	6	11	19	27	65
TOTAL 0-19 YRS	315	3.7	37	<1	<1	1	4	8	11	30
20-34	864	5.6	44	<1	1	4	7	11	15	29
35-49	1302	5.6	33	<1	1	4	7	12	16	30
50-64	2089	6.4	55	<1	1	4	8	13	20	38
65+	4696	9.7	109	1	2	7	12	21	30	85
GRAND TOTAL	**9266**	**7.8**	**81**	**<1**	**1**	**5**	**10**	**17**	**24**	**57**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.0		1	1	2	3	3	3	3
20-34	30	3.1	8	<1	<1	2	4	7	9	14
35-49	110	2.6	4	<1	<1	2	3	5	5	13
50-64	447	2.8	5	<1	1	2	4	6	7	11
65+	801	3.2	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	9	8.0	83	<1	<1	5	22	62	99+	99+
20-34	56	6.8	104	1	1	3	8	15	23	62
35-49	177	4.6	20	1	1	3	6	11	15	24
50-64	1097	4.8	40	1	1	3	6	9	14	30
65+	4152	6.2	51	1	1	4	7	13	18	36
TOT. SINGLE DX	1394	3.0	6	1	1	2	4	6	7	11
" MULTIPLE DX	5491	5.9	49	1	1	4	7	13	17	36
TOTAL 0-19 YRS	15	5.6	57	<1	1	3	7	25	77	99+
20-34	86	5.5	74	<1	1	3	6	13	17	54
35-49	287	3.8	15	<1	1	2	5	8	13	23
50-64	1544	4.2	31	1	1	3	5	8	11	23
65+	4953	5.7	46	1	1	4	7	12	17	34
GRAND TOTAL	**6885**	**5.3**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	5.3	17	<1	1	5	7	10	14	19
20-34	42	4.0	14	<1	<1	3	5	8	10	21
35-49	80	4.7	11	1	1	4	6	9	11	16
50-64	111	6.4	47	1	1	4	8	14	19	39
65+	120	5.9	34	<1	1	4	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	124	12.1	141	1	1	8	18	29	34	77
20-34	107	10.1	179	1	1	6	13	22	30	99+
35-49	164	8.8	101	1	2	7	11	17	26	90
50-64	430	10.6	101	1	2	8	14	22	31	60
65+	1322	12.4	137	2	2	9	16	27	39	99+
TOT. SINGLE DX	382	5.5	30	<1	1	4	7	12	16	28
" MULTIPLE DX	2147	11.6	131	1	2	9	15	25	35	92
TOTAL 0-19 YRS	153	10.8	125	1	1	7	16	25	32	69
20-34	149	8.4	140	<1	1	5	11	19	24	99
35-49	244	7.4	75	1	1	5	9	14	23	55
50-64	541	9.7	93	1	2	7	13	20	29	57
65+	1442	11.8	132	1	2	9	16	26	37	92
GRAND TOTAL	**2529**	**10.7**	**120**	**1**	**2**	**8**	**14**	**23**	**33**	**74**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.1		<1	<1	<1	<1	1	2	3
20-34	4	1.3		<1	<1	<1	1	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8	2	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	22	2.3	6	<1	<1	1	2	7	8	9
20-34	5	19.4	615	1	1	2	45	49	49	49
35-49	9	2.6	3	1	1	2	4	5	6	6
50-64	13	7.5	93	<1	<1	4	8	26	30	31
65+	22	8.8	96	1	1	6	11	17	32	45
TOT. SINGLE DX	59	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	71	6.5	103	<1	<1	3	7	14	31	48
TOTAL 0-19 YRS	70	1.5	2	<1	<1	<1	1	2	4	9
20-34	9	11.3	399	<1	<1	1	13	47	49	49
35-49	11	2.3	3	1	1	1	4	5	6	6
50-64	14	7.1	89	<1	<1	4	7	26	30	31
65+	26	7.7	88	<1	1	4	11	15	27	45
GRAND TOTAL	**130**	**4.1**	**63**	**<1**	**<1**	**1**	**3**	**9**	**15**	**46**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	304	4.3	14	<1	1	3	6	10	12	17
20-34	65	3.4	7	<1	<1	3	5	7	9	14
35-49	35	4.2	5	<1	1	4	5	8	8	10
50-64	23	3.7	5	<1	1	3	5	7	8	9
65+	40	2.9	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	151	6.0	28	1	1	4	9	13	17	20
20-34	59	4.7	23	<1	<1	3	7	10	14	26
35-49	49	4.6	12	<1	1	4	6	10	13	15
50-64	68	4.8	19	<1	1	4	7	11	16	19
65+	162	6.2	50	1	1	4	7	15	19	38
TOT. SINGLE DX	467	4.0	11	<1	<1	3	6	9	11	16
" MULTIPLE DX	489	5.6	33	1	1	4	8	12	16	26
TOTAL 0-19 YRS	455	4.9	20	<1	1	3	7	11	14	19
20-34	124	4.0	16	<1	<1	3	5	9	11	21
35-49	84	4.4	10	<1	1	4	6	8	11	14
50-64	91	4.5	16	<1	1	3	6	9	15	18
65+	202	5.5	43	1	1	4	6	13	16	36
GRAND TOTAL	**956**	**4.8**	**23**	**<1**	**1**	**3**	**6**	**10**	**14**	**22**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.2		<1	<1	<1	<1	1	3	5
20-34	20	3.8	19	<1	<1	2	5	7	14	20
35-49	16	3.1	9	<1	<1	2	4	9	10	11
50-64	19	3.2	10	<1	1	2	3	8	12	13
65+	18	2.2	4	<1	<1	1	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	46	2.5	9	<1	<1	<1	2	8	10	13
20-34	72	5.2	16	<1	1	4	8	11	13	16
35-49	103	5.6	26	<1	<1	4	8	12	15	25
50-64	155	7.3	53	1	1	5	9	17	24	53
65+	611	10.4	124	1	2	7	13	23	33	86
TOT. SINGLE DX	98	2.6	9	<1	<1	1	3	6	9	17
" MULTIPLE DX	987	8.6	95	<1	1	6	11	19	27	70
TOTAL 0-19 YRS	71	2.1	7	<1	<1	<1	1	5	8	13
20-34	92	4.9	17	<1	1	3	7	11	13	18
35-49	119	5.2	25	<1	<1	4	7	11	14	25
50-64	174	6.8	51	1	1	5	9	15	23	48
65+	629	10.1	123	1	2	7	13	23	32	84
GRAND TOTAL	**1085**	**8.1**	**91**	**<1**	**1**	**5**	**10**	**18**	**26**	**64**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.1	3	<1	<1	1	2	4	7	8
20-34	66	2.3	2	<1	1	2	3	3	5	11
35-49	43	2.3	2	<1	<1	2	3	5	6	8
50-64	48	2.5	4	<1	1	2	3	5	6	13
65+	56	2.7	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	24	5.0	50	<1	1	2	5	11	23	32
20-34	66	5.4	128	1	1	2	5	10	16	78
35-49	77	5.5	37	1	1	3	7	14	20	28
50-64	160	5.6	49	1	1	3	7	11	16	50
65+	454	6.7	69	1	1	4	8	13	22	44
TOT. SINGLE DX	246	2.4	3	<1	<1	2	3	4	6	10
" MULTIPLE DX	781	6.2	66	1	1	4	7	13	21	45
TOTAL 0-19 YRS	57	3.3	25	<1	<1	2	3	8	9	31
20-34	132	3.8	68	<1	1	2	4	7	10	35
35-49	120	4.4	27	1	1	2	5	10	17	25
50-64	208	4.9	41	1	1	3	5	10	14	48
65+	510	6.3	63	1	1	4	7	13	20	43
GRAND TOTAL	**1027**	**5.3**	**54**	**1**	**1**	**3**	**6**	**11**	**17**	**42**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	23	5.6	7	2	3	5	7	7	10	15
35-49	84	6.0	3	3	3	6	7	9	9	10
50-64	85	6.9	4	4	5	7	8	9	10	16
65+	44	6.9	5	3	3	7	9	10	10	11
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	26	6.1	4	3	3	6	7	8	10	12
35-49	190	7.1	7	4	4	7	8	10	12	17
50-64	165	7.3	7	4	5	7	9	10	12	24
65+	136	8.5	12	4	5	8	10	13	16	19
TOT. SINGLE DX	237	6.4	5	3	3	6	8	9	10	12
" MULTIPLE DX	518	7.5	9	4	5	7	9	11	13	18
TOTAL 0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	49	5.9	6	3	3	6	7	8	9	15
35-49	274	6.8	6	3	4	6	8	9	10	16
50-64	250	7.2	6	4	5	7	8	9	11	18
65+	180	8.1	11	3	4	8	9	12	15	19
GRAND TOTAL	**755**	**7.2**	**8**	**3**	**4**	**7**	**8**	**10**	**12**	**18**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	4.9	4	2	3	4	6	8	10	10
35-49	54	4.9	2	3	3	5	6	7	8	9
50-64	45	5.1	2	3	3	5	6	7	8	9
65+	24	5.9	6	3	3	5	7	10	11	12
2. MULTIPLE DX										
0-19 YRS										
20-34	12	4.5	2	2	3	4	6	7	7	7
35-49	55	6.2	9	2	3	5	8	9	10	20
50-64	87	6.2	5	3	3	6	7	9	10	16
65+	104	8.0	33	3	3	6	9	16	21	32
TOT. SINGLE DX	137	5.1	4	3	3	5	6	8	8	11
" MULTIPLE DX	258	6.9	19	3	3	6	8	10	15	26
TOTAL 0-19 YRS										
20-34	26	4.7	4	2	3	4	6	7	8	10
35-49	109	5.6	6	3	3	5	7	8	9	15
50-64	132	5.8	5	3	3	6	7	8	10	13
65+	128	7.6	29	3	3	6	8	13	20	32
GRAND TOTAL	**395**	**6.3**	**14**	**3**	**3**	**6**	**7**	**9**	**12**	**24**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.8	7	3	3	5	8	9	9	9
20-34	32	3.9	5	1	1	3	5	7	9	10
35-49	43	4.8	10	1	2	4	6	9	12	14
50-64	40	4.2	16	1	1	3	5	10	15	18
65+	12	4.7	10	<1	1	4	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	16	5.9	18	<1	1	5	8	13	15	16
20-34	51	6.3	64	1	1	5	7	11	16	55
35-49	69	6.0	22	1	2	5	7	10	16	27
50-64	102	8.1	79	1	2	6	11	17	21	80
65+	151	10.1	97	1	2	8	14	20	26	40
TOT. SINGLE DX	131	4.4	11	1	1	3	6	9	12	17
" MULTIPLE DX	389	8.2	74	1	2	6	11	17	20	51
TOTAL 0-19 YRS	20	5.9	16	<1	1	5	8	11	14	16
20-34	83	5.4	43	1	1	4	6	9	13	43
35-49	112	5.6	18	1	2	5	7	10	13	24
50-64	142	7.0	64	1	1	5	9	16	18	66
65+	163	9.7	93	1	2	8	13	19	25	39
GRAND TOTAL	**520**	**7.2**	**61**	**1**	**1**	**5**	**9**	**16**	**20**	**41**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	15	3.6	18	<1	<1	1	5	11	13	14
35-49	29	3.6	12	<1	1	2	5	10	11	12
50-64	18	3.4	13	<1	1	2	5	9	12	14
65+	16	2.6	8	<1	<1	1	3	5	10	12
2. MULTIPLE DX										
0-19 YRS	3	9.0	67	2	2	7	15	18	18	18
20-34	19	8.4	38	1	2	8	10	15	22	27
35-49	19	10.2	37	3	4	9	12	20	24	26
50-64	37	8.1	50	1	1	7	11	18	22	34
65+	74	11.9	176	1	2	9	13	26	36	65
TOT. SINGLE DX	81	3.3	12	<1	<1	1	5	9	12	14
" MULTIPLE DX	152	10.2	110	1	2	8	12	21	31	63
TOTAL 0-19 YRS	6	5.8	41	<1	<1	4	7	17	18	18
20-34	34	6.3	35	<1	1	5	10	14	15	27
35-49	48	6.2	32	1	1	5	9	12	18	26
50-64	55	6.6	43	1	1	4	9	14	20	33
65+	90	10.2	159	1	1	8	11	23	35	64
GRAND TOTAL	**233**	**7.8**	**87**	**1**	**1**	**6**	**10**	**15**	**24**	**61**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	23	4.3	3	<1	1	4	5	7	8	8
50-64	709	5.2	3	3	3	5	6	7	9	11
65+	1593	5.5	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	8	7.4	27	<1	1	7	12	14	14	14
20-34	3	8.0	4	6	6	8	9	10	10	10
35-49	77	6.3	12	3	3	5	8	11	13	20
50-64	2593	6.8	21	3	4	6	7	11	15	25
65+	11170	9.0	60	3	4	7	10	17	23	45
TOT. SINGLE DX	2328	5.4	4	3	3	5	6	8	9	12
" MULTIPLE DX	13851	8.6	54	3	4	6	10	16	21	44
TOTAL 0-19 YRS	10	6.5	25	<1	1	5	11	14	14	14
20-34	4	7.3	5	5	5	7	9	10	10	10
35-49	100	5.9	11	2	3	5	7	11	13	19
50-64	3302	6.5	18	3	4	5	7	10	13	24
65+	12763	8.6	55	3	4	6	9	16	21	44
GRAND TOTAL	**16179**	**8.1**	**48**	**3**	**4**	**6**	**9**	**15**	**20**	**41**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	79	10.5	12	6	7	10	12	16	17	22
65+	120	9.9	11	5	7	9	11	14	17	22
2. MULTIPLE DX										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34										
35-49	6	7.2	25	1	1	9	10	13	13	13
50-64	279	11.5	27	6	7	10	14	18	21	33
65+	952	12.7	36	7	7	11	15	19	24	33
TOT. SINGLE DX	200	10.2	12	6	7	10	12	15	17	22
" MULTIPLE DX	1239	12.4	34	6	7	11	15	19	23	33
TOTAL 0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34										
35-49	7	7.4	21	1	1	9	10	12	13	13
50-64	358	11.3	25	6	7	10	13	17	20	31
65+	1072	12.4	34	6	7	11	14	19	24	33
GRAND TOTAL	**1439**	**12.1**	**32**	**6**	**7**	**11**	**14**	**18**	**22**	**32**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	4.0	28	<1	<1	1	7	12	12	12
35-49	26	1.9	3	<1	<1	1	2	4	6	9
50-64	148	1.8	1	<1	<1	1	2	3	4	5
65+	242	2.3	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	5	15.4	286	2	2	10	19	45	45	45
20-34	14	7.2	114	<1	<1	3	9	21	36	40
35-49	33	4.1	18	1	1	2	6	8	13	21
50-64	286	4.6	38	<1	1	2	5	11	17	34
65+	842	6.1	64	<1	1	3	8	14	19	37
TOT. SINGLE DX	420	2.1	3	<1	<1	2	2	4	5	9
" MULTIPLE DX	1180	5.7	59	<1	1	3	7	13	19	39
TOTAL 0-19 YRS	5	15.4	286	2	2	10	19	45	45	45
20-34	18	6.5	95	<1	<1	2	9	17	32	40
35-49	59	3.1	13	<1	<1	2	4	8	9	20
50-64	434	3.7	27	<1	<1	2	4	8	13	28
65+	1084	5.2	53	<1	1	3	6	13	18	34
GRAND TOTAL	**1600**	**4.8**	**47**	**<1**	**<1**	**2**	**5**	**11**	**17**	**33**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	1.7	2	<1	<1	1	2	3	4	9
20-34	63	3.0	66	<1	<1	2	3	4	6	58
35-49	65	2.7	3	<1	1	2	4	5	7	8
50-64	56	3.0	8	<1	<1	2	4	7	11	14
65+	39	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	48	2.7	6	<1	<1	2	3	6	9	12
20-34	38	6.1	182	1	1	3	5	8	10	86
35-49	56	5.8	26	1	2	4	7	14	19	21
50-64	102	6.0	100	1	1	3	6	15	23	59
65+	110	5.1	29	1	1	3	6	12	15	30
TOT. SINGLE DX	292	2.5	18	<1	1	2	3	5	6	12
" MULTIPLE DX	354	5.3	63	1	1	3	6	10	16	40
TOTAL 0-19 YRS	117	2.1	4	<1	<1	1	2	5	6	11
20-34	101	4.2	111	<1	1	2	4	6	8	76
35-49	121	4.1	16	1	1	3	5	9	13	21
50-64	158	5.0	70	1	1	2	5	11	16	42
65+	149	4.3	24	1	1	3	5	9	14	23
GRAND TOTAL	**646**	**4.0**	**44**	**<1**	**1**	**2**	**4**	**8**	**12**	**31**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	100	2.0	1	<1	1	2	3	3	5	5
20-34	147	2.6	3	1	1	2	3	4	6	12
35-49	59	2.5	5	<1	1	2	3	5	8	13
50-64	46	3.3	7	1	1	2	4	7	10	13
65+	112	2.6	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	81	2.3	4	<1	<1	2	3	5	6	13
20-34	117	4.3	30	1	1	3	5	8	12	29
35-49	72	4.3	14	1	1	3	5	10	14	19
50-64	164	6.4	74	1	1	3	7	15	23	49
65+	884	7.7	92	1	1	4	10	19	25	52
TOT. SINGLE DX	464	2.5	4	1	1	2	3	4	6	12
" MULTIPLE DX	1318	6.7	78	1	1	3	8	16	23	49
TOTAL 0-19 YRS	181	2.1	3	<1	<1	2	3	4	5	10
20-34	264	3.3	16	1	1	2	4	6	9	17
35-49	131	3.5	12	1	1	2	4	8	11	17
50-64	210	5.8	61	1	1	3	6	12	22	39
65+	996	7.1	85	1	1	3	9	18	24	50
GRAND TOTAL	**1782**	**5.6**	**62**	**1**	**1**	**3**	**6**	**13**	**20**	**36**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	569	1.6		<1	<1	1	2	2	3	6
20-34	64	1.8	1	<1	1	1	2	3	4	6
35-49	6	2.8	1	2	2	3	3	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	359	1.8	2	<1	<1	1	2	3	4	6
20-34	36	2.7	3	<1	<1	2	4	6	6	9
35-49	8	2.3	2	1	1	2		5	5	5
50-64										
65+	3	2.3	1	1	1	3	3	3	3	3
TOT. SINGLE DX	641	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	406	1.9	3	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	928	1.7	2	<1	<1	1	2	3	3	6
20-34	100	2.1	2	<1	1	2	3	4	5	8
35-49	14	2.5	2	1	1	2	3	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	2.3	1	1	1	2	3	3	3	3
GRAND TOTAL	**1047**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	1.4		<1	1	1	2	2	3	5
20-34	51	1.9	2	<1	<1	1	2	4	5	8
35-49	16	2.0	1	<1	<1	2	3	4	4	4
50-64	7	2.3	2	1	1	2	3	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	58	1.9	4	<1	1	1	2	3	6	12
20-34	46	3.3	16	<1	1	2	3	6	17	19
35-49	23	6.3	321	<1	<1	2	4	7	36	88
50-64	10	4.2	11	<1	<1	3	5	10	11	11
65+	10	7.0	56	1	1	3	10	19	23	23
TOT. SINGLE DX	205	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	147	3.5	62	<1	1	2	3	7	11	25
TOTAL 0-19 YRS	188	1.6	2	<1	1	1	2	3	3	8
20-34	97	2.6	9	<1	<1	2	3	4	7	18
35-49	39	4.5	191	<1	<1	2	3	6	8	88
50-64	17	3.4	8	<1	1	3	4	8	10	11
65+	11	6.5	54	1	1	3	10	19	23	23
GRAND TOTAL	**352**	**2.4**	**28**	**<1**	**<1**	**1**	**2**	**4**	**7**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	47	1.0		<1	<1	<1	<1	1	1	2
35-49	34	1.1		<1	<1	<1	<1	1	2	3
50-64	3	2.0	3	<1	<1	<1	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.0	51	<1	<1	1	4	10	24	27
35-49	8	1.3		<1	<1	1	1	2	3	3
50-64										
65+	4	7.0	12	4	4	7	10	11	11	11
TOT. SINGLE DX	84	1.1		<1	<1	<1	<1	1	2	4
" MULTIPLE DX	26	3.5	30	<1	<1	1	4	9	14	27
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	60	1.7	12	<1	<1	<1	1	2	4	25
35-49	42	1.1		<1	<1	<1	<1	1	3	3
50-64	3	2.0	3	<1	<1	<1	3	4	4	4
65+	4	7.0	13	4	4	7	10	11	11	11
GRAND TOTAL	**110**	**1.7**	**8**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**17**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	214	1.5		<1	<1	1	2	2	3	5
20-34	318	1.8		<1	1	1	2	3	4	5
35-49	268	1.6	1	<1	<1	1	2	3	3	5
50-64	173	1.9	1	<1	1	2	2	3	4	6
65+	63	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	118	1.7	1	<1	<1	1	2	3	4	7
20-34	219	2.1	3	<1	1	2	3	4	5	12
35-49	153	2.4	9	<1	1	2	3	5	6	14
50-64	185	2.7	3	<1	1	2	3	4	7	10
65+	184	4.2	24	1	1	3	4	9	13	23
TOT. SINGLE DX	1036	1.7	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	859	2.7	10	<1	1	2	3	5	8	16
TOTAL 0-19 YRS	332	1.6	1	<1	<1	1	2	3	3	6
20-34	537	1.9	2	<1	1	1	2	3	4	7
35-49	421	1.9	4	<1	<1	1	2	3	4	10
50-64	358	2.3	3	<1	1	2	3	4	5	9
65+	247	3.7	19	1	1	3	4	8	11	21
GRAND TOTAL	**1895**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	300	2.1	9	<1	<1	1	2	4	8	17
20-34	81	1.2		<1	<1	1	1	2	2	3
35-49	66	1.2		<1	<1	1	1	2	2	5
50-64	30	1.3		<1	<1	1	1	2	2	5
65+	23	1.6		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	173	5.7	62	<1	<1	2	7	16	26	86
20-34	57	2.6	12	<1	<1	1	2	8	11	16
35-49	87	3.0	39	<1	<1	1	3	6	9	40
50-64	142	2.8	11	<1	<1	2	3	6	9	15
65+	153	4.7	30	<1	1	2	6	13	17	22
TOT. SINGLE DX	500	1.7	6	<1	<1	1	1	2	5	14
" MULTIPLE DX	612	4.1	36	<1	<1	2	5	10	15	37
TOTAL 0-19 YRS	473	3.4	32	<1	<1	1	3	9	14	38
20-34	138	1.7	6	<1	<1	1	1	2	7	15
35-49	153	2.2	23	<1	<1	1	2	4	6	13
50-64	172	2.5	10	<1	<1	1	2	6	8	14
65+	176	4.3	28	<1	<1	2	5	12	16	21
GRAND TOTAL	**1112**	**3.0**	**24**	**<1**	**<1**	**1**	**2**	**8**	**13**	**27**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.5	7	<1	<1	1	3	6	9	13
20-34	47	2.2	3	<1	<1	2	2	6	7	9
35-49	45	3.0	5	<1	<1	2	4	6	6	13
50-64	98	3.4	3	1	1	3	5	5	7	10
65+	43	4.0	12	1	1	3	4	8	12	19
2. MULTIPLE DX										
0-19 YRS	42	3.0	7	<1	<1	2	4	8	10	10
20-34	70	6.8	62	<1	<1	5	7	15	20	45
35-49	133	5.1	40	1	1	4	5	9	14	41
50-64	315	4.8	44	1	2	4	5	8	10	22
65+	167	5.1	15	1	2	4	6	9	16	20
TOT. SINGLE DX	286	3.0	6	<1	<1	2	4	6	7	13
" MULTIPLE DX	727	5.0	37	1	1	4	5	9	14	30
TOTAL 0-19 YRS	95	2.7	7	<1	<1	1	4	6	10	12
20-34	117	4.9	44	<1	<1	3	6	11	16	38
35-49	178	4.6	33	<1	1	3	5	8	12	39
50-64	413	4.5	35	1	1	4	5	7	9	20
65+	210	4.9	15	1	1	4	6	9	13	20
GRAND TOTAL	**1013**	**4.5**	**29**	**<1**	**1**	**3**	**5**	**8**	**11**	**21**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	4.6	3	2	3	4	5	6	8	11
20-34	625	4.6	2	2	3	5	5	6	7	9
35-49	93	5.0	3	2	3	5	6	7	8	11
50-64	11	6.1	5	3	3	6	7	10	11	11
65+	9	8.4	9	5	5	7	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	215	5.7	43	3	3	5	6	7	8	16
20-34	1284	5.3	9	2	3	5	6	7	8	13
35-49	346	5.6	11	2	3	5	7	8	9	12
50-64	35	9.3	45	4	4	8	11	14	17	42
65+	62	13.5	91	5	5	9	21	29	36	93
TOT. SINGLE DX	876	4.7	3	2	3	5	5	6	7	11
" MULTIPLE DX	1942	5.7	19	2	3	5	6	8	10	23
TOTAL 0-19 YRS	353	5.3	28	3	3	5	6	7	8	15
20-34	1909	5.0	8	2	3	5	6	7	8	12
35-49	439	5.5	10	2	3	5	6	8	9	12
50-64	46	8.5	37	3	4	7	11	13	16	42
65+	71	12.9	84	5	5	9	18	29	33	88
GRAND TOTAL	**2818**	**5.4**	**15**	**2**	**3**	**5**	**6**	**7**	**9**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	5.1	4	3	3	5	6	7	9	14
20-34	348	5.0	3	3	3	5	6	7	8	11
35-49	207	5.2	4	3	3	5	6	7	8	15
50-64	33	6.3	8	2	3	6	8	10	12	14
65+	8	7.8	7	5	5	7	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	103	6.3	21	3	3	5	7	9	11	33
20-34	985	5.7	5	3	4	5	6	8	9	15
35-49	684	6.2	10	3	4	6	7	9	12	20
50-64	126	9.3	30	4	4	7	12	17	21	29
65+	122	12.4	75	5	5	9	16	23	28	45
TOT. SINGLE DX	676	5.2	4	3	3	5	6	7	8	13
" MULTIPLE DX	2020	6.5	16	3	4	6	7	10	14	24
TOTAL 0-19 YRS	183	5.8	14	3	3	5	6	9	10	27
20-34	1333	5.5	5	3	3	5	6	8	9	14
35-49	891	6.0	9	3	4	5	7	8	11	19
50-64	159	8.7	27	3	4	7	10	15	20	28
65+	130	12.1	73	5	5	9	16	23	28	43
GRAND TOTAL	**2696**	**6.2**	**14**	**3**	**4**	**5**	**7**	**9**	**13**	**22**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	15	4.9	8	1	3	4	5	8	12	14
35-49	39	6.4	7	4	4	6	7	10	13	16
50-64	47	6.6	7	4	5	6	7	9	12	20
65+	20	10.0	165	5	5	7	8	12	38	64
2. MULTIPLE DX										
0-19 YRS	6	6.3	3	4	4	6	7	9	9	9
20-34	116	6.5	14	3	4	6	7	10	15	23
35-49	339	6.6	11	4	4	6	7	9	12	22
50-64	150	10.6	43	5	5	8	13	20	22	42
65+	177	12.8	108	5	6	9	15	24	36	61
TOT. SINGLE DX	125	6.8	34	3	4	6	7	9	13	31
" MULTIPLE DX	788	8.7	47	4	4	7	9	16	21	42
TOTAL 0-19 YRS	10	5.4	4	3	3	5	7	8	9	9
20-34	131	6.4	14	3	4	5	7	10	15	22
35-49	378	6.5	11	4	4	6	7	9	12	21
50-64	197	9.7	38	5	5	7	11	19	22	37
65+	197	12.5	114	5	6	9	14	24	36	63
GRAND TOTAL	**913**	**8.5**	**45**	**4**	**4**	**6**	**9**	**15**	**20**	**42**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	51	2.7	2	<1	1	2	3	5	6	10
20-34	139	3.0	6	<1	<1	2	5	6	7	13
35-49	26	3.6	8	<1	<1	3	6	6	9	12
50-64	2	1.0		1	1	1	1	1	1	1
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	44	4.6	17	<1	1	4	5	9	14	20
20-34	510	4.2	7	<1	<1	4	6	7	7	14
35-49	137	3.9	15	<1	<1	4	5	7	8	21
50-64	12	10.8	551	<1	<1	5	7	31	77	85
65+	3	5.7	6	3	3	6	7	8	8	8
TOT. SINGLE DX	222	3.0	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	706	4.3	19	<1	<1	4	6	7	8	16
TOTAL 0-19 YRS	95	3.6	10	<1	1	3	4	6	9	20
20-34	649	3.9	8	<1	<1	4	5	6	7	13
35-49	163	3.9	14	<1	<1	4	6	7	8	18
50-64	14	9.4	479	<1	<1	4	6	16	70	85
65+	7	4.0	5	2	2	3	5	8	8	8
GRAND TOTAL	**928**	**4.0**	**16**	**<1**	**<1**	**4**	**5**	**6**	**8**	**14**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	351	1.2		<1	<1	<1	1	2	2	4
35-49	152	1.3		<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	538	1.5	2	<1	<1	<1	1	3	4	8
35-49	328	1.4		<1	<1	<1	1	2	4	6
50-64	1	3.0		3	3	3	3	3	3	3
65+										
TOT. SINGLE DX	505	1.2		<1	<1	<1	1	2	3	5
" MULTIPLE DX	869	1.5	2	<1	<1	<1	1	2	4	7
TOTAL 0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	889	1.4	2	<1	<1	<1	1	2	3	6
35-49	480	1.4	1	<1	<1	<1	1	2	3	5
50-64	1	3.0		3	3	3	3	3	3	3
65+										
GRAND TOTAL	**1374**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	782	1.7		<1	<1	1	2	3	4	5
35-49	385	2.1	19	<1	<1	1	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	1958	3.1	2	1	1	3	4	4	5	7
35-49	673	3.0	2	1	1	3	4	5	6	9
50-64	5	8.6	33	4	4	6	12	18	18	18
65+										
TOT. SINGLE DX	1168	1.8	7	<1	<1	1	2	3	4	6
" MULTIPLE DX	2640	3.1	3	1	1	3	4	5	5	8
TOTAL 0-19 YRS	5	3.2	2	<1	<1	3	4	5	5	5
20-34	2740	2.7	2	<1	1	3	3	4	5	7
35-49	1058	2.7	9	<1	1	2	3	5	5	9
50-64	5	8.6	33	4	4	6	12	18	18	18
65+										
GRAND TOTAL	**3808**	**2.7**	**4**	**<1**	**1**	**3**	**3**	**4**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	4.3	1	2	3	4	5	6	6	7
20-34	1276	4.3	1	2	3	4	5	6	6	8
35-49	217	4.4	2	1	2	5	5	6	7	8
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	94	5.3	4	3	3	5	6	7	8	16
20-34	1586	4.8	3	2	3	5	5	6	7	12
35-49	375	4.9	4	2	3	5	6	7	9	12
50-64	5	9.6	36	4	4	7	14	19	19	19
65+	4	19.0	206	6	6	16	30	38	38	38
TOT. SINGLE DX	1567	4.3	2	2	3	4	5	6	6	8
" MULTIPLE DX	2064	4.8	4	2	3	5	6	7	8	13
TOTAL 0-19 YRS	167	4.9	4	2	3	5	5	6	7	13
20-34	2862	4.6	3	2	3	4	5	6	7	10
35-49	592	4.7	4	2	3	5	6	7	8	11
50-64	6	8.5	36	3	3	6	12	18	19	19
65+	4	19.0	207	6	6	16	30	38	38	38
GRAND TOTAL	**3631**	**4.6**	**3**	**2**	**3**	**5**	**5**	**6**	**7**	**11**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	284	1.5		<1	<1	1	2	3	3	4
35-49	153	1.6		<1	<1	1	2	3	3	5
50-64	43	1.8		<1	1	2	2	3	3	3
65+	11	1.7	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	236	1.6	1	<1	<1	1	2	3	3	5
35-49	165	2.2	11	<1	<1	1	2	3	5	22
50-64	66	2.2	7	<1	<1	1	2	4	7	17
65+	43	2.9	13	<1	1	2	3	6	11	20
TOT. SINGLE DX	496	1.6	1	<1	<1	1	2	3	3	4
" MULTIPLE DX	513	2.0	6	<1	<1	1	2	3	4	14
TOTAL 0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	520	1.6	1	<1	<1	1	2	3	3	4
35-49	318	1.9	6	<1	<1	1	2	3	4	13
50-64	109	2.0	5	<1	1	2	2	3	4	14
65+	54	2.6	11	<1	1	2	2	5	9	20
GRAND TOTAL	**1009**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**3**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.1		<1	<1	<1	<1	1	2	2
20-34	185	1.3		<1	<1	<1	1	2	3	4
35-49	122	1.4		<1	<1	1	2	2	3	4
50-64	68	2.3	7	<1	<1	1	2	4	9	15
65+	25	3.0	4	<1	<1	2	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	20	4.0	27	<1	<1	2	5	9	16	23
20-34	287	2.0	9	<1	<1	1	2	3	5	21
35-49	484	2.2	9	<1	<1	1	2	4	7	18
50-64	242	2.9	26	<1	<1	2	2	6	9	28
65+	200	6.1	59	<1	1	3	8	15	19	43
TOT. SINGLE DX	412	1.6	2	<1	<1	1	2	3	4	9
" MULTIPLE DX	1233	2.9	23	<1	<1	1	2	6	10	25
TOTAL 0-19 YRS	32	2.9	19	<1	<1	1	3	8	9	23
20-34	472	1.7	6	<1	<1	1	2	3	4	12
35-49	606	2.0	8	<1	<1	1	2	3	6	18
50-64	310	2.8	22	<1	<1	2	2	6	9	26
65+	225	5.7	54	<1	1	3	7	14	18	43
GRAND TOTAL	**1645**	**2.6**	**18**	**<1**	**<1**	**1**	**2**	**5**	**9**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	3.6	7	<1	1	3	5	6	11	12
20-34	439	2.3	3	<1	1	2	3	4	5	7
35-49	79	2.3	1	<1	1	2	3	4	5	7
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	9	4.2	9	1	1	3	5	10	10	10
20-34	175	3.5	10	1	1	3	4	6	9	19
35-49	47	3.5	6	1	1	3	4	7	9	15
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	15.0		15	15	15	15	15	15	15
TOT. SINGLE DX	543	2.3	3	<1	1	2	3	4	5	8
" MULTIPLE DX	235	3.5	10	1	1	3	4	7	10	18
TOTAL 0-19 YRS	32	3.8	8	1	1	3	4	9	10	12
20-34	614	2.6	6	<1	1	2	3	4	6	13
35-49	126	2.7	4	1	1	2	3	4	7	11
50-64	5	2.4	4	1	1	2	3	6	6	6
65+	1	15.0		15	15	15	15	15	15	15
GRAND TOTAL	**778**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	177	4.9	4	<1	1	5	6	7	8	10
35-49	82	5.0	5	1	1	5	6	7	8	13
50-64	12	1.6	1	<1	<1	1	2	4	4	4
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	409	5.1	7	<1	1	5	6	7	9	13
35-49	309	5.1	9	<1	1	5	6	8	9	12
50-64	61	4.0	28	<1	<1	2	5	11	15	26
65+	60	7.5	136	<1	1	3	9	19	30	98
TOT. SINGLE DX	276	4.8	5	<1	1	5	6	7	8	11
" MULTIPLE DX	842	5.2	19	<1	1	5	6	8	10	22
TOTAL 0-19 YRS	5	4.0	5	1	1	4	6	6	6	6
20-34	586	5.1	6	<1	1	5	6	7	8	13
35-49	391	5.0	8	<1	1	5	6	8	9	12
50-64	73	3.6	25	<1	<1	1	4	10	14	26
65+	63	7.3	131	<1	1	3	8	18	30	97
GRAND TOTAL	**1118**	**5.1**	**16**	**<1**	**1**	**5**	**6**	**8**	**9**	**18**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	357	5.7	3	4	4	5	6	7	8	11
35-49	953	6.0	2	4	4	6	7	8	8	11
50-64	349	6.5	2	4	5	6	7	8	9	13
65+	155	7.6	9	5	5	7	8	10	12	21
2. MULTIPLE DX										
0-19 YRS	10	5.9	9	<1	1	6	8	10	12	12
20-34	2129	6.2	5	4	4	6	7	8	10	15
35-49	9497	6.5	5	4	5	6	7	8	10	16
50-64	2700	7.8	20	5	5	7	8	11	15	28
65+	1336	10.4	64	5	6	8	11	17	23	45
TOT. SINGLE DX	1816	6.2	3	4	5	6	7	8	9	12
" MULTIPLE DX	15672	7.0	15	4	5	6	7	9	12	22
TOTAL 0-19 YRS	12	5.7	8	<1	2	6	7	9	12	12
20-34	2486	6.2	5	4	4	6	7	8	9	15
35-49	10450	6.5	5	4	5	6	7	8	10	16
50-64	3049	7.6	19	5	5	7	8	11	14	28
65+	1491	10.1	59	5	6	8	11	16	22	43
GRAND TOTAL	**17488**	**7.0**	**13**	**4**	**5**	**6**	**7**	**9**	**12**	**21**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	144	4.6	1	3	3	4	5	6	7	9
35-49	248	5.0	2	3	3	5	6	7	7	9
50-64	242	6.2	2	4	4	6	7	8	9	13
65+	231	6.7	5	4	5	6	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	539	5.3	3	3	4	5	6	7	9	11
35-49	1467	5.6	3	3	4	5	6	8	9	13
50-64	774	6.9	6	4	5	6	8	9	11	17
65+	947	7.6	9	5	5	7	8	11	14	19
TOT. SINGLE DX	866	5.7	4	3	4	6	7	8	9	12
" MULTIPLE DX	3729	6.4	7	4	4	6	7	9	11	17
TOTAL 0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	683	5.1	3	3	3	5	6	7	8	11
35-49	1715	5.6	4	3	4	5	6	8	9	13
50-64	1016	6.7	6	4	5	6	8	9	10	15
65+	1178	7.4	9	5	5	7	8	10	13	18
GRAND TOTAL	**4595**	**6.2**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**16**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	8	8.9	5	5	6	9	10	12	12	12
35-49	14	13.8	402	5	6	9	10	21	69	83
50-64	6	10.7	16	7	7	9	12	17	18	18
65+	4	10.5	1	9	9	10	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	30	12.4	24	6	7	12	13	17	22	31
35-49	39	14.0	50	7	8	12	18	26	33	99+
50-64	46	15.8	77	7	9	13	19	29	39	41
65+	44	20.2	344	7	8	14	21	36	62	96
TOT. SINGLE DX	32	11.6	177	5	6	9	11	13	18	83
" MULTIPLE DX	160	15.9	140	7	8	12	17	30	37	94
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	38	11.6	22	6	7	12	13	16	20	31
35-49	53	13.9	137	6	7	11	15	25	34	99
50-64	52	15.3	73	7	8	13	18	26	38	41
65+	48	19.4	322	7	8	14	19	35	57	96
GRAND TOTAL	**192**	**15.2**	**148**	**7**	**7**	**12**	**16**	**26**	**35**	**90**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	63	1.2		<1	<1	<1	1	2	3	5
20-34	317	1.2		<1	<1	<1	1	1	2	5
35-49	56	1.1		<1	<1	<1	1	1	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	4.3	58	<1	1	2	4	7	24	33
20-34	111	3.2	21	<1	<1	2	3	8	12	27
35-49	42	2.3	4	<1	<1	2	2	5	7	10
50-64										
65+										
TOT. SINGLE DX	436	1.2		<1	<1	<1	1	1	2	5
" MULTIPLE DX	170	3.1	21	<1	<1	2	3	7	10	28
TOTAL 0-19 YRS	80	1.9	14	<1	<1	1	1	3	5	25
20-34	428	1.7	7	<1	<1	<1	1	3	5	14
35-49	98	1.6	2	<1	<1	1	2	3	4	9
50-64										
65+										
GRAND TOTAL	**606**	**1.7**	**7**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**13**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	888	1.3		<1	<1	1	1	2	3	5
20-34	7009	1.3	1	<1	<1	1	1	2	3	5
35-49	2131	1.2		<1	<1	1	1	2	2	5
50-64	308	1.4	1	<1	<1	<1	1	2	3	7
65+	122	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	277	2.3	4	<1	<1	2	3	5	7	13
20-34	2913	2.2	6	<1	<1	1	2	5	6	11
35-49	3012	2.1	12	<1	<1	1	2	4	7	15
50-64	1041	2.8	30	<1	<1	1	2	6	10	27
65+	702	5.0	73	<1	<1	2	5	13	19	62
TOT. SINGLE DX	10458	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	7945	2.5	19	<1	<1	1	2	5	8	20
TOTAL 0-19 YRS	1165	1.6	2	<1	<1	1	2	3	4	7
20-34	9922	1.5	3	<1	<1	1	1	3	4	7
35-49	5143	1.7	8	<1	<1	1	2	3	5	11
50-64	1349	2.5	24	<1	<1	1	2	5	8	22
65+	824	4.5	64	<1	<1	2	4	11	17	57
GRAND TOTAL	**18403**	**1.8**	**9**	**<1**	**<1**	**1**	**2**	**3**	**5**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	1.1		<1	<1	<1	<1	1	3	4
20-34	635	1.1		<1	<1	<1	<1	1	1	3
35-49	133	1.0		<1	<1	<1	<1	1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	608	1.3	14	<1	<1	<1	<1	<1	<1	6
20-34	1660	1.4	6	<1	<1	<1	<1	1	2	12
35-49	249	1.4	1	<1	<1	<1	1	2	3	8
50-64										
65+										
TOT. SINGLE DX	878	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	2517	1.4	8	<1	<1	<1	<1	1	2	8
TOTAL 0-19 YRS	718	1.2	12	<1	<1	<1	<1	<1	1	5
20-34	2295	1.3	5	<1	<1	<1	<1	1	2	7
35-49	382	1.3	1	<1	<1	<1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**3395**	**1.3**	**6**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	1.3		<1	<1	1	1	2	3	5
20-34	1479	1.1		<1	<1	1	1	1	2	3
35-49	292	1.1		<1	<1	1	1	1	2	3
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	41	2.6	8	<1	<1	2	3	6	8	16
20-34	333	2.0	4	<1	<1	1	2	4	6	12
35-49	119	1.8	3	<1	<1	1	2	3	5	12
50-64	6	11.8	72	<1	<1	16	18	19	19	19
65+	7	7.3	109	<1	<1	3	8	26	30	30
TOT. SINGLE DX	1939	1.1		<1	<1	1	1	2	2	4
" MULTIPLE DX	506	2.2	8	<1	<1	1	2	4	6	17
TOTAL 0-19 YRS	206	1.6	2	<1	<1	1	2	2	4	8
20-34	1812	1.3	1	<1	<1	1	1	2	3	6
35-49	411	1.3	1	<1	<1	1	1	2	3	6
50-64	9	8.2	74	<1	<1	1	17	19	19	19
65+	7	7.3	109	<1	<1	3	8	26	30	30
GRAND TOTAL	**2445**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	3.8	3	1	1	4	5	6	7	7
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	5	6.0		5	5	6	6	7	7	7
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	42	4.6	3	1	1	5	6	7	7	7
35-49	20	5.6	2	2	4	5	6	8	8	9
50-64	9	6.9	8	1	3	7	8	11	12	12
65+	13	11.8	61	4	6	9	16	21	31	34
TOT. SINGLE DX	27	4.4	3	1	2	5	6	6	7	7
" MULTIPLE DX	85	6.2	18	1	3	5	7	9	13	28
TOTAL 0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	58	4.4	3	1	1	5	6	7	7	7
35-49	23	5.3	3	2	4	5	6	7	8	9
50-64	14	6.6	6	2	5	6	7	9	11	12
65+	15	10.9	58	4	4	8	14	17	30	34
GRAND TOTAL	**112**	**5.7**	**15**	**1**	**2**	**5**	**7**	**8**	**10**	**24**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	2.4	2	1	1	2	4	5	5	5
20-34	89	2.7	3	<1	<1	2	4	5	6	9
35-49	32	2.7	3	<1	<1	2	4	6	6	7
50-64	10	2.4	1	<1	<1	3	3	4	4	4
65+	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	13	3.8	7	1	1	4	5	7	10	11
20-34	175	4.0	18	<1	<1	3	5	7	9	24
35-49	84	3.2	6	<1	<1	3	5	6	7	12
50-64	39	4.6	8	1	2	4	6	9	12	13
65+	38	5.2	16	1	2	4	5	13	15	15
TOT. SINGLE DX	154	2.7	3	<1	<1	2	4	5	6	8
" MULTIPLE DX	349	4.0	14	<1	<1	3	5	7	11	17
TOTAL 0-19 YRS	33	2.9	5	1	1	2	4	5	6	11
20-34	264	3.6	14	<1	<1	3	5	6	8	19
35-49	116	3.1	5	<1	<1	2	5	6	7	11
50-64	49	4.2	8	1	1	3	5	8	11	13
65+	41	5.0	15	1	2	4	5	13	14	15
GRAND TOTAL	**503**	**3.6**	**11**	**<1**	**<1**	**3**	**5**	**6**	**8**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	4.8	7	2	2	4	6	9	11	11
35-49	101	5.2	5	2	3	5	7	8	9	13
50-64	237	5.4	4	2	3	5	6	8	9	12
65+	211	5.8	4	3	4	6	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	53	5.2	6	2	3	5	6	9	10	16
35-49	270	6.1	4	3	4	6	7	9	10	13
50-64	481	6.3	7	3	4	6	7	9	11	13
65+	515	7.1	16	3	4	7	8	10	12	20
TOT. SINGLE DX	566	5.5	5	2	3	5	7	8	9	12
" MULTIPLE DX	1321	6.5	11	3	4	6	8	9	11	16
TOTAL 0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	70	5.1	7	2	2	5	6	9	10	15
35-49	371	5.9	5	3	3	6	7	8	10	13
50-64	718	6.0	7	3	4	6	7	9	10	13
65+	726	6.7	14	3	4	6	8	10	12	20
GRAND TOTAL	**1887**	**6.2**	**9**	**3**	**4**	**6**	**7**	**9**	**11**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.7	8	<1	<1	1	3	8	10	10
20-34	98	3.2	6	<1	<1	2	4	8	9	11
35-49	24	3.8	12	<1	1	2	5	9	12	14
50-64	19	5.2	12	1	1	5	7	10	12	14
65+	12	5.5	4	1	2	6	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	38	5.9	35	1	1	3	9	14	20	23
20-34	54	4.8	15	1	1	4	6	10	13	19
35-49	34	4.1	6	1	1	4	6	7	9	10
50-64	35	7.3	34	1	2	6	8	12	17	34
65+	46	10.6	84	1	1	8	15	19	24	56
TOT. SINGLE DX	180	3.6	9	<1	<1	2	5	8	9	13
" MULTIPLE DX	207	6.6	41	1	1	5	8	14	18	29
TOTAL 0-19 YRS	65	4.6	27	<1	<1	2	8	11	15	23
20-34	152	3.8	10	<1	1	3	5	9	10	13
35-49	58	4.0	9	1	1	3	6	8	10	14
50-64	54	6.5	28	1	1	6	7	11	16	33
65+	58	9.6	72	1	1	7	13	18	22	53
GRAND TOTAL	**387**	**5.2**	**28**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	2.1	5	<1	<1	1	2	6	8	10
20-34	146	2.9	10	<1	<1	1	4	7	9	17
35-49	41	2.8	7	<1	<1	1	4	7	8	13
50-64	28	3.8	7	<1	<1	3	6	7	8	12
65+	31	4.6	8	1	1	5	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	65	3.8	12	<1	1	3	5	9	12	15
20-34	186	4.5	28	<1	<1	3	5	11	15	30
35-49	86	5.8	34	<1	1	4	9	13	16	32
50-64	84	7.5	87	1	2	5	8	12	23	60
65+	239	8.5	105	1	2	6	9	18	32	79
TOT. SINGLE DX	294	3.0	9	<1	<1	2	4	7	9	14
" MULTIPLE DX	660	6.5	66	<1	1	4	8	13	19	48
TOTAL 0-19 YRS	113	3.1	10	<1	<1	2	4	8	10	15
20-34	332	3.8	21	<1	<1	2	5	9	12	25
35-49	127	4.8	28	<1	<1	3	7	12	14	30
50-64	112	6.6	70	<1	1	5	7	11	20	54
65+	270	8.1	96	1	2	5	8	17	30	76
GRAND TOTAL	**954**	**5.4**	**51**	**<1**	**<1**	**4**	**6**	**11**	**17**	**44**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	72	1.8	2	<1	<1	1	2	3	6	9
20-34	342	1.5	1	<1	<1	1	2	3	3	6
35-49	160	1.5	1	<1	<1	1	2	2	3	7
50-64	48	1.7	4	<1	<1	1	2	2	4	15
65+	24	2.8	10	<1	<1	2	3	10	11	12
2. MULTIPLE DX										
0-19 YRS	49	3.1	10	1	1	2	4	8	8	19
20-34	169	3.2	22	<1	<1	2	3	5	9	28
35-49	108	3.5	21	<1	<1	2	4	8	10	29
50-64	70	6.8	102	<1	<1	3	7	19	27	57
65+	119	10.2	130	1	1	6	14	28	35	76
TOT. SINGLE DX	646	1.6	2	<1	<1	1	2	3	3	9
" MULTIPLE DX	515	5.4	65	<1	1	3	6	14	23	43
TOTAL 0-19 YRS	121	2.3	6	<1	<1	1	3	5	8	12
20-34	511	2.1	9	<1	<1	1	2	3	5	15
35-49	268	2.3	10	<1	<1	1	2	4	8	17
50-64	118	4.7	68	<1	<1	2	4	13	24	40
65+	143	9.0	118	<1	1	5	12	25	34	68
GRAND TOTAL	**1161**	**3.3**	**33**	**<1**	**<1**	**1**	**3**	**7**	**13**	**31**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	1.8	2	<1	<1	<1	2	4	6	6
35-49	9	4.9	16	2	2	3	8	11	13	13
50-64	7	10.7	35	2	2	12	16	17	17	17
65+	18	11.6	153	2	3	9	11	21	44	57
2. MULTIPLE DX										
0-19 YRS										
20-34	13	9.8	178	<1	1	4	10	37	40	41
35-49	15	9.4	90	<1	1	8	11	15	34	40
50-64	14	13.6	91	2	3	14	19	23	34	37
65+	70	15.8	161	3	4	12	21	34	49	92
TOT. SINGLE DX	44	7.8	87	<1	<1	6	11	15	19	57
" MULTIPLE DX	112	14.0	149	1	3	10	19	31	41	77
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	6.5	119	<1	<1	2	6	21	38	41
35-49	24	7.7	66	1	2	6	10	13	22	40
50-64	21	12.6	72	2	3	12	17	20	28	37
65+	88	15.0	161	3	4	11	19	30	49	86
GRAND TOTAL	**156**	**12.3**	**139**	**1**	**2**	**9**	**17**	**26**	**40**	**64**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.8	2	<1	<1	1	2	3	4	8
20-34	24	2.5	3	<1	<1	2	3	4	8	9
35-49	9	1.8	1	<1	<1	1	2	4	4	4
50-64	5	1.2		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	13	1.7	2	<1	<1	1	2	4	6	6
20-34	23	2.7	4	<1	1	2	4	5	7	10
35-49	5	3.4	3	1	1	3	4	6	6	6
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+	12	6.5	16	2	2	6	10	12	13	13
TOT. SINGLE DX	71	2.0	3	<1	<1	1	2	4	4	9
" MULTIPLE DX	55	3.4	9	<1	1	2	5	8	11	13
TOTAL 0-19 YRS	46	1.8	2	<1	<1	1	2	3	5	8
20-34	47	2.6	4	<1	<1	2	3	5	7	10
35-49	14	2.4	3	<1	<1	2	4	4	6	6
50-64	7	1.7	2	<1	<1	1	2	4	5	5
65+	12	6.5	16	2	2	6	10	12	13	13
GRAND TOTAL	**126**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**6**	**8**	**12**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	8	2.3	12	<1	<1	1	1	8	11	11
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	10	6.7	149	<1	<1	2	6	24	41	41
35-49	9	1.9	5	<1	<1	<1	1	6	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	8	10.6	175	<1	<1	6	16	33	37	37
TOT. SINGLE DX	15	2.2	7	<1	<1	1	3	4	9	11
" MULTIPLE DX	34	5.4	93	<1	<1	1	6	10	35	41
TOTAL 0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	18	4.7	90	<1	<1	1	5	10	29	41
35-49	12	2.1	4	<1	<1	1	2	5	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	9	9.9	158	<1	<1	6	12	32	37	37
GRAND TOTAL	**49**	**4.4**	**68**	**<1**	**<1**	**1**	**4**	**8**	**26**	**41**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	339	2.9		2	2	3	3	4	4	5
20-34	2755	3.0		2	2	3	3	4	4	5
35-49	202	3.1		2	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	406	3.2	1	2	2	3	4	4	5	7
20-34	3319	3.4	3	2	2	3	4	4	5	8
35-49	310	3.4	1	2	2	3	4	4	5	9
50-64										
65+										
TOT. SINGLE DX	3296	3.0	1	2	2	3	3	4	4	5
" MULTIPLE DX	4035	3.4	3	2	2	3	4	4	5	8
TOTAL 0-19 YRS	745	3.1	1	2	2	3	4	4	5	6
20-34	6074	3.2	2	2	2	3	4	4	5	7
35-49	512	3.3	1	2	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**7331**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.5		1	1	3	3	3	3	3
20-34	100	2.8		1	2	3	3	4	4	5
35-49	14	2.5		1	2	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	2.6	5	1	1	2	3	4	7	12
20-34	234	3.1	4	1	1	3	3	4	5	14
35-49	25	4.2	18	1	1	3	4	7	16	20
50-64										
65+										
TOT. SINGLE DX	120	2.7	1	1	2	3	3	4	4	5
" MULTIPLE DX	282	3.1	6	1	1	3	3	4	5	16
TOTAL 0-19 YRS	29	2.6	4	1	1	2	3	4	5	12
20-34	334	3.0	3	1	1	3	3	4	5	10
35-49	39	3.6	13	1	1	3	3	5	11	20
50-64										
65+										
GRAND TOTAL	**402**	**3.0**	**4**	**1**	**1**	**3**	**3**	**4**	**5**	**14**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	2.8		2	2	3	3	4	4	5
20-34	1266	2.9	1	2	2	3	3	4	4	5
35-49	95	2.9	1	<1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	243	3.2	1	2	2	3	4	4	5	10
20-34	1910	3.3	1	2	2	3	4	4	5	8
35-49	197	3.6	8	2	2	3	4	5	6	17
50-64										
65+										
TOT. SINGLE DX	1565	2.9	1	2	2	3	3	4	4	5
" MULTIPLE DX	2350	3.3	2	2	2	3	4	4	5	8
TOTAL 0-19 YRS	447	3.0	1	2	2	3	3	4	5	7
20-34	3176	3.1	2	2	2	3	4	4	5	7
35-49	292	3.4	6	2	2	3	4	4	5	16
50-64										
65+										
GRAND TOTAL	**3915**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5646	2.8		1	2	3	3	4	4	5
20-34	46070	2.8		1	2	3	3	4	4	5
35-49	3702	2.8		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1844	3.3	4	1	2	3	4	5	6	12
20-34	17746	3.2	4	1	2	3	4	4	5	9
35-49	1923	3.3	3	2	2	3	4	5	5	9
50-64										
65+										
TOT. SINGLE DX	55418	2.8	1	1	2	3	3	4	4	5
" MULTIPLE DX	21513	3.2	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	7490	2.9	2	1	2	3	3	4	4	7
20-34	63816	2.9	2	1	2	3	3	4	4	6
35-49	5625	3.0	2	1	2	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**76931**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	727	5.1	2	3	4	5	6	6	7	9
20-34	9615	5.1	1	4	4	5	6	6	7	8
35-49	878	5.5	3	4	4	5	6	7	7	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2003	5.9	7	4	4	5	6	8	10	16
20-34	23496	5.7	8	4	4	5	6	7	8	16
35-49	3262	6.0	9	4	4	5	6	7	9	17
50-64										
65+										
TOT. SINGLE DX	11220	5.2	2	4	4	5	6	6	7	8
" MULTIPLE DX	28761	5.7	9	4	4	5	6	7	9	16
TOTAL 0-19 YRS	2730	5.7	6	4	4	5	6	7	9	15
20-34	33111	5.5	7	4	4	5	6	7	8	14
35-49	4140	5.9	8	4	4	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	**39981**	**5.6**	**7**	**4**	**4**	**5**	**6**	**7**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	5.3	1	4	4	5	6	6	8	9
20-34	268	5.1	2	3	4	5	6	7	7	10
35-49	25	5.4	1	3	4	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	54	6.4	4	3	4	6	8	10	11	12
20-34	599	6.5	23	4	4	5	7	9	13	35
35-49	96	7.3	24	4	4	6	7	11	19	28
50-64										
65+										
TOT. SINGLE DX	312	5.1	2	3	4	5	6	7	7	10
" MULTIPLE DX	749	6.6	23	4	4	5	7	10	13	33
TOTAL 0-19 YRS	73	6.1	4	4	4	6	7	9	10	12
20-34	867	6.1	18	3	4	5	6	8	11	32
35-49	121	6.9	21	4	4	6	7	10	16	28
50-64										
65+										
GRAND TOTAL	**1061**	**6.2**	**17**	**3**	**4**	**5**	**6**	**8**	**11**	**28**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.9	2	1	1	4	5	6	6	6
20-34	83	4.2	2	2	2	4	5	6	7	9
35-49	7	4.4	2	2	2	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	88	4.5	2	2	3	4	5	6	7	11
35-49	12	4.8	3	2	3	5	7	26	86	99+
50-64										
65+										
TOT. SINGLE DX	104	4.2	2	1	2	4	5	6	6	8
" MULTIPLE DX	103	4.5	3	2	3	4	5	7	7	52
TOTAL 0-19 YRS	17	4.0	2	1	2	4	5	6	6	6
20-34	171	4.4	2	2	3	4	5	6	7	9
35-49	19	4.7	3	2	2	5	6	8	54	99+
50-64										
65+										
GRAND TOTAL	**207**	**4.4**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	239	1.8	2	1	1	2	2	2	3	4
20-34	367	1.7		1	1	2	2	2	3	4
35-49	35	1.8	1	1	1	2	2	2	2	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	27	3.7	34	1	1	2	3	7	18	29
20-34	63	3.0	5	1	1	2	3	6	7	15
35-49	13	1.8		<1	<1	2	2	3	4	4
50-64										
65+										
TOT. SINGLE DX	641	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	103	3.0	13	1	1	2	3	6	8	22
TOTAL 0-19 YRS	266	2.0	6	1	1	2	2	2	3	15
20-34	430	1.9	1	1	1	2	2	3	3	6
35-49	48	1.8	2	1	1	2	2	2	3	9
50-64										
65+										
GRAND TOTAL	**744**	**1.9**	**3**	**1**	**1**	**2**	**2**	**2**	**3**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	4.8	24	<1	<1	3	7	11	17	20
20-34	90	4.5	26	<1	1	3	5	8	14	30
35-49	12	8.0	65	<1	1	4	14	19	26	27
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	18	3.8	4	<1	1	4	6	6	7	7
20-34	111	6.7	51	1	1	4	9	17	21	36
35-49	14	11.6	449	1	1	6	8	22	70	84
50-64										
65+										
TOT. SINGLE DX	122	4.9	31	<1	1	3	5	11	16	29
" MULTIPLE DX	143	6.8	85	1	1	4	8	15	20	43
TOTAL 0-19 YRS	38	4.3	15	<1	1	3	6	8	12	20
20-34	201	5.7	42	1	1	3	7	13	19	34
35-49	26	10.0	266	1	1	6	12	16	38	84
50-64										
65+										
GRAND TOTAL	**265**	**5.9**	**61**	**1**	**1**	**4**	**7**	**13**	**19**	**34**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	442	2.4	1	<1	<1	2	3	4	4	6
20-34	3120	2.5	1	<1	<1	3	3	4	4	6
35-49	246	2.5	1	<1	<1	2	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	191	3.2	6	<1	1	3	4	5	7	15
20-34	1388	3.2	3	1	1	3	4	5	6	10
35-49	136	3.7	21	<1	1	3	4	5	7	25
50-64										
65+										
TOT. SINGLE DX	3808	2.5	2	<1	<1	3	3	4	4	6
" MULTIPLE DX	1715	3.2	6	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	633	2.7	3	<1	<1	3	3	4	5	9
20-34	4508	2.7	2	<1	<1	3	3	4	5	8
35-49	382	2.9	9	<1	<1	3	3	4	6	9
50-64										
65+										
GRAND TOTAL	**5523**	**2.7**	**3**	**<1**	**<1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1078	2.6		2	2	3	3	3	4	5
20-34	9119	2.6		1	2	3	3	4	4	4
35-49	856	2.6		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1005	3.2	5	2	2	3	3	4	5	11
20-34	9144	3.0	1	2	2	3	3	4	5	7
35-49	1021	3.2	4	1	2	3	4	4	5	8
50-64										
65+										
TOT. SINGLE DX	11053	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	11170	3.0	2	2	2	3	3	4	5	7
TOTAL 0-19 YRS	2083	2.9	3	2	2	3	3	4	4	7
20-34	18263	2.8	1	1	2	3	3	4	4	6
35-49	1877	2.9	3	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**22223**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	3.1	3	<1	<1	3	4	5	7	8
20-34	16	3.5	7	1	1	3	5	8	9	10
35-49	15	5.7	42	<1	1	4	7	15	21	23
50-64	14	4.6	31	1	1	3	5	9	20	23
65+	11	4.8	24	1	1	2	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	36	6.4	152	1	1	4	4	8	16	76
20-34	45	5.2	73	<1	1	4	4	7	12	58
35-49	23	6.7	61	1	1	4	7	14	25	37
50-64	30	10.1	132	1	1	3	14	29	36	39
65+	54	10.3	153	1	1	6	15	29	48	98
TOT. SINGLE DX	76	4.2	20	1	1	3	5	10	14	23
" MULTIPLE DX	188	7.9	122	1	1	4	8	19	35	69
TOTAL 0-19 YRS	56	5.2	101	<1	1	4	4	8	13	72
20-34	61	4.8	56	<1	1	4	4	7	10	54
35-49	38	6.3	53	1	1	4	7	14	21	37
50-64	44	8.3	106	1	1	3	13	23	36	39
65+	65	9.4	135	1	1	4	13	27	39	93
GRAND TOTAL	**264**	**6.8**	**95**	**1**	**1**	**4**	**7**	**16**	**26**	**58**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	174	2.8	1	1	1	3	3	4	5	7
20-34	417	2.7	2	1	1	3	3	4	5	8
35-49	167	2.5	2	1	1	2	3	4	5	10
50-64	54	2.3	1	1	1	2	3	3	4	6
65+	13	2.2	2	1	1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	226	4.3	12	1	2	4	5	6	8	22
20-34	378	3.7	5	1	2	3	4	5	7	14
35-49	140	3.2	2	1	1	3	4	5	5	8
50-64	48	4.1	28	1	1	3	4	7	15	31
65+	16	7.6	174	1	1	3	5	18	42	53
TOT. SINGLE DX	825	2.7	2	1	1	3	3	4	5	7
" MULTIPLE DX	808	3.9	12	1	2	3	4	6	7	20
TOTAL 0-19 YRS	400	3.6	8	1	2	3	4	5	7	20
20-34	795	3.2	4	1	1	3	4	5	6	12
35-49	307	2.8	2	1	1	3	4	4	5	9
50-64	102	3.1	15	1	1	2	3	5	7	25
65+	29	5.1	102	1	1	3	3	13	20	53
GRAND TOTAL	**1633**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	2.4	2	<1	1	2	3	4	5	9
20-34	161	2.3	1	1	1	2	3	4	5	6
35-49	20	3.9	23	1	1	2	4	8	15	22
50-64	3	2.7		2	2	3	3	3	3	3
65+	4	3.3	3	2	2	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	141	3.9	13	1	1	3	5	7	12	20
20-34	229	4.5	18	1	1	3	5	8	14	21
35-49	58	6.4	23	2	2	5	8	15	20	93
50-64	16	5.8	34	1	1	3	8	15	19	21
65+	20	6.8	44	2	2	5	9	12	22	31
TOT. SINGLE DX	273	2.4	3	1	1	2	3	4	5	9
" MULTIPLE DX	464	4.7	20	1	1	3	6	10	14	25
TOTAL 0-19 YRS	226	3.3	10	1	1	2	4	6	9	17
20-34	390	3.6	12	1	1	3	4	7	10	18
35-49	78	5.8	24	1	2	4	7	14	20	78
50-64	19	5.3	30	1	1	3	8	14	19	21
65+	24	6.2	39	2	2	4	7	12	18	31
GRAND TOTAL	**737**	**3.9**	**15**	**1**	**1**	**3**	**4**	**8**	**12**	**21**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	2.8	4	1	1	2	4	5	8	10
20-34	221	2.9	4	1	1	2	4	6	8	11
35-49	69	2.9	7	1	1	2	3	7	9	16
50-64	19	2.6	7	<1	1	2	3	4	9	13
65+	7	4.9	5	2	2	5	6	8	9	9
2. MULTIPLE DX										
0-19 YRS	155	5.7	36	1	1	4	7	11	13	29
20-34	396	6.2	44	1	1	4	7	12	20	38
35-49	148	7.5	48	1	1	5	9	18	21	36
50-64	47	6.9	63	1	2	5	9	13	17	52
65+	49	11.9	111	2	2	10	14	25	32	56
TOT. SINGLE DX	389	2.9	5	1	1	2	4	6	8	12
" MULTIPLE DX	795	6.7	51	1	1	5	8	14	20	39
TOTAL 0-19 YRS	228	4.7	28	1	1	4	6	10	12	28
20-34	617	5.0	33	1	1	3	6	10	15	33
35-49	217	6.0	40	1	1	4	8	15	19	34
50-64	66	5.7	51	1	1	4	6	12	14	47
65+	56	11.0	104	2	2	9	13	23	30	55
GRAND TOTAL	**1184**	**5.5**	**39**	**1**	**1**	**4**	**6**	**11**	**17**	**34**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.9	1	1	1	3	4	5	6	6
20-34	15	2.9	4	<1	<1	2	4	7	7	7
35-49	20	2.2	2	1	1	2	3	4	6	8
50-64	7	1.7		<1	<1	2	2	2	2	2
65+	7	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	19	3.9	6	1	1	3	5	8	10	11
20-34	21	6.1	148	<1	1	3	5	9	32	58
35-49	10	5.5	16	1	1	4	6	12	13	13
50-64	15	11.4	226	1	1	7	14	23	50	59
65+	18	12.8	414	1	1	4	14	38	67	82
TOT. SINGLE DX	61	2.4	3	<1	1	2	3	4	6	8
" MULTIPLE DX	83	7.9	177	1	1	4	8	15	31	74
TOTAL 0-19 YRS	31	3.5	5	1	1	3	4	6	9	11
20-34	36	4.8	89	<1	1	3	5	7	10	58
35-49	30	3.3	9	1	1	2	4	7	12	13
50-64	22	8.3	172	<1	1	2	9	22	37	59
65+	25	9.7	320	<1	1	2	10	22	54	82
GRAND TOTAL	**144**	**5.6**	**110**	**1**	**1**	**3**	**5**	**10**	**17**	**60**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	204	5.4	32	1	1	4	6	11	15	33
20-34	150	3.5	18	<1	1	3	4	6	9	23
35-49	145	3.8	8	<1	<1	3	5	7	8	15
50-64	146	5.8	16	1	1	5	7	10	12	23
65+	30	6.2	14	1	2	5	8	12	13	17
2. MULTIPLE DX										
0-19 YRS	329	7.5	70	1	2	5	8	16	22	47
20-34	186	7.3	138	<1	<1	4	7	15	31	69
35-49	182	5.8	73	<1	1	3	6	12	19	65
50-64	244	6.4	43	1	1	5	8	11	15	43
65+	139	11.8	217	1	2	7	13	30	56	80
TOT. SINGLE DX	675	4.8	21	<1	1	4	6	9	12	23
" MULTIPLE DX	1080	7.5	98	<1	1	5	8	15	24	60
TOTAL 0-19 YRS	533	6.7	57	1	1	5	7	14	21	43
20-34	336	5.6	88	<1	1	3	6	10	19	56
35-49	327	4.9	45	<1	1	3	6	9	15	45
50-64	390	6.2	33	1	1	5	8	11	14	35
65+	169	10.8	186	1	2	7	12	22	47	76
GRAND TOTAL	**1755**	**6.5**	**70**	**<1**	**1**	**4**	**7**	**13**	**19**	**51**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	2.4	8	<1	<1	2	3	4	5	8
20-34	273	2.2	1	<1	<1	2	3	4	5	6
35-49	277	2.2	2	<1	<1	2	3	4	5	8
50-64	224	2.6	2	<1	<1	2	3	5	6	8
65+	74	2.5	2	<1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	180	2.4	1	1	1	2	3	4	5	6
20-34	515	2.4	2	<1	1	2	3	4	5	7
35-49	676	2.6	3	<1	1	2	3	5	6	9
50-64	1034	2.9	4	<1	1	3	4	5	6	10
65+	660	3.6	25	<1	1	3	4	6	8	17
TOT. SINGLE DX	1008	2.4	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	3065	2.9	8	<1	1	2	4	5	6	10
TOTAL 0-19 YRS	340	2.4	5	<1	1	2	3	4	5	7
20-34	788	2.3	2	<1	1	2	3	4	5	7
35-49	953	2.5	3	<1	1	2	3	4	6	8
50-64	1258	2.8	4	<1	1	3	4	5	6	9
65+	734	3.5	23	<1	1	3	4	6	7	17
GRAND TOTAL	**4073**	**2.7**	**7**	**<1**	**1**	**2**	**4**	**5**	**6**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	662	3.3	16	<1	1	2	4	6	8	16
20-34	723	3.1	13	<1	<1	2	4	5	8	19
35-49	569	3.1	8	<1	<1	2	4	6	8	16
50-64	401	3.7	22	<1	<1	2	4	7	10	27
65+	152	5.1	55	<1	<1	3	6	12	15	44
2. MULTIPLE DX										
0-19 YRS	387	8.2	144	1	1	4	9	22	32	61
20-34	747	8.4	190	<1	1	3	8	23	41	87
35-49	751	7.0	118	<1	1	3	7	17	31	65
50-64	950	9.6	177	1	1	4	11	26	40	61
65+	861	13.6	234	1	2	8	19	37	51	99+
TOT. SINGLE DX	2507	3.4	17	<1	<1	2	4	6	9	21
" MULTIPLE DX	3696	9.6	183	<1	1	4	11	26	42	77
TOTAL 0-19 YRS	1049	5.1	69	<1	1	3	5	11	18	52
20-34	1470	5.8	110	<1	1	3	5	12	24	60
35-49	1320	5.3	75	<1	<1	3	5	11	20	51
50-64	1351	7.9	138	<1	1	4	8	20	33	58
65+	1013	12.4	217	1	1	7	16	32	47	99+
GRAND TOTAL	**6203**	**7.1**	**126**	**<1**	**1**	**3**	**7**	**18**	**30**	**63**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	299	5.8	49	1	1	4	6	10	18	38
20-34	187	4.1	18	1	1	3	5	8	10	23
35-49	104	6.1	107	<1	1	4	7	10	16	69
50-64	61	6.2	17	1	2	5	9	13	14	17
65+	77	10.8	36	2	3	11	14	18	20	35
2. MULTIPLE DX										
0-19 YRS	149	7.4	57	1	2	5	9	16	23	35
20-34	168	9.4	175	1	1	5	11	21	33	95
35-49	96	8.7	150	1	2	5	8	18	32	73
50-64	159	12.9	164	1	3	9	16	27	42	63
65+	480	17.1	166	5	6	14	21	34	45	99+
TOT. SINGLE DX	728	6.0	49	1	1	4	7	12	17	37
" MULTIPLE DX	1052	13.1	166	2	2	10	17	28	39	87
TOTAL 0-19 YRS	448	6.3	52	1	1	4	7	13	20	37
20-34	355	6.6	100	1	1	4	7	14	22	71
35-49	200	7.3	129	1	1	4	7	13	23	72
50-64	220	11.0	132	1	2	8	13	24	32	63
65+	557	16.3	153	4	6	13	20	31	41	99
GRAND TOTAL	**1780**	**10.2**	**130**	**1**	**2**	**7**	**13**	**22**	**32**	**70**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	399	2.1	2	<1	<1	2	3	4	5	8
20-34	560	2.3	4	<1	<1	2	3	4	6	11
35-49	291	2.9	15	<1	<1	2	3	5	8	21
50-64	205	3.2	19	<1	<1	2	4	6	9	34
65+	150	4.4	54	<1	1	2	4	8	16	44
2. MULTIPLE DX										
0-19 YRS	345	4.1	71	<1	1	2	4	7	13	50
20-34	335	4.9	70	1	1	3	4	8	17	44
35-49	230	5.4	60	<1	1	2	6	12	23	42
50-64	213	6.4	67	<1	1	3	7	14	23	44
65+	422	10.7	173	1	1	6	13	30	43	99+
TOT. SINGLE DX	1605	2.7	13	<1	<1	2	3	5	7	17
" MULTIPLE DX	1545	6.6	104	<1	1	3	7	15	29	55
TOTAL 0-19 YRS	744	3.0	36	<1	<1	2	3	5	7	30
20-34	895	3.3	31	<1	<1	2	3	6	8	29
35-49	521	4.0	37	<1	<1	2	4	8	13	34
50-64	418	4.8	46	<1	1	3	5	11	16	44
65+	572	9.0	150	1	1	5	11	23	38	91
GRAND TOTAL	**3150**	**4.6**	**61**	**<1**	**<1**	**2**	**4**	**10**	**16**	**46**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	52	15.8	301	2	3	8	21	43	58	75
20-34	22	11.5	26	5	6	10	14	20	22	22
35-49	12	8.6	13	4	5	7	11	14	15	15
50-64	34	9.4	24	3	4	9	12	16	18	27
65+	86	12.7	68	6	6	12	15	18	21	58
2. MULTIPLE DX										
0-19 YRS	85	16.9	151	5	6	13	19	39	48	53
20-34	70	15.4	129	6	7	13	18	28	45	95
35-49	35	23.1	438	5	6	15	35	51	88	99+
50-64	84	14.1	127	5	6	11	16	22	35	71
65+	565	19.4	189	7	8	16	22	36	59	99+
TOT. SINGLE DX	206	12.6	116	4	5	10	14	21	28	68
" MULTIPLE DX	839	18.4	188	6	7	15	21	36	51	99+
TOTAL 0-19 YRS	137	16.5	207	2	4	12	20	40	49	64
20-34	92	14.5	107	5	6	12	17	23	37	89
35-49	47	19.4	368	5	6	12	27	48	81	99+
50-64	118	12.8	102	4	5	10	15	20	32	67
65+	651	18.5	178	6	8	15	21	34	54	99+
GRAND TOTAL	**1045**	**17.3**	**179**	**5**	**6**	**14**	**20**	**34**	**50**	**99**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	7.8	41	2	3	6	9	14	17	40
20-34	89	10.8	74	4	5	9	13	17	21	58
35-49	74	9.5	37	3	4	8	11	15	20	40
50-64	198	10.8	27	5	6	10	14	17	21	27
65+	702	14.4	63	6	8	13	17	21	27	45
2. MULTIPLE DX										
0-19 YRS	168	15.7	163	4	5	12	20	30	42	95
20-34	266	17.5	163	5	7	13	21	36	50	97
35-49	183	18.0	208	5	7	14	22	37	66	99+
50-64	581	17.9	154	7	8	14	21	34	47	99+
65+	5611	20.3	181	8	9	17	24	40	59	99+
TOT. SINGLE DX	1193	12.5	60	4	5	11	15	20	24	44
″ MULTIPLE DX	6809	19.8	180	7	9	16	24	39	58	99+
TOTAL 0-19 YRS	298	12.3	126	3	4	9	15	25	34	75
20-34	355	15.8	149	5	6	12	19	31	47	83
35-49	257	15.6	174	5	6	12	19	31	54	99+
50-64	779	16.1	132	6	7	13	18	29	43	93
65+	6313	19.7	172	8	9	16	24	37	55	99+
GRAND TOTAL	**8002**	**18.7**	**169**	**6**	[illegible]	**15**	**22**	**36**	**52**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	9.0	91	1	1	5	15	22	26	43
20-34	7	7.3	10	4	4	7	8	13	14	14
35-49	2	18.5	545	2	2	18	35	35	35	35
50-64	12	8.6	38	1	1	8	13	17	19	19
65+	29	10.0	61	1	2	9	13	18	24	38
2. MULTIPLE DX										
0-19 YRS	131	18.3	202	2	2	17	27	38	46	76
20-34	28	19.0	344	2	4	13	21	51	65	75
35-49	24	22.2	406	2	4	17	39	49	86	99+
50-64	31	12.9	125	3	4	11	16	43	93	99+
65+	139	22.2	386	3	4	16	31	60	80	99+
TOT. SINGLE DX	227	9.2	85	1	1	5	14	22	25	43
″ MULTIPLE DX	353	19.7	298	2	3	16	27	47	66	99+
TOTAL 0-19 YRS	308	13.0	159	1	1	8	20	30	39	62
20-34	35	16.7	298	2	4	10	20	33	63	75
35-49	26	21.9	397	2	3	17	38	49	84	99+
50-64	43	11.7	104	1	3	10	16	32	65	99+
65+	168	20.1	351	2	3	15	25	53	73	99+
GRAND TOTAL	**580**	**15.6**	**240**	**1**	**2**	**12**	**22**	**38**	**52**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	261	3.5	32	<1	1	2	3	7	15	27
20-34	215	3.2	14	<1	<1	2	4	6	10	21
35-49	136	3.6	20	<1	1	2	5	7	10	16
50-64	127	3.4	14	<1	1	2	4	7	10	21
65+	100	3.3	10	<1	1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	84	7.5	98	1	1	3	9	21	29	48
20-34	146	8.1	88	1	1	4	9	18	29	42
35-49	104	7.7	137	1	1	4	9	15	22	74
50-64	121	6.8	91	1	1	4	7	14	23	58
65+	173	10.0	143	1	2	6	14	22	31	78
TOT. SINGLE DX	839	3.4	21	<1	1	2	4	7	11	21
″ MULTIPLE DX	628	8.2	114	1	1	4	10	19	29	60
TOTAL 0-19 YRS	345	4.5	52	<1	1	2	4	13	18	35
20-34	361	5.1	50	<1	1	3	5	11	18	38
35-49	240	5.4	75	1	1	3	6	11	15	49
50-64	248	5.1	55	1	1	3	5	10	16	43
65+	273	7.6	105	1	1	4	9	18	25	63
GRAND TOTAL	**1467**	**5.5**	**66**	**1**	**1**	**3**	**6**	**13**	**19**	**45**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1123	2.9	6	1	1	2	4	5	7	11
20-34	1581	3.8	8	1	1	3	5	7	9	14
35-49	1005	4.4	10	1	1	4	5	8	10	18
50-64	764	5.3	15	1	2	5	6	9	13	18
65+	433	6.0	18	2	2	5	7	11	15	20
2. MULTIPLE DX										
0-19 YRS	560	6.1	45	1	1	4	7	13	20	36
20-34	1245	7.9	95	1	1	5	9	17	26	54
35-49	875	8.4	105	1	2	5	9	18	29	69
50-64	986	8.6	82	2	2	6	10	17	25	55
65+	1344	11.5	109	2	3	8	14	24	34	63
TOT. SINGLE DX	4906	4.2	11	1	1	3	5	8	10	16
″ MULTIPLE DX	5010	8.9	96	1	2	6	10	19	28	58
TOTAL 0-19 YRS	1683	4.0	22	1	1	3	5	7	11	27
20-34	2826	5.6	51	1	1	4	6	11	16	39
35-49	1880	6.3	59	1	2	4	7	12	18	48
50-64	1750	7.2	56	1	2	5	8	14	20	45
65+	1777	10.1	93	2	3	7	13	20	29	58
GRAND TOTAL	**9916**	**6.5**	**60**	**1**	**1**	**4**	**7**	**13**	**20**	**44**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1989	2.1	7	<1	1	1	2	4	5	15
20-34	565	3.2	10	<1	1	2	4	6	9	15
35-49	417	3.6	17	1	1	2	4	7	9	24
50-64	401	3.2	7	1	1	2	4	7	9	16
65+	331	4.3	44	<1	1	2	5	9	13	25
2. MULTIPLE DX										
0-19 YRS	638	4.8	43	1	1	3	5	11	18	38
20-34	585	7.6	101	1	1	4	8	19	32	66
35-49	401	6.7	77	1	1	4	8	13	20	53
50-64	491	8.0	96	1	1	5	9	20	29	52
65+	1164	10.2	155	1	2	6	13	24	36	93
TOT. SINGLE DX	3703	2.8	13	<1	1	2	3	5	8	16
" MULTIPLE DX	3279	7.9	110	1	1	4	9	19	29	67
TOTAL 0-19 YRS	2627	2.8	17	<1	1	1	3	5	9	21
20-34	1150	5.4	62	1	1	3	6	11	19	52
35-49	818	5.1	49	1	1	3	6	10	16	41
50-64	892	5.8	62	1	1	3	7	12	21	47
65+	1495	8.9	137	1	1	5	11	20	30	84
GRAND TOTAL	**6982**	**5.2**	**65**	**1**	**1**	**3**	**6**	**12**	**19**	**49**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	140	3.6	25	<1	1	1	4	9	18	23
20-34	143	2.0	4	<1	<1	1	2	5	6	10
35-49	63	2.5	9	<1	<1	1	3	5	10	16
50-64	54	3.7	43	<1	1	1	3	10	13	44
65+	90	4.3	33	<1	<1	2	5	9	14	34
2. MULTIPLE DX										
0-19 YRS	60	7.5	85	1	1	4	8	20	27	43
20-34	115	7.2	120	1	1	4	8	16	25	70
35-49	63	8.7	200	1	1	4	10	18	61	95
50-64	90	5.3	40	1	1	3	5	14	17	32
65+	250	8.9	122	1	1	5	11	29	39	99+
TOT. SINGLE DX	490	3.2	21	<1	<1	1	3	7	11	23
" MULTIPLE DX	578	7.8	115	1	1	4	9	19	34	75
TOTAL 0-19 YRS	200	4.8	46	<1	1	2	6	13	20	35
20-34	258	4.3	62	<1	<1	2	5	10	15	36
35-49	126	5.6	114	<1	<1	2	5	13	18	71
50-64	144	4.7	42	<1	1	2	5	12	16	36
65+	340	7.7	103	<1	1	4	9	21	35	99+
GRAND TOTAL	**1068**	**5.7**	**77**	**<1**	**1**	**3**	**6**	**14**	**24**	**60**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.6	24	<1	<1	2	4	6	12	29
20-34	130	2.7	4	1	1	2	3	5	6	12
35-49	63	2.5	2	<1	1	2	3	5	6	7
50-64	32	3.6	5	<1	1	3	5	6	7	12
65+	18	7.8	20	2	3	6	12	15	16	17
2. MULTIPLE DX										
0-19 YRS	54	7.5	86	<1	1	4	9	20	27	50
20-34	63	6.4	54	1	1	4	8	15	17	42
35-49	41	6.6	62	1	1	4	7	14	29	37
50-64	27	6.6	54	1	1	5	7	13	19	39
65+	40	16.7	360	1	3	12	19	42	81	99+
TOT. SINGLE DX	318	3.3	11	<1	1	2	4	6	10	16
" MULTIPLE DX	225	8.5	130	1	1	5	9	20	34	75
TOTAL 0-19 YRS	129	5.3	53	<1	<1	3	5	12	23	35
20-34	193	3.9	24	1	1	2	4	8	14	25
35-49	104	4.1	30	1	1	3	5	7	10	35
50-64	59	4.9	29	1	1	4	6	8	13	37
65+	58	14.0	270	2	3	10	15	37	57	99+
GRAND TOTAL	**543**	**5.4**	**67**	**<1**	**1**	**3**	**6**	**12**	**18**	**42**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	283	3.0	9	<1	1	2	4	6	9	16
20-34	307	3.0	11	<1	1	2	3	6	9	20
35-49	183	2.9	13	<1	<1	2	3	6	10	21
50-64	88	4.0	22	<1	<1	2	4	11	14	25
65+	34	9.7	129	1	1	5	10	29	39	41
2. MULTIPLE DX										
0-19 YRS	265	6.1	59	<1	1	3	7	15	22	41
20-34	300	4.9	46	<1	1	2	5	10	21	35
35-49	210	5.9	75	<1	<1	3	7	13	20	50
50-64	199	10.7	187	1	1	5	15	31	45	90
65+	254	19.6	348	2	2	14	27	52	60	83
TOT. SINGLE DX	895	3.3	19	<1	1	2	4	7	11	25
" MULTIPLE DX	1228	9.3	170	<1	1	4	11	25	40	65
TOTAL 0-19 YRS	548	4.5	36	<1	1	2	5	11	16	30
20-34	607	3.9	30	<1	1	2	4	8	13	33
35-49	393	4.5	49	<1	<1	2	4	11	16	39
50-64	287	8.7	146	<1	1	4	11	25	36	74
65+	288	18.4	332	1	2	13	25	45	58	83
GRAND TOTAL	**2123**	**6.8**	**115**	**<1**	**1**	**3**	**7**	**18**	**29**	**57**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	85	6.8	23	2	3	6	7	13	16	29
20-34	1671	6.7	16	3	3	6	8	11	15	23
35-49	2412	7.0	19	3	3	6	8	12	15	25
50-64	925	7.4	18	3	4	6	9	12	16	24
65+	198	8.9	32	3	4	8	11	17	20	27
2. MULTIPLE DX										
0-19 YRS	35	9.7	77	3	3	6	12	20	28	43
20-34	598	9.4	59	4	4	7	10	16	22	44
35-49	1375	9.2	40	3	4	7	11	17	21	36
50-64	1184	10.6	65	4	4	8	12	20	26	45
65+	637	14.4	105	5	6	11	18	28	35	58
TOT. SINGLE DX	5291	7.0	19	3	3	6	8	12	15	25
" MULTIPLE DX	3829	10.5	65	4	4	8	12	20	26	45
TOTAL 0-19 YRS	120	7.6	40	2	3	6	8	15	20	35
20-34	2269	7.4	29	3	3	6	8	13	17	28
35-49	3787	7.8	28	3	4	6	9	13	18	29
50-64	2109	9.2	47	3	4	7	11	17	22	35
65+	835	13.1	93	4	5	10	16	26	33	53
GRAND TOTAL	**9120**	**8.5**	**41**	**3**	**4**	**7**	**10**	**15**	**21**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	190	1.7	1	<1	<1	1	2	3	4	8
20-34	517	1.9	3	<1	<1	1	2	3	4	7
35-49	381	1.8	1	<1	<1	1	2	3	4	6
50-64	196	1.9	1	<1	<1	1	2	4	5	7
65+	43	2.2	4	<1	<1	1	3	4	7	11
2. MULTIPLE DX										
0-19 YRS	234	2.1	3	<1	<1	2	2	4	5	9
20-34	620	2.2	3	<1	<1	2	3	4	5	9
35-49	520	2.3	9	<1	<1	1	2	4	6	14
50-64	620	2.3	5	<1	<1	2	3	4	6	11
65+	266	3.0	12	<1	1	2	3	6	10	21
TOT. SINGLE DX	1327	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	2260	2.3	7	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	424	1.9	3	<1	<1	1	2	3	5	8
20-34	1137	2.1	4	<1	<1	1	2	4	5	8
35-49	901	2.1	6	<1	<1	1	2	4	5	12
50-64	816	2.2	4	<1	<1	2	3	4	6	10
65+	309	2.9	12	<1	<1	2	3	6	10	20
GRAND TOTAL	**3587**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	428	1.9	5	<1	<1	1	2	4	4	8
20-34	668	1.8	1	<1	<1	1	2	3	4	7
35-49	390	2.3	15	<1	<1	1	2	4	6	17
50-64	231	2.8	15	<1	<1	1	3	6	9	21
65+	78	3.3	20	<1	<1	2	4	7	16	79
2. MULTIPLE DX										
0-19 YRS	350	3.1	18	<1	<1	2	3	6	11	25
20-34	629	2.9	25	<1	<1	2	3	5	9	30
35-49	496	3.9	54	<1	<1	2	3	8	14	31
50-64	496	4.7	58	<1	<1	2	4	11	22	56
65+	354	9.8	184	<1	1	4	11	28	43	67
TOT. SINGLE DX	1795	2.1	8	<1	<1	1	2	4	5	13
" MULTIPLE DX	2325	4.6	67	<1	<1	2	4	10	21	47
TOTAL 0-19 YRS	778	2.4	12	<1	<1	1	2	4	7	20
20-34	1297	2.3	14	<1	<1	1	2	4	6	16
35-49	886	3.2	38	<1	<1	2	3	6	10	30
50-64	727	4.1	45	<1	<1	2	4	9	17	45
65+	432	8.7	161	<1	1	3	10	27	42	67
GRAND TOTAL	**4120**	**3.5**	**43**	**<1**	**<1**	**2**	**3**	**7**	**12**	**39**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	143	9.4	13	5	6	9	10	13	15	26
20-34	97	10.3	30	5	5	9	12	16	20	35
35-49	84	9.4	15	4	5	9	11	14	16	24
50-64	37	8.1	14	3	4	7	9	13	17	20
65+	6	17.0	97	5	5	16	23	30	31	31
2. MULTIPLE DX										
0-19 YRS	239	13.7	103	6	7	11	14	26	38	99+
20-34	167	16.1	212	5	6	12	18	32	57	99+
35-49	156	12.0	86	4	5	9	14	22	32	72
50-64	106	16.4	202	5	6	12	19	33	55	99+
65+	69	22.0	290	6	8	16	27	44	67	99
TOT. SINGLE DX	367	9.6	21	5	5	9	11	14	18	26
" MULTIPLE DX	737	15.0	163	5	6	11	17	30	43	99+
TOTAL 0-19 YRS	382	12.1	74	5	7	10	12	23	28	79
20-34	264	14.0	153	5	6	10	15	29	40	99+
35-49	240	11.1	63	4	5	9	13	18	27	49
50-64	143	14.3	167	4	5	11	17	30	45	99+
65+	75	21.6	276	5	8	16	27	43	67	99
GRAND TOTAL	**1104**	**13.2**	**122**	**5**	**6**	**10**	**14**	**26**	**35**	**98**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	3.5	3	1	1	3	5	6	7	8
20-34	143	3.3	5	<1	<1	3	4	6	8	13
35-49	119	3.9	27	<1	1	3	5	6	10	27
50-64	132	3.8	15	<1	1	3	5	7	10	20
65+	36	3.0	10	<1	<1	2	4	9	10	13
2. MULTIPLE DX										
0-19 YRS	80	5.4	21	<1	1	4	6	10	16	25
20-34	160	4.5	10	1	1	4	6	9	10	17
35-49	142	4.9	27	1	1	4	6	9	11	26
50-64	171	5.0	33	<1	1	4	6	8	10	38
65+	119	5.4	39	<1	1	4	7	12	14	67
TOT. SINGLE DX	476	3.6	14	<1	1	3	5	7	8	14
" MULTIPLE DX	672	5.0	26	1	1	4	6	9	13	26
TOTAL 0-19 YRS	126	4.7	16	1	1	4	6	8	11	25
20-34	303	3.9	8	<1	1	3	5	7	9	14
35-49	261	4.5	27	<1	1	3	5	8	10	24
50-64	303	4.5	26	<1	1	3	5	8	10	34
65+	155	4.8	34	<1	1	3	6	11	13	51
GRAND TOTAL	**1148**	**4.4**	**22**	**<1**	**1**	**3**	**5**	**8**	**10**	**25**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	42	10.2	10	6	7	10	12	15	16	20
35-49	80	10.7	15	6	7	10	13	15	17	25
50-64	337	12.4	36	7	8	11	14	17	20	45
65+	561	13.1	27	8	9	12	15	17	20	37
2. MULTIPLE DX										
0-19 YRS	8	21.4	724	6	6	13	18	67	87	87
20-34	74	14.1	87	6	7	11	16	23	27	65
35-49	187	13.6	68	7	8	12	15	19	30	57
50-64	892	14.6	73	8	8	12	16	22	29	68
65+	2795	17.4	115	8	9	15	19	29	39	89
TOT. SINGLE DX	1022	12.5	29	7	8	12	14	17	20	36
" MULTIPLE DX	3956	16.6	106	8	9	14	18	27	37	83
TOTAL 0-19 YRS	10	18.3	609	2	4	11	16	53	87	87
20-34	116	12.7	63	6	7	11	14	20	26	52
35-49	267	12.7	54	6	7	11	14	18	26	50
50-64	1229	14.0	64	8	8	12	16	21	26	65
65+	3356	16.7	103	8	9	14	18	27	37	82
GRAND TOTAL	**4978**	**15.7**	**93**	**8**	**9**	**13**	**17**	**25**	**34**	**72**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	8.3	20	2	3	8	11	15	16	16
20-34	4	8.0	2	6	6	8	9	10	10	10
35-49	10	10.8	45	4	4	8	14	21	27	27
50-64	50	12.3	114	6	6	11	13	17	18	82
65+	342	14.3	38	7	8	14	16	20	24	39
2. MULTIPLE DX										
0-19 YRS	9	13.4	60	5	6	10	18	26	28	28
20-34	13	14.0	52	9	10	12	13	25	33	35
35-49	40	19.6	268	8	8	12	26	39	54	84
50-64	257	17.2	139	7	9	14	19	32	49	99+
65+	2808	19.8	169	8	10	16	23	37	54	99+
TOT. SINGLE DX	418	13.8	49	6	8	13	16	19	24	39
" MULTIPLE DX	3127	19.6	169	8	9	16	23	37	54	99+
TOTAL 0-19 YRS	21	10.5	42	3	4	9	15	19	25	28
20-34	17	12.6	47	7	8	11	12	21	31	35
35-49	50	17.8	234	6	8	12	20	36	53	84
50-64	307	16.4	139	7	8	13	18	30	47	99+
65+	3150	19.2	159	8	9	16	22	36	50	99+
GRAND TOTAL	**3545**	**18.9**	**158**	**8**	**9**	**15**	**21**	**35**	**50**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	292	3.6	3	1	1	3	5	6	7	9
20-34	432	4.0	9	1	1	4	5	6	7	12
35-49	137	5.4	14	1	1	5	7	10	12	19
50-64	267	10.5	23	2	4	11	14	16	18	23
65+	488	12.9	23	6	7	13	15	18	21	29
2. MULTIPLE DX										
0-19 YRS	332	4.5	20	1	1	4	5	7	9	14
20-34	584	4.7	24	1	1	4	5	7	9	18
35-49	254	6.7	37	1	1	5	9	14	17	26
50-64	663	12.8	60	2	5	12	16	20	24	47
65+	2110	15.1	60	8	9	14	17	22	27	50
TOT. SINGLE DX	1616	7.8	32	1	2	6	12	16	17	23
" MULTIPLE DX	3943	11.8	70	2	3	11	15	20	25	47
TOTAL 0-19 YRS	624	4.1	13	1	1	4	5	6	7	11
20-34	1016	4.4	18	1	1	4	5	7	8	16
35-49	391	6.3	30	1	1	5	8	12	16	25
50-64	930	12.2	51	2	4	12	15	18	23	37
65+	2598	14.7	54	7	9	14	16	21	26	48
GRAND TOTAL	**5559**	**10.6**	**62**	**1**	**2**	**10**	**15**	**18**	**23**	**40**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	343	2.5	1	1	1	2	3	4	5	6
20-34	792	2.7	1	<1	1	3	4	4	5	7
35-49	420	2.6	2	<1	1	2	3	4	6	8
50-64	303	3.0	4	<1	1	3	4	5	6	11
65+	113	4.1	8	<1	1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	111	3.0	2	1	1	3	4	5	6	8
20-34	338	3.1	22	1	1	2	4	5	7	18
35-49	344	3.4	18	1	1	3	4	6	8	24
50-64	518	4.2	45	<1	1	3	4	7	11	32
65+	400	6.0	62	1	1	4	7	12	17	65
TOT. SINGLE DX	1971	2.8	3	<1	1	2	4	5	6	8
" MULTIPLE DX	1711	4.2	38	1	1	3	5	8	11	28
TOTAL 0-19 YRS	454	2.6	2	1	1	2	3	5	5	7
20-34	1130	2.8	8	<1	1	2	4	5	5	8
35-49	764	3.0	10	<1	1	2	3	5	7	13
50-64	821	3.8	30	<1	1	3	4	6	9	20
65+	513	5.6	51	1	1	4	6	11	16	39
GRAND TOTAL	**3682**	**3.4**	**20**	**<1**	**1**	**3**	**4**	**6**	**8**	**18**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	2.9	9	<1	<1	2	3	6	9	15
20-34	170	2.7	7	<1	<1	2	3	6	8	15
35-49	158	3.0	31	<1	<1	2	3	5	9	28
50-64	124	2.3	6	<1	<1	1	3	5	8	13
65+	31	4.3	53	<1	<1	1	5	8	23	35
2. MULTIPLE DX										
0-19 YRS	254	6.6	67	<1	1	4	7	15	19	45
20-34	188	6.8	112	1	1	4	7	13	18	66
35-49	160	7.5	102	<1	1	4	9	19	28	47
50-64	145	9.6	149	<1	<1	6	13	26	44	99+
65+	164	11.4	210	<1	1	6	14	29	42	97
TOT. SINGLE DX	637	2.8	16	<1	<1	2	3	6	9	18
" MULTIPLE DX	911	8.1	124	<1	1	4	9	19	30	69
TOTAL 0-19 YRS	408	5.2	49	<1	1	3	6	11	18	37
20-34	358	4.9	66	<1	<1	3	5	10	14	53
35-49	318	5.3	72	<1	<1	3	5	11	20	44
50-64	269	6.2	96	<1	<1	3	7	15	27	65
65+	195	10.2	192	<1	<1	5	13	25	36	94
GRAND TOTAL	**1548**	**6.0**	**87**	**<1**	**<1**	**3**	**6**	**14**	**21**	**54**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	1.7	3	<1	<1	1	2	3	5	11
20-34	311	1.5	1	<1	<1	<1	1	3	4	6
35-49	232	2.2	6	<1	<1	1	2	4	7	15
50-64	146	1.9	4	<1	<1	1	2	3	5	13
65+	78	4.0	35	<1	<1	2	4	9	17	35
2. MULTIPLE DX										
0-19 YRS	61	4.2	77	<1	<1	2	3	9	12	61
20-34	97	5.5	117	<1	<1	2	4	14	24	67
35-49	164	5.4	72	<1	<1	2	5	16	25	94
50-64	231	6.2	50	<1	<1	3	9	17	23	32
65+	302	9.8	136	<1	1	6	14	23	29	82
TOT. SINGLE DX	944	2.0	7	<1	<1	1	2	4	6	14
" MULTIPLE DX	855	7.1	98	<1	<1	3	9	19	26	66
TOTAL 0-19 YRS	238	2.4	23	<1	<1	1	2	4	7	13
20-34	408	2.5	32	<1	<1	1	2	4	7	26
35-49	396	3.5	36	<1	<1	1	3	8	15	40
50-64	377	4.6	37	<1	<1	2	5	13	19	29
65+	380	8.6	121	<1	<1	4	12	22	28	81
GRAND TOTAL	**1799**	**4.4**	**57**	**<1**	**<1**	**2**	**4**	**12**	**18**	**37**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.8	19	<1	<1	2	6	11	15	15
20-34	26	1.9	2	<1	<1	1	2	4	5	8
35-49	35	1.6	1	<1	<1	1	2	3	4	6
50-64	127	1.8	1	<1	<1	1	2	3	4	7
65+	101	1.7		<1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	19	3.0	7	<1	1	2	3	7	10	12
20-34	23	3.3	12	<1	1	2	4	5	10	18
35-49	40	3.6	39	<1	<1	2	3	8	17	34
50-64	111	2.5	4	<1	<1	2	3	5	6	13
65+	121	3.2	15	<1	<1	2	3	8	11	21
TOT. SINGLE DX	299	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	314	3.0	14	<1	<1	2	3	6	10	21
TOTAL 0-19 YRS	29	3.3	11	<1	1	2	4	7	12	15
20-34	49	2.6	8	<1	<1	2	3	5	6	18
35-49	75	2.7	22	<1	<1	1	2	4	9	31
50-64	238	2.1	3	<1	<1	2	2	4	5	11
65+	222	2.5	9	<1	<1	2	3	4	8	20
GRAND TOTAL	**613**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	196	1.5	1	<1	<1	1	2	3	4	6
20-34	314	1.7	1	<1	<1	1	2	3	4	6
35-49	124	1.7	1	<1	<1	1	2	3	4	6
50-64	62	1.7	2	<1	<1	1	2	3	4	10
65+	16	2.3	4	<1	1	2	2	3	8	10
2. MULTIPLE DX										
0-19 YRS	182	2.1	8	<1	1	1	2	4	5	15
20-34	358	2.5	7	<1	1	2	3	5	7	14
35-49	178	2.3	2	<1	1	2	3	4	5	9
50-64	97	2.3	2	<1	1	2	3	4	6	8
65+	49	3.0	17	<1	1	2	3	5	11	27
TOT. SINGLE DX	712	1.7	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	864	2.4	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	378	1.8	5	<1	<1	1	2	3	5	10
20-34	672	2.1	5	<1	<1	1	2	4	5	12
35-49	302	2.0	2	<1	<1	2	2	4	4	8
50-64	159	2.0	2	<1	<1	2	2	4	5	8
65+	65	2.8	15	<1	1	2	3	5	10	25
GRAND TOTAL	**1576**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.2	2	<1	<1	2	3	4	6	9
20-34	267	2.3	2	<1	<1	2	3	4	5	9
35-49	237	3.0	4	<1	1	3	4	5	7	10
50-64	255	3.2	4	<1	1	3	4	6	7	11
65+	86	3.8	10	<1	<1	3	4	7	9	20
2. MULTIPLE DX										
0-19 YRS	84	5.0	62	<1	1	2	5	10	31	80
20-34	198	4.3	56	<1	1	3	4	8	13	66
35-49	236	4.5	39	1	1	3	5	8	11	21
50-64	320	4.9	24	<1	1	4	6	10	14	28
65+	256	6.8	64	1	2	5	7	15	20	46
TOT. SINGLE DX	959	2.8	5	<1	1	2	4	5	6	10
" MULTIPLE DX	1094	5.2	46	1	1	3	6	10	15	38
TOTAL 0-19 YRS	198	3.4	30	<1	1	2	3	7	9	40
20-34	465	3.2	27	<1	1	2	4	6	8	27
35-49	473	3.8	22	<1	1	3	4	7	9	17
50-64	575	4.1	16	<1	1	3	5	8	11	19
65+	342	6.1	53	1	1	4	6	13	19	39
GRAND TOTAL	**2053**	**4.1**	**28**	**<1**	**1**	**3**	**5**	**7**	**11**	**29**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	3.3	4	<1	1	3	4	6	8	10
20-34	241	3.0	3	1	1	3	4	5	6	9
35-49	204	3.3	6	1	1	3	4	5	8	14
50-64	116	3.3	4	1	1	3	4	6	7	10
65+	44	4.9	14	<1	1	4	6	11	13	19
2. MULTIPLE DX										
0-19 YRS	325	4.7	48	1	1	3	5	8	12	45
20-34	173	6.4	79	1	1	4	7	14	25	46
35-49	123	5.7	53	1	1	4	6	14	23	99+
50-64	135	7.8	129	1	2	4	8	17	31	91
65+	113	8.0	89	2	2	5	9	18	23	79
TOT. SINGLE DX	846	3.3	5	1	1	3	4	6	7	12
" MULTIPLE DX	869	6.1	74	1	1	4	6	12	21	60
TOTAL 0-19 YRS	566	4.1	30	1	1	3	4	7	9	22
20-34	414	4.4	38	1	1	3	5	8	11	37
35-49	327	4.2	26	1	1	3	4	8	13	37
50-64	251	5.7	76	1	1	3	6	10	18	55
65+	157	7.1	70	1	2	5	8	15	20	66
GRAND TOTAL	**1715**	**4.7**	**42**	**1**	**1**	**3**	**5**	**8**	**13**	**44**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.9		1	1	2	2	3	4	4
20-34	64	1.8	1	<1	1	1	2	3	4	6
35-49	47	2.0	2	<1	<1	1	2	4	5	9
50-64	36	2.2	2	<1	<1	2	3	4	4	9
65+	16	2.2	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	25	3.8	17	1	1	2	4	7	16	17
20-34	77	5.0	70	1	1	3	3	12	21	42
35-49	74	4.9	52	<1	1	2	5	12	27	32
50-64	61	5.2	63	<1	1	2	5	13	19	45
65+	83	7.8	110	<1	1	4	10	18	31	51
TOT. SINGLE DX	183	2.0	2	<1	1	2	2	4	4	8
" MULTIPLE DX	320	5.7	72	<1	1	3	5	14	25	47
TOTAL 0-19 YRS	45	2.9	11	1	1	2	3	5	9	17
20-34	141	3.5	41	<1	1	2	3	5	13	42
35-49	121	3.8	35	<1	<1	2	3	8	15	30
50-64	97	4.1	43	<1	1	2	4	9	15	41
65+	99	6.9	97	<1	1	3	8	14	29	51
GRAND TOTAL	**503**	**4.3**	**50**	**<1**	**1**	**2**	**4**	**10**	**16**	**42**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	4.5	14	2	2	3	7	10	10	10
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	5	8.6	22	3	3	7	13	14	14	14
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	3	22.0	247	5	5	25	33	36	36	36
50-64	5	10.8	82	2	2	9	26	93	99+	99+
65+	9	19.3	353	5	5	10	29	52	55	55
TOT. SINGLE DX	10	5.2	19	1	1	3	10	12	12	12
" MULTIPLE DX	25	14.4	188	3	5	10	23	46	64	99+
TOTAL 0-19 YRS	5	8.6	22	3	3	7	13	14	14	14
20-34	7	6.0	13	2	2	5	10	10	10	10
35-49	6	12.2	216	1	1	4	25	35	36	36
50-64	7	9.9	64	2	2	9	19	78	99+	99+
65+	10	18.6	320	5	5	11	23	51	55	55
GRAND TOTAL	**35**	**11.8**	**156**	**2**	**2**	**8**	**13**	**35**	**53**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.5	8	<1	<1	2	6	8	9	9
20-34	14	8.2	73	1	2	5	10	20	30	33
35-49	9	4.9	21	1	1	3	7	13	14	14
50-64	11	4.7	20	<1	<1	2	9	11	12	12
65+	23	8.5	59	<1	1	6	13	18	26	30
2. MULTIPLE DX										
0-19 YRS	12	6.8	38	1	1	5	9	17	20	21
20-34	39	12.5	204	2	2	9	14	21	42	79
35-49	152	16.2	186	2	3	13	20	36	47	68
50-64	430	18.6	240	3	4	14	25	40	52	84
65+	853	18.3	205	3	5	15	24	39	47	98
TOT. SINGLE DX	70	6.5	44	<1	1	4	9	14	19	32
" MULTIPLE DX	1486	17.9	214	3	4	14	23	38	48	88
TOTAL 0-19 YRS	25	5.1	24	<1	1	5	7	11	16	21
20-34	53	11.4	171	2	2	9	14	20	32	78
35-49	161	15.6	184	1	2	13	19	34	46	67
50-64	441	18.3	240	3	4	14	24	39	52	84
65+	876	18.0	204	3	5	15	24	39	46	98
GRAND TOTAL	**1556**	**17.4**	**212**	**2**	**3**	**14**	**23**	**38**	**48**	**87**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	12.0		12	12	12	12	12	12	12
35-49	6	16.5	93	7	7	14	25	29	30	30
50-64	4	10.5	13	6	6	10	13	15	15	15
65+	3	13.3	42	7	7	13	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	24	19.4	461	3	4	12	25	81	86	99+
35-49	73	23.4	218	6	8	21	35	53	68	99+
50-64	277	27.8	294	8	11	24	40	57	74	99+
65+	750	27.7	349	8	10	23	37	63	89	99+
TOT. SINGLE DX	15	13.6	49	6	7	11	18	25	29	30
" MULTIPLE DX	1126	27.3	331	8	10	22	38	59	84	99+
TOTAL 0-19 YRS	3	12.7	8	11	11	11	15	16	16	16
20-34	25	19.1	444	3	4	12	24	77	86	99+
35-49	79	22.9	211	6	8	20	33	52	65	99+
50-64	281	27.6	295	8	11	23	40	56	74	99+
65+	753	27.7	349	8	10	23	37	63	89	99+
GRAND TOTAL	**1141**	**27.1**	**330**	**8**	**10**	**22**	**38**	**59**	**83**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	1	11.0		11	11	55	99+	99+	99+	99+
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	17	11.2	48	5	6	9	14	15	28	35
2. MULTIPLE DX										
0-19 YRS	5	21.2	270	5	5	15	33	46	46	46
20-34	5	18.8	94	8	9	19	34	93	99+	99+
35-49	20	22.4	192	6	8	21	33	49	73	99+
50-64	112	25.5	268	6	7	23	36	52	78	99+
65+	830	21.8	299	6	7	16	28	54	75	99+
TOT. SINGLE DX	23	11.6	47	5	6	10	14	27	54	99+
" MULTIPLE DX	972	22.2	293	6	7	17	30	53	76	99+
TOTAL 0-19 YRS	6	22.0	220	5	6	20	29	44	46	46
20-34	7	16.4	80	8	9	15	27	80	99+	99+
35-49	21	21.8	189	6	8	21	36	61	99+	99+
50-64	114	25.2	269	6	7	23	35	51	75	99+
65+	847	21.6	297	6	7	16	28	53	74	99+
GRAND TOTAL	**995**	**22.0**	**290**	**6**	**7**	**17**	**30**	**53**	**76**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	3	26.3	1432	3	3	6	54	70	70	70
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	12.7	40	9	9	9	17	20	20	20
65+	4	13.5	7	10	10	14	15	16	16	16
2 MULTIPLE DX										
0-19 YRS	5	12.6	70	2	2	11	20	22	22	22
20-34	12	17.6	220	4	5	15	20	44	51	52
35-49	39	19.9	176	6	7	17	26	45	54	99+
50-64	148	28.3	350	6	7	26	40	56	67	99+
65+	285	28.6	346	7	10	24	40	58	71	99+
TOT. SINGLE DX	14	13.3	296	3	3	9	15	25	60	70
" MULTIPLE DX	489	27.4	336	6	8	23	39	57	68	99+
TOTAL 0-19 YRS	8	9.3	61	2	2	6	15	21	22	22
20-34	15	19.3	391	3	4	13	21	52	65	70
35-49	40	19.6	179	5	6	17	25	45	54	99+
50-64	151	27.9	348	6	7	25	40	56	67	99+
65+	289	28.4	345	7	10	23	40	57	71	99+
GRAND TOTAL	**503**	**27.0**	**340**	**6**	**7**	**23**	**39**	**57**	**68**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.9	2	<1	1	2	2	3	5	7
20-34	13	6.2	65	<1	1	4	7	13	28	32
35-49	8	7.3	57	2	2	5	8	20	25	25
50-64	5	3.2	7	1	1	2	4	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	7	5.1	27	1	1	2	9	13	14	14
20-34	14	8.0	31	1	2	7	11	14	21	23
35-49	8	6.4	93	1	1	4	11	72	99+	99+
50-64	5	6.0	15	2	2	5	9	11	11	11
65+	4	25.8	2011	2	2	4	49	93	93	93
TOT. SINGLE DX	45	4.2	34	<1	1	2	4	8	13	32
" MULTIPLE DX	38	8.7	234	1	1	5	10	19	65	99+
TOTAL 0-19 YRS	26	2.8	10	<1	1	2	2	7	11	14
20-34	27	7.1	47	1	1	5	9	13	24	32
35-49	16	6.8	71	1	2	4	7	29	75	99+
50-64	10	4.6	12	1	1	3	8	10	11	11
65+	4	25.8	2012	2	2	4	49	93	93	93
GRAND TOTAL	**83**	**6.3**	**129**	**1**	**1**	**3**	**7**	**11**	**26**	**98**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.1	2	1	1	2	3	5	5	5
20-34	22	3.1	7	<1	<1	2	4	7	9	11
35-49	22	3.4	8	<1	<1	2	5	8	9	10
50-64	10	4.2	9	<1	<1	4	7	8	8	8
65+	9	7.0	63	<1	<1	2	14	19	22	22
2. MULTIPLE DX										
0-19 YRS	10	2.5	1	1	1	3	3	4	5	5
20-34	24	10.3	278	<1	1	6	11	19	39	84
35-49	40	11.7	287	1	1	6	15	27	44	93
50-64	70	12.9	99	1	3	10	16	30	36	46
65+	129	16.6	242	3	3	12	22	35	50	99
TOT. SINGLE DX	75	3.6	15	<1	1	2	5	8	11	20
" MULTIPLE DX	273	13.8	214	1	2	10	17	33	42	91
TOTAL 0-19 YRS	22	2.3	2	1	1	2	3	5	5	5
20-34	46	6.9	159	<1	1	3	8	12	19	84
35-49	62	8.7	202	<1	1	4	9	19	36	87
50-64	80	11.8	96	1	1	9	15	27	35	45
65+	138	16.0	236	2	3	12	21	35	47	99
GRAND TOTAL	**348**	**11.6**	**189**	**1**	**1**	**8**	**15**	**27**	**36**	**84**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	12.5	221	2	2	12	23	23	23	23
65+	6	14.3	252	3	3	9	13	43	46	46
TOT. SINGLE DX	1	17.0		17	17	17	17	17	17	17
" MULTIPLE DX	10	11.6	189	1	1	7	13	34	46	46
TOTAL 0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	14.0	117	2	2	17	21	23	23	23
65+	6	14.3	252	3	3	9	13	43	46	46
GRAND TOTAL	**11**	**12.1**	**173**	**1**	**2**	**8**	**16**	**32**	**45**	**46**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.5		<1	<1	1	2	2	4	5
20-34	348	1.6	3	<1	<1	1	2	2	4	5
35-49	868	1.8	1	<1	<1	1	2	3	5	7
50-64	731	2.1	4	<1	<1	1	2	4	5	8
65+	482	2.6	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	30	2.0	4	<1	<1	1	2	4	6	12
20-34	207	2.5	15	<1	<1	1	2	4	7	23
35-49	859	2.7	14	<1	<1	1	3	5	9	23
50-64	1143	3.7	23	<1	<1	2	4	8	12	33
65+	1521	6.1	78	<1	1	3	7	14	21	56
TOT. SINGLE DX	2523	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	3760	4.3	45	<1	<1	2	5	10	15	40
TOTAL 0-19 YRS	124	1.6	2	<1	<1	1	2	3	4	8
20-34	555	1.9	8	<1	<1	1	2	3	4	12
35-49	1727	2.2	8	<1	<1	1	2	4	6	14
50-64	1874	3.1	17	<1	<1	2	3	6	10	24
65+	2003	5.3	63	<1	1	3	6	11	17	50
GRAND TOTAL	**6283**	**3.4**	**30**	**<1**	**<1**	**2**	**4**	**7**	**11**	**30**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.5		1	1	1	2	2	2	2
20-34	13	2.5	1	<1	1	2	3	4	4	4
35-49	34	5.2	8	2	3	5	6	8	13	15
50-64	43	4.1	3	1	2	4	5	6	8	9
65+	54	4.2	3	1	2	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	5	5.6	57	1	1	2	8	19	19	19
20-34	9	6.0	29	3	3	4	6	14	20	20
35-49	55	5.0	22	1	3	4	6	7	9	35
50-64	117	6.7	54	1	2	5	7	10	16	49
65+	321	8.2	75	2	3	6	9	14	24	99+
TOT. SINGLE DX	156	4.0	5	1	1	4	5	7	8	14
" MULTIPLE DX	507	7.4	65	2	3	6	8	12	19	65
TOTAL 0-19 YRS	17	2.7	18	1	1	2	2	4	14	19
20-34	22	3.9	15	1	1	3	4	6	12	20
35-49	89	5.1	17	1	3	4	6	8	9	28
50-64	160	6.0	42	1	2	5	6	9	11	44
65+	375	7.6	67	2	3	6	8	13	20	91
GRAND TOTAL	**663**	**6.6**	**53**	**2**	**2**	**5**	**7**	**11**	**16**	**59**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	33	6.0	5	4	4	6	6	10	11	14
35-49	324	5.6	4	2	3	5	7	8	9	12
50-64	533	5.8	10	3	3	6	7	8	9	12
65+	604	6.1	5	3	4	6	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	52	6.2	3	4	4	6	7	9	9	11
35-49	522	6.3	8	3	4	6	8	9	11	16
50-64	1265	7.2	16	3	4	6	8	11	13	22
65+	2102	7.9	25	4	4	7	9	12	16	29
TOT. SINGLE DX	1494	5.9	7	3	4	6	7	8	10	13
" MULTIPLE DX	3943	7.5	20	3	4	7	8	11	14	25
TOTAL 0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	85	6.1	4	4	4	6	7	9	10	13
35-49	846	6.0	7	3	4	6	7	9	11	15
50-64	1798	6.8	15	3	4	6	8	10	12	20
65+	2706	7.5	22	3	4	7	8	11	15	27
GRAND TOTAL	**5437**	**7.0**	**17**	**3**	**4**	**6**	**8**	**10**	**13**	**23**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	249	2.3	1	1	1	2	3	4	4	5
20-34	533	2.3	1	1	1	2	3	4	4	6
35-49	274	2.6	3	<1	1	2	3	5	6	9
50-64	131	2.7	2	1	1	3	4	4	5	9
65+	36	2.8	6	<1	1	2	4	5	10	11
2. MULTIPLE DX										
0-19 YRS	91	2.9	2	1	1	3	3	5	6	11
20-34	300	3.1	9	<1	1	2	3	5	7	19
35-49	549	3.4	15	1	1	3	4	6	7	17
50-64	324	3.4	8	1	1	3	4	6	8	16
65+	131	5.7	69	1	1	3	5	13	20	51
TOT. SINGLE DX	1223	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	1395	3.5	17	1	1	3	4	6	8	22
TOTAL 0-19 YRS	340	2.5	2	1	1	2	3	4	4	6
20-34	833	2.6	5	1	1	2	3	4	5	10
35-49	823	3.1	12	1	1	3	4	6	7	13
50-64	455	3.2	7	1	1	3	4	5	7	14
65+	167	5.0	57	1	1	3	5	11	18	49
GRAND TOTAL	**2618**	**3.0**	**11**	**1**	**1**	**2**	**4**	**5**	**6**	**14**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	611	2.3	2	1	1	2	3	4	5	8
20-34	1134	2.4	2	1	1	2	3	4	5	7
35-49	191	2.3	2	<1	1	2	3	4	5	9
50-64	33	2.3	1	<1	<1	2	3	4	4	5
65+	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	114	3.1	6	1	1	2	4	5	8	15
20-34	212	3.0	6	<1	1	2	4	5	8	13
35-49	66	3.7	12	1	1	3	4	8	12	19
50-64	27	6.3	88	<1	<1	3	6	14	29	45
65+	16	4.1	10	1	1	3	4	10	11	11
TOT. SINGLE DX	1972	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	435	3.4	13	1	1	3	4	6	10	18
TOTAL 0-19 YRS	725	2.4	3	1	1	2	3	4	5	9
20-34	1346	2.5	3	1	1	2	3	4	5	8
35-49	257	2.7	5	<1	1	2	3	4	6	14
50-64	60	4.1	44	<1	<1	2	4	7	13	43
65+	19	4.1	9	1	1	3	5	10	11	11
GRAND TOTAL	**2407**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	362	2.0	9	<1	<1	1	2	3	5	14
20-34	410	2.5	12	<1	<1	1	3	5	8	17
35-49	402	1.9	5	<1	<1	1	2	3	6	11
50-64	318	2.4	9	<1	<1	1	3	5	7	16
65+	199	4.2	82	<1	<1	2	5	8	12	57
2. MULTIPLE DX										
0-19 YRS	224	5.9	68	<1	<1	3	7	15	23	48
20-34	383	7.2	117	<1	<1	4	8	21	31	80
35-49	500	7.8	118	<1	<1	4	9	19	30	70
50-64	778	8.6	126	<1	<1	5	11	22	30	73
65+	1249	11.5	180	<1	1	8	15	26	41	99+
TOT. SINGLE DX	1691	2.5	18	<1	<1	1	2	5	8	17
" MULTIPLE DX	3134	9.3	145	<1	1	6	12	22	33	92
TOTAL 0-19 YRS	586	3.5	36	<1	<1	1	3	9	13	37
20-34	793	4.8	69	<1	<1	2	5	10	22	57
35-49	902	5.2	77	<1	<1	2	5	13	20	53
50-64	1096	6.8	100	<1	<1	3	8	17	27	63
65+	1448	10.5	173	<1	1	7	13	24	38	99+
GRAND TOTAL	**4825**	**6.9**	**111**	**<1**	**<1**	**3**	**8**	**17**	**27**	**73**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	927	3.6	16	<1	<1	2	4	8	11	22
20-34	1058	4.4	26	<1	1	3	5	9	12	28
35-49	562	4.5	26	<1	1	3	5	10	14	27
50-64	415	5.1	51	<1	1	3	6	10	14	35
65+	309	6.7	71	<1	1	4	9	15	21	46
2. MULTIPLE DX										
0-19 YRS	1922	5.2	53	1	1	3	6	12	18	43
20-34	3002	6.9	97	1	1	4	8	15	26	55
35-49	2084	9.9	142	1	1	6	12	23	35	68
50-64	2669	12.7	194	1	2	9	16	31	46	99+
65+	5482	16.2	262	2	3	11	21	42	67	99+
TOT. SINGLE DX	3271	4.5	32	<1	1	3	5	9	14	28
" MULTIPLE DX	15159	11.5	193	1	1	7	15	30	45	99+
TOTAL 0-19 YRS	2849	4.7	42	<1	1	3	5	10	15	39
20-34	4060	6.2	80	<1	1	3	7	13	23	48
35-49	2646	8.8	123	1	1	5	11	21	31	61
50-64	3084	11.7	182	1	2	8	15	29	42	99+
65+	5791	15.7	257	1	2	11	21	41	64	99+
GRAND TOTAL	**18430**	**10.3**	**171**	**1**	**1**	**6**	**13**	**26**	**41**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	5.7	47	1	1	3	8	14	16	39
20-34	117	5.9	77	<1	<1	3	7	12	22	50
35-49	70	6.3	46	<1	<1	4	8	16	21	33
50-64	62	6.9	63	<1	1	3	11	17	26	32
65+	76	11.1	122	1	2	8	15	27	34	48
2. MULTIPLE DX										
0-19 YRS	146	14.7	137	1	2	13	21	28	34	50
20-34	210	15.3	173	1	2	13	20	31	43	75
35-49	199	17.1	249	1	2	13	24	36	46	85
50-64	299	18.7	267	2	3	14	27	46	55	99+
65+	589	22.8	277	2	4	20	32	46	61	99+
TOT. SINGLE DX	408	7.0	76	<1	1	4	9	16	25	45
" MULTIPLE DX	1443	19.2	252	2	3	16	27	42	53	99+
TOTAL 0-19 YRS	229	11.4	123	1	1	8	17	26	31	47
20-34	327	11.9	159	1	1	8	16	27	40	70
35-49	269	14.3	218	1	1	10	20	32	42	82
50-64	361	16.7	253	1	2	12	24	41	52	99+
65+	665	21.5	273	2	3	19	31	45	59	99+
GRAND TOTAL	**1851**	**16.6**	**239**	**1**	**2**	**13**	**24**	**38**	**49**	**89**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	5.1	51	<1	<1	2	5	15	24	31
20-34	59	2.8	5	<1	1	2	4	6	8	12
35-49	37	4.9	55	<1	1	2	4	12	26	33
50-64	22	3.2	18	<1	1	2	2	7	14	20
65+	16	3.6	31	1	1	2	3	9	19	23
2. MULTIPLE DX										
0-19 YRS	30	6.5	86	1	1	2	9	17	26	43
20-34	111	10.6	213	1	1	4	15	32	43	64
35-49	51	16.1	345	1	1	8	29	41	66	99+
50-64	56	14.9	320	1	1	8	23	37	49	87
65+	89	18.1	339	1	2	11	29	55	71	99+
TOT. SINGLE DX	166	3.9	30	<1	1	2	4	7	13	32
" MULTIPLE DX	337	13.8	284	1	1	7	22	39	56	99+
TOTAL 0-19 YRS	62	5.8	68	<1	1	2	7	16	25	42
20-34	170	7.9	155	<1	1	3	7	24	36	60
35-49	88	11.4	253	1	1	4	16	34	43	96
50-64	78	11.6	262	1	1	4	16	33	44	82
65+	105	15.9	319	1	1	8	27	51	63	99+
GRAND TOTAL	**503**	**10.5**	**222**	**1**	**1**	**4**	**13**	**32**	**44**	**90**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	1.9	1	<1	<1	2	2	3	4	6
20-34	156	2.2	14	<1	<1	1	3	4	5	7
35-49	172	2.1	3	<1	<1	1	2	4	6	10
50-64	137	1.8	3	<1	<1	1	2	3	5	11
65+	49	2.4	15	<1	1	1	2	4	9	21
2. MULTIPLE DX										
0-19 YRS	139	3.5	21	<1	<1	2	4	7	9	44
20-34	176	3.9	28	<1	<1	2	4	7	13	31
35-49	265	5.5	76	1	1	3	5	10	21	63
50-64	324	6.2	102	1	1	3	6	15	22	59
65+	415	13.6	238	1	1	10	18	39	81	99+
TOT. SINGLE DX	691	2.0	6	<1	<1	1	2	4	5	9
" MULTIPLE DX	1319	7.8	138	1	1	4	9	21	34	99+
TOTAL 0-19 YRS	316	2.6	11	<1	<1	2	3	5	7	25
20-34	332	3.1	23	<1	<1	2	4	5	8	30
35-49	437	4.1	50	<1	1	2	5	8	11	62
50-64	461	4.9	77	<1	1	2	4	11	18	57
65+	464	12.4	227	1	1	8	16	33	78	99+
GRAND TOTAL	**2010**	**5.8**	**100**	**<1**	**1**	**2**	**6**	**15**	**26**	**90**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	3.8	23	1	1	2	6	11	11	11
20-34	5	3.4	9	1	1	2	6	8	8	8
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	6	1.7	1	<1	<1	1	2	4	4	4
65+	6	5.8	22	1	1	5	9	13	13	13
2. MULTIPLE DX										
0-19 YRS	9	3.4	6	1	1	2	5	8	8	8
20-34	4	3.8	3	2	2	3	5	6	6	6
35-49	9	3.8	9	1	1	4	4	9	11	11
50-64	17	11.6	237	1	2	6	13	41	52	54
65+	52	18.3	395	3	4	10	28	61	96	99+
TOT. SINGLE DX	26	3.3	12	<1	1	2	4	9	11	13
" MULTIPLE DX	91	13.5	306	1	2	6	17	51	77	99+
TOTAL 0-19 YRS	13	3.5	10	1	1	2	5	9	11	11
20-34	9	3.6	6	1	1	3	5	7	8	8
35-49	14	3.0	7	1	1	2	4	6	10	11
50-64	23	9.0	193	<1	1	4	9	23	49	54
65+	58	17.0	371	2	4	10	25	60	92	99+
GRAND TOTAL	**117**	**11.2**	**258**	**1**	**1**	**5**	**13**	**37**	**60**	**99+**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	2.7	11	<1	1	2	2	6	11	19
20-34	1726	2.8	10	1	1	2	3	7	10	17
35-49	2210	2.7	11	1	1	1	2	6	10	16
50-64	1074	2.8	11	1	1	1	3	7	11	16
65+	325	2.5	9	1	1	1	2	6	9	18
2. MULTIPLE DX										
0-19 YRS	98	5.0	87	1	1	2	4	12	23	55
20-34	922	4.8	31	1	1	3	6	11	16	27
35-49	1474	4.8	37	1	1	2	6	12	17	30
50-64	1397	5.6	48	1	1	3	7	14	20	35
65+	1015	8.2	92	1	1	4	12	20	25	59
TOT. SINGLE DX	5457	2.7	11	1	1	1	3	7	10	17
" MULTIPLE DX	4906	5.8	53	1	1	3	8	14	20	37
TOTAL 0-19 YRS	220	3.7	46	1	1	2	3	7	15	32
20-34	2648	3.5	19	1	1	2	4	9	12	20
35-49	3684	3.5	23	1	1	2	4	9	13	24
50-64	2471	4.4	34	1	1	2	5	11	15	31
65+	1340	6.8	78	1	1	3	9	18	23	51
GRAND TOTAL	**10363**	**4.2**	**33**	**1**	**1**	**2**	**5**	**10**	**15**	**29**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	3.4	18	1	1	2	3	8	10	25
20-34	100	3.4	10	1	1	2	4	8	9	18
35-49	130	4.2	22	1	1	2	5	10	17	20
50-64	213	3.3	12	<1	1	2	4	7	9	22
65+	171	3.4	17	1	1	2	3	7	11	22
2. MULTIPLE DX										
0-19 YRS	40	6.0	34	1	1	3	8	15	19	24
20-34	129	5.8	49	1	1	3	7	12	20	36
35-49	309	6.4	50	1	1	4	8	14	22	38
50-64	920	7.2	61	1	1	5	9	15	21	39
65+	1480	7.7	76	1	2	5	10	15	23	52
TOT. SINGLE DX	650	3.5	16	1	1	2	4	8	11	21
" MULTIPLE DX	2878	7.3	68	1	2	5	9	15	22	43
TOTAL 0-19 YRS	76	4.8	28	1	1	2	6	13	17	25
20-34	229	4.8	34	1	1	3	6	10	16	27
35-49	439	5.8	43	1	1	3	7	14	19	35
50-64	1133	6.5	55	1	1	4	8	14	20	37
65+	1651	7.3	72	1	1	5	9	15	22	50
GRAND TOTAL	**3528**	**6.6**	**60**	**1**	**1**	**4**	**8**	**14**	**20**	**41**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	12	2.5	1	2	2	2	3	4	6	6
50-64	9	3.0	3	2	2	2	3	6	8	8
65+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34	8	4.4	17	1	1	3	7	11	12	12
35-49	126	5.1	19	2	2	3	7	11	15	20
50-64	341	4.9	20	2	2	3	7	11	15	18
65+	206	6.8	42	2	2	5	10	15	19	32
TOT. SINGLE DX	23	3.1	4	2	2	2	3	7	8	8
" MULTIPLE DX	681	5.5	27	2	2	3	7	12	16	28
TOTAL 0-19 YRS										
20-34	8	4.4	17	1	1	3	7	11	12	12
35-49	138	4.9	18	2	2	3	6	11	14	19
50-64	350	4.8	20	2	2	3	6	11	15	18
65+	208	6.9	42	2	2	5	9	15	19	32
GRAND TOTAL	**704**	**5.4**	**27**	**2**	**2**	**3**	**7**	**12**	**15**	**28**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	3.9	13	<1	1	2	5	10	11	18
20-34	373	4.6	16	1	1	3	7	10	13	18
35-49	474	4.5	13	1	1	3	7	10	12	16
50-64	505	4.3	16	1	1	2	7	10	12	17
65+	510	4.3	15	1	1	2	7	10	11	18
2. MULTIPLE DX										
0-19 YRS	106	7.5	74	1	1	5	9	17	22	48
20-34	514	7.7	81	1	2	6	9	15	18	58
35-49	1063	7.4	46	1	1	6	10	15	19	32
50-64	2706	7.1	49	1	1	5	10	14	18	31
65+	4780	8.5	66	1	2	7	11	17	22	45
TOT. SINGLE DX	1946	4.4	16	1	1	3	7	10	12	17
" MULTIPLE DX	9169	7.9	61	1	1	6	11	15	20	40
TOTAL 0-19 YRS	190	5.9	51	1	1	3	8	14	18	37
20-34	887	6.4	56	1	1	5	9	13	16	42
35-49	1537	6.5	38	1	1	5	9	13	17	28
50-64	3211	6.6	45	1	1	5	9	13	17	30
65+	5290	8.1	63	1	1	7	11	16	21	43
GRAND TOTAL	**11115**	**7.3**	**55**	**1**	**1**	**6**	**10**	**15**	**19**	**38**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5142	3.3	15	1	1	2	4	6	8	18
20-34	8755	3.9	23	1	1	3	5	7	10	23
35-49	5587	4.3	17	1	1	3	5	9	11	21
50-64	4040	5.0	21	1	1	4	6	10	12	24
65+	3035	6.2	35	1	2	5	8	12	16	31
2. MULTIPLE DX										
0-19 YRS	7405	5.3	51	1	1	3	6	10	15	40
20-34	13847	5.7	40	1	1	4	7	11	16	34
35-49	15349	6.8	47	1	2	5	8	13	18	38
50-64	27336	7.9	53	2	2	6	10	15	20	39
65+	72046	10.1	88	2	3	8	12	19	27	63
TOT. SINGLE DX	26559	4.3	23	1	1	3	5	8	11	23
" MULTIPLE DX	135983	8.6	73	2	2	6	10	17	23	51
TOTAL 0-19 YRS	12547	4.5	38	1	1	3	5	8	12	33
20-34	22602	5.0	35	1	1	3	6	10	14	30
35-49	20936	6.1	41	1	2	4	8	12	16	34
50-64	31376	7.5	51	2	2	6	9	14	19	38
65+	75081	10.0	87	2	3	8	12	19	27	62
GRAND TOTAL	**162542**	**7.9**	**68**	**1**	**2**	**6**	**10**	**15**	**22**	**48**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2784	4.5	37	1	1	3	4	8	15	34
20-34	1276	6.0	32	1	1	4	7	12	16	30
35-49	1203	6.3	28	1	2	5	8	11	15	27
50-64	767	6.4	26	1	2	5	8	12	15	25
65+	671	7.4	46	1	2	6	9	14	17	35
2. MULTIPLE DX										
0-19 YRS	3414	6.7	85	1	2	4	7	14	23	58
20-34	2804	7.4	64	1	2	5	8	14	19	52
35-49	3115	7.8	53	2	2	6	9	14	20	46
50-64	4630	9.2	83	2	3	7	11	17	26	55
65+	12259	11.5	121	3	3	8	14	22	34	84
TOT. SINGLE DX	6701	5.6	36	1	1	4	7	11	15	31
" MULTIPLE DX	26222	9.6	99	2	3	7	11	19	28	65
TOTAL 0-19 YRS	6198	5.7	65	1	1	3	6	12	20	47
20-34	4080	7.0	55	1	2	5	8	13	18	44
35-49	4318	7.4	47	2	2	6	9	14	19	41
50-64	5397	8.8	76	2	3	7	10	16	24	52
65+	12930	11.3	118	2	3	8	13	22	33	81
GRAND TOTAL	**32923**	**8.8**	**89**	**2**	**2**	**6**	**10**	**18**	**26**	**59**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3366	3.4	22	<1	1	3	4	6	7	19
20-34	3009	3.3	26	<1	<1	2	4	6	9	29
35-49	2116	4.3	21	1	1	3	5	9	11	26
50-64	1942	4.8	18	1	1	4	6	10	11	20
65+	1733	5.3	23	1	2	4	7	10	12	25
2. MULTIPLE DX										
0-19 YRS	6625	6.2	88	1	1	4	6	12	23	67
20-34	5269	5.8	66	1	1	3	6	12	20	44
35-49	7656	6.1	47	1	1	4	7	12	17	37
50-64	17253	7.0	45	1	2	5	9	13	18	37
65+	44953	8.9	70	2	3	7	11	17	23	53
TOT. SINGLE DX	12166	4.0	23	<1	1	3	5	8	11	25
" MULTIPLE DX	81756	7.9	66	1	2	6	10	15	21	49
TOTAL 0-19 YRS	9991	5.2	68	1	1	3	5	9	17	56
20-34	8278	4.9	53	<1	1	3	5	10	17	39
35-49	9772	5.7	42	1	1	4	7	11	16	34
50-64	19195	6.8	44	1	2	5	9	13	17	35
65+	46686	8.8	69	2	3	7	11	16	23	52
GRAND TOTAL	**93922**	**7.4**	**62**	**1**	**2**	**5**	**9**	**14**	**20**	**45**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No. Title
Arthritis, except osteo- and rheumatoid (continued)
303 Osteo-, spine
299 Pyogenic
297 Rheumatoid, except spine
302 Rheumatoid, spine
339 Ascites
151 ASCVD
143 ASHD
183 Asthma
183 Asthmatic bronchitis
Atherosclerosis — *see Arteriosclerosis*
147 Atrial fibrillation and flutter
76 Avitaminosis

145 Bacterial endocarditis
234 Bacteriuria, except in pregnancy
266 in pregnancy
287 in pregnancy, with delivery
311 Baker's cyst
235 Benign prostatic hyperplasia (BPH)
234 Bladder disease, except calculus and cystitis
48 Blast cell leukemia
Bleeding
251 Menopausal
251 Postmenopausal
221 Blind loop syndrome
129 Blindness
148 Block, heart
332 Bloody nose
313 Bone disease, except osteomyelitis and osteoarthritis
123 Borderline glaucoma
1 Botulism
67 Bowen's disease
235 BPH
121 Break, retinal
242 Breast disease, except fibrocystic
241 Fibrocystic
183 Bronchial asthma
174 Bronchiolitis, acute
181 Bronchitis, except acute
174 Acute
181 Chronic
179 Bronchopneumonia
6 Brucellosis
376 Bruise, except eye and orbit
375 Eye and orbit
310 Bunion
381 Burn, any site, except third degree
380 Third degree
309 Bursitis

Calculus
217 Bile duct, except cystic
231 Bladder
215 Cystic bile duct

Group No. Title
Calculus (continued)
215 Gallbladder
228 Renal
188 Salivary gland
229 Ureter
231 Urethra
Cancer — *see Neoplasm, malignant*
Carcinoma — *see Neoplasm, malignant*
67 Carcinoma in situ, except cervix
66 Cervix
148 Cardiac arrest
390 Postoperative
109 Cardiac neurosis
189 Cardiospasm
119 Carpal tunnel syndrome
125 Cataract, except senile and diabetic
73 Diabetic
124 Senile
221 Celiac disease
Cellulitis
292 Digit
291 Skin and subcutaneous tissue, except digit
117 Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
Cerebral hemorrhage, except subarachnoid
154 without paralysis
155 with paralysis
Cerebrovascular accident
161 without paralysis
162 with paralysis
268 Cervical incompetence
280 with delivery
246 Cervical infection
246 Cervicitis
340 Chemical diabetes mellitus
385 Chemical poisoning
398 Chemotherapy session or treatment
8 Chickenpox
97 Childhood psychoses
218 Cholangitis
Cholecystitis
216 without cholelithiasis
215 with cholelithiasis
217 Choledocholithiasis
215 Cholelithiasis
36 Choriocarcinoma
128 Chorioretinitis
213 Cirrhosis, except Laennec's
212 Alcoholic
213 Biliary
212 Laennec's
321 Cleft palate and lip
122 Closed-angle glaucoma

DIAGNOSIS INDEX (continued)

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal

Group No.	Title
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

DIAGNOSIS INDEX (continued)

Group No. Title

- Dependence
  - 104 Alcoholic
  - 106 Amphetamine
  - 106 Barbiturate
  - 106 Cocaine
  - 105 Heroin
  - 106 LSD
  - 106 Marijuana
  - 105 Methadone
  - 105 Morphine
  - 105 Opioid
- 111 Depression, except neurotic, postpartum, and psychotic
  - 102 Neurotic
  - 267 Postpartum
  - 98 Psychotic
- 102 Depressive neurosis
- 98 Depressive psychosis
- 102 Depressive reaction
- 301 Derangement, joint except knee
  - 300 Knee joint
- 295 Dermatitis
- 15 Dermatomycosis
- 121 Detachment of retina
- 175 Deviated nasal septum
- Diabetes mellitus
  - 340 Chemical
  - 71 Uncomplicated
  - 73 Uncontrolled
- Diabetic complications
  - 72 Acidosis
  - 73 Cataract
  - 72 Coma
  - 73 Gangrene
  - 73 Nephropathy
  - 73 Neuropathy
  - 73 Retinopathy
  - 73 Ulcer
- Dialysis
  - 397 Peritoneal
  - 397 Renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
  - 211 Functional
  - 1 Infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotis cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No. Title

- Disease (continued)
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular
  - 196 Duodenum, except ulcer and inflammatory
  - 134 Ear, except inflammatory and otosclerosis
  - 75 Endocrine, except ovary, thyroid, and diabetes mellitus
  - 189 Esophagus
  - 129 Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
  - 128 Eye, inflammatory, except lacrimal tract
  - 252 Fallopian tube, except endometriosis
  - 316 Fascia
  - 252 Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
  - 216 Gallbladder
  - 252 Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
  - Heart
    - 138 Hypertensive
    - 143 Ischemic, except infarction and angina pectoris
    - 136 Rheumatic, chronic
    - 150 Other, except arrhythmia and bacterial endocarditis
  - 86 Hematopoietic, except anemia, hemophilia, and leukemia
  - 328 Hemolytic, newborn
  - 46 Hodgkin's
  - 137 Hypertensive, except heart
  - 138 Hypertensive, heart
  - 17 Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
  - 211 Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
  - 1 Intestine, infectious
  - 143 Ischemic heart, except acute infarction and angina pectoris

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
	Disease (continued)
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No. Title

- 287 Elderly primigravida, with delivery
- 255 Elective abortion
- 392 Elective sterilization
- 81 Electrolyte imbalance or disorder
- Embolism
  - 167 Arterial, except cerebral and precerebral
  - Cerebral
    - 158 without paralysis
    - 159 with paralysis
  - Precerebral
    - 156 without paralysis
    - 157 with paralysis
  - 144 Pulmonary, except postoperative
  - 390 Pulmonary, postoperative
  - 172 Vein
- 182 Emphysema
- 113 Encephalitis, except viral
  - 12 Viral
  - 18 Viral, late effect
- 145 Endocarditis, acute and subacute bacterial
- 75 Endocrine disease, except ovary, thyroid, and diabetes mellitus
- 245 Endometriosis
- 247 Endometritis, except puerperal
  - 288 Puerperal
- 69 Enlarged thyroid
- 208 Enteritis, except bacterial, regional, and viral
  - 1 Bacterial
  - 208 Noninfectious
  - 211 Regional
  - 1 Viral
- 238 Epididymitis
- 116 Epilepsy
- 332 Epistaxis
- 6 Erysipelas
- 67 Erythroplasia
- 172 Esophageal varices
- 189 Esophagitis
- 189 Esophagospasm
- 137 Essential benign hypertension
- Examination
  - 398 Follow-up
  - 298 Medical

- Failure
  - 149 Heart
  - 390 Heart, postoperative
  - 225 Renal, except chronic
  - 224 Renal, chronic
  - 186 Respiratory (acute)
- 340 Fainting
- 263 False labor
- Fever
  - 135 Active rheumatic
  - 330 NOS (FUO)

Group No. Title

- Fever (continued)
  - 1 Paratyphoid
  - 288 Puerperal
  - 4 Scarlet
  - 1 Typhoid
  - 12 Yellow
- Fibrillation or flutter
  - 147 Atrial
  - 148 Ventricular
- 241 Fibrocystic breast
- 77 Fibrocystic disease, pancreas
- 56 Fibroma, uterus
- 16 Filariasis
- 210 Fissure, anal
- 210 Fistula, anal
- 128 Flat anterior chamber
- 1 Food poisoning
- 379 Foreign body in body orifice, except eye
- 378 Foreign body in eye
- Fracture
  - 354 Ankle
  - 349 Arm, lower
  - 348 Arm, upper
  - 354 Bimalleolar
  - 350 Carpal
  - 355 Clavicle
  - 349 Colles
  - 343 Face bone
  - 352 Femur, except upper end
  - 351 Femur, upper end
  - 353 Fibula, except lateral malleolus
  - 350 Finger
  - 354 Foot
  - 350 Hand
  - 398 Healed, aftercare, except removal of fixation device
  - 396 Healed, aftercare, removal of fixation device
  - 351 Hip
  - 348 Humerus
  - 354 Knee
  - 354 Lateral malleolus
  - 353 Leg, lower, except ankle
  - 352 Leg, upper, except hip
  - 343 Mandible
  - 354 Medial malleolus
  - 350 Metacarpal
  - 354 Metatarsal
  - 356 Multiple bones
  - 343 Nose
  - 354 Patella
  - 347 Pelvis
  - 349 Radius
  - 346 Rib
  - 355 Scapula
  - 342 Skull, base
  - 341 Skull, vault

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago

Group No.	Title
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No.	Title
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
	Genitalia
59	Female, except uterus and ovary
60	Male
61	Kidney
52	Larynx
52	Lung
53	Muscle
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
	Genitalia
36	Female, except uterus and ovary

Group No.	Title
	Neoplasm, malignant (continued)
38	Male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Large, except rectum
22	Small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Acute
222	Nephrosis, except tubular
225	Tubular
222	Nephropathy, except diabetic
73	Diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Sciatic
120	Trigeminal
315	Neuritis, except median and sciatic
119	Median
307	Sciatic
120	Neuroma, except amputation stump
390	Amputation stump
103	Neurosis, except anxiety, cardiac, and depressive
101	Anxiety
109	Cardiac

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

DIAGNOSIS INDEX (continued)

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic

Group No.	Title
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

DIAGNOSIS INDEX (continued)

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect

Group No.	Title
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal

Group No.	Title
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery

Group No.	Title
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
717	Chemonucleolysis
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy

OPERATION INDEX (continued)

Group No.	Title
	Closure (continued)
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cyctostomy
638	Cystotomy
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
	Debridement (continued)
752	Nail, nail bed, nail fold
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, except of hand
728	Hand
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (eletroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin

OPERATION INDEX (continued)

Group No. Title

- 753 Encephalography
- Endoscopy
  - 617 Biliary tract
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 647 Ileal conduit
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball
- 533 Epilation, eyelid
- 697 Episioperinorrhaphy
- 697 Episiorrhaphy
- 690 Episiotomy, except with forceps delivery
  - 687 with low forceps delivery
  - 689 with other forceps delivery
- 544 Epistaxis control, except by anterior packing
  - 557 Anterior packing
- 618 ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
  - 617 Biliary tract
- 588 Esophagectomy
- 589 Esophagoscopy, except surgical approach
  - 619 Surgical approach
- 588 Esophagotomy
- 508 ESWL (extracorporeal shock wave lithotripsy)
- 613 Evacuation, hemorrhoids
- Evisceration
  - 532 Eyeball
  - 673 Pelvic
- Examination
  - 764 Eye
  - 764 General physical
  - 764 Gynecologic
  - 764 Pelvic
  - 761 Psychiatric
- 763 Exchange transfusion, except intrauterine
  - 696 Intrauterine

Group No. Title

- Excision — *see also Excision of lesion (and destruction of tissue)*
  - 610 Anal fistula
  - 727 Baker's cyst
  - 705 Bone, except facial
    - 699 Facial, except partial
      - 698 Partial
  - 556 Branchial cleft cyst
  - 704 Bunion
  - 517 Chalazion, eyelid
  - 599 Colon
  - 665 Fallopian tubes, bilateral, except endoscopic approach
    - 664 Endoscopic approach
  - 670 Fibroid, uterine
  - 616 Gallbladder
  - 508 Ganglion, except of tendon
    - 727 Tendon (of hand)
  - 612 Hemorrhoids
  - Hydrocele
    - 679 Round ligament
    - 656 Spermatic cord
    - 651 Tunica vaginalis
  - 717 Intervertebral disc or cartilage
  - 719 Joint, except intervertebral disc and cartilage of knee
    - 717 Intervertebral disc
    - 718 Knee cartilage
  - 631 Kidney, except partial
    - 632 Partial
  - 718 Knee cartilage (semilunar)
  - 582 Lymph nodes, except radical
    - 583 Radical
  - 508 Neuroma, peripheral nerve
  - Ovary
    - 662 Bilateral
    - 661 Unilateral
  - 550 Parotid gland
  - 746 Pilonidal cyst or sinus
  - 515 Pituitary gland
  - 649 Prostate, except transurethral approach
    - 648 Transurethral approach
  - 522 Pterygium
  - 747 Sebaceous cyst, except of eyelid
    - 517 Eyelid, eyebrow
  - 718 Semilunar cartilage, knee
  - 586 Spleen
  - 514 Thyroglossal duct or tract
  - 513 Thyroid
  - 751 Toenail
  - 552 Tongue
  - 553 Tonsil, except with adenoids
    - 554 with adenoids
  - 556 Tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

OPERATION INDEX (continued)

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy

Group No.	Title
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

OPERATION INDEX (continued)

Group No. **Title**
Implant, implantation
642   Artifical urinary sphincter
745   Breast
574   Cardiac pacemaker (electrodes) (pulse generator)
575   Cardioverter/defibrillator
539   Cochlear prosthetic device
740   Limb prosthesis
Incision (and drainage)
626   Abdominal wall
610   Anal fistula
605   Appendix
683   Bartholin's gland or abscess
703   Bone, except facial
702   Facial
501   Brain
745   Breast
501   Cerebral meninges
569   Chest (wall)
522   Cornea
502   Cranial sinus
534   Ear, external
518   Eyelid
552   Floor of mouth
617   Gallbladder
549   Gingiva, gums
600   Intestine
716   Joint
519   Lacrimal gland or sac
614   Liver
582   Lymph nodes
539   Mastoid
      Meninges
501   Cerebral
506   Spinal
537   Middle ear
726   Muscle
      Nasal sinus — *see Sinusotomy*
726   Palmar space (hand)
618   Pancreas
613   Perianal tissue
      Perineum
683   Female
748   Male
607   Perirectal tissue
627   Peritoneum, except via cul-de-sac
682   Via cul-de-sac
746   Pilonidal cyst or sinus
569   Pleura
607   Rectovaginal septum
607   Rectum
626   Retroperitoneal abscess
651   Scrotum
      Sinus (nasal) — *see Sinusotomy*
748   Skin, except pilonidal cyst or sinus
746   Pilonidal cyst or sinus

Group No. **Title**
Incision (and drainage) (continued)
506   Spinal meninges
726   Tendon
569   Thorax
633   Ureter
682   Vagina
683   Vulva
690 Induction of labor (medical or surgical) for delivery
Injection
694   Intra-amniotic, for termination of pregnancy
763   Therapeutic agent (drugs)
745   Breast
741   Bursa
741   Joint
741   Tendon
686 Insemination, artifical
Insertion
706   Bone growth stimulator
574   Cardiac pacemaker (electrode) (pulse generator)
512   Catheter, spinal canal
596   Gastric balloon
748   Infusion pump
658   Penile prosthesis
645   Ureteral stent
751   Tissue expander, except breast
745   Breast
686   Intrauterine contraceptive device
679   Laminaria, uterus
666 Insufflation, fallopian tubes
694 Intra-amniotic injection for termination of pregnancy
758 Intravenous pyelogram (IVP)
764 Intubation, nonoperative
764 Irrigation, nonoperative
758 IVP (intravenous pyelogram)

Laceration repair (suture) — *see Repair, by site*
506 Laminectomy, except for excision of intervertebral disc
717   Excision of intervertebral disc
628 Laparoscopy, except for tubal ligation
664   Tubal ligation
627 Laparotomy, exploratory
560 Laryngectomy, except partial
559   Partial
576 Laryngoscopy
562 Laryngotomy, except permanent
561   Permanent
706 Lengthening of bone
526 Lens extraction, except intracapsular
525   Intracapsular
Ligation
665   Fallopian tubes (bilateral), except endoscopic approach
664   Endoscopic approach
612   Hemorrhoids

OPERATION INDEX (continued)

Group No. **Title**

- Ligation (continued)
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lithotripsy
  - 638 Bladder
  - 646 Extracorporeal shock wave
  - 635 Kidney
  - 646 Ultrasonic
  - 635 Ureter
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 758 Magnetic resonance imaging
- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended
  - 742 Subtotal
  - 744 Radical
  - 743 Partial
- 538 Mastoidectomy, except revision
  - 539 Revision
- 745 Mastotomy
- Meatotomy
  - 635 Ureteral
  - 639 Urethral
- 690 Medical induction of labor
- 718 Meniscectomy, knee
- 686 Menstrual extraction or regulation
- 699 Mentoplasty
- 764 Monitoring, circulatory (CVP) (PCW)

Group No. **Title**

- 754 Myelography
- 670 Myomectomy, uterus
- 537 Myringotomy

- 631 Nephrectomy (complete)
- 632 Nephropexy
- 758 NMR (nuclear magnetic resonance imaging)

- 682 Obliteration, vagina or vaginal vault
- 751 Onychectomy
- 751 Onychoplasty
- Oophorectomy
  - 662 Bilateral
  - 661 Unilateral
- 533 Ophthalmoscopy
- 652 Orchiectomy
- 653 Orchiopexy
- 654 Orchioplasty, except suspension
  - 653 Suspension
- 705 Ostectomy, except facial bone
  - 699 Facial bone, except partial
    - 698 Partial
- 706 Osteoplasty, except facial bone
  - 699 Facial bone
- 703 Osteotomy, except facial bone
  - 699 Facial bone
- 540 Otoscopy

- 551 Palatoplasty
- 618 Pancreatectomy
- 618 Pancreatotomy
- Paracentesis
  - 626 Abdominal
  - 524 Anterior chamber (eye)
  - 576 Thoracic
- 514 Parathyroidectomy
- 550 Parotidectomy
- 673 Pelvic exenteration
- 581 Percutaneous transluminal angioplasty, except coronary
  - 575 Coronary artery (PTCA)
- 575 Pericardiocentesis
- 629 Peritoneal dialysis
- 628 Peritoneoscopy
- 557 Pharyngoscopy
- 556 Pharyngotomy
- 757 Phlebography
- 540 Piercing, ear
- 576 Pleurocentesis
- 576 Pleurodesis, chemical
- Plication
  - 644 Urethral, urethrovesical
  - 581 Vena cava
- 753 Pneumoencephalography
- 566 Pneumonectomy
- 659 Preputiotomy

OPERATION INDEX (continued)

Group No. Title

- 608 Proctectomy
- 609 Proctopexy
- 619 Proctosigmoidoscopy, except surgical approach
  - 609 Surgical approach (transabdominal)
- 607 Proctotomy
- 649 Prostatectomy, except transurethral approach
  - 648 Transurethral approach
- 761 Psychiatric testing and evaluation
- 761 Psychotherapy
- 575 PTCA (percutaneous transluminal coronary angioplasty)
- Puncture
  - 501 Cranial
  - 512 Lumbar
  - 501 Skull, for drainage
  - 512 Spinal
- 758 Pyelogram (intravenous) (retrograde)
- 636 Pyeloscopy
- 632 Pyelotomy
- 590 Pyloromyotomy
- 596 Pyloroplasty

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)

Group No. Title

- Reduction (continued)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 with internal fixation
    - 713 Open, except with internal fixation
      - 712 with internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction
    - Femur
      - 710 Closed, except with internal fixation
        - 708 with internal fixation
      - 710 Open, except with internal fixation
        - 709 with internal fixation
    - 701 Mandible, except closed reduction
      - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
      - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia —*see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 with incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva
      - 524 Iris
      - 527 Lens
    - Prosthesis
      - 745 Breast
      - 716 Joint

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

OPERATION INDEX (continued)

Group No. **Title**

- Resection (continued)
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis
  - 601 Intestinal anastomosis
  - 539 Mastoidectomy
  - 562 Tracheostomy
  - 539 Tympanoplasty
  - 505 Ventricular shunt
- 542 Rhinoplasty
- 751 Rhytidectomy, facial
- 549 Root canal therapy
- 549 Root resection (tooth)
- 690 Rupture of membranes for delivery

- Salpingectomy
  - 665 Bilateral
  - 666 Unilateral
- Salpingo-oophorectomy
  - 662 Bilateral
  - 661 Unilateral
- 730 Scalenectomy
- 726 Scalenotomy
- Scan
  - 758 C.A.T. (computerized axial tomography)
  - 758 Radioisotope
- 528 Sclera buckling, for retinal detachment
- 706 Shortening, bone
- Shunt — *see also Bypass*
  - 504 Cerebral ventricles, except intracranial and revision
    - 505 Intracranial
    - 505 Revision
  - 578 Peripheral vessels
  - 630 Peritoneovenous
  - 578 Systemic vessels
- 550 Sialoadenectomy
- 599 Sigmoidectomy
- 546 Sinusectomy, nasal
- 546 Sinusotomy, except radical maxillary
  - 545 Radical maxillary
- 751 Size-reduction, skin tissue except breast
  - 745 Breast

Group No. **Title**

- Sphincterotomy
  - 617 Ampullary (of Vater) (pancreas)
  - 613 Anus
  - 638 Bladder neck
- Spinal
  - 720 Fusion
  - 512 Tap or puncture
- 586 Splenectomy
- 721 Stabilization of joint, except foot and knee
  - 725 Foot
  - 724 Knee
- 535 Stapedectomy
- 535 Stapes mobilization
- 644 Stress incontinence repair, except by urethral suspension
  - 643 Urethral suspension
- Stress test
  - 764 Cardiac
  - 764 Fetal
  - 764 Uterine
- 541 Submucous nasal resection
- 690 Surgical induction of labor for delivery
- Suspension
  - 643 Urethra, except with bladder neck
    - 644 with bladder neck
  - 644 Urethrovesical
- Suture — *see also Repair, by site*
  - 730 Muscle, except of hand
    - 729 Hand
  - 748 Skin
  - 730 Tendon, except of hand
    - 729 Hand
- 510 Sympathectomy
- 719 Synovectomy

- 554 T and A
- Takedown — *see Closure*
- 730 Tenosynovectomy, except of hand
  - 728 Hand
- 726 Tenotomy, except of hand
  - 728 Hand
- Termination of pregnancy
  - 676 Aspiration curettage
  - 674 Dilation and curettage
  - 691 Hysterotomy
  - 694 Intra-amniotic injection
- Therapy
  - 761 Behavior
  - 763 Cancer (chemical)
  - 761 Electroconvulsive (ECT)
  - 760 Occupational
  - 760 Physical
  - 761 Psychiatric
  - 759 Radiation

OPERATION INDEX (continued)

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

R3850-1.4 IL 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Southern Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface iv

About CPHA v

Discussion of the Data
- Source of the Data v
- Data Quality v
- Geographic Coverage vi
- Organization of Length of Stay Tables viii
  - Patient Data Assignment
  - Definition of Multiple Diagnoses Patients
  - Definition of Operated Patients
- Explanation of Statistics viii
- Application of Length of Stay Tables ix

Length of Stay Tables
- Length of Stay Tables Diagnosis Groups 1
- Summary of All Patients in Diagnosis Groups 2
- Summary of All Patients Except Newborn 3
- Diagnosis Groups 1-398 4
- Length of Stay Tables Operation Groups 205
- Summary of All Patients in Operation Groups 206
- Operation Groups 501-764 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 273

Indexes 277
- Diagnosis Index 278
- Operation Index 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.


North Central
Northeast
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	**Number in Books**	**Percent in Books**
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.* New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

321 Hospitals, Southern Region, January-December 1986

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145139	2.9	8	1	1	2	3	5	6	12
20-34	70306	3.2	14	1	1	2	3	5	8	19
35-49	29975	4.3	23	1	1	3	5	9	12	25
50-64	19800	4.8	25	1	1	3	6	9	13	26
65+	16668	5.5	30	1	1	4	7	10	14	29
B. *Operated*										
0-19 YRS	42465	2.9	10	<1	1	2	3	6	8	16
20-34	79031	3.3	7	1	1	3	4	6	7	13
35-49	40809	4.2	13	1	1	3	6	8	10	17
50-64	31527	4.8	17	1	1	4	6	10	12	19
65+	24371	5.8	25	1	1	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132275	4.5	39	1	1	3	5	7	12	37
20-34	71273	5.3	44	1	1	3	6	10	17	35
35-49	74808	5.7	38	1	1	4	7	11	16	31
50-64	111318	6.1	34	1	2	5	7	12	16	30
65+	240571	7.3	38	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	44905	6.5	105	1	1	3	7	14	25	68
20-34	111437	5.0	30	1	2	4	6	8	12	30
35-49	82496	6.5	43	1	2	5	7	12	17	36
50-64	91382	8.1	67	1	2	6	10	16	22	44
65+	143918	10.1	85	2	2	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281888	3.4	14	1	1	3	4	6	8	19
B. *Operated*	218203	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	630245	6.1	40	1	2	4	7	12	16	32
B. *Operated*	474138	7.6	67	1	2	5	9	15	22	45
1. SINGLE DX	500091	3.6	14	1	1	3	4	7	9	18
2. MULTIPLE DX	1104383	6.7	52	1	2	5	8	14	19	38
A. NOT OPERATED	912133	5.3	33	1	1	4	6	10	14	30
B. OPERATED	692341	6.4	53	1	1	4	8	13	19	38
TOTAL 0-19 YRS	364784	3.9	33	1	1	3	4	6	10	32
20-34	332047	4.3	25	1	1	3	5	7	11	28
35-49	228088	5.6	34	1	1	4	7	11	15	30
50-64	254027	6.6	44	1	2	5	8	13	18	34
65+	425528	8.1	56	2	2	6	10	16	21	39
GRAND TOTAL	**1604474**	**5.8**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

321 Hospitals, Southern Region, January-December 1986

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54290	3.3	20	1	1	2	4	6	8	22
20-34	70306	3.2	14	1	1	2	3	5	8	19
35-49	29975	4.3	23	1	1	3	5	9	12	25
50-64	19800	4.8	25	1	1	3	6	9	13	26
65+	16668	5.5	30	1	1	4	7	10	14	29
B. *Operated*										
0-19 YRS	42436	2.9	10	<1	1	2	3	6	8	16
20-34	79031	3.3	7	1	1	3	4	6	7	13
35-49	40809	4.2	13	1	1	3	6	8	10	17
50-64	31527	4.8	17	1	1	4	6	10	12	19
65+	24371	5.8	25	1	1	5	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78530	4.8	54	1	1	3	5	9	14	45
20-34	71273	5.3	44	1	1	3	6	10	17	35
35-49	74808	5.7	38	1	1	4	7	11	16	31
50-64	111318	6.1	34	1	2	5	7	12	16	30
65+	240571	7.3	38	2	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	42550	5.7	72	1	1	3	6	12	20	51
20-34	111437	5.0	30	1	2	4	6	8	12	30
35-49	82496	6.5	43	1	2	5	7	12	17	36
50-64	91382	8.1	67	1	2	6	10	16	22	44
65+	143918	10.1	85	2	2	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191039	3.8	20	1	1	3	4	7	10	23
B. *Operated*	218174	3.9	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	576500	6.3	41	1	2	5	8	12	17	33
B. *Operated*	471783	7.5	64	1	2	5	9	15	21	43
1. SINGLE DX	409213	3.8	16	1	1	3	5	8	10	20
2. MULTIPLE DX	1048283	6.8	52	1	2	5	8	14	19	38
A. NOT OPERATED	767539	5.7	37	1	1	4	7	11	15	31
B. OPERATED	689957	6.4	51	1	1	4	8	13	18	37
TOTAL 0-19 YRS	217806	4.3	41	1	1	3	4	8	12	37
20-34	332047	4.3	25	1	1	3	5	7	11	28
35-49	228088	5.6	34	1	1	4	7	11	15	30
50-64	254027	6.6	44	1	2	5	8	13	18	34
65+	425528	8.1	56	2	2	6	10	16	21	39
GRAND TOTAL	**1457496**	**6.0**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1359	2.9	4	1	1	2	4	5	6	10
20-34	491	2.6	4	1	1	2	3	5	6	11
35-49	252	3.1	4	1	1	3	4	6	7	11
50-64	138	3.5	7	1	1	3	4	6	7	14
65+	88	3.8	5	1	1	4	5	7	7	11
B. *Operated*										
0-19 YRS	18	4.4	10	1	1	3	6	9	12	13
20-34	39	4.4	7	2	2	4	5	7	10	16
35-49	14	5.3	15	2	3	4	5	11	16	17
50-64	5	4.8	4	3	3	5	6	8	8	8
65+	5	8.2	11	4	4	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2845	3.3	7	1	1	3	4	6	7	14
20-34	924	3.1	5	1	1	3	4	6	7	11
35-49	593	3.7	6	1	2	3	5	6	8	12
50-64	588	4.3	8	1	2	4	5	8	10	17
65+	1076	5.4	18	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	69	9.9	144	2	3	7	9	24	32	96
20-34	66	5.7	13	2	2	5	7	10	12	20
35-49	59	7.2	23	2	3	6	8	13	18	24
50-64	65	8.0	39	2	3	6	9	17	19	36
65+	134	11.3	110	3	4	8	13	21	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2328	2.9	4	1	1	2	4	5	7	11
B. *Operated*	81	4.8	10	2	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	6026	3.8	9	1	1	3	5	7	9	16
B. *Operated*	393	9.0	79	2	3	6	10	18	25	55
1. SINGLE DX	2409	3.0	4	1	1	2	4	5	7	11
2. MULTIPLE DX	6419	4.1	15	1	1	3	5	7	10	19
A. NOT OPERATED	8354	3.6	8	1	1	3	4	6	8	15
B. OPERATED	474	8.2	70	2	3	6	9	17	23	48
TOTAL 0-19 YRS	4291	3.3	9	1	1	3	4	6	7	14
20-34	1520	3.1	5	1	1	3	4	6	7	12
35-49	918	3.8	8	1	1	3	5	7	8	13
50-64	796	4.5	11	1	2	4	5	8	11	18
65+	1303	5.9	30	1	2	4	7	11	15	30
GRAND TOTAL	**8828**	**3.8**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.8	38	1	2	6	11	15	21	24
20-34	21	7.7	13	3	4	7	10	13	14	15
35-49	20	8.9	23	3	4	8	11	17	19	20
50-64	8	13.5	133	3	4	9	18	33	38	38
65+	18	10.5	37	2	3	8	13	20	21	21
B. *Operated*										
0-19 YRS	4	6.3	52	2	2	3	10	17	17	17
20-34	6	11.5	34	5	5	11	14	20	21	21
35-49	8	6.4	9	2	2	7	9	10	10	10
50-64	10	11.2	27	5	6	10	13	20	21	21
65+	17	7.6	5	2	5	8	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	8	1	2	6	8	9	10	10
20-34	26	10.6	70	2	3	9	11	27	33	33
35-49	59	11.7	78	1	3	10	16	18	25	53
50-64	75	11.2	72	2	3	9	14	19	28	89
65+	109	12.5	72	3	5	11	15	23	27	45
B. *Operated*										
0-19 YRS	3	53.0	1548	17	17	47	83	95	95	95
20-34	25	15.8	365	4	4	10	16	26	68	87
35-49	36	18.4	300	5	6	12	23	40	48	92
50-64	77	12.0	53	3	3	11	15	20	25	41
65+	123	15.5	116	4	5	11	22	30	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	9.1	38	2	3	7	12	18	21	33
B. *Operated*	45	8.6	21	2	3	8	10	14	19	21
2. MULTIPLE DX										
A. *Not Operated*	280	11.5	72	2	3	10	14	20	27	52
B. *Operated*	264	15.3	175	3	5	11	19	29	40	83
1. SINGLE DX	128	9.0	31	2	3	8	11	17	21	27
2. MULTIPLE DX	544	13.4	125	3	4	10	16	26	34	56
A. NOT OPERATED	363	11.0	65	2	3	9	14	19	26	46
B. OPERATED	309	14.3	158	3	5	10	18	28	37	72
TOTAL 0-19 YRS	34	10.9	296	1	2	6	11	18	42	95
20-34	78	11.6	152	3	4	8	13	21	31	80
35-49	123	12.8	142	2	4	9	16	24	34	65
50-64	170	11.7	62	3	3	10	15	20	27	54
65+	267	13.4	90	4	5	10	17	27	34	46
GRAND TOTAL	**672**	**12.5**	**110**	**3**	**4**	**10**	**15**	**24**	**31**	**54**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.3	9	6	6	10	11	12	12	12
35-49	3	4.3	9	1	1	5	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	16	1	1	2	5	10	11	11
20-34	3	7.0	91	<1	<1	2	14	18	18	18
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64										
65+	3	12.0	79	5	5	9	19	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.8	80	2	2	13	19	23	23	23
20-34	6	10.2	89	1	1	6	20	24	24	24
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	7	15.3	85	4	4	12	24	26	26	26
65+	11	13.8	210	3	4	10	14	32	54	56
B. *Operated*										
0-19 YRS	4	39.5	1334	8	8	29	62	92	92	92
20-34	9	15.4	110	2	4	14	23	29	33	33
35-49	7	19.7	193	3	4	22	28	38	41	41
50-64	7	20.3	260	4	5	10	34	42	44	44
65+	19	23.3	425	7	8	12	29	59	75	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	6.8	15	1	1	6	10	12	12	12
B. *Operated*	14	7.0	45	<1	1	5	11	18	21	22
2. MULTIPLE DX										
A. *Not Operated*	31	12.3	123	1	2	10	16	24	26	56
B. *Operated*	46	22.2	377	4	6	18	29	41	74	92
1. SINGLE DX	20	7.0	35	<1	1	6	10	15	20	22
2. MULTIPLE DX	77	18.2	295	2	4	11	24	34	52	88
A. NOT OPERATED	37	11.4	108	1	2	9	15	24	26	56
B. OPERATED	60	18.6	339	1	2	11	26	36	59	90
TOTAL 0-19 YRS	14	16.4	577	1	1	9	23	39	80	92
20-34	21	11.9	87	1	1	8	20	24	28	33
35-49	15	12.0	145	1	1	7	19	28	38	41
50-64	14	17.8	166	4	4	11	26	35	42	44
65+	33	19.1	334	5	6	11	23	41	[illegible]	76
GRAND TOTAL	**97**	**15.9**	**262**	**1**	**2**	**10**	**23**	**33**	**43**	**84**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.5	2	1	1	2	3	4	5	7
20-34	73	2.8	2	1	1	3	4	4	5	8
35-49	23	3.1	2	1	2	3	4	5	5	5
50-64	12	2.8	1	2	2	3	3	4	4	4
65+	7	3.4	2	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	13	1.8	5	<1	<1	1	2	4	8	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	456	2.9	2	1	1	3	3	5	6	8
20-34	169	3.2	2	1	2	3	4	5	6	7
35-49	88	4.0	5	2	2	4	5	6	8	13
50-64	49	4.0	4	1	2	4	5	6	7	12
65+	26	4.9	3	2	3	5	6	7	8	9
B. *Operated*										
0-19 YRS	15	2.7	9	<1	1	1	3	8	10	11
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	2.7	2	1	1	2	3	4	5	6
B. *Operated*	17	1.7	4	<1	1	1	2	3	7	9
2. MULTIPLE DX										
A. *Not Operated*	788	3.2	3	1	2	3	4	5	6	8
B. *Operated*	21	3.3	8	<1	1	2	5	8	9	11
1. SINGLE DX	271	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	809	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1042	3.1	3	1	1	3	4	5	6	8
B. OPERATED	38	2.6	7	<1	1	1	3	7	9	11
TOTAL 0-19 YRS	623	2.8	2	1	1	2	3	5	6	8
20-34	245	3.1	2	1	2	3	4	5	6	7
35-49	116	3.8	5	1	2	3	5	6	8	12
50-64	63	3.7	3	1	2	3	4	6	7	11
65+	33	4.6	3	2	2	5	6	7	8	9
GRAND TOTAL	**1080**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	4.6	8	1	2	4	5	10	11	14
20-34	17	8.6	101	2	2	5	9	21	35	42
35-49	11	6.0	17	2	2	5	6	14	14	14
50-64	24	7.7	41	2	3	6	9	15	25	26
65+	54	8.2	29	3	3	7	10	14	16	34
B. *Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	4	5.8	2	4	4	6	7	7	7	7
35-49										
50-64										
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	835	5.9	17	2	2	5	8	11	13	19
20-34	164	7.9	39	2	3	7	9	15	19	34
35-49	266	8.1	24	3	3	7	10	14	18	29
50-64	591	9.3	44	3	4	8	11	15	21	35
65+	2930	10.6	50	4	5	9	13	18	23	41
B. *Operated*										
0-19 YRS	81	16.2	260	3	5	11	18	37	54	99+
20-34	54	16.4	253	3	5	10	19	37	49	77
35-49	98	15.8	141	5	6	12	18	30	48	60
50-64	210	18.4	213	4	6	15	22	35	50	71
65+	719	17.7	152	5	7	14	22	33	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	5.4	17	2	2	4	7	10	12	20
B. *Operated*	8	6.0	5	4	4	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	4786	9.4	45	3	3	8	11	16	20	36
B. *Operated*	1162	17.5	174	5	6	14	21	34	47	81
1. SINGLE DX	497	5.4	17	2	2	4	7	10	12	20
2. MULTIPLE DX	5948	11.0	80	3	4	9	13	20	28	50
A. NOT OPERATED	5275	9.0	43	2	3	8	11	16	20	35
B. OPERATED	1170	17.4	174	5	6	14	21	34	47	81
TOTAL 0-19 YRS	1302	6.2	36	2	2	4	8	11	14	28
20-34	239	9.8	103	2	3	7	10	19	28	55
35-49	375	10.1	66	3	4	8	12	18	24	49
50-64	825	11.6	102	3	4	9	14	22	31	60
65+	3704	11.9	77	4	5	10	14	21	29	50
GRAND TOTAL	**6445**	**10.5**	**78**	**3**	**3**	**9**	**13**	**19**	**27**	**49**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	6.7	19	2	2	6	9	12	15	22
20-34	29	5.8	9	2	2	5	8	10	11	11
35-49	16	4.8	12	1	2	4	7	9	12	14
50-64	14	6.8	14	2	3	6	8	13	15	15
65+	11	5.6	16	2	2	5	7	11	16	16
B. *Operated*										
0-19 YRS	8	8.0	33	1	1	8	12	15	16	16
20-34	7	7.7	77	2	2	4	10	23	26	26
35-49	1	18.0		18	18	18	18	18	18	18
50-64	5	6.2	5	4	4	6	7	10	10	10
65+	3	6.0	49	1	1	3	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	7.1	23	2	2	6	10	14	16	21
20-34	53	6.9	49	2	2	5	7	11	21	44
35-49	50	6.8	36	2	3	5	7	14	18	34
50-64	73	6.4	13	2	2	5	8	12	14	15
65+	154	9.5	51	3	3	7	12	19	25	41
B. *Operated*										
0-19 YRS	36	12.7	196	3	3	10	13	21	31	85
20-34	18	9.1	44	2	3	7	13	25	68	99+
35-49	20	9.1	25	3	4	7	12	17	19	21
50-64	31	17.5	271	6	6	12	21	34	45	90
65+	51	15.0	164	4	6	11	18	30	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	6.4	17	2	2	5	9	12	14	21
B. *Operated*	24	7.7	41	1	1	5	11	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	509	7.7	35	2	3	6	10	15	19	29
B. *Operated*	156	13.5	166	3	4	11	14	26	42	99
1. SINGLE DX	278	6.6	19	2	2	5	9	12	15	22
2. MULTIPLE DX	665	9.1	72	2	3	7	11	17	23	53
A. NOT OPERATED	763	7.3	29	2	2	6	9	14	17	27
B. OPERATED	180	12.8	153	3	4	10	14	24	34	97
TOTAL 0-19 YRS	407	7.4	39	2	2	6	10	14	16	26
20-34	107	7.0	39	2	2	5	8	13	21	68
35-49	87	7.1	32	2	2	5	8	15	18	31
50-64	123	9.2	99	2	3	7	11	15	23	58
65+	219	10.6	81	3	3	8	12	21	27	58
GRAND TOTAL	**943**	**8.3**	**58**	**2**	**3**	**6**	**10**	**15**	**21**	**44**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	786	3.5	3	1	1	3	4	6	7	10
20-34	327	3.4	5	1	2	3	4	6	8	12
35-49	76	4.0	4	1	1	4	5	7	8	10
50-64	13	3.8	6	1	1	3	5	8	8	8
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	5	5.4	14	3	3	4	7	12	12	12
20-34	3	7.0	1	6	6	7	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	469	4.2	7	1	2	4	5	7	9	14
20-34	198	4.2	7	2	2	3	5	7	10	15
35-49	57	5.2	15	1	2	4	7	11	12	21
50-64	32	6.0	13	2	3	5	8	12	14	16
65+	17	9.3	38	3	4	7	12	18	23	26
B. *Operated*										
0-19 YRS	18	11.3	302	3	3	7	10	17	55	79
20-34	7	5.3	3	4	4	5	6	8	9	9
35-49	3	5.0	7	3	3	4	7	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	17.0	259	4	4	12	29	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	3.5	4	1	2	3	4	6	7	10
B. *Operated*	9	5.9	8	3	3	5	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	773	4.5	9	2	2	4	5	8	11	16
B. *Operated*	32	9.9	197	3	3	6	9	15	33	79
1. SINGLE DX	1213	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	805	4.7	18	2	2	4	5	8	11	18
A. NOT OPERATED	1977	3.9	6	1	2	3	5	7	8	13
B. OPERATED	41	9.0	157	3	3	5	9	13	26	79
TOTAL 0-19 YRS	1278	3.9	10	1	2	3	4	7	8	12
20-34	535	3.8	6	1	2	3	5	7	8	14
35-49	137	4.5	9	1	2	4	6	9	10	14
50-64	46	5.5	12	2	2	5	7	10	13	16
65+	22	9.8	65	3	4	6	12	20	30	35
GRAND TOTAL	**2018**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	3.5	7	1	1	3	4	6	9	12
20-34	48	4.4	12	<1	1	3	5	10	12	15
35-49	21	5.6	10	1	2	5	7	9	11	14
50-64	45	4.8	8	1	2	4	6	9	11	13
65+	67	5.8	11	2	2	6	7	8	10	23
B. *Operated*										
0-19 YRS	3	7.0	91	1	1	2	14	18	18	18
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	20.0	242	9	9	20	31	31	31	31
50-64	4	5.0	8	3	3	4	7	9	9	9
65+	8	6.4	8	2	2	7	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	470	4.1	10	1	2	3	5	7	10	18
20-34	78	5.5	12	1	2	5	7	9	11	19
35-49	68	5.5	9	2	2	5	7	9	11	16
50-64	165	6.2	13	2	3	5	8	10	12	20
65+	463	8.0	35	2	3	7	9	14	18	34
B. *Operated*										
0-19 YRS	17	15.3	246	4	4	10	12	44	51	54
20-34	10	14.6	272	3	3	11	15	39	59	59
35-49	9	7.8	40	1	1	9	11	17	20	20
50-64	28	11.4	170	2	2	7	12	25	33	65
65+	72	13.3	156	2	3	10	15	29	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	4.4	9	1	1	4	6	8	10	14
B. *Operated*	19	7.2	51	1	2	5	9	15	25	31
2. MULTIPLE DX										
A. *Not Operated*	1244	6.0	23	2	2	5	7	11	14	24
B. *Operated*	136	12.9	169	2	3	9	15	28	43	66
1. SINGLE DX	376	4.5	12	1	2	4	6	8	10	17
2. MULTIPLE DX	1380	6.7	41	2	2	5	8	12	17	35
A. NOT OPERATED	1601	5.6	20	1	2	5	7	10	14	23
B. OPERATED	155	12.2	158	2	2	9	14	27	42	65
TOTAL 0-19 YRS	666	4.2	18	1	2	3	5	7	10	23
20-34	138	5.7	35	1	2	4	7	11	14	24
35-49	100	6.0	18	1	2	5	8	11	13	25
50-64	242	6.5	33	2	2	5	8	11	14	25
65+	610	8.4	50	2	3	7	10	15	20	39
GRAND TOTAL	**1756**	**6.2**	**36**	**2**	**2**	**5**	**7**	**11**	**15**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.9	8	1	2	5	7	9	10	13
20-34	136	5.6	12	2	2	5	7	10	12	21
35-49	49	5.8	14	2	2	5	7	10	12	20
50-64	22	5.4	8	2	2	5	6	10	11	11
65+	8	5.6	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	6.8	39	1	1	5	12	16	16	16
35-49	5	2.8	3	1	1	2	4	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.0	9	2	2	4	6	8	10	18
20-34	202	6.0	19	1	2	5	7	10	13	19
35-49	80	6.6	15	2	3	5	9	12	14	19
50-64	62	8.3	23	2	3	7	11	16	18	21
65+	62	7.7	18	2	3	7	10	13	15	23
B. *Operated*										
0-19 YRS	3	19.3	852	1	1	4	41	53	53	53
20-34	14	7.2	22	1	2	7	8	14	18	19
35-49	13	5.5	15	1	1	5	7	11	14	15
50-64	12	10.0	71	1	2	7	15	45	90	99+
65+	25	13.5	96	3	4	9	19	26	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	5.5	11	2	2	5	7	10	11	19
B. *Operated*	15	4.6	20	1	1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	457	6.5	19	2	2	5	8	12	15	20
B. *Operated*	67	10.3	94	1	2	7	14	23	35	91
1. SINGLE DX	283	5.4	11	2	2	5	7	10	11	19
2. MULTIPLE DX	524	7.0	30	2	2	6	8	13	18	32
A. NOT OPERATED	725	6.1	16	2	2	5	8	11	13	20
B. OPERATED	82	9.2	84	1	2	7	12	21	32	84
TOTAL 0-19 YRS	109	5.2	29	1	2	4	6	8	10	32
20-34	358	5.9	17	1	2	5	7	10	13	20
35-49	147	6.1	15	2	2	5	8	11	14	19
50-64	97	7.9	27	2	3	7	10	16	19	67
65+	96	9.0	44	3	3	7	11	18	22	37
GRAND TOTAL	**807**	**6.4**	**24**	**2**	**2**	**5**	**8**	**12**	**15**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	213	3.5	3	1	2	3	4	6	7	9
20-34	58	4.1	6	1	1	4	6	8	9	12
35-49	7	4.3	14	1	1	3	8	10	10	10
50-64	3	7.0	7	4	4	8	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	6	5.5	12	2	2	5	7	11	11	11
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	15.0		15	15	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	477	3.8	4	1	2	3	5	7	8	10
20-34	103	4.3	8	1	1	4	6	8	9	16
35-49	53	3.7	21	1	1	3	4	9	10	29
50-64	22	2.1	4	<1	1	1	3	6	7	7
65+	4	3.8	5	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS	11	8.0	35	3	3	6	10	16	23	24
20-34	8	8.9	13	5	5	8	12	14	14	14
35-49	4	11.5	52	5	5	10	17	20	20	20
50-64										
65+	2	9.5	61	4	4	9	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.7	4	1	2	3	4	7	8	10
B. *Operated*	9	6.3	19	2	2	5	8	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	659	3.8	6	1	1	3	5	7	8	11
B. *Operated*	25	9.0	29	3	4	7	11	15	21	24
1. SINGLE DX	290	3.7	5	1	2	3	5	7	8	11
2. MULTIPLE DX	684	4.0	8	1	1	3	5	7	9	15
A. NOT OPERATED	940	3.8	6	1	1	3	5	7	8	11
B. OPERATED	34	8.3	27	2	4	7	10	15	19	24
TOTAL 0-19 YRS	707	3.8	5	1	2	3	5	7	8	11
20-34	170	4.5	9	1	1	4	6	8	10	16
35-49	65	4.3	24	1	1	3	5	9	14	28
50-64	26	3.2	12	<1	1	1	4	8	10	15
65+	6	5.7	24	2	2	4	7	14	15	15
GRAND TOTAL	**974**	**3.9**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.6	1	<1	<1	1	2	4	4	5
20-34	92	2.0	1	<1	<1	2	3	4	4	5
35-49	44	2.1	2	<1	1	2	3	4	5	6
50-64	13	2.6	9	1	1	2	3	5	11	12
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	11	2.9	5	1	1	2	4	6	8	8
20-34	48	2.8	5	1	1	2	4	6	8	10
35-49	30	2.9	4	1	1	2	4	5	8	10
50-64	13	2.9	4	<1	1	2	4	6	8	8
65+	13	2.8	3	1	1	2	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*	180	2.0	2	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	11	<1	<1	2	5	8	8	8
B. *Operated*	115	2.9	4	1	1	2	4	5	8	10
1. SINGLE DX	183	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	119	2.9	4	1	1	2	4	6	8	10
A. NOT OPERATED	7	2.4	7	<1	<1	1	3	7	8	8
B. OPERATED	295	2.4	3	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	43	2.1	3	<1	<1	1	3	4	6	8
20-34	142	2.3	3	<1	1	2	3	4	5	8
35-49	75	2.4	3	1	1	2	3	5	5	9
50-64	27	2.7	6	<1	1	2	3	5	9	12
65+	15	2.9	3	1	1	2	4	5	6	6
GRAND TOTAL	**302**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1233	2.8	2	1	1	3	4	4	5	7
20-34	226	3.2	11	1	1	3	4	5	7	10
35-49	118	3.7	7	1	1	3	4	7	9	15
50-64	45	3.6	4	1	1	3	5	6	7	12
65+	25	3.8	4	1	2	4	5	7	7	8
B. *Operated*										
0-19 YRS	22	3.5	3	1	2	3	4	6	8	9
20-34	14	3.7	9	<1	<1	3	5	8	10	11
35-49	11	6.1	34	1	1	5	9	15	20	20
50-64	3	13.0	61	8	8	9	19	22	22	22
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1740	3.1	5	1	1	3	4	5	6	11
20-34	612	3.7	8	1	1	3	4	7	9	16
35-49	403	4.2	12	1	1	3	5	7	9	19
50-64	295	4.6	15	1	2	4	5	9	12	22
65+	437	5.2	17	2	2	4	6	9	12	26
B. *Operated*										
0-19 YRS	57	8.2	103	1	2	5	10	24	49	99+
20-34	56	8.4	52	1	2	7	11	16	23	38
35-49	40	11.3	89	2	2	7	18	27	30	34
50-64	26	11.3	62	3	4	8	14	24	29	29
65+	45	10.8	74	3	4	10	12	20	24	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1647	2.9	4	1	1	3	4	5	6	8
B. *Operated*	52	4.6	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3487	3.7	9	1	1	3	4	6	8	16
B. *Operated*	224	9.7	78	2	2	7	12	23	28	73
1. SINGLE DX	1699	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	3711	4.1	15	1	1	3	5	7	10	23
A. NOT OPERATED	5134	3.5	8	1	1	3	4	6	7	14
B. OPERATED	276	8.7	71	1	2	6	11	21	26	61
TOTAL 0-19 YRS	3052	3.1	6	1	1	3	4	5	6	11
20-34	908	3.8	13	1	1	3	4	7	9	19
35-49	572	4.6	20	1	1	3	5	8	12	27
50-64	369	5.0	21	1	2	4	6	10	13	28
65+	509	5.6	24	2	2	4	6	10	13	28
GRAND TOTAL	**5410**	**3.7**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.7	3	1	2	3	5	6	8	8
20-34	56	3.7	3	2	2	3	4	7	8	10
35-49	21	3.4	2	1	2	3	4	5	6	6
50-64	16	6.1	12	2	3	5	8	12	13	14
65+	5	4.8	9	2	2	4	6	10	10	10
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.6	13	1	2	4	5	7	9	23
20-34	44	4.9	18	1	1	4	6	9	11	25
35-49	27	5.3	6	2	3	5	7	9	11	11
50-64	21	5.6	16	2	2	4	5	13	15	17
65+	10	5.3	6	2	2	5	7	8	9	9
B. *Operated*										
0-19 YRS	3	10.7	14	8	8	9	13	15	15	15
20-34	4	4.0	13	1	1	3	6	9	9	9
35-49	6	17.7	438	3	3	11	19	54	58	58
50-64	2	6.5	1	6	6	6	7	7	7	7
65+	3	18.0	208	6	6	14	29	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.9	5	2	2	3	5	7	8	12
B. *Operated*	4	6.5	20	3	3	5	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	139	5.0	13	1	2	4	6	9	11	23
B. *Operated*	18	12.3	194	1	2	7	15	29	48	58
1. SINGLE DX	173	4.0	5	2	2	3	5	7	8	13
2. MULTIPLE DX	157	5.9	38	1	2	4	7	9	15	33
A. NOT OPERATED	308	4.4	9	1	2	4	5	8	9	15
B. OPERATED	22	11.2	165	2	3	7	14	23	44	58
TOTAL 0-19 YRS	113	4.2	9	1	2	4	5	7	8	18
20-34	104	4.3	10	1	2	3	5	8	9	19
35-49	56	5.9	61	2	2	4	6	9	15	56
50-64	39	5.8	13	2	3	4	7	12	14	17
65+	18	7.3	54	2	2	5	8	13	26	34
GRAND TOTAL	**330**	**4.9**	**22**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	5.1	8	1	2	5	7	9	11	13
20-34	74	4.4	4	2	2	4	5	6	8	14
35-49	16	6.1	19	2	3	5	8	9	17	20
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*										
0-19 YRS	10	2.7	6	1	1	2	3	7	8	8
20-34	21	2.5	3	<1	1	2	3	5	6	8
35-49	6	3.8	17	1	1	2	4	11	12	12
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	5.7	8	2	2	5	7	10	11	12
20-34	120	5.7	17	2	3	5	7	9	12	23
35-49	29	4.9	7	1	2	4	6	10	10	11
50-64	7	8.7	37	1	1	10	13	17	18	18
65+	19	9.1	34	1	2	9	12	15	21	26
B. *Operated*										
0-19 YRS	14	7.6	13	2	3	7	11	12	14	15
20-34	19	7.4	57	1	1	4	7	19	24	28
35-49	12	8.9	60	2	3	7	9	21	29	30
50-64	3	11.7	56	4	4	12	17	19	19	19
65+	12	12.6	63	1	2	15	17	22	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.8	8	1	2	4	6	8	10	15
B. *Operated*	40	2.8	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	272	5.9	15	2	2	5	7	10	12	17
B. *Operated*	60	9.0	49	1	2	7	13	19	24	30
1. SINGLE DX	212	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX	332	6.5	23	2	2	5	8	11	15	28
A. NOT OPERATED	444	5.5	13	2	2	5	7	10	11	16
B. OPERATED	100	6.5	41	1	1	4	8	17	19	29
TOTAL 0-19 YRS	198	5.4	9	1	2	5	7	10	11	14
20-34	234	5.1	16	1	2	4	6	8	12	21
35-49	63	5.9	23	1	2	4	7	10	14	29
50-64	13	7.7	43	1	1	5	12	18	19	19
65+	36	9.4	47	1	1	9	15	17	24	28
GRAND TOTAL	**544**	**5.7**	**18**	**1**	**2**	**5**	**7**	**10**	**14**	**21**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	8.2	271	1	1	3	5	24	55	60
20-34	3	5.7	9	3	3	5	8	9	9	9
35-49	3	13.7	177	5	5	7	23	29	29	29
50-64	6	12.0	296	3	3	5	7	43	47	47
65+	3	8.0	49	1	1	8	13	15	15	15
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	4.9	12	1	2	4	5	11	13	13
35-49	6	8.2	23	1	1	8	11	15	15	15
50-64	8	7.3	6	3	4	7	9	10	11	11
65+	4	5.5	28	<1	<1	5	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.6	13	1	1	4	5	8	14	16
20-34	34	10.6	136	1	2	6	12	28	32	57
35-49	41	6.0	11	1	2	5	8	11	12	14
50-64	41	10.7	165	2	3	7	12	20	32	77
65+	94	9.1	44	2	3	7	11	18	24	35
B. *Operated*										
0-19 YRS	11	21.1	199	1	3	21	35	39	40	40
20-34	18	24.1	376	4	8	17	28	60	69	71
35-49	50	15.7	216	2	3	14	18	27	34	85
50-64	55	18.1	362	2	3	11	28	71	99+	99+
65+	79	17.4	243	3	4	12	23	44	54	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	9.3	196	1	1	5	8	26	49	60
B. *Operated*	29	6.3	14	<1	1	6	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*	236	8.6	72	2	2	6	11	16	24	44
B. *Operated*	213	17.9	276	2	4	13	24	46	66	99+
1. SINGLE DX	56	7.8	102	1	1	5	8	13	25	59
2. MULTIPLE DX	449	13.0	190	2	3	9	16	30	46	99
A. NOT OPERATED	263	8.6	84	1	2	6	10	16	25	56
B. OPERATED	242	16.5	259	2	3	11	21	41	62	99+
TOTAL 0-19 YRS	51	9.0	149	1	1	4	8	25	39	60
20-34	64	13.3	224	2	3	8	15	29	49	70
35-49	100	11.2	138	2	2	8	15	20	28	75
50-64	110	14.2	269	2	3	9	17	46	79	99+
65+	180	12.7	148	2	4	9	15	27	42	74
GRAND TOTAL	**505**	**12.4**	**183**	**2**	**3**	**8**	**15**	**29**	**46**	**95**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	2	1	1	3	4	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.0	10	1	1	3	4	9	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	3	1	1	3	5	6	6	6
20-34	4	3.0	4	2	2	2	4	6	6	6
35-49	10	5.9	12	2	2	5	9	10	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	10	7.0	15	3	3	6	9	12	15	15
B. *Operated*										
0-19 YRS	7	3.4	3	2	2	3	4	6	7	7
20-34	6	8.8	53	2	2	6	12	21	22	22
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+	5	8.2	13	3	3	8	10	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.4	1	1	1	2	3	4	4	4
B. *Operated*	14	4.6	9	1	1	4	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	37	5.0	11	2	2	4	7	10	11	15
B. *Operated*	20	6.2	25	2	2	4	8	12	17	22
1. SINGLE DX	26	3.6	6	1	1	3	4	7	9	12
2. MULTIPLE DX	57	5.4	16	2	2	4	8	10	13	22
A. NOT OPERATED	49	4.4	9	1	2	3	6	9	10	15
B. OPERATED	34	5.5	18	1	2	4	7	12	13	22
TOTAL 0-19 YRS	37	3.4	5	1	1	3	4	6	7	12
20-34	13	5.6	33	2	2	4	6	14	20	22
35-49	15	5.0	10	2	2	4	7	10	11	11
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	16	7.4	13	3	3	8	9	13	14	15
GRAND TOTAL	**83**	**4.9**	**13**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	5	1	1	2	4	7	9	9
20-34	19	3.9	4	2	2	3	5	7	8	8
35-49	13	6.4	20	3	3	5	8	14	16	17
50-64	4	5.3	12	1	1	6	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	100	3.5	8	1	1	3	5	7	9	15
35-49	47	3.9	14	1	1	2	6	9	10	18
50-64	14	4.9	14	<1	1	4	7	11	12	12
65+	3	4.0	13	<1	<1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.0	18	1	2	6	7	12	15	17
20-34	72	7.3	34	1	2	5	9	18	19	25
35-49	74	7.2	70	2	2	5	8	13	21	55
50-64	33	9.8	50	4	4	8	12	19	22	38
65+	36	8.7	34	3	4	8	11	13	19	34
B. *Operated*										
0-19 YRS	12	12.3	101	2	3	9	15	30	34	35
20-34	122	11.9	88	2	2	9	19	25	29	42
35-49	97	11.3	89	2	2	8	16	27	30	40
50-64	50	11.2	224	1	2	7	13	23	30	99
65+	29	11.4	103	2	2	9	14	24	35	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.6	10	2	2	4	6	8	10	17
B. *Operated*	170	3.7	10	1	1	3	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	236	7.7	46	2	2	6	10	15	20	35
B. *Operated*	310	11.6	111	2	2	8	16	25	30	43
1. SINGLE DX	217	3.9	10	1	1	3	5	8	9	17
2. MULTIPLE DX	546	9.9	86	2	2	7	13	22	28	41
A. NOT OPERATED	283	7.2	42	2	2	6	9	14	19	31
B. OPERATED	480	8.8	89	1	1	5	12	22	28	40
TOTAL 0-19 YRS	50	6.6	44	1	2	5	8	14	17	35
20-34	313	7.7	58	1	2	5	9	19	24	33
35-49	231	8.2	71	1	2	6	10	19	27	38
50-64	101	9.7	133	1	2	7	11	20	25	68
65+	68	9.7	65	2	3	8	11	19	26	44
GRAND TOTAL	**763**	**8.2**	**72**	**1**	**2**	**6**	**10**	**19**	**24**	**36**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	3.5	13	1	1	3	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	5.8	25	1	1	3	10	13	13	13
B. *Operated*	7	4.0	6	1	1	4	6	7	7	7
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	12	4.8	13	1	1	4	7	10	13	13
A. NOT OPERATED	6	6.0	20	1	1	5	9	13	13	13
B. OPERATED	7	4.0	6	1	1	4	6	7	7	7
TOTAL 0-19 YRS	3	5.7	41	1	1	3	10	13	13	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	4	4.8	12	1	1	4	7	9	9	9
GRAND TOTAL	**13**	**4.9**	**13**	**1**	**1**	**4**	**7**	**10**	**12**	**13**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34										
35-49	2	15.0	162	6	6	15	24	24	24	24
50-64	11	3.3	4	<1	1	3	5	6	7	7
65+	17	4.9	13	<1	1	4	7	11	13	13
B. *Operated*										
0-19 YRS	8	5.5	33	1	1	4	7	15	18	18
20-34	14	2.5	4	<1	1	2	3	5	7	8
35-49	36	4.8	32	1	1	3	6	10	14	32
50-64	109	6.6	50	1	1	4	9	17	20	35
65+	113	5.4	34	1	1	3	7	11	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	3	5	6	6	6
20-34	4	3.3	3	<1	<1	3	4	5	5	5
35-49	17	4.2	9	1	2	3	5	10	11	11
50-64	62	7.4	32	1	2	6	10	15	19	26
65+	57	8.6	80	1	2	6	10	24	29	41
B. *Operated*										
0-19 YRS	4	8.8	50	1	1	8	13	18	18	18
20-34	13	6.3	156	<1	1	2	4	17	41	47
35-49	77	10.0	89	1	1	6	16	25	28	39
50-64	301	11.0	144	1	2	7	15	26	36	70
65+	389	10.7	145	1	2	7	14	23	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	21	<1	1	4	6	10	13	24
B. *Operated*	280	5.7	39	1	1	3	7	13	18	32
2. MULTIPLE DX										
A. *Not Operated*	145	7.3	48	1	2	5	9	15	24	33
B. *Operated*	784	10.7	138	1	2	7	14	25	34	56
1. SINGLE DX	313	5.6	37	1	1	3	7	12	18	32
2. MULTIPLE DX	929	10.1	126	1	2	6	13	24	33	54
A. NOT OPERATED	178	6.8	44	1	2	5	8	14	23	32
B. OPERATED	1064	9.3	117	1	1	6	12	22	32	54
TOTAL 0-19 YRS	20	5.4	25	1	1	4	7	13	18	18
20-34	31	4.2	68	<1	<1	2	4	7	10	47
35-49	132	7.9	70	1	1	4	10	24	27	36
50-64	483	9.4	109	1	1	6	12	22	30	56
65+	576	9.3	117	1	2	6	11	20	32	47
GRAND TOTAL	**1242**	**9.0**	**107**	**1**	**1**	**6**	**11**	**21**	**30**	**52**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	4.3	8	1	1	6	6	6	6	6
50-64	9	4.9	5	2	2	5	6	8	9	9
65+	3	2.7	8	<1	<1	1	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	11.9	74	3	3	10	18	26	28	28
50-64	27	9.0	49	1	2	9	12	18	21	33
65+	25	8.6	56	1	1	6	13	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	9	4.0	3	1	2	4	5	7	7	7
50-64	43	6.0	24	1	1	5	8	12	17	21
65+	56	7.1	34	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	33	19.4	371	2	3	14	25	45	70	80
50-64	126	16.0	128	2	4	14	20	31	42	52
65+	178	15.4	176	2	3	12	21	33	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.3	6	<1	1	5	6	7	8	9
B. *Operated*	61	9.3	54	1	2	8	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*	109	6.4	28	1	1	5	9	12	17	27
B. *Operated*	338	16.0	177	2	3	13	21	32	47	72
1. SINGLE DX	76	8.3	49	1	1	6	11	18	21	32
2. MULTIPLE DX	447	13.6	158	2	3	10	18	28	41	65
A. NOT OPERATED	124	6.1	26	1	1	5	8	11	16	26
B. OPERATED	399	15.0	164	2	3	12	20	30	43	68
TOTAL 0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	54	14.7	276	1	3	10	17	30	55	80
50-64	205	12.5	110	1	2	10	17	27	32	51
65+	262	12.9	146	2	3	9	17	28	36	65
GRAND TOTAL	**523**	**12.9**	**145**	**1**	**2**	**10**	**17**	**28**	**36**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	9.0	48	1	1	13	13	13	13	13
50-64	4	3.0	1	2	2	3	4	4	4	4
65+	6	3.7	4	1	1	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34	2	6.0		6	6	6	6	6	6	6
35-49	9	9.4	48	1	1	9	13	20	21	21
50-64	18	14.9	227	3	5	11	15	31	55	67
65+	37	11.3	37	2	4	10	15	19	23	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	20	7.4	43	2	2	5	9	14	22	29
50-64	30	10.3	178	1	2	7	12	19	25	73
65+	95	7.6	59	1	2	5	10	17	23	43
B. *Operated*										
0-19 YRS										
20-34	11	16.0	55	4	5	16	17	28	29	29
35-49	52	15.3	149	3	4	11	20	30	50	53
50-64	156	17.0	162	4	6	14	20	31	41	82
65+	451	15.6	94	4	6	14	20	28	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	15	1	1	3	4	13	13	13
B. *Operated*	66	11.9	90	2	3	10	15	20	25	62
2. MULTIPLE DX										
A. *Not Operated*	146	8.1	81	1	2	6	10	17	23	51
B. *Operated*	670	15.9	113	4	6	14	20	28	34	57
1. SINGLE DX	80	10.6	85	1	2	9	13	19	22	58
2. MULTIPLE DX	816	14.5	116	3	4	12	18	27	33	56
A. NOT OPERATED	160	7.8	76	1	2	5	10	16	23	48
B. OPERATED	736	15.6	112	4	5	13	19	28	34	57
TOTAL 0-19 YRS										
20-34	15	13.1	65	3	4	14	17	27	28	29
35-49	84	12.5	120	2	3	10	15	25	34	53
50-64	208	15.6	174	2	4	13	19	29	38	78
65+	589	13.9	94	3	4	12	18	26	31	54
GRAND TOTAL	**896**	**14.2**	**115**	**2**	**4**	**12**	**18**	**27**	**33**	**57**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	13.5	61	8	8	13	19	19	19	19
50-64	1	14.0		14	14	14	14	14	14	14
65+	4	14.5	16	11	11	14	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	5.4	16	1	1	6	8	11	11	11
B. *Operated*										
0-19 YRS										
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	11	9.5	15	4	5	9	13	15	16	16
50-64	19	16.5	81	7	8	14	18	29	38	43
65+	76	16.7	65	7	9	15	21	27	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	7	14.1	18	8	9	14	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	9	3.8	13	1	1	2	6	9	11	11
B. *Operated*	108	15.8	66	5	7	14	20	27	31	45
1. SINGLE DX	8	13.0	26	5	6	13	18	19	19	19
2. MULTIPLE DX	117	14.8	72	3	5	13	19	26	31	44
A. NOT OPERATED	10	3.9	11	1	1	3	6	9	11	11
B. OPERATED	115	15.7	63	5	7	14	20	26	31	44
TOTAL 0-19 YRS										
20-34	4	4.8	27	1	1	3	8	12	12	12
35-49	14	9.5	25	2	4	9	14	16	18	19
50-64	21	15.8	80	5	7	14	17	28	37	43
65+	86	15.8	67	5	7	14	20	27	30	43
GRAND TOTAL	**125**	**14.7**	**69**	**3**	**5**	**13**	**19**	**26**	**30**	**44**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	4.4	14	2	2	3	6	11	11	11
50-64	13	6.2	24	1	1	5	9	14	16	16
65+	9	6.6	101	1	1	4	5	22	33	33
B. *Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	11	7.3	7	1	3	7	9	10	11	11
35-49	48	9.2	9	4	6	9	11	13	14	16
50-64	188	10.1	15	6	7	9	11	15	17	26
65+	246	10.6	23	4	7	10	12	15	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	10.0	115	1	1	5	14	28	31	31
35-49	20	9.1	181	1	2	5	7	20	42	61
50-64	89	7.6	58	1	1	5	9	17	23	41
65+	217	8.2	51	2	2	6	10	16	22	41
B. *Operated*										
0-19 YRS	5	15.8	38	10	10	15	18	26	26	26
20-34	33	11.3	57	3	5	10	14	18	20	45
35-49	173	12.3	46	5	7	10	14	19	28	39
50-64	766	12.3	51	5	7	11	14	21	27	41
65+	2512	14.6	75	6	8	12	17	24	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.9	44	1	1	4	7	12	18	33
B. *Operated*	495	10.2	19	5	7	9	12	15	17	29
2. MULTIPLE DX										
A. *Not Operated*	334	8.1	61	1	2	6	10	16	23	44
B. *Operated*	3489	14.0	69	6	7	12	16	23	30	46
1. SINGLE DX	523	10.0	21	4	6	9	11	14	17	29
2. MULTIPLE DX	3823	13.5	71	4	6	11	16	23	30	46
A. NOT OPERATED	362	8.0	60	1	2	6	9	16	23	43
B. OPERATED	3984	13.5	64	6	7	11	15	22	29	45
TOTAL 0-19 YRS	8	12.6	42	6	6	11	15	23	26	26
20-34	52	10.1	54	2	3	9	13	17	20	45
35-49	246	11.2	51	3	5	10	13	17	25	39
50-64	1056	11.5	47	3	6	10	13	19	24	38
65+	2984	13.8	73	4	7	12	16	23	30	46
GRAND TOTAL	**4346**	**13.0**	**66**	**4**	**6**	**11**	**15**	**22**	**29**	**45**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.7	12	1	1	5	7	8	8	8
65+	9	8.6	60	1	2	5	13	21	25	25
B. *Operated*										
0-19 YRS										
20-34	4	10.3	14	7	7	10	13	14	14	14
35-49	44	10.3	18	2	4	10	13	16	18	19
50-64	119	10.4	24	3	4	10	13	16	18	27
65+	133	9.3	31	2	2	9	12	16	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	9	5.1	30	<1	<1	4	5	14	19	19
50-64	56	7.0	41	1	2	5	9	14	17	36
65+	96	6.8	28	1	2	5	10	15	17	22
B. *Operated*										
0-19 YRS	5	11.2	66	1	1	9	19	20	20	20
20-34	16	13.8	163	5	6	10	12	31	48	55
35-49	97	13.3	59	3	6	11	16	25	30	40
50-64	374	12.9	43	3	6	12	15	21	25	34
65+	899	14.9	96	3	6	13	18	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	7.3	46	1	1	5	10	17	23	25
B. *Operated*	300	9.9	26	2	3	10	12	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	165	6.7	32	1	2	5	9	15	17	24
B. *Operated*	1391	14.2	81	3	6	12	17	24	29	50
1. SINGLE DX	313	9.8	27	2	3	10	12	16	18	27
2. MULTIPLE DX	1556	13.4	81	2	4	12	17	23	28	49
A. NOT OPERATED	178	6.7	33	1	1	5	9	15	18	25
B. OPERATED	1691	13.4	74	3	5	12	16	23	27	48
TOTAL 0-19 YRS	6	9.8	64	1	1	8	19	20	20	20
20-34	23	11.6	130	2	3	9	12	19	41	55
35-49	151	11.9	50	2	4	11	15	20	26	37
50-64	552	11.7	42	2	4	11	14	19	23	34
65+	1137	13.5	90	2	3	12	17	23	28	51
GRAND TOTAL	**1869**	**12.8**	**73**	**2**	**3**	**11**	**16**	**22**	**27**	**47**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49	4	4.0	9	1	1	4	6	7	7	7
50-64	7	6.0	11	2	2	5	8	11	12	12
65+	8	6.5	19	1	2	6	7	13	16	16
B. *Operated*										
0-19 YRS	11	9.8	29	1	2	9	14	16	18	18
20-34	3	18.0	268	4	4	14	30	36	36	36
35-49	17	7.8	8	2	5	8	9	11	13	14
50-64	29	10.9	82	2	2	9	13	27	31	38
65+	33	12.0	144	1	3	9	12	19	34	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.4	19	1	1	4	9	12	13	13
20-34	4	5.3	1	4	4	5	6	6	6	6
35-49	7	13.6	428	1	2	6	10	50	60	60
50-64	35	6.7	17	1	1	6	10	13	15	15
65+	75	6.9	28	2	2	5	8	15	18	26
B. *Operated*										
0-19 YRS	18	14.2	72	3	5	14	19	33	72	99+
20-34	8	12.4	77	1	2	11	19	25	26	26
35-49	41	12.7	82	3	3	11	16	21	28	50
50-64	98	14.8	155	2	3	11	19	29	42	64
65+	242	13.8	99	3	4	11	17	26	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	14	<1	1	5	7	9	13	16
B. *Operated*	93	10.8	90	1	3	9	12	18	31	55
2. MULTIPLE DX										
A. *Not Operated*	132	7.0	44	1	2	5	9	13	16	32
B. *Operated*	407	13.9	109	3	4	11	18	26	34	58
1. SINGLE DX	116	9.7	80	1	2	8	12	16	27	48
2. MULTIPLE DX	539	12.2	101	2	3	10	16	25	30	55
A. NOT OPERATED	155	6.7	40	1	2	5	8	13	16	26
B. OPERATED	500	13.4	106	2	3	11	16	26	33	59
TOTAL 0-19 YRS	44	9.7	59	1	1	9	14	19	29	99+
20-34	15	11.6	97	2	4	7	15	26	33	36
35-49	69	11.1	96	2	3	9	14	19	26	58
50-64	169	12.1	119	1	3	9	15	27	35	60
65+	358	12.0	94	2	3	10	15	24	29	51
GRAND TOTAL	**655**	**11.8**	**98**	**2**	**3**	**9**	**15**	**23**	**30**	**55**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	4.3	7	2	2	3	6	8	8	8
50-64	6	4.7	3	2	2	5	6	7	7	7
65+	9	6.8	40	1	1	4	10	17	21	21
B. *Operated*										
0-19 YRS										
20-34	2	20.5	221	10	10	20	31	31	31	31
35-49	1	3.0		3	3	3	3	3	3	3
50-64	15	10.1	41	1	1	12	14	18	20	21
65+	21	8.7	35	1	1	9	12	16	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	25.0		25	25	25	25	25	25	25
35-49	19	7.5	39	2	2	5	8	19	21	22
50-64	61	7.8	40	1	2	7	10	13	18	37
65+	182	8.2	40	2	3	7	10	17	21	28
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	12.2	53	7	7	9	14	25	25	25
35-49	43	14.1	77	4	5	11	19	25	32	42
50-64	213	16.1	163	2	5	13	19	31	36	68
65+	461	15.8	90	5	6	14	20	27	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.6	21	1	2	4	7	11	16	21
B. *Operated*	39	9.7	47	1	1	10	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	264	8.1	41	2	2	6	10	17	21	28
B. *Operated*	723	15.7	110	4	6	13	19	29	35	55
1. SINGLE DX	58	8.3	42	1	2	7	12	18	21	30
2. MULTIPLE DX	987	13.7	103	2	4	11	18	26	33	48
A. NOT OPERATED	283	7.9	40	2	2	6	10	17	21	28
B. OPERATED	762	15.4	109	3	5	13	19	28	35	53
TOTAL 0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	8	15.9	90	7	8	10	25	29	31	31
35-49	67	11.4	73	2	3	8	16	24	27	41
50-64	295	13.8	141	2	3	11	17	28	35	63
65+	673	13.4	86	2	4	12	17	25	32	46
GRAND TOTAL	**1045**	**13.4**	**101**	**2**	**3**	**11**	**17**	**26**	**32**	**47**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	17	3.4	12	1	1	2	4	10	12	12
50-64	48	4.5	18	1	1	3	5	10	15	21
65+	49	4.6	25	1	1	4	5	9	12	32
B. *Operated*										
0-19 YRS										
20-34	8	6.5	7	3	3	7	8	10	11	11
35-49	65	6.5	13	2	2	6	8	12	13	17
50-64	334	8.2	34	1	2	8	11	15	19	30
65+	258	7.9	35	1	2	7	11	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	12	5.3	10	1	2	5	7	9	12	12
35-49	152	7.2	54	2	2	5	8	15	23	35
50-64	666	7.0	49	1	2	5	9	15	19	33
65+	859	8.1	53	2	2	6	10	16	21	33
B. *Operated*										
0-19 YRS	11	12.1	35	5	6	11	13	23	24	24
20-34	18	13.4	87	2	3	11	23	29	31	32
35-49	321	9.6	42	2	3	8	12	18	22	31
50-64	1825	10.5	60	2	3	9	14	20	25	36
65+	2595	11.4	76	2	3	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	4.3	20	1	1	3	5	9	12	25
B. *Operated*	665	7.9	32	1	2	7	10	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	1692	7.5	52	1	2	6	9	16	21	33
B. *Operated*	4770	11.0	68	2	3	9	14	21	26	43
1. SINGLE DX	781	7.4	32	1	1	6	10	14	18	30
2. MULTIPLE DX	6462	10.1	66	2	3	8	13	20	25	41
A. NOT OPERATED	1808	7.3	50	1	2	5	9	15	21	33
B. OPERATED	5435	10.6	64	2	3	9	14	20	25	41
TOTAL 0-19 YRS	14	10.1	43	1	3	9	12	22	24	24
20-34	40	9.1	58	1	2	7	11	23	28	32
35-49	555	8.4	43	2	2	7	11	16	22	32
50-64	2873	9.3	56	2	2	8	12	18	23	35
65+	3761	10.3	70	2	3	8	13	20	25	43
GRAND TOTAL	**7243**	**9.8**	**63**	**2**	**2**	**8**	**13**	**19**	**24**	**38**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	8	2.4	2	<1	<1	2	3	4	5	5
65+	3	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	7	4.6	13	1	1	5	7	9	10	10
20-34	2	8.0		8	8	8	8	8	8	8
35-49	41	6.0	25	1	1	6	9	14	15	19
50-64	106	5.6	30	<1	1	4	9	13	18	24
65+	56	5.5	23	<1	1	3	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	16	1	1	4	8	11	11	11
20-34	9	6.9	60	2	2	3	8	20	26	26
35-49	7	5.3	27	1	1	2	9	13	14	14
50-64	40	5.8	33	1	1	4	7	12	15	32
65+	60	7.3	50	1	2	5	9	14	22	37
B. *Operated*										
0-19 YRS	5	11.8	84	4	4	9	16	27	27	27
20-34	8	19.3	782	1	2	9	17	67	87	87
35-49	45	12.4	108	2	2	10	15	28	30	56
50-64	215	11.6	81	1	2	11	16	21	28	71
65+	250	12.7	142	1	2	11	17	26	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	212	5.7	26	<1	1	4	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	122	6.5	42	1	1	5	8	13	19	35
B. *Operated*	523	12.3	122	1	2	10	16	25	30	71
1. SINGLE DX	227	5.4	25	<1	1	3	9	12	15	21
2. MULTIPLE DX	645	11.2	112	1	2	9	15	24	30	57
A. NOT OPERATED	137	6.1	39	1	1	4	8	13	17	34
B. OPERATED	735	10.4	104	1	1	9	14	21	28	56
TOTAL 0-19 YRS	18	6.7	40	1	1	6	9	12	21	27
20-34	19	12.2	369	1	2	8	11	24	59	87
35-49	97	8.8	73	1	1	7	13	19	26	44
50-64	369	9.0	68	1	1	7	13	19	24	53
65+	369	10.6	117	1	1	8	14	24	29	52
GRAND TOTAL	**872**	**9.7**	**96**	**1**	**1**	**8**	**13**	**20**	**28**	**54**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.2	90	1	1	3	4	4	6	67
20-34	14	6.1	74	1	2	4	5	12	30	35
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	80	6.9	43	2	2	5	9	12	17	39
20-34	35	8.8	44	2	4	7	11	16	20	37
35-49	37	7.8	28	1	2	7	11	15	18	24
50-64	56	6.0	28	<1	1	4	8	16	18	23
65+	71	9.6	118	1	2	7	10	20	33	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.6	31	2	2	4	6	11	17	30
20-34	22	3.8	10	<1	1	3	5	7	10	15
35-49	14	8.8	80	<1	<1	5	13	22	28	30
50-64	16	7.4	39	1	2	5	11	17	21	23
65+	23	8.8	82	3	4	6	8	20	29	45
B. *Operated*										
0-19 YRS	62	10.4	102	2	3	7	11	24	34	53
20-34	18	9.8	59	1	3	7	14	20	27	31
35-49	31	10.1	85	1	2	8	13	24	30	38
50-64	56	11.4	90	2	3	9	14	25	31	43
65+	124	10.1	96	2	2	7	13	22	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.6	79	1	1	3	4	5	9	62
B. *Operated*	279	7.8	58	1	2	6	10	16	20	40
2. MULTIPLE DX										
A. *Not Operated*	143	6.3	43	1	2	4	7	14	20	32
B. *Operated*	291	10.4	92	2	2	7	13	23	31	46
1. SINGLE DX	345	7.2	64	1	2	5	9	14	19	41
2. MULTIPLE DX	434	9.1	79	2	2	6	11	20	30	43
A. NOT OPERATED	209	5.8	55	1	2	4	6	11	19	39
B. OPERATED	570	9.1	77	2	2	7	11	19	29	43
TOTAL 0-19 YRS	257	6.9	67	2	2	4	8	14	22	41
20-34	89	7.3	47	1	2	5	8	15	21	36
35-49	83	8.8	57	1	2	7	12	18	26	35
50-64	130	8.4	62	1	2	6	11	18	24	41
65+	220	9.8	100	2	2	7	11	21	32	51
GRAND TOTAL	**779**	**8.2**	**73**	**1**	**2**	**6**	**10**	**17**	**25**	**43**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	3	5.0	16	<1	<1	5	8	9	9	9
20-34	52	3.3	7	<1	1	2	4	7	8	13
35-49	82	3.8	8	1	1	3	5	7	9	13
50-64	73	3.8	7	1	1	3	5	7	9	13
65+	64	4.8	16	<1	1	4	6	9	12	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	12	5.4	46	<1	1	3	6	13	24	26
50-64	13	7.9	24	1	2	8	12	15	15	15
65+	16	5.3	19	1	1	4	6	13	15	16
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	3.8	6	<1	1	3	5	8	9	9
35-49	41	5.0	19	1	1	4	6	10	14	24
50-64	56	6.0	24	1	2	4	8	12	16	25
65+	119	7.0	32	1	1	5	9	16	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.3	4	2	2	4	6	7	7	7
B. *Operated*	274	4.0	9	<1	1	3	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	45	6.0	26	1	1	4	7	14	15	26
B. *Operated*	234	6.2	27	1	2	4	8	13	18	24
1. SINGLE DX	278	4.0	9	<1	1	3	5	8	9	15
2. MULTIPLE DX	279	6.2	27	1	1	4	8	14	17	24
A. NOT OPERATED	49	5.8	25	1	1	4	7	14	15	26
B. OPERATED	508	5.0	19	1	1	4	6	10	14	24
TOTAL 0-19 YRS	5	4.0	11	<1	<1	4	6	9	9	9
20-34	74	3.5	6	<1	1	3	5	7	9	12
35-49	136	4.3	15	1	1	3	6	8	12	24
50-64	143	5.0	17	1	1	4	6	11	14	18
65+	199	6.2	27	1	1	5	8	14	18	25
GRAND TOTAL	**557**	**5.1**	**19**	**1**	**1**	**4**	**6**	**11**	**14**	**24**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	20	3.4	10	<1	<1	2	5	7	10	13
35-49	48	2.6	8	<1	<1	1	3	6	9	14
50-64	73	2.3	4	<1	<1	1	3	5	6	9
65+	195	2.9	6	<1	<1	2	4	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	4	6.3	14	1	1	7	9	10	10	10
35-49	5	4.8	17	1	1	5	7	11	11	11
50-64	3	4.0	27	<1	<1	1	8	10	10	10
65+	34	3.1	17	<1	1	1	3	7	15	18
B. *Operated*										
0-19 YRS										
20-34	7	5.7	44	1	1	3	8	17	19	19
35-49	44	5.6	98	<1	1	2	5	13	23	52
50-64	137	3.8	16	<1	1	2	4	10	14	19
65+	435	4.9	45	<1	1	2	6	11	16	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	1	1	1	2	2	3	3	3
B. *Operated*	341	2.7	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	48	3.6	16	<1	1	2	5	9	12	18
B. *Operated*	623	4.7	43	<1	1	2	5	10	15	42
1. SINGLE DX	345	2.7	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX	671	4.7	41	<1	1	2	5	10	15	39
A. NOT OPERATED	52	3.5	15	<1	1	2	5	8	11	18
B. OPERATED	964	4.0	31	<1	<1	2	5	9	13	27
TOTAL 0-19 YRS	8	2.1	2	<1	<1	2	3	5	5	5
20-34	32	4.2	18	<1	<1	2	6	9	13	19
35-49	97	4.1	51	<1	<1	2	4	9	13	48
50-64	213	3.3	13	<1	<1	2	4	8	11	18
65+	666	4.2	33	<1	<1	2	5	9	14	29
GRAND TOTAL	**1016**	**4.0**	**30**	**<1**	**<1**	**2**	**5**	**9**	**13**	**25**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	8	3.4	8	<1	<1	3	5	8	9	9
50-64	14	3.9	11	<1	1	3	7	9	9	9
65+	9	2.8	6	<1	<1	2	3	7	9	9
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	94	4.8	6	1	2	5	6	8	9	14
35-49	576	4.6	6	1	2	4	6	8	9	12
50-64	847	4.9	5	1	2	5	6	8	9	11
65+	836	5.4	7	2	2	5	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.6	14	<1	1	5	9	11	11	11
35-49	56	6.6	62	1	1	5	8	14	15	51
50-64	95	7.1	62	1	1	5	8	15	21	46
65+	112	7.1	81	1	1	6	8	13	16	54
B. *Operated*										
0-19 YRS	4	7.5	6	5	5	7	9	11	11	11
20-34	119	5.7	14	1	2	5	7	11	13	18
35-49	645	5.8	15	2	3	5	7	9	11	21
50-64	1214	6.5	21	2	3	6	8	10	14	26
65+	2097	7.1	18	3	3	6	8	12	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.4	8	<1	<1	3	4	9	9	9
B. *Operated*	2356	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	271	7.0	68	1	1	5	8	13	18	48
B. *Operated*	4079	6.7	19	2	3	6	8	11	14	25
1. SINGLE DX	2389	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX	4350	6.7	22	2	3	6	8	11	14	26
A. NOT OPERATED	304	6.6	63	1	1	5	8	13	17	45
B. OPERATED	6435	6.1	15	2	3	5	7	10	12	21
TOTAL 0-19 YRS	7	5.7	10	1	2	5	7	10	11	11
20-34	223	5.3	11	1	2	5	7	9	12	15
35-49	1285	5.3	13	1	2	5	6	8	10	16
50-64	2170	5.9	17	2	2	5	7	9	12	22
65+	3054	6.6	18	2	3	6	8	11	13	23
GRAND TOTAL	**6739**	**6.1**	**17**	**2**	**3**	**5**	**7**	**10**	**12**	**21**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	2.9	1	1	2	3	3	4	5	5
35-49	30	2.8	1	1	1	3	3	4	4	4
50-64	29	3.9	32	2	2	3	3	4	6	33
65+	41	3.7	7	2	2	3	4	5	5	19
B. *Operated*										
0-19 YRS	5	5.0	22	<1	<1	2	9	11	11	11
20-34	70	5.2	8	1	1	5	7	9	10	12
35-49	74	4.9	10	1	1	4	7	9	10	15
50-64	31	3.9	7	1	1	4	4	7	8	15
65+	34	4.3	9	1	2	4	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	18	4.8	17	1	2	3	4	13	14	14
35-49	59	5.5	15	1	2	5	8	10	12	21
50-64	83	5.2	17	1	2	4	6	11	15	21
65+	57	5.5	20	2	2	4	7	10	12	28
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	80	6.8	28	1	2	6	8	13	16	29
35-49	152	7.8	48	2	2	6	9	14	20	38
50-64	141	8.3	88	1	2	6	10	17	22	58
65+	147	7.1	45	1	2	5	9	16	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	3.4	11	1	2	3	3	4	5	24
B. *Operated*	214	4.7	9	1	1	4	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	218	5.3	17	1	2	4	7	11	13	21
B. *Operated*	522	7.6	55	1	2	6	9	15	21	35
1. SINGLE DX	329	4.3	10	1	1	3	5	8	10	15
2. MULTIPLE DX	740	6.9	45	1	2	5	9	14	19	32
A. NOT OPERATED	333	4.7	16	1	2	3	5	9	12	21
B. OPERATED	736	6.7	43	1	2	5	8	13	17	32
TOTAL 0-19 YRS	8	5.3	13	<1	1	5	8	10	11	11
20-34	183	5.7	18	1	2	5	7	10	13	25
35-49	315	6.2	31	1	2	5	8	11	14	29
50-64	284	6.4	56	1	2	4	8	13	19	33
65+	279	5.9	32	2	2	4	7	12	18	31
GRAND TOTAL	**1069**	**6.1**	**36**	**1**	**2**	**4**	**8**	**12**	**16**	**30**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7		3	3	4	4	4	4	4
50-64	21	3.4	4	1	1	3	4	7	8	8
65+	28	3.0	1	2	2	3	4	4	4	5
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	5.7	6	2	2	6	8	9	9	9
35-49	25	5.6	4	1	2	6	6	7	9	11
50-64	108	5.6	6	1	2	6	7	9	9	14
65+	119	5.7	8	1	2	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	38	6.5	80	2	2	4	6	13	25	50
65+	62	5.2	81	1	1	3	4	9	13	63
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	17	6.1	4	2	5	6	7	8	10	11
35-49	90	6.1	10	1	2	6	7	10	11	18
50-64	356	7.4	15	2	4	7	8	12	15	22
65+	594	8.3	35	2	3	7	9	14	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.2	2	1	2	3	4	4	7	8
B. *Operated*	260	5.7	7	1	2	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	105	5.7	77	1	2	3	5	10	15	59
B. *Operated*	1058	7.8	26	2	3	7	9	13	16	28
1. SINGLE DX	312	5.3	7	1	2	5	7	8	9	13
2. MULTIPLE DX	1163	7.6	31	2	3	7	9	12	16	29
A. NOT OPERATED	157	4.9	53	1	2	3	4	8	13	49
B. OPERATED	1318	7.4	23	2	3	7	8	12	15	27
TOTAL 0-19 YRS	3	8.3	44	4	4	5	13	16	16	16
20-34	25	6.1	5	2	4	6	7	9	10	11
35-49	121	5.9	8	1	2	6	7	9	11	18
50-64	523	6.8	18	2	3	6	8	11	14	23
65+	803	7.5	35	2	2	7	9	13	17	32
GRAND TOTAL	**1475**	**7.1**	**27**	**2**	**3**	**6**	**8**	**11**	**15**	**28**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	16	1	1	1	6	8	8	8
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	9	1.6	1	<1	<1	1	2	3	3	3
50-64	23	2.3	4	1	1	2	3	5	8	9
65+	15	1.5		1	1	1	2	2	3	3
B. *Operated*										
0-19 YRS	5	5.6	4	4	4	5	6	9	9	9
20-34	14	6.9	15	4	5	5	8	11	17	19
35-49	23	8.0	13	3	4	7	11	12	14	17
50-64	42	7.1	16	1	2	7	9	12	15	18
65+	27	9.9	31	3	6	8	12	15	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	4	3.0	8	1	1	2	5	7	7	7
35-49	24	6.0	57	1	1	3	5	19	25	27
50-64	81	4.5	24	1	1	2	5	12	15	23
65+	95	7.6	52	1	1	5	10	17	24	33
B. *Operated*										
0-19 YRS	5	9.2	26	6	6	7	11	18	18	18
20-34	40	8.9	29	4	4	7	11	16	21	28
35-49	104	9.6	32	4	5	8	11	16	20	34
50-64	267	11.9	85	5	6	9	14	20	30	48
65+	296	13.9	95	5	6	11	16	25	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.0	3	1	1	1	2	4	7	9
B. *Operated*	111	7.9	19	3	4	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	207	6.1	42	1	1	3	8	14	22	29
B. *Operated*	712	12.2	80	5	6	9	14	21	30	47
1. SINGLE DX	164	6.0	21	1	1	5	8	12	14	22
2. MULTIPLE DX	919	10.8	78	2	3	8	13	20	27	44
A. NOT OPERATED	260	5.2	37	1	1	3	7	13	19	28
B. OPERATED	823	11.6	74	4	5	9	14	20	28	44
TOTAL 0-19 YRS	16	6.2	15	1	1	6	7	9	15	18
20-34	61	7.7	27	1	3	6	9	15	19	27
35-49	160	8.4	35	1	2	7	11	16	19	31
50-64	413	9.4	73	1	2	8	11	18	25	44
65+	433	11.8	89	2	3	9	15	23	29	46
GRAND TOTAL	**1083**	**10.1**	**73**	**1**	**2**	**8**	**12**	**20**	**26**	**42**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	5	5	5
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	15.5	113	8	8	15	23	23	23	23
65+	7	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
0-19 YRS	5	5.6	11	2	2	5	8	10	10	10
20-34	7	6.0	15	2	2	4	8	12	13	13
35-49	8	4.0	9	1	1	3	4	9	11	11
50-64	10	8.3	35	3	3	6	11	18	19	19
65+	28	5.3	13	<1	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	22	1	1	3	8	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	2.8	3	<1	<1	2	4	6	6	6
65+	20	6.7	57	1	2	4	6	15	26	33
B. *Operated*										
0-19 YRS	4	9.3	41	2	2	9	14	16	16	16
20-34	8	5.3	13	2	2	4	7	11	12	12
35-49	21	7.8	26	2	2	8	11	15	18	21
50-64	47	13.6	141	2	3	10	15	33	40	52
65+	105	11.2	80	2	3	8	17	24	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.7	30	1	1	3	5	8	19	23
B. *Operated*	58	5.7	17	1	2	4	8	11	15	19
2. MULTIPLE DX										
A. *Not Operated*	35	5.1	38	<1	1	3	5	11	17	33
B. *Operated*	185	11.1	89	2	3	8	14	24	32	44
1. SINGLE DX	73	5.5	20	1	2	4	8	11	16	22
2. MULTIPLE DX	220	10.2	86	2	2	7	13	23	32	44
A. NOT OPERATED	50	5.0	35	1	1	3	5	10	19	33
B. OPERATED	243	9.8	77	2	2	7	12	22	28	43
TOTAL 0-19 YRS	17	5.5	20	1	1	3	8	12	15	16
20-34	16	5.5	13	2	2	4	8	12	13	13
35-49	32	6.4	24	1	2	5	9	14	15	21
50-64	68	11.4	119	1	2	8	13	31	35	50
65+	160	9.2	70	2	2	6	12	22	25	39
GRAND TOTAL	**293**	**9.0**	**73**	**2**	**2**	**6**	**12**	**21**	**26**	**41**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.6	16	1	1	3	7	11	11	11
65+	19	6.6	45	<1	1	4	10	13	23	29
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	8	9.5	40	2	3	9	12	19	22	22
50-64	308	6.1	15	1	1	6	8	11	14	17
65+	713	5.3	13	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	9.6	34	6	6	7	11	20	20	20
50-64	65	6.4	32	1	2	4	8	15	24	88
65+	383	7.5	53	2	2	6	9	14	19	38
B. *Operated*										
0-19 YRS	4	5.5	7	3	3	5	7	9	9	9
20-34										
35-49	14	11.0	65	1	4	8	15	24	29	31
50-64	524	7.3	40	1	2	6	9	14	17	32
65+	3217	7.3	30	2	3	6	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.2	39	<1	1	4	9	12	19	29
B. *Operated*	1030	5.5	14	1	1	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	455	7.3	50	2	2	5	9	14	19	39
B. *Operated*	3759	7.4	31	2	3	6	9	14	17	29
1. SINGLE DX	1054	5.6	15	1	1	5	7	10	13	17
2. MULTIPLE DX	4214	7.4	33	2	2	6	9	14	17	30
A. NOT OPERATED	479	7.3	49	1	2	5	9	14	19	38
B. OPERATED	4789	7.0	28	1	2	6	9	13	16	27
TOTAL 0-19 YRS	5	7.2	20	3	3	6	10	14	14	14
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	27	10.3	49	2	4	8	14	22	24	31
50-64	902	6.8	31	1	2	6	9	13	16	26
65+	4332	7.0	30	2	2	6	8	13	16	28
GRAND TOTAL	**5268**	**7.0**	**30**	**1**	**2**	**6**	**9**	**13**	**16**	**28**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.3	4	1	1	3	5	6	6	6
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	4.3	5	<1	1	5	6	7	8	8
20-34	76	3.8	9	1	1	3	4	8	11	15
35-49	32	3.8	35	1	1	2	3	9	11	33
50-64	14	3.0	2	2	2	2	4	5	6	6
65+	8	3.0	3	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	<1	<1	2	5	7	7	7
20-34	18	5.1	12	<1	1	5	5	11	14	14
35-49	12	5.7	25	2	2	5	6	11	20	21
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	8	5.3	17	<1	<1	4	7	12	13	13
20-34	40	8.0	45	2	2	7	10	15	32	99+
35-49	22	9.8	204	1	1	4	10	21	44	66
50-64	17	7.9	34	1	1	6	11	17	18	19
65+	25	5.9	22	1	2	4	9	13	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.3	3	<1	<1	4	5	6	6	6
B. *Operated*	142	3.7	13	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	38	5.1	14	<1	2	5	6	7	14	21
B. *Operated*	112	7.7	67	1	2	6	10	15	20	79
1. SINGLE DX	153	3.7	13	1	1	3	4	7	10	15
2. MULTIPLE DX	150	7.0	55	1	2	5	9	14	19	66
A. NOT OPERATED	49	4.7	12	<1	1	4	5	7	13	21
B. OPERATED	254	5.5	41	1	1	3	7	11	15	35
TOTAL 0-19 YRS	24	4.4	9	<1	<1	4	6	8	10	13
20-34	140	5.1	23	1	1	4	7	11	14	41
35-49	69	6.0	90	1	1	3	5	11	21	60
50-64	35	5.6	23	1	2	4	7	13	17	19
65+	35	5.1	18	1	2	4	6	10	14	20
GRAND TOTAL	**303**	**5.3**	**36**	**1**	**1**	**4**	**6**	**11**	**15**	**34**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	4.6	14	2	2	3	6	11	11	11
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	11	2.3	1	1	1	2	3	4	5	5
35-49	48	3.3	8	1	1	3	4	7	10	15
50-64	272	3.6	14	1	1	2	4	6	11	21
65+	553	4.0	16	1	1	3	4	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	18	6.4	23	1	2	6	8	12	17	21
65+	70	8.7	122	1	2	5	9	18	31	67
B. *Operated*										
0-19 YRS	5	21.8	579	5	5	11	33	63	63	63
20-34	4	4.0	15	1	1	3	7	9	9	9
35-49	66	5.6	32	1	1	4	7	12	15	30
50-64	456	6.3	35	1	2	4	9	14	17	27
65+	1643	6.9	46	1	2	5	8	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.5	8	1	1	3	4	8	11	11
B. *Operated*	886	3.8	15	1	1	3	4	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	92	7.9	99	1	2	5	9	16	21	62
B. *Operated*	2174	6.7	45	1	2	5	8	14	19	36
1. SINGLE DX	896	3.8	15	1	1	3	4	7	11	19
2. MULTIPLE DX	2266	6.8	47	1	2	5	8	14	19	37
A. NOT OPERATED	102	7.5	92	1	2	5	8	15	21	60
B. OPERATED	3060	5.9	38	1	1	4	7	13	17	31
TOTAL 0-19 YRS	9	13.1	396	2	2	5	14	47	63	63
20-34	15	2.7	5	1	1	2	3	5	8	9
35-49	119	4.5	22	1	1	3	5	11	14	29
50-64	748	5.3	29	1	1	3	6	13	16	25
65+	2271	6.2	43	1	2	4	7	13	18	35
GRAND TOTAL	**3162**	**5.9**	**40**	**1**	**1**	**4**	**7**	**13**	**17**	**32**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	3.3	8	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	14	9.7	18	4	4	9	12	15	19	20
20-34	5	9.0	1	8	8	9	10	10	10	10
35-49	25	7.8	11	2	3	8	10	11	13	15
50-64	73	8.0	13	1	3	8	9	13	15	19
65+	82	7.3	18	1	1	8	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.0	4	1	1	4	5	6	8	8
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	15	5.1	6	1	3	4	7	8	10	11
50-64	44	6.3	40	1	1	4	7	18	21	27
65+	73	10.2	102	2	2	6	13	25	37	43
B. *Operated*										
0-19 YRS	29	11.1	37	4	5	9	14	22	24	26
20-34	14	13.1	119	4	4	10	15	30	40	43
35-49	66	9.4	25	3	4	8	11	17	20	25
50-64	245	11.0	58	3	5	9	12	19	23	43
65+	435	12.2	55	4	5	11	14	21	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	4	<1	<1	3	4	5	7	7
B. *Operated*	199	7.8	15	1	2	8	10	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	147	7.9	69	1	2	5	9	19	26	41
B. *Operated*	789	11.6	54	3	5	10	14	20	25	41
1. SINGLE DX	210	7.6	16	1	2	8	10	12	14	20
2. MULTIPLE DX	936	11.0	59	2	4	10	13	20	25	41
A. NOT OPERATED	158	7.5	66	1	1	5	9	18	26	41
B. OPERATED	988	10.8	49	3	4	9	13	19	23	39
TOTAL 0-19 YRS	59	8.7	34	1	2	7	12	15	22	26
20-34	22	10.7	87	2	3	9	11	22	35	43
35-49	107	8.4	21	2	3	8	10	13	17	25
50-64	364	9.8	49	2	3	8	12	17	22	41
65+	594	11.3	59	2	4	10	14	20	26	41
GRAND TOTAL	**1146**	**10.4**	**52**	**2**	**3**	**9**	**12**	**19**	**23**	**40**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	13	2.3	1	<1	1	2	3	4	5	5
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	10	2.2	2	<1	<1	2	3	4	4	4
65+	12	3.4	5	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	3	<1	<1	<1	3	5	5	5
20-34										
35-49										
50-64										
65+	8	6.0	43	1	1	3	7	17	21	21
B. *Operated*										
0-19 YRS	4	9.0	113	<1	<1	5	16	24	24	24
20-34										
35-49	2	5.0		5	5	5	5	5	5	5
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	23	7.9	389	1	2	4	5	8	40	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.1		<1	<1	1	1	1	2	2
B. *Operated*	42	2.9	5	<1	1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	13	4.5	30	<1	<1	3	5	11	19	21
B. *Operated*	33	7.3	281	1	2	4	5	8	22	98
1. SINGLE DX	59	2.3	4	<1	<1	2	3	4	8	9
2. MULTIPLE DX	46	6.5	210	<1	1	4	5	9	22	98
A. NOT OPERATED	30	2.5	16	<1	<1	1	2	5	9	21
B. OPERATED	75	4.8	129	1	1	3	4	8	9	79
TOTAL 0-19 YRS	38	2.4	15	<1	<1	1	2	5	7	24
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	6	4.0	9	1	1	4	5	9	9	9
50-64	15	2.5	2	<1	1	2	4	4	6	6
65+	43	6.3	216	1	2	3	5	8	13	98
GRAND TOTAL	**105**	**4.2**	**97**	**<1**	**<1**	**2**	**4**	**8**	**9**	**57**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	8	<1	1	3	4	5	10	12
20-34	6	4.3	5	1	1	5	6	7	7	7
35-49	10	4.0	16	<1	<1	2	6	10	13	13
50-64	19	8.5	94	2	2	5	8	22	32	40
65+	24	7.6	38	1	2	6	9	15	22	27
B. *Operated*										
0-19 YRS	75	9.1	36	1	1	8	12	17	22	26
20-34	34	10.8	79	2	2	9	14	18	29	46
35-49	55	8.1	16	2	2	8	10	14	15	17
50-64	64	12.0	98	2	3	10	15	20	39	44
65+	33	12.1	30	2	5	12	15	20	21	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.0	34	1	1	3	6	11	15	37
20-34	33	9.2	104	1	2	5	13	26	34	37
35-49	48	7.8	126	<1	<1	5	9	15	24	66
50-64	96	8.0	57	1	2	6	11	18	21	41
65+	101	11.2	137	1	3	7	14	22	34	63
B. *Operated*										
0-19 YRS	106	14.3	202	2	3	10	17	34	45	75
20-34	50	10.9	106	2	3	8	13	24	28	99+
35-49	61	14.0	110	3	5	12	17	24	33	57
50-64	80	17.0	237	3	4	12	21	31	47	88
65+	119	16.5	108	5	7	14	22	27	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.2	44	1	1	4	7	13	21	37
B. *Operated*	261	10.2	53	1	2	9	13	17	22	44
2. MULTIPLE DX										
A. *Not Operated*	336	8.5	95	1	1	5	10	20	25	55
B. *Operated*	416	15.0	159	3	4	12	18	28	40	73
1. SINGLE DX	335	9.3	54	1	2	8	12	17	21	43
2. MULTIPLE DX	752	12.1	141	1	2	9	15	25	35	67
A. NOT OPERATED	410	8.1	86	1	1	5	10	19	24	54
B. OPERATED	677	13.1	124	2	3	11	16	25	35	65
TOTAL 0-19 YRS	254	10.0	119	1	1	7	12	19	31	59
20-34	123	10.1	94	1	2	8	13	22	32	76
35-49	174	9.8	89	1	2	8	12	18	23	57
50-64	259	11.8	139	2	2	9	14	24	36	59
65+	277	13.3	111	2	3	11	18	25	31	56
GRAND TOTAL	**1087**	**11.2**	**116**	**1**	**2**	**9**	**14**	**22**	**31**	**58**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	13	7.5	36	1	1	9	11	16	18	19
20-34	6	6.5	13	2	2	6	9	12	12	12
35-49	3	8.3	6	6	6	8	10	11	11	11
50-64										
65+	3	6.7	10	3	3	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	9	8.0	50	1	1	5	14	18	20	20
B. *Operated*										
0-19 YRS	10	13.0	132	1	1	12	16	32	38	38
20-34	5	11.2	35	2	2	13	14	18	18	18
35-49	3	7.3	57	2	2	4	13	16	16	16
50-64	8	13.6	174	3	4	8	17	37	43	43
65+	11	24.0	502	3	7	16	25	66	72	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	7	1	1	3	5	7	7	7
B. *Operated*	25	7.3	22	1	2	8	10	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	13	7.1	39	1	1	5	12	15	19	20
B. *Operated*	37	15.7	246	2	2	12	18	36	55	73
1. SINGLE DX	30	6.6	22	1	1	6	10	12	15	19
2. MULTIPLE DX	50	13.5	205	1	2	11	16	26	43	73
A. NOT OPERATED	18	6.1	32	1	1	4	9	14	18	20
B. OPERATED	62	12.3	171	1	2	10	13	25	40	72
TOTAL 0-19 YRS	26	9.1	77	1	1	8	12	19	28	38
20-34	13	8.1	27	1	2	9	12	14	17	18
35-49	7	7.7	22	2	2	7	10	15	16	16
50-64	10	11.5	155	3	3	7	12	32	43	43
65+	24	15.0	308	1	2	11	17	29	65	73
GRAND TOTAL	**80**	**10.9**	**146**	**1**	**1**	**9**	**13**	**21**	**32**	**69**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	7	3.6	2	2	2	3	5	6	6	6
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	8	2.8	7	<1	<1	2	3	7	9	9
65+	3	17.3	617	2	2	4	35	46	46	46
B. *Operated*										
0-19 YRS	28	7.1	114	1	2	4	7	11	23	58
20-34	50	4.1	9	1	2	3	4	8	10	17
35-49	52	3.5	3	2	2	3	4	6	7	8
50-64	29	4.0	5	2	2	3	4	7	8	13
65+	13	5.5	8	2	3	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.9	20	1	1	4	7	10	14	19
20-34	11	2.5	1	<1	1	2	3	4	4	4
35-49	16	3.6	5	1	1	3	4	7	9	10
50-64	14	5.3	31	1	2	3	7	11	20	22
65+	14	7.3	28	<1	2	6	11	13	18	20
B. *Operated*										
0-19 YRS	38	18.4	490	1	2	10	20	54	71	95
20-34	49	4.8	27	2	2	3	5	9	10	36
35-49	52	5.5	22	2	2	4	6	12	17	22
50-64	57	6.6	28	2	3	5	8	12	21	27
65+	64	10.2	100	3	4	7	12	19	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.0	62	1	1	2	4	5	9	46
B. *Operated*	172	4.5	24	2	2	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	77	4.8	19	1	1	3	7	11	12	21
B. *Operated*	260	8.7	130	2	2	5	9	17	28	57
1. SINGLE DX	204	4.4	30	1	2	3	4	8	9	31
2. MULTIPLE DX	337	7.8	107	2	2	4	8	16	22	56
A. NOT OPERATED	109	4.5	31	1	1	3	5	10	11	32
B. OPERATED	432	7.0	92	2	2	4	7	13	21	56
TOTAL 0-19 YRS	96	10.6	270	1	1	5	10	24	54	88
20-34	117	4.2	15	2	2	3	4	8	10	23
35-49	126	4.3	12	1	2	3	5	8	10	20
50-64	108	5.4	22	2	2	4	6	10	15	24
65+	94	9.3	91	2	3	6	11	17	29	53
GRAND TOTAL	**541**	**6.5**	**80**	**1**	**2**	**4**	**7**	**12**	**19**	**55**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	5	1	1	3	4	8	8	8
20-34	2	2.0		2	2	2	2	2	2	2
35-49	11	7.5	55	1	1	4	13	20	22	22
50-64	21	5.0	13	<1	1	4	7	10	13	15
65+	34	8.9	60	1	2	6	12	17	24	37
B. *Operated*										
0-19 YRS	18	6.7	38	1	2	4	7	16	21	25
20-34	12	7.1	28	1	2	5	8	17	18	18
35-49	38	5.7	10	1	2	5	7	11	12	14
50-64	108	6.5	36	1	1	5	8	14	18	30
65+	100	7.7	74	1	1	6	9	16	21	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.7	19	<1	1	3	5	12	16	17
20-34	98	5.6	29	1	1	4	7	13	18	25
35-49	446	7.2	61	1	2	5	8	15	21	33
50-64	1279	7.9	56	1	2	6	10	17	22	36
65+	2188	8.5	55	2	2	6	11	17	22	38
B. *Operated*										
0-19 YRS	47	11.5	113	2	2	8	14	25	38	51
20-34	131	10.9	116	1	2	8	14	22	34	62
35-49	603	10.7	98	2	2	8	13	21	31	48
50-64	1570	10.7	90	2	2	8	14	22	30	51
65+	2384	11.5	92	2	3	9	15	23	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	7.0	43	1	1	5	8	15	20	34
B. *Operated*	276	6.9	46	1	1	5	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	4053	8.1	55	1	2	6	10	17	22	36
B. *Operated*	4735	11.1	93	2	3	9	14	22	30	49
1. SINGLE DX	350	6.9	45	1	1	5	8	15	19	31
2. MULTIPLE DX	8788	9.7	78	2	2	7	12	20	26	44
A. NOT OPERATED	4127	8.1	55	1	2	6	10	17	22	36
B. OPERATED	5011	10.9	91	2	2	8	14	22	30	48
TOTAL 0-19 YRS	113	7.8	70	1	1	5	10	17	25	45
20-34	243	8.5	82	1	1	6	10	18	23	42
35-49	1098	9.1	83	1	2	7	11	19	27	42
50-64	2978	9.3	75	1	2	7	12	19	25	45
65+	4706	10.0	76	2	2	8	13	21	27	44
GRAND TOTAL	**9138**	**9.6**	**77**	**2**	**2**	**7**	**12**	**20**	**26**	**43**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	1	1	3	3	4	4	4
20-34	13	3.2	15	<1	<1	1	3	11	13	13
35-49	5	6.8	86	1	1	3	10	23	23	23
50-64	2	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	41	5.9	28	<1	1	5	7	10	17	30
20-34	59	4.9	9	1	1	5	7	9	10	12
35-49	29	6.2	11	2	2	5	9	11	12	13
50-64	14	6.9	27	<1	1	5	11	15	17	18
65+	3	4.3	16	2	2	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	17	2	2	5	7	13	15	15
20-34	31	3.0	8	1	1	2	4	6	8	14
35-49	11	8.5	50	3	3	6	11	19	26	27
50-64	17	9.3	136	2	2	5	10	19	39	50
65+	7	5.9	32	1	1	2	9	15	16	16
B. *Operated*										
0-19 YRS	19	6.3	24	1	1	5	9	11	17	22
20-34	53	7.8	33	1	2	7	9	18	20	28
35-49	32	9.9	61	1	2	8	15	22	26	30
50-64	28	8.5	39	1	2	7	10	14	17	33
65+	35	15.1	156	3	5	12	18	27	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.6	25	<1	1	2	3	10	15	23
B. *Operated*	146	5.6	17	1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	74	5.9	51	1	1	4	7	13	17	44
B. *Operated*	167	9.7	72	1	2	7	13	19	25	40
1. SINGLE DX	171	5.3	18	1	1	5	7	10	12	22
2. MULTIPLE DX	241	8.5	68	1	2	7	11	18	23	43
A. NOT OPERATED	99	5.3	45	1	1	3	6	12	17	39
B. OPERATED	313	7.8	50	1	2	6	10	15	20	31
TOTAL 0-19 YRS	73	5.8	24	1	1	5	7	10	15	28
20-34	156	5.3	21	1	1	4	7	10	14	20
35-49	77	8.1	43	1	2	6	10	17	24	29
50-64	61	8.1	62	1	2	7	10	15	18	48
65+	45	12.9	143	2	2	10	17	25	33	68
GRAND TOTAL	**412**	**7.2**	**50**	**1**	**1**	**5**	**9**	**15**	**19**	**31**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	3.6	21	1	1	3	4	6	11	30
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.2	2	2	2	3	4	5	5	5
65+	8	11.0	135	1	1	7	18	30	31	31
B. *Operated*										
0-19 YRS	93	7.2	51	<1	1	6	9	16	24	33
20-34	11	8.3	31	2	2	7	11	17	20	20
35-49	3	9.0	169	1	1	2	18	24	24	24
50-64	2	4.0		4	4	4	4	4	4	4
65+	9	5.0	21	<1	1	4	6	12	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	5.2	25	1	1	3	7	11	14	24
20-34	16	5.7	28	1	2	4	6	8	19	24
35-49	16	4.4	18	<1	1	3	6	11	14	16
50-64	36	6.0	20	1	2	5	8	10	14	23
65+	77	8.0	50	1	2	5	11	15	25	33
B. *Operated*										
0-19 YRS	112	15.3	191	2	3	11	21	35	44	68
20-34	26	26.1	513	5	6	21	34	45	89	94
35-49	10	14.8	127	3	3	12	20	33	35	35
50-64	43	14.4	293	2	2	6	19	42	54	68
65+	68	11.3	94	3	3	8	14	25	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.0	31	1	1	3	4	7	12	32
B. *Operated*	118	7.2	48	<1	1	5	9	16	23	31
2. MULTIPLE DX										
A. *Not Operated*	383	5.8	30	1	1	4	7	13	15	28
B. *Operated*	259	15.2	225	2	3	10	21	35	44	81
1. SINGLE DX	225	5.7	42	<1	1	3	7	14	20	32
2. MULTIPLE DX	642	9.6	129	1	2	6	11	23	33	54
A. NOT OPERATED	490	5.4	31	1	1	3	7	12	15	29
B. OPERATED	377	12.7	183	1	2	8	16	31	39	66
TOTAL 0-19 YRS	533	7.4	81	1	1	4	8	17	25	44
20-34	56	15.5	348	2	2	8	22	36	44	94
35-49	30	8.2	85	1	1	4	11	22	31	35
50-64	86	10.0	173	2	2	5	9	24	42	65
65+	162	9.4	73	1	2	7	12	22	28	36
GRAND TOTAL	**867**	**8.6**	**110**	**1**	**1**	**5**	**10**	**21**	**30**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.4	7	<1	1	3	5	7	9	11
20-34	10	8.0	281	<1	<1	1	7	32	55	55
35-49	15	5.7	59	<1	1	2	8	19	24	26
50-64	10	4.1	55	1	1	2	3	14	25	25
65+	20	5.3	63	<1	1	2	6	17	27	28
B. *Operated*										
0-19 YRS	23	12.7	189	1	2	9	12	39	47	55
20-34	15	10.9	148	<1	1	5	17	30	35	37
35-49	16	16.3	224	1	1	8	32	34	37	38
50-64	15	16.1	481	2	2	7	21	40	73	84
65+	16	10.1	225	1	1	6	9	30	51	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.9	47	1	1	4	6	13	22	35
20-34	28	7.9	47	2	2	5	11	18	24	26
35-49	27	5.3	21	1	1	3	7	12	16	19
50-64	48	7.5	67	<1	1	5	10	17	25	41
65+	121	7.4	57	1	1	5	9	16	22	41
B. *Operated*										
0-19 YRS	42	23.6	320	2	4	22	35	49	59	64
20-34	61	24.7	250	2	4	27	31	41	55	77
35-49	69	21.1	262	2	3	21	34	40	48	69
50-64	81	20.9	352	2	3	16	35	44	61	83
65+	127	19.2	266	3	4	14	28	48	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	4.7	59	<1	1	2	5	9	23	43
B. *Operated*	85	13.2	241	1	2	7	14	34	41	75
2. MULTIPLE DX										
A. *Not Operated*	292	6.9	52	1	1	5	9	15	23	38
B. *Operated*	380	21.3	288	2	4	17	31	45	57	78
1. SINGLE DX	180	8.7	162	<1	1	4	9	29	35	58
2. MULTIPLE DX	672	15.0	236	1	2	9	24	37	47	73
A. NOT OPERATED	387	6.4	55	1	1	4	8	14	23	39
B. OPERATED	465	19.8	288	2	3	14	30	43	55	78
TOTAL 0-19 YRS	173	10.5	183	1	1	5	11	32	43	60
20-34	114	17.3	249	1	1	11	28	37	49	67
35-49	127	15.3	230	1	1	8	27	36	41	61
50-64	154	15.1	296	1	1	8	23	39	45	84
65+	284	12.7	194	1	2	7	17	32	47	73
GRAND TOTAL	**852**	**13.7**	**227**	**1**	**1**	**7**	**21**	**36**	**45**	**71**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	10	1	1	2	3	9	11	11
20-34	4	3.3	6	2	2	2	5	7	7	7
35-49	20	4.2	22	1	1	3	5	8	15	22
50-64	32	4.2	13	1	1	3	5	10	11	16
65+	35	5.4	16	1	1	4	8	12	14	14
B. *Operated*										
0-19 YRS	27	7.0	33	1	1	6	10	14	18	25
20-34	22	7.3	29	1	2	8	10	13	20	22
35-49	36	5.7	22	1	1	3	9	13	15	17
50-64	133	6.4	26	1	2	5	9	13	16	27
65+	133	7.1	39	1	2	5	9	14	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	12	1	1	3	5	8	14	15
20-34	18	6.4	25	1	2	5	9	13	17	20
35-49	57	8.0	82	1	2	5	9	19	25	53
50-64	187	7.4	38	1	2	6	9	16	20	32
65+	362	8.8	71	2	2	6	11	19	25	46
B. *Operated*										
0-19 YRS	43	16.5	221	2	3	13	25	37	52	99+
20-34	32	11.3	80	2	3	10	16	22	42	99+
35-49	101	12.8	193	2	2	8	16	28	43	70
50-64	338	11.9	120	2	3	9	15	26	33	55
65+	671	13.3	129	2	3	10	17	25	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.3	15	1	1	3	6	10	12	19
B. *Operated*	351	6.7	31	1	2	5	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	655	8.0	59	1	2	6	10	17	23	43
B. *Operated*	1185	12.9	134	2	3	10	17	26	37	65
1. SINGLE DX	458	6.1	28	1	1	5	9	12	16	26
2. MULTIPLE DX	1840	11.2	113	2	2	8	14	23	32	57
A. NOT OPERATED	762	7.5	55	1	2	5	9	15	21	35
B. OPERATED	1536	11.5	118	2	2	8	15	24	33	59
TOTAL 0-19 YRS	117	9.2	125	1	1	5	12	25	35	85
20-34	76	8.6	53	1	2	7	11	21	22	85
35-49	214	9.5	128	1	2	6	12	20	31	58
50-64	690	9.3	82	1	2	7	11	20	27	44
65+	1201	11.0	105	2	2	8	14	22	31	55
GRAND TOTAL	**2298**	**10.2**	**100**	**2**	**2**	**7**	**13**	**22**	**30**	**55**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	22	2.3	3	<1	1	2	3	4	6	8
20-34	63	2.5	2	1	1	2	3	4	5	8
35-49	85	2.2	1	1	1	2	3	4	4	5
50-64	101	2.6	1	1	1	2	3	4	5	6
65+	67	3.0	2	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	11	3.7	21	1	1	2	4	9	16	17
20-34	16	3.8	11	1	2	3	4	10	12	13
35-49	42	2.6	3	1	1	2	3	4	7	9
50-64	59	2.8	2	1	1	3	4	5	5	9
65+	93	3.7	5	1	2	3	4	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	338	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	5	3.2	9	1	1	2	5	8	8	8
B. *Operated*	221	3.3	5	1	1	3	4	5	8	13
1. SINGLE DX	339	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	226	3.3	5	1	1	3	4	5	8	13
A. NOT OPERATED	6	3.0	7	1	1	2	4	8	8	8
B. OPERATED	559	2.8	3	1	1	3	3	4	5	9
TOTAL 0-19 YRS	33	2.8	9	1	1	2	4	4	7	17
20-34	79	2.8	4	1	1	2	3	4	5	12
35-49	128	2.3	2	1	1	2	3	4	4	8
50-64	163	2.7	2	1	1	2	3	4	5	6
65+	162	3.4	4	1	1	3	4	5	7	11
GRAND TOTAL	**565**	**2.8**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	2.8	2	<1	<1	3	4	4	4	4
35-49	9	2.3	2	<1	<1	2	3	4	4	4
50-64	8	3.0	5	1	1	2	4	6	7	7
65+	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-19 YRS	29	3.2	7	1	1	2	4	8	10	11
20-34	19	5.3	12	1	1	5	8	11	12	12
35-49	50	5.1	15	<1	1	5	8	10	11	16
50-64	120	4.7	14	<1	1	3	8	10	11	16
65+	141	4.1	16	<1	<1	2	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	11	3.8	9	<1	1	2	4	9	10	10
35-49	9	3.1	7	1	1	2	4	8	8	8
50-64	35	3.8	9	1	1	3	5	8	10	13
65+	66	3.9	8	1	1	3	6	8	10	14
B. *Operated*										
0-19 YRS	27	5.5	24	2	2	4	7	15	29	99+
20-34	38	5.6	35	1	1	3	7	14	19	26
35-49	123	5.7	18	1	1	4	9	11	13	20
50-64	336	5.9	35	1	1	4	8	11	16	32
65+	[illegible]	6.6	46	1	1	5	9	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.4	2	<1	<1	2	3	4	5	7
B. *Operated*	359	4.4	14	<1	1	3	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	127	3.7	8	1	1	3	5	8	10	13
B. *Operated*	1246	6.3	39	1	1	4	9	13	16	31
1. SINGLE DX	387	4.3	14	<1	1	3	7	10	11	15
2. MULTIPLE DX	1373	6.0	37	1	1	4	9	12	16	31
A. NOT OPERATED	155	3.5	7	1	1	3	5	8	9	13
B. OPERATED	1605	5.9	34	1	1	4	8	12	15	30
TOTAL 0-19 YRS	64	4.0	15	1	1	3	5	11	14	88
20-34	72	5.1	23	1	1	3	7	11	15	25
35-49	191	5.3	16	1	1	4	8	11	12	18
50-64	499	5.4	28	1	1	4	8	11	14	23
65+	934	6.0	39	1	1	4	9	13	16	31
GRAND TOTAL	**1760**	**5.7**	**32**	**1**	**1**	**4**	**8**	**12**	**15**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	149	1.7	3	<1	<1	1	2	2	4	10
20-34	17	3.3	10	<1	1	1	7	8	9	10
35-49	37	3.8	9	<1	1	3	6	8	9	11
50-64	25	5.0	20	<1	1	3	8	12	14	15
65+	17	5.1	13	<1	1	5	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	3	1	1	4	5	5	5	5
20-34	4	4.8		4	4	5	5	5	5	5
35-49										
50-64	2	9.0	98	2	2	9	16	16	16	16
65+										
B. *Operated*										
0-19 YRS	57	3.3	27	<1	1	2	3	7	13	32
20-34	10	7.0	11	1	1	8	9	10	10	10
35-49	36	4.6	14	1	1	3	7	10	12	15
50-64	46	8.3	34	1	2	7	10	18	20	21
65+	39	7.3	44	1	1	6	10	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	5	1	1	2	5	6	7	7
B. *Operated*	245	2.7	8	<1	<1	1	3	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	11	5.1	15	1	2	5	5	10	15	16
B. *Operated*	188	5.8	33	1	1	4	8	13	18	29
1. SINGLE DX	253	2.7	8	<1	<1	1	3	8	9	12
2. MULTIPLE DX	199	5.8	32	1	1	4	8	13	18	29
A. NOT OPERATED	19	4.2	12	1	1	4	5	6	12	16
B. OPERATED	433	4.0	21	<1	1	2	6	10	13	21
TOTAL 0-19 YRS	216	2.1	9	<1	<1	1	2	4	7	16
20-34	31	4.7	11	1	1	5	8	9	10	10
35-49	74	4.1	12	<1	1	3	7	9	10	15
50-64	75	7.2	31	1	1	6	10	17	18	21
65+	56	6.6	36	1	1	5	10	14	16	30
GRAND TOTAL	**452**	**4.0**	**21**	**<1**	**1**	**2**	**6**	**10**	**13**	**21**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	256	2.4	4	<1	1	2	3	5	7	10
20-34	176	2.7	5	<1	1	2	3	6	8	11
35-49	232	2.7	11	<1	<1	2	3	5	7	12
50-64	219	2.5	7	<1	<1	2	3	5	7	12
65+	84	2.8	7	<1	<1	2	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	7	1.9	1	1	1	1	3	3	3	3
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	13	2.5	3	<1	<1	2	4	5	6	6
65+	6	3.3	9	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	74	4.7	11	1	1	4	6	9	12	16
20-34	68	4.2	21	1	1	3	5	7	10	31
35-49	126	4.7	64	1	1	3	5	9	10	43
50-64	164	4.4	19	1	1	3	5	11	14	20
65+	130	5.6	39	1	1	4	8	11	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.9	2	<1	<1	2	3	4	5	5
B. *Operated*	967	2.6	7	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	33	2.5	4	<1	1	2	3	5	6	9
B. *Operated*	562	4.8	33	1	1	3	6	10	13	30
1. SINGLE DX	983	2.6	7	<1	<1	2	3	5	7	11
2. MULTIPLE DX	595	4.6	32	1	1	3	5	9	13	30
A. NOT OPERATED	49	2.3	3	<1	1	2	3	5	5	9
B. OPERATED	1529	3.4	17	<1	1	2	4	7	10	17
TOTAL 0-19 YRS	337	2.9	6	<1	1	2	4	7	8	12
20-34	254	3.0	10	<1	1	2	3	6	9	13
35-49	364	3.4	30	<1	1	2	4	6	9	19
50-64	401	3.3	13	<1	1	2	4	7	11	19
65+	222	4.4	27	<1	1	3	5	10	12	33
GRAND TOTAL	**1578**	**3.4**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	9	<1	<1	1	2	7	11	11
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	257	2.7	8	<1	<1	2	3	6	8	11
20-34	60	2.7	6	<1	1	2	4	5	8	13
35-49	43	3.0	9	<1	<1	2	3	7	10	15
50-64	39	2.8	6	<1	<1	2	3	7	9	10
65+	28	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.1	23	<1	<1	2	5	10	15	20
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	11	2.6	3	<1	<1	3	4	5	6	6
50-64	5	1.8	2	1	1	1	2	4	4	4
65+	11	5.1	9	1	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	92	5.3	60	1	1	3	6	10	29	78
20-34	38	3.7	11	<1	<1	3	5	8	9	18
35-49	46	4.6	49	<1	<1	2	5	11	17	42
50-64	63	5.3	29	<1	1	3	8	14	17	23
65+	45	5.7	34	<1	1	4	8	12	20	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.3	5	<1	<1	2	2	4	8	11
B. *Operated*	427	2.7	8	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	52	3.6	12	<1	1	3	5	8	11	20
B. *Operated*	284	5.0	41	<1	1	3	6	10	17	47
1. SINGLE DX	447	2.7	7	<1	<1	2	3	6	8	11
2. MULTIPLE DX	336	4.8	36	<1	1	3	6	10	16	43
A. NOT OPERATED	72	3.2	11	<1	<1	2	4	7	11	18
B. OPERATED	711	3.7	22	<1	1	2	4	8	11	32
TOTAL 0-19 YRS	380	3.4	23	<1	1	2	4	7	10	33
20-34	106	3.0	8	<1	<1	2	4	6	8	15
35-49	103	3.7	26	<1	<1	2	4	7	11	31
50-64	108	4.2	21	<1	1	2	6	10	14	22
65+	86	4.5	22	<1	1	3	6	10	13	76
GRAND TOTAL	**783**	**3.6**	**21**	**<1**	**1**	**2**	**4**	**8**	**11**	**31**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	46	1.4		<1	<1	1	2	2	3	4
20-34	61	1.5		<1	<1	1	2	2	3	3
35-49	65	1.6	1	<1	<1	2	2	2	3	5
50-64	65	1.8	1	<1	<1	2	2	3	3	5
65+	28	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	32	2.2	2	<1	<1	2	2	4	6	8
35-49	96	2.5	4	<1	<1	2	3	5	6	12
50-64	92	2.5	6	<1	<1	2	3	4	6	16
65+	70	2.7	3	1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	265	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	297	2.5	4	<1	<1	2	3	4	6	10
1. SINGLE DX	268	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	302	2.5	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	8	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	562	2.1	3	<1	<1	2	2	3	5	8
TOTAL 0-19 YRS	53	1.5		<1	<1	1	2	2	3	4
20-34	94	1.7	1	<1	<1	1	2	3	3	7
35-49	162	2.1	3	<1	<1	2	2	4	5	10
50-64	160	2.2	4	<1	<1	2	2	3	4	8
65+	101	2.5	3	<1	1	2	3	5	6	9
GRAND TOTAL	**570**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**5**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.8	2	1	1	3	4	5	5	5
35-49	14	2.9	6	<1	1	2	4	7	9	9
50-64	3	3.7	6	1	1	4	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	294	5.2	3	3	4	5	6	7	8	11
35-49	633	5.4	4	3	4	5	6	7	8	10
50-64	82	5.5	4	2	4	5	6	7	8	13
65+	11	6.8	14	2	2	6	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	46	2.7	3	1	1	2	4	5	6	8
35-49	105	2.4	4	<1	<1	2	3	5	6	11
50-64	10	3.9	27	<1	<1	2	5	12	18	18
65+	9	5.3	10	2	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	9	5.9	5	3	3	6	7	9	10	10
20-34	1371	5.6	4	3	4	5	6	7	9	13
35-49	6067	5.9	4	4	4	6	6	8	9	13
50-64	978	6.3	7	3	4	6	7	8	10	17
65+	168	7.8	20	4	4	7	8	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.9	4	<1	1	2	4	6	7	9
B. *Operated*	1023	5.4	4	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	171	2.7	6	<1	1	2	4	6	6	13
B. *Operated*	8593	5.9	4	4	4	6	7	8	9	14
1. SINGLE DX	1048	5.3	4	2	4	5	6	7	8	11
2. MULTIPLE DX	8764	5.8	5	3	4	6	6	8	9	14
A. NOT OPERATED	196	2.8	6	<1	1	2	4	6	7	13
B. OPERATED	9616	5.8	4	4	4	6	6	8	9	13
TOTAL 0-19 YRS	13	5.3	4	3	3	5	7	8	10	10
20-34	1719	5.5	4	3	4	5	6	7	8	13
35-49	6819	5.8	4	3	4	6	6	8	9	12
50-64	1073	6.2	7	3	4	6	7	8	10	17
65+	188	7.6	19	3	4	7	8	13	15	29
GRAND TOTAL	**9812**	**5.8**	**5**	**3**	**4**	**6**	**6**	**8**	**9**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	5.7	3	2	3	6	7	8	8	8
35-49	11	4.1	7	1	1	4	5	8	10	10
50-64	2	8.5	13	6	6	8	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	32	5.5	4	3	3	5	7	8	8	10
35-49	78	5.8	6	3	4	5	6	8	10	17
50-64	18	4.9	4	1	2	5	6	7	8	9
65+	8	4.6	15	1	1	4	6	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	23	5.2	7	1	2	5	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	136	5.5	6	2	3	5	6	8	9	15
1. SINGLE DX	23	5.2	7	1	2	5	7	8	10	11
2. MULTIPLE DX	137	5.5	6	2	3	5	6	8	9	15
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	159	5.5	6	2	3	5	6	8	9	14
TOTAL 0-19 YRS										
20-34	42	5.6	3	2	3	5	7	8	8	10
35-49	90	5.5	6	2	3	5	6	8	10	16
50-64	20	5.3	5	1	2	5	6	8	10	11
65+	8	4.6	15	1	1	4	6	11	13	13
GRAND TOTAL	**160**	**5.5**	**6**	**2**	**3**	**5**	**6**	**8**	**9**	**14**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	83	4.7	1	3	3	5	5	6	7	8
20-34	226	4.6	2	3	3	4	5	6	7	8
35-49	68	5.3	2	4	4	5	6	7	8	10
50-64	53	6.5	8	4	5	6	7	8	9	24
65+	26	6.7	2	4	5	7	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	58	4.7	2	3	3	5	5	7	7	9
20-34	322	5.2	4	3	3	5	6	7	9	13
35-49	308	5.8	4	4	4	6	6	8	9	14
50-64	202	7.0	12	4	5	6	8	10	12	19
65+	192	8.8	21	4	5	7	10	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*	456	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	7	4.1	3	1	2	4	5	7	7	7
B. *Operated*	1082	6.3	10	3	4	6	7	9	12	19
1. SINGLE DX	458	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX	1089	6.3	10	3	4	6	7	9	12	18
A. NOT OPERATED	9	4.6	3	1	2	4	6	7	7	7
B. OPERATED	1538	5.9	8	3	4	5	7	9	11	17
TOTAL 0-19 YRS	145	4.7	2	3	3	5	5	6	7	9
20-34	550	4.9	3	3	3	5	6	7	8	11
35-49	378	5.7	3	4	4	5	6	8	9	13
50-64	256	6.9	11	4	5	6	7	10	12	20
65+	218	8.6	20	4	5	7	10	14	17	27
GRAND TOTAL	**1547**	**5.9**	**8**	**3**	**4**	**5**	**7**	**8**	**11**	**17**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	11	3.6	5	1	1	4	6	7	7	7
35-49	8	4.3	5	1	1	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	5.0	6	1	2	5	6	7	10	11
35-49	19	5.5	8	1	2	5	7	9	11	12
50-64	12	5.1	13	1	2	4	6	10	13	14
65+	6	5.0	3	3	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	22	3.7	4	<1	1	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	51	5.2	7	1	2	5	6	9	11	14
1. SINGLE DX	22	3.7	4	<1	1	4	6	6	7	7
2. MULTIPLE DX	51	5.2	7	1	2	5	6	9	11	14
A. NOT OPERATED										
B. OPERATED	73	4.8	7	1	1	5	6	7	10	14
TOTAL 0-19 YRS	4	3.3	4	<1	<1	3	5	5	5	5
20-34	24	4.4	5	1	1	4	6	6	8	11
35-49	27	5.1	7	1	2	5	7	8	10	12
50-64	12	5.1	13	1	2	4	6	10	13	14
65+	6	5.0	3	3	3	5	6	7	7	7
GRAND TOTAL	**73**	**4.8**	**7**	**1**	**1**	**5**	**6**	**7**	**10**	**14**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.6		<1	<1	2	2	2	2	2
20-34	14	1.5		<1	1	1	2	2	3	3
35-49	8	1.8	1	1	1	2	2	3	3	3
50-64	4	3.0	7	1	1	2	5	7	7	7
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	7	5.3	48	1	1	1	8	17	19	19
35-49	6	2.0		1	1	2	2	3	3	3
50-64	4	4.5	6	2	2	4	6	8	8	8
65+	4	3.0	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	34	1.9	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	23	3.9	18	1	1	2	4	9	13	19
1. SINGLE DX	34	1.9	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	23	3.9	18	1	1	2	4	9	13	19
A. NOT OPERATED										
B. OPERATED	57	2.7	9	<1	1	2	3	5	9	18
TOTAL 0-19 YRS	7	2.6	8	<1	<1	2	2	8	9	9
20-34	21	2.8	18	<1	1	1	2	6	14	19
35-49	14	1.9	1	1	1	2	2	3	3	3
50-64	8	3.8	7	1	1	3	6	8	8	8
65+	7	2.9	1	2	2	3	3	5	5	5
GRAND TOTAL	**57**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**9**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.8	7	1	1	3	5	8	8	8
35-49	5	5.2	8	1	1	6	7	8	8	8
50-64	9	3.4	10	1	1	1	6	8	9	9
65+	6	5.3	59	1	1	2	3	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	10.7	14	8	8	9	13	15	15	15
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	7	9.6	58	2	2	9	11	22	25	25
50-64	18	5.4	11	1	2	5	8	10	11	12
65+	42	5.9	29	1	2	4	8	13	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	26	4.2	18	1	1	3	6	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	73	6.2	27	1	2	5	9	13	18	25
1. SINGLE DX	27	4.2	18	1	1	3	6	8	11	21
2. MULTIPLE DX	74	6.2	27	1	2	5	9	13	17	25
A. NOT OPERATED	2	2.0	2	<1	<1	1	3	3	3	3
B. OPERATED	99	5.7	25	1	1	4	8	12	17	25
TOTAL 0-19 YRS	5	7.4	27	2	2	8	10	15	15	15
20-34	9	3.2	5	<1	<1	3	4	7	8	8
35-49	12	7.8	39	1	2	7	9	15	24	25
50-64	27	4.8	11	1	1	5	7	10	11	12
65+	48	5.9	32	1	2	3	8	13	20	25
GRAND TOTAL	**101**	**5.6**	**25**	**1**	**1**	**4**	**8**	**11**	**16**	**25**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	2.2	5	<1	<1	2	2	4	8	9
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	4	3.5	2	2	2	3	4	5	5	5
1. SINGLE DX	14	2.2	5	<1	<1	2	2	4	8	9
2. MULTIPLE DX	5	3.0	3	<1	<1	3	4	5	5	5
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	18	2.5	4	<1	<1	2	3	5	7	9
TOTAL 0-19 YRS	11	1.6		<1	<1	2	2	3	3	3
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49	3	3.7	21	1	1	1	7	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+										
GRAND TOTAL	**19**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**9**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	5	2.6	4	1	1	2	3	6	6	6
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	10	8.4	27	2	2	8	13	15	16	16
20-34	23	8.1	11	2	4	8	10	12	14	15
35-49	59	8.6	83	2	2	8	10	13	15	66
50-64	50	9.2	33	2	4	9	11	14	16	39
65+	22	11.0	57	2	3	9	15	20	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	6.7	59	1	1	2	15	18	18	18
35-49	3	26.7	1612	2	2	5	56	73	73	73
50-64	9	3.8	8	1	1	4	5	8	10	10
65+	55	6.4	27	1	2	5	8	12	19	25
B. *Operated*										
0-19 YRS	19	12.3	148	3	4	8	14	28	42	53
20-34	14	10.8	66	2	4	9	12	20	31	34
35-49	55	14.7	176	4	6	12	16	25	57	99
50-64	102	13.3	135	2	2	10	18	24	47	79
65+	113	14.5	105	2	4	12	19	29	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.6	5	1	1	2	3	6	7	8
B. *Operated*	164	9.0	50	2	2	8	10	14	17	38
2. MULTIPLE DX										
A. *Not Operated*	74	6.8	87	1	1	4	8	13	20	61
B. *Operated*	303	13.8	128	2	4	11	17	25	42	90
1. SINGLE DX	180	8.5	50	1	2	8	10	14	16	38
2. MULTIPLE DX	377	12.5	128	2	2	10	16	24	35	79
A. NOT OPERATED	90	6.1	75	1	1	4	8	11	18	54
B. OPERATED	467	12.2	106	2	3	10	15	22	34	71
TOTAL 0-19 YRS	32	10.3	104	1	2	8	13	20	28	53
20-34	45	8.5	36	1	2	8	10	15	18	34
35-49	120	11.7	164	2	2	9	13	18	27	87
50-64	166	11.2	102	2	2	9	13	22	30	60
65+	194	11.6	89	2	2	9	15	24	33	52
GRAND TOTAL	**557**	**11.2**	**106**	**1**	**2**	**9**	**13**	**21**	**29**	**71**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	2.3	1	<1	1	2	3	3	4	5
20-34	149	2.7	1	1	1	3	3	4	4	7
35-49	172	2.7	1	1	1	3	3	4	4	7
50-64	85	2.8	1	1	1	3	4	4	4	6
65+	52	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	2	10.0	72	4	4	10	16	16	16	16
B. *Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	40	3.2	2	1	2	3	4	4	5	8
35-49	95	3.4	3	1	1	3	4	5	6	11
50-64	89	4.1	9	2	2	3	4	6	9	20
65+	91	4.7	8	2	2	4	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	482	2.8	1	1	1	3	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	3	7.7	52	3	3	4	13	16	16	16
B. *Operated*	321	3.9	6	1	2	3	4	6	8	15
1. SINGLE DX	483	2.8	1	1	1	3	3	4	4	7
2. MULTIPLE DX	324	4.0	7	1	2	3	4	6	8	15
A. NOT OPERATED	4	6.8	38	3	3	4	10	16	16	16
B. OPERATED	803	3.2	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	31	2.3	1	1	1	2	3	4	4	5
20-34	189	2.8	1	1	1	3	3	4	4	7
35-49	268	3.0	2	1	1	3	4	5	5	8
50-64	174	3.4	6	1	2	3	4	5	6	14
65+	145	4.2	7	2	2	4	5	6	9	16
GRAND TOTAL	**807**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	19	6.1	4	3	3	6	7	9	9	9
35-49	27	6.5	10	2	3	7	7	11	13	14
50-64	35	6.9	32	2	2	5	9	13	19	30
65+	27	7.7	42	3	3	5	10	13	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	2.3		2	2	2	3	3	3	3
35-49	11	3.5	5	1	1	3	4	7	8	8
50-64	14	4.7	9	<1	1	4	7	8	10	11
65+	13	8.5	109	<1	2	5	7	26	36	38
B. *Operated*										
0-19 YRS	7	10.1	16	7	7	8	12	17	18	18
20-34	26	6.3	16	2	2	6	7	11	15	21
35-49	62	9.4	47	3	3	8	11	18	23	39
50-64	113	7.4	48	2	3	5	9	15	22	39
65+	122	9.2	89	2	3	6	11	20	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	1	<1	1	2	3	3	4	4
B. *Operated*	112	6.9	23	2	3	6	8	11	14	32
2. MULTIPLE DX										
A. *Not Operated*	44	5.2	39	1	2	3	6	8	15	38
B. *Operated*	330	8.4	60	2	3	6	10	18	22	40
1. SINGLE DX	126	6.3	23	1	2	5	8	11	13	31
2. MULTIPLE DX	374	8.1	59	2	3	6	10	17	22	40
A. NOT OPERATED	58	4.5	32	<1	1	3	5	8	10	37
B. OPERATED	442	8.0	51	2	3	6	10	16	21	35
TOTAL 0-19 YRS	17	6.4	21	1	1	7	8	12	16	18
20-34	51	5.8	11	2	2	6	7	9	11	21
35-49	104	7.8	36	2	3	7	10	14	20	32
50-64	164	7.0	41	2	2	5	8	14	19	32
65+	164	8.8	82	2	3	6	11	19	23	40
GRAND TOTAL	**500**	**7.6**	**50**	**2**	**3**	**6**	**9**	**15**	**21**	**36**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	4	1	1	3	5	6	6	6
20-34	328	3.8	4	1	1	4	5	6	7	8
35-49	120	4.2	3	1	1	4	5	7	7	9
50-64	35	4.7	4	1	1	5	6	7	8	9
65+	18	4.2	11	<1	1	3	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.3	4	<1	<1	1	3	6	6	6
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8	2.3	3	1	1	2	3	5	6	6
20-34	378	4.6	4	1	1	5	6	7	8	11
35-49	280	5.4	6	2	3	5	6	7	8	16
50-64	94	5.5	7	1	2	6	7	8	10	16
65+	53	6.1	11	2	2	6	8	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	505	4.0	4	1	1	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	16	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*	813	5.1	6	1	2	5	6	7	8	14
1. SINGLE DX	506	4.0	4	1	1	4	5	6	7	9
2. MULTIPLE DX	829	5.0	6	1	2	5	6	7	8	13
A. NOT OPERATED	17	1.9	3	<1	<1	1	2	5	6	6
B. OPERATED	1318	4.7	5	1	1	5	6	7	8	12
TOTAL 0-19 YRS	12	2.7	3	1	1	2	4	6	6	6
20-34	715	4.2	4	1	1	4	6	7	7	9
35-49	406	5.0	6	1	2	5	6	7	8	14
50-64	131	5.2	7	1	2	5	6	8	9	14
65+	71	5.6	12	1	1	6	7	9	12	18
GRAND TOTAL	**1335**	**4.6**	**5**	**1**	**1**	**5**	**6**	**7**	**8**	**12**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	4.3	8	<1	1	4	5	9	11	11
35-49	41	4.5	7	1	1	4	6	8	10	11
50-64	74	4.3	14	1	1	4	5	8	12	21
65+	72	3.6	7	<1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	6	1.8	1	<1	<1	1	2	4	4	4
65+	6	3.5	8	<1	<1	3	3	8	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	6.6	28	1	2	6	7	12	20	22
35-49	72	5.1	9	1	2	5	7	10	11	12
50-64	121	5.4	13	1	2	5	7	10	12	18
65+	230	7.2	30	1	2	6	10	15	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.0	32	2	2	6	10	10	10	10
B. *Operated*	199	4.1	9	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	13	2.5	5	<1	<1	2	3	5	8	9
B. *Operated*	437	6.3	22	1	2	5	8	12	16	22
1. SINGLE DX	201	4.1	10	1	1	4	5	8	10	15
2. MULTIPLE DX	450	6.2	22	1	2	5	8	12	15	22
A. NOT OPERATED	15	3.0	8	<1	<1	2	3	9	10	10
B. OPERATED	636	5.6	19	1	1	5	7	11	14	22
TOTAL 0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	25	5.4	19	<1	1	5	6	10	14	22
35-49	113	4.9	8	1	2	5	7	9	11	12
50-64	202	4.9	13	1	1	4	6	9	12	19
65+	309	6.2	26	1	1	5	8	13	16	24
GRAND TOTAL	**651**	**5.6**	**19**	**1**	**1**	**5**	**7**	**11**	**14**	**22**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	2	<1	<1	2	3	4	6	7
20-34	10	2.9	8	<1	<1	2	4	7	10	10
35-49	14	3.0	12	1	1	2	3	7	12	14
50-64	17	4.5	11	1	2	3	5	10	12	13
65+	26	4.7	9	1	2	4	6	10	11	12
B. *Operated*										
0-19 YRS	85	5.1	33	<1	1	4	7	8	14	36
20-34	114	5.0	17	1	1	4	6	10	12	22
35-49	105	4.2	13	1	1	3	6	9	11	18
50-64	130	5.1	18	1	1	4	7	11	14	19
65+	127	5.1	22	1	1	3	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	3.2	11	<1	1	2	4	8	10	16
20-34	39	5.4	63	1	1	3	6	11	13	49
35-49	43	3.7	9	1	1	3	5	8	10	14
50-64	67	5.8	33	1	1	4	8	12	14	35
65+	189	6.3	40	1	1	5	8	13	21	32
B. *Operated*										
0-19 YRS	62	8.1	40	1	2	6	12	15	24	26
20-34	96	6.8	43	1	2	5	7	14	18	37
35-49	179	6.6	42	1	2	5	8	13	15	54
50-64	225	8.1	71	1	2	6	10	15	20	55
65+	426	8.7	74	2	2	7	11	17	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.6	9	1	1	3	5	7	11	14
B. *Operated*	561	4.9	20	1	1	4	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	387	5.5	35	1	1	4	7	12	14	32
B. *Operated*	988	7.9	63	1	2	6	10	16	21	48
1. SINGLE DX	649	4.7	19	1	1	3	7	10	12	21
2. MULTIPLE DX	1375	7.2	56	1	2	5	9	14	20	45
A. NOT OPERATED	475	5.1	31	1	1	3	7	11	14	25
B. OPERATED	1549	6.8	50	1	1	5	9	14	18	41
TOTAL 0-19 YRS	217	5.2	31	1	1	3	7	12	15	26
20-34	259	5.6	34	1	1	4	6	12	15	28
35-49	341	5.3	29	1	1	4	7	10	14	34
50-64	439	6.7	49	1	1	5	9	13	17	33
65+	768	7.4	57	1	2	5	9	15	21	43
GRAND TOTAL	**2024**	**6.4**	**46**	**1**	**1**	**5**	**8**	**13**	**17**	**38**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	1	<1	<1	3	3	3	3	3
35-49	4	2.5	2	<1	<1	2	3	4	4	4
50-64	4	3.0	3	1	1	3	4	5	5	5
65+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	22	2.9	1	1	1	3	3	4	5	5
20-34	131	2.9	2	1	1	3	4	4	5	7
35-49	211	3.0	2	1	1	3	4	5	5	7
50-64	199	3.2	2	1	2	3	4	5	5	7
65+	75	3.5	3	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	10	4.6	6	1	1	5	7	8	8	8
35-49	9	2.4	5	<1	<1	2	3	6	7	7
50-64	8	2.9	2	<1	<1	3	4	5	5	5
65+	22	5.1	11	1	2	4	7	9	12	15
B. *Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	51	3.2	2	1	2	3	4	5	6	8
35-49	122	4.0	6	1	2	3	5	7	8	14
50-64	155	4.4	10	2	2	4	5	7	8	18
65+	155	5.5	13	3	3	4	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.8	3	<1	<1	2	4	5	7	7
B. *Operated*	638	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	53	4.1	8	<1	1	4	5	8	8	15
B. *Operated*	490	4.5	10	2	2	4	5	8	10	18
1. SINGLE DX	652	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX	543	4.5	10	2	2	4	5	8	10	18
A. NOT OPERATED	67	3.8	7	<1	1	3	5	7	8	14
B. OPERATED	1128	3.7	6	1	2	3	4	6	8	13
TOTAL 0-19 YRS	33	2.9	1	1	1	3	4	4	4	5
20-34	195	3.1	2	1	2	3	4	5	6	8
35-49	346	3.3	4	1	1	3	4	5	6	12
50-64	366	3.7	5	1	2	3	4	5	7	10
65+	255	4.9	11	2	2	4	6	8	11	21
GRAND TOTAL	**1195**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	7	1	1	2	4	7	8	9
20-34	28	4.4	8	<1	1	4	6	9	10	11
35-49	30	4.2	6	1	1	4	6	8	10	10
50-64	19	5.1	9	1	1	5	8	9	10	11
65+	8	7.9	32	4	4	5	9	18	21	21
B. *Operated*										
0-19 YRS	27	3.2	3	1	1	3	4	5	6	9
20-34	110	3.8	5	2	2	3	4	6	7	15
35-49	96	3.3	3	2	2	3	4	4	6	11
50-64	62	3.7	3	2	2	3	4	6	7	9
65+	20	3.6	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	4	2	2	3	4	7	8	10
20-34	78	5.1	16	1	1	4	7	10	13	21
35-49	116	5.2	13	1	2	4	7	11	14	16
50-64	138	5.9	18	2	2	5	7	10	13	25
65+	218	8.6	48	2	3	7	10	18	22	32
B. *Operated*										
0-19 YRS	8	7.8	91	3	3	4	7	24	31	31
20-34	49	4.2	5	1	2	4	5	7	9	12
35-49	80	5.2	12	2	2	4	6	11	12	16
50-64	76	5.7	35	2	2	4	5	11	16	34
65+	76	9.9	70	3	3	7	13	24	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.5	10	1	1	4	6	9	10	16
B. *Operated*	315	3.6	4	2	2	3	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	573	6.6	30	1	2	5	8	13	17	28
B. *Operated*	289	6.4	39	2	2	4	7	12	19	34
1. SINGLE DX	417	3.8	5	1	2	3	4	6	8	13
2. MULTIPLE DX	862	6.5	33	2	2	5	8	13	18	31
A. NOT OPERATED	675	6.3	28	1	2	5	8	12	16	27
B. OPERATED	604	4.9	22	2	2	4	5	8	13	30
TOTAL 0-19 YRS	75	3.8	14	1	1	3	4	7	8	26
20-34	265	4.3	9	1	2	4	5	7	10	17
35-49	322	4.5	10	1	2	4	5	8	12	15
50-64	295	5.3	19	2	2	4	6	9	11	29
65+	322	8.6	52	2	3	6	10	18	24	34
GRAND TOTAL	**1279**	**5.6**	**26**	**1**	**2**	**4**	**6**	**11**	**15**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	7.0	115	2	3	5	6	8	13	88
20-34	43	4.2	4	1	2	4	6	7	8	9
35-49	52	4.9	3	2	3	5	6	7	8	10
50-64	49	5.3	7	2	2	5	7	9	12	13
65+	13	4.8	5	1	2	5	6	8	8	8
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	4.1	26	<1	<1	3	6	7	9	42
20-34	115	4.8	13	1	1	4	6	8	10	21
35-49	207	5.2	11	2	2	5	6	9	11	20
50-64	300	5.6	13	2	2	5	7	10	13	19
65+	181	6.6	20	2	3	6	8	11	14	25
B. *Operated*										
0-19 YRS	4	7.8	13	5	5	6	10	13	13	13
20-34	13	5.6	12	<1	2	5	7	11	13	13
35-49	26	7.4	16	1	1	7	11	13	13	14
50-64	39	7.6	32	1	2	6	10	17	21	24
65+	17	9.9	44	2	2	9	11	20	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	5.9	60	2	2	5	6	8	10	63
B. *Operated*	4	4.5	7	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1016	5.3	17	1	1	5	7	9	12	23
B. *Operated*	99	7.7	27	1	2	6	11	14	18	26
1. SINGLE DX	315	5.9	60	2	2	5	6	8	10	62
2. MULTIPLE DX	1115	5.5	19	1	1	5	7	10	13	24
A. NOT OPERATED	1327	5.4	27	1	2	5	7	9	11	26
B. OPERATED	103	7.6	27	1	2	6	10	13	18	26
TOTAL 0-19 YRS	371	5.3	65	<1	<1	5	6	8	10	80
20-34	171	4.7	11	1	1	4	6	8	10	18
35-49	285	5.3	10	2	2	5	6	9	11	15
50-64	390	5.7	15	2	2	5	7	10	14	21
65+	213	6.7	22	2	3	6	8	11	15	26
GRAND TOTAL	**1430**	**5.6**	**28**	**1**	**2**	**5**	**7**	**9**	**12**	**26**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	449	3.7	9	1	1	3	5	7	9	21
20-34	284	3.7	4	1	2	3	5	6	7	10
35-49	128	4.4	7	1	1	4	6	8	9	13
50-64	54	5.1	6	2	2	5	7	8	10	13
65+	33	8.2	75	1	2	6	11	16	21	47
B. *Operated*										
0-19 YRS	5	3.6	4	1	1	4	5	6	6	6
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	1	18.0		18	18	18	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	611	4.6	13	1	2	4	6	8	10	18
20-34	804	4.7	9	2	2	4	6	8	10	16
35-49	580	6.4	18	2	2	5	8	12	14	22
50-64	467	7.2	19	2	3	6	9	12	16	22
65+	619	9.0	41	3	3	8	11	15	21	35
B. *Operated*										
0-19 YRS	28	7.0	36	2	3	6	8	10	16	34
20-34	75	8.9	68	3	4	7	10	16	20	57
35-49	80	10.9	69	3	4	8	13	23	30	39
50-64	63	15.3	112	5	7	13	18	27	42	52
65+	95	18.4	209	5	6	15	22	37	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	948	4.0	10	1	1	3	5	7	9	16
B. *Operated*	11	5.5	20	1	2	5	6	11	17	18
2. MULTIPLE DX										
A. *Not Operated*	3081	6.2	22	2	2	5	8	11	14	25
B. *Operated*	341	13.0	129	3	4	10	16	25	38	67
1. SINGLE DX	959	4.1	10	1	1	3	5	7	9	16
2. MULTIPLE DX	3422	6.9	37	2	2	5	8	13	17	33
A. NOT OPERATED	4029	5.7	20	1	2	5	7	11	14	23
B. OPERATED	352	12.8	127	3	4	9	16	25	37	67
TOTAL 0-19 YRS	1093	4.3	12	1	1	3	5	8	10	19
20-34	1166	4.7	13	2	2	4	6	8	10	17
35-49	790	6.5	24	2	2	5	8	12	15	27
50-64	585	7.9	35	2	3	7	10	14	18	30
65+	747	10.2	73	3	3	8	12	19	25	47
GRAND TOTAL	**4381**	**6.3**	**33**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	4.9	13	2	2	4	6	8	9	21
20-34	202	4.3	5	2	2	4	5	7	8	14
35-49	289	4.7	8	2	2	4	6	8	10	17
50-64	320	5.1	7	2	2	4	6	9	10	14
65+	298	5.9	11	2	3	5	7	9	12	17
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	11	3.5	6	1	1	3	4	8	9	9
35-49	14	5.9	24	1	2	5	7	9	18	21
50-64	24	4.0	16	<1	1	2	4	10	13	17
65+	20	7.1	85	1	2	4	9	14	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	248	5.0	12	1	2	4	6	8	10	12
20-34	678	5.5	20	1	2	5	7	10	12	25
35-49	1524	5.7	14	2	2	5	7	10	12	18
50-64	2766	6.2	13	2	3	5	8	10	13	19
65+	3843	7.0	24	2	3	6	8	12	15	26
B. *Operated*										
0-19 YRS	16	6.1	16	2	2	5	8	12	15	16
20-34	183	8.4	59	2	3	6	11	15	26	35
35-49	544	11.4	146	2	2	8	14	23	34	60
50-64	1124	12.9	124	2	3	10	16	27	35	63
65+	1460	14.1	123	3	4	11	18	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1314	5.0	9	2	2	4	6	8	10	17
B. *Operated*	71	5.2	36	1	1	3	7	10	16	38
2. MULTIPLE DX										
A. *Not Operated*	9059	6.4	19	2	3	5	8	11	14	22
B. *Operated*	3327	12.9	125	2	3	10	16	26	34	63
1. SINGLE DX	1385	5.0	10	2	2	4	6	8	10	17
2. MULTIPLE DX	12386	8.1	56	2	3	6	9	15	21	42
A. NOT OPERATED	10373	6.2	18	2	3	5	8	11	13	21
B. OPERATED	3398	12.7	125	2	3	10	16	26	34	63
TOTAL 0-19 YRS	471	5.0	12	1	2	4	6	8	10	17
20-34	1074	5.8	25	2	2	4	7	11	14	31
35-49	2371	6.9	50	2	2	5	8	12	17	41
50-64	4234	7.8	52	2	3	6	9	14	20	41
65+	5621	8.8	59	2	3	7	10	17	23	43
GRAND TOTAL	**13771**	**7.8**	**52**	**2**	**3**	**6**	**9**	**15**	**20**	**41**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	8	2.9	2	1	1	3	4	5	5	5
20-34	28	4.3	5	<1	1	4	5	6	7	12
35-49	4	5.0	2	3	3	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	13	3.1	4	1	1	2	4	7	7	7
35-49	5	6.6	13	1	1	8	9	10	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	11	4.9	6	1	2	5	6	9	9	9
20-34	106	4.7	5	<1	1	5	6	8	9	10
35-49	27	5.8	6	1	2	6	7	8	10	13
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	5	1	1	2	5	6	6	6
B. *Operated*	40	4.1	4	<1	1	4	5	6	6	12
2. MULTIPLE DX										
A. *Not Operated*	24	3.8	8	1	1	3	6	8	9	10
B. *Operated*	146	4.9	6	1	1	5	6	8	9	11
1. SINGLE DX	45	4.0	4	1	1	4	5	6	6	12
2. MULTIPLE DX	170	4.8	6	1	1	5	6	8	9	10
A. NOT OPERATED	29	3.7	7	1	1	2	5	8	9	10
B. OPERATED	186	4.7	5	1	1	5	6	8	9	11
TOTAL 0-19 YRS	24	3.5	5	1	1	3	5	6	9	9
20-34	149	4.4	5	<1	1	4	6	7	8	10
35-49	37	5.8	6	1	2	6	7	9	10	13
50-64	3	6.7	4	5	5	6	8	9	9	9
65+	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**215**	**4.6**	**6**	**1**	**1**	**5**	**6**	**8**	**9**	**11**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.8	7	1	1	2	3	7	9	13
20-34	53	2.6	3	1	1	2	3	4	5	11
35-49	40	3.0	4	1	1	3	4	5	6	10
50-64	40	4.2	13	<1	1	3	5	8	11	21
65+	46	4.1	9	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	8	4.3	8	1	1	3	6	8	9	9
20-34	9	4.4	7	1	1	5	7	8	8	8
35-49	17	4.8	21	1	1	3	5	12	16	18
50-64	14	4.9	21	1	1	3	5	15	15	15
65+	16	8.1	114	2	2	5	8	10	36	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	3.7	16	1	1	2	4	8	11	20
20-34	200	3.7	7	1	1	3	5	7	9	13
35-49	310	4.7	16	1	1	4	6	9	12	25
50-64	525	5.2	19	1	1	4	7	10	13	25
65+	1435	6.1	26	1	2	5	8	11	15	26
B. *Operated*										
0-19 YRS	15	18.9	628	2	2	5	28	55	81	90
20-34	32	11.4	148	1	2	8	13	26	29	62
35-49	76	9.4	71	2	3	8	11	21	30	88
50-64	109	9.7	119	2	3	6	10	19	27	64
65+	224	10.9	87	3	3	8	14	22	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	3.2	7	1	1	3	4	6	9	14
B. *Operated*	64	5.5	41	1	1	4	7	9	15	43
2. MULTIPLE DX										
A. *Not Operated*	2666	5.4	22	1	1	4	7	11	13	23
B. *Operated*	456	10.6	115	2	3	8	13	23	33	63
1. SINGLE DX	323	3.7	15	1	1	3	4	7	10	16
2. MULTIPLE DX	3122	6.2	39	1	2	5	8	12	16	33
A. NOT OPERATED	2925	5.2	21	1	1	4	7	10	13	23
B. OPERATED	520	10.0	109	2	3	7	12	21	32	62
TOTAL 0-19 YRS	299	4.2	54	1	1	2	4	8	12	36
20-34	294	4.4	28	1	1	3	5	9	11	27
35-49	443	5.4	28	1	1	4	7	10	13	31
50-64	688	5.8	37	1	2	4	7	11	15	28
65+	1721	6.7	37	2	2	5	8	13	17	35
GRAND TOTAL	**3445**	**6.0**	**37**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.9	46	1	2	4	8	17	24	25
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	4.5	12	1	1	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	13.5	270	2	3	6	15	33	55	82
20-34	22	10.0	67	1	2	8	11	25	28	31
35-49	23	6.6	14	1	2	7	8	12	14	14
50-64	60	8.7	69	1	2	6	12	19	25	42
65+	255	9.0	66	2	3	7	11	18	21	62
B. *Operated*										
0-19 YRS	22	20.2	404	3	4	14	30	52	96	99+
20-34	9	17.9	107	9	10	14	20	34	43	43
35-49	18	21.7	470	7	8	15	23	42	76	98
50-64	21	19.6	437	5	6	11	20	43	70	96
65+	129	14.2	149	3	4	11	18	29	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.5	38	<1	1	5	8	[illegible]	22	25
B. *Operated*	6	3.5	10	1	1	2	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	420	9.6	95	2	3	[illegible]	11	19	27	59
B. *Operated*	199	16.3	236	3	4	[illegible]	19	35	43	97
1. SINGLE DX	20	5.6	31	<1	1	4	7	10	18	25
2. MULTIPLE DX	619	11.7	150	2	[illegible]	8	14	24	35	79
A. NOT OPERATED	434	9.5	93	2	2	7	11	19	27	59
B. OPERATED	205	15.9	234	3	4	11	19	35	42	97
TOTAL 0-19 YRS	93	14.3	286	2	3	7	21	34	55	97
20-34	33	11.8	89	1	2	10	15	24	30	43
35-49	41	13.2	265	2	3	9	14	24	42	98
50-64	83	11.3	181	2	2	7	13	23	38	80
65+	389	10.7	99	2	3	8	13	20	28	65
GRAND TOTAL	**639**	**11.5**	**147**	**2**	**3**	**8**	**14**	**23**	**35**	**78**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	10.0	43	3	3	10	12	16	18	35
20-34	32	11.7	24	2	4	11	14	18	22	23
35-49	2	16.0	50	11	11	16	21	21	21	21
50-64										
65+										
B. *Operated*										
0-19 YRS	13	11.2	89	1	1	11	14	23	33	35
20-34	3	12.7	10	9	9	14	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	11.5	75	2	3	10	14	19	22	50
20-34	73	11.6	31	4	4	11	14	18	20	33
35-49	4	7.3	13	4	4	6	10	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	46	17.6	150	3	4	15	25	34	44	54
20-34	8	18.1	84	8	9	15	25	32	33	33
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	10.4	40	3	3	10	13	16	21	29
B. *Operated*	16	11.5	73	1	1	11	15	20	30	35
2. MULTIPLE DX										
A. *Not Operated*	328	11.5	64	2	3	11	14	18	22	40
B. *Operated*	54	17.6	139	3	4	15	25	33	42	54
1. SINGLE DX	184	10.5	43	2	3	10	13	16	21	33
2. MULTIPLE DX	382	12.4	79	2	4	11	15	21	28	49
A. NOT OPERATED	496	11.1	56	2	3	10	14	18	21	37
B. OPERATED	70	16.2	129	2	3	14	22	32	35	52
TOTAL 0-19 YRS	444	11.7	77	2	3	10	14	20	26	50
20-34	116	12.1	34	3	5	11	15	18	22	34
35-49	6	10.2	38	4	4	9	12	20	21	21
50-64										
65+										
GRAND TOTAL	**566**	**11.8**	**68**	**2**	**3**	**10**	**14**	**20**	**25**	**46**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	9	44.9	1906	<1	1	30	91	91	91	91
35-49	4	7.8	90	3	3	3	13	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	23	4.2	6	2	2	4	5	7	10	12
20-34	244	4.8	5	2	2	5	6	8	9	10
35-49	224	5.0	17	2	2	5	6	8	8	11
50-64	33	5.8	21	2	2	4	8	10	12	25
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	14.6	223	2	2	9	23	41	47	49
20-34	15	2.3	3	<1	<1	1	3	6	6	6
35-49	39	4.2	15	<1	1	3	6	11	13	14
50-64	22	6.8	72	1	1	4	7	17	29	36
65+	7	5.0	6	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	24	5.9	11	2	3	5	7	8	12	19
20-34	371	5.6	13	2	3	5	7	8	9	16
35-49	465	6.9	36	2	3	6	8	11	13	47
50-64	106	8.8	130	2	3	6	8	12	16	74
65+	6	4.8	5	2	2	5	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	26.2	1392	<1	1	4	44	91	91	91
B. *Operated*	524	4.9	11	2	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	102	6.5	79	<1	1	4	7	13	28	47
B. *Operated*	972	6.6	37	2	3	6	7	9	12	41
1. SINGLE DX	541	5.6	66	2	2	5	6	8	9	32
2. MULTIPLE DX	1074	6.6	41	2	3	6	7	10	13	45
A. NOT OPERATED	119	9.3	304	<1	1	4	8	23	41	91
B. OPERATED	1496	6.0	29	2	2	5	7	9	11	26
TOTAL 0-19 YRS	70	7.5	84	2	2	5	8	12	30	48
20-34	639	5.8	56	2	2	5	6	8	9	30
35-49	732	6.2	30	2	2	6	7	10	12	32
50-64	161	7.9	100	2	2	6	8	12	16	70
65+	13	4.9	5	2	2	5	7	8	8	8
GRAND TOTAL	**1615**	**6.2**	**50**	**2**	**2**	**5**	**7**	**9**	**12**	**44**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.5	8	<1	1	2	4	6	8	17
20-34	18	4.0	20	<1	<1	3	5	9	16	19
35-49	17	4.2	10	1	1	3	7	9	11	12
50-64	15	3.3	4	<1	<1	3	5	6	6	6
65+	14	3.7	8	<1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	49	3.4	7	1	1	3	4	7	8	14
20-34	32	2.9	6	<1	1	2	3	5	9	13
35-49	39	2.9	7	<1	1	2	4	6	9	12
50-64	26	4.3	63	<1	1	2	4	5	19	41
65+	17	7.1	100	1	1	3	8	22	34	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	5.2	27	1	1	3	7	12	18	25
20-34	117	6.5	26	1	1	5	9	15	17	47
35-49	149	6.6	34	1	2	5	9	15	20	29
50-64	142	7.1	32	2	2	5	9	14	19	26
65+	236	8.4	86	1	2	6	10	16	21	56
B. *Operated*										
0-19 YRS	70	13.4	267	1	2	7	18	34	66	96
20-34	96	11.2	133	1	1	8	14	26	30	60
35-49	124	10.4	137	1	2	6	14	22	33	61
50-64	95	8.6	101	1	1	5	11	22	30	83
65+	109	10.0	84	1	2	8	12	21	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.6	9	<1	1	3	5	7	9	17
B. *Operated*	163	3.7	26	1	1	3	4	7	10	37
2. MULTIPLE DX										
A. *Not Operated*	866	6.8	46	1	1	5	9	14	19	30
B. *Operated*	494	10.6	137	1	2	7	13	24	33	74
1. SINGLE DX	296	3.7	18	<1	1	3	4	7	9	22
2. MULTIPLE DX	1360	8.2	82	1	2	5	10	18	24	53
A. NOT OPERATED	999	6.4	43	1	1	5	8	13	18	29
B. OPERATED	657	8.9	118	1	1	5	12	21	30	67
TOTAL 0-19 YRS	410	6.1	74	1	1	3	7	14	20	58
20-34	263	7.6	71	1	1	5	10	17	23	45
35-49	329	7.5	75	1	1	5	9	17	23	38
50-64	278	7.2	59	1	1	5	9	15	21	46
65+	376	8.7	84	1	2	7	10	16	24	50
GRAND TOTAL	**1656**	**7.4**	**74**	**1**	**1**	**5**	**9**	**16**	**22**	**46**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	18	3.7	4	1	1	3	5	7	7	7
50-64	22	4.4	4	1	2	4	5	8	9	9
65+	15	4.2	6	1	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	7.3	16	3	3	7	10	12	12	12
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	4	5.0	5	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	3.1	2	2	2	3	4	6	6	6
35-49	54	5.4	12	2	2	4	7	10	12	18
50-64	104	4.7	6	1	2	4	6	8	9	12
65+	221	6.5	41	2	2	5	8	11	16	31
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	5.9	10	2	2	5	8	11	11	11
50-64	21	6.1	21	1	1	6	8	14	15	16
65+	45	10.8	98	2	3	8	15	20	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.9	4	1	1	4	5	7	8	9
B. *Operated*	14	4.6	10	1	1	4	6	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	389	5.8	28	2	2	5	7	10	12	22
B. *Operated*	74	8.9	71	1	2	6	12	18	22	90
1. SINGLE DX	75	4.0	5	1	1	4	5	7	9	11
2. MULTIPLE DX	463	6.3	36	2	2	5	8	11	16	27
A. NOT OPERATED	450	5.5	25	1	2	4	7	9	12	20
B. OPERATED	88	8.2	64	1	2	6	12	18	20	84
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	17	2.6	2	1	1	2	3	5	6	6
35-49	83	5.2	11	1	2	4	7	10	11	17
50-64	150	4.8	8	1	2	4	6	9	10	14
65+	285	7.0	50	2	2	5	8	13	18	54
GRAND TOTAL	**538**	**6.0**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**26**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.5	3	1	1	2	3	4	5	11
20-34	36	2.6	4	1	1	2	4	5	6	10
35-49	41	3.2	4	<1	1	3	4	6	7	8
50-64	42	3.6	5	1	1	3	4	7	9	10
65+	120	5.1	19	1	2	3	6	11	14	22
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	1	48.0		48	48	48	48	48	48	48
65+	6	16.8	90	4	4	20	24	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2030	3.3	11	1	1	3	4	5	7	16
20-34	789	3.3	6	1	1	3	4	6	7	13
35-49	876	4.6	21	1	2	3	5	9	11	20
50-64	1633	5.6	22	1	2	4	7	11	14	22
65+	7549	7.2	39	2	2	6	9	13	17	35
B. *Operated*										
0-19 YRS	48	11.1	109	2	2	8	15	28	32	46
20-34	53	6.0	20	1	1	5	8	12	14	22
35-49	105	9.0	98	2	2	5	11	18	32	54
50-64	197	10.4	90	2	2	8	13	20	29	53
65+	828	13.8	136	3	4	11	17	27	36	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.6	10	1	1	3	4	7	10	18
B. *Operated*	10	16.6	204	3	3	13	24	37	48	48
2. MULTIPLE DX										
A. *Not Operated*	12877	5.9	32	1	2	4	7	11	15	29
B. *Operated*	1231	12.4	124	2	3	9	15	25	33	70
1. SINGLE DX	366	4.0	19	1	1	3	4	8	11	24
2. MULTIPLE DX	14108	6.5	43	1	2	5	8	13	17	35
A. NOT OPERATED	13233	5.9	31	1	2	4	7	11	15	29
B. OPERATED	1241	12.4	124	2	3	9	16	25	33	69
TOTAL 0-19 YRS	2196	3.4	14	1	1	3	4	6	7	18
20-34	878	3.5	7	1	1	3	4	6	8	14
35-49	1024	5.0	30	1	2	4	6	10	12	31
50-64	1873	6.1	32	1	2	4	7	12	15	30
65+	8503	7.8	52	2	2	6	9	15	20	39
GRAND TOTAL	**14474**	**6.4**	**43**	**1**	**2**	**5**	**8**	**13**	**17**	**35**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	1	1	1	2	3	4	5	6
20-34	8	4.6	17	1	1	3	5	12	14	14
35-49	14	2.9	2	<1	1	3	4	5	5	5
50-64	12	3.8	3	1	1	4	5	6	6	6
65+	32	4.2	9	1	1	3	6	7	8	15
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	4	5.0	15	2	2	4	8	10	10	10
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	7	4.6	6	1	1	4	6	8	9	9
65+	10	4.6	6	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.2	6	<1	1	3	4	6	7	15
20-34	75	3.7	4	1	1	4	5	6	7	9
35-49	149	4.1	5	1	2	4	5	7	9	12
50-64	197	4.5	11	1	1	4	6	9	11	15
65+	887	5.4	21	1	2	5	7	10	12	21
B. *Operated*										
0-19 YRS	6	4.5	8	<1	<1	4	7	8	8	8
20-34	27	5.0	7	2	2	5	7	9	10	11
35-49	67	6.0	18	1	1	5	8	9	13	26
50-64	100	7.9	87	2	3	6	8	14	18	61
65+	399	7.9	25	3	3	7	10	14	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.5	6	1	1	3	5	6	7	15
B. *Operated*	25	4.6	6	1	2	4	6	9	9	10
2. MULTIPLE DX										
A. *Not Operated*	1363	5.0	16	1	2	4	6	9	11	19
B. *Operated*	599	7.5	34	2	3	6	9	13	16	28
1. SINGLE DX	111	3.7	6	1	1	3	5	7	9	14
2. MULTIPLE DX	1962	5.7	23	1	2	5	7	11	13	22
A. NOT OPERATED	1449	4.9	16	1	2	4	6	9	11	18
B. OPERATED	624	7.4	33	2	3	6	9	13	16	28
TOTAL 0-19 YRS	83	3.1	5	<1	1	3	4	6	7	13
20-34	114	4.1	6	1	2	4	5	7	9	12
35-49	232	4.6	10	1	1	4	6	8	9	14
50-64	316	5.6	37	1	2	4	6	10	14	23
65+	1328	6.1	23	1	2	5	8	11	14	22
GRAND TOTAL	**2073**	**5.6**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**21**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	3.9	7	1	1	3	5	7	9	13
20-34	555	5.3	12	1	2	5	7	9	11	17
35-49	93	5.7	11	1	2	5	7	10	12	17
50-64	9	3.7	7	1	1	3	5	8	9	9
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	4.5	1	3	3	4	5	6	6	6
20-34	10	8.7	21	1	1	9	13	14	14	14
35-49	7	6.1	5	3	3	5	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	757	4.6	11	1	1	4	6	8	10	19
20-34	661	6.2	18	2	2	5	8	11	14	22
35-49	204	6.9	31	2	2	6	8	12	16	35
50-64	40	6.6	56	1	2	5	7	11	14	48
65+	17	4.2	11	1	1	3	6	10	11	11
B. *Operated*										
0-19 YRS	43	8.4	52	2	2	7	12	16	19	42
20-34	41	10.9	115	3	3	9	13	18	25	66
35-49	20	18.1	212	5	5	13	22	47	49	50
50-64	6	9.5	12	4	4	9	12	14	14	14
65+	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1139	4.7	10	1	2	4	6	8	10	15
B. *Operated*	23	6.8	14	2	3	6	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	1679	5.5	18	1	2	5	7	10	13	22
B. *Operated*	112	11.0	111	2	3	9	13	20	31	56
1. SINGLE DX	1162	4.8	10	1	2	4	6	8	10	15
2. MULTIPLE DX	1791	5.9	25	1	2	5	7	11	14	24
A. NOT OPERATED	2818	5.2	15	1	2	4	7	9	12	20
B. OPERATED	135	10.3	96	2	3	8	12	19	24	52
TOTAL 0-19 YRS	1287	4.5	11	1	1	4	6	8	10	18
20-34	1267	6.0	20	2	2	5	8	10	13	22
35-49	324	7.2	43	2	2	6	8	12	18	42
50-64	55	6.4	45	1	2	5	8	12	14	46
65+	20	4.0	9	1	1	3	5	9	10	11
GRAND TOTAL	**2953**	**5.5**	**20**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.6	6	<1	1	2	3	6	8	12
20-34	35	3.5	13	1	1	2	5	8	11	18
35-49	35	2.4	3	1	1	2	3	5	7	7
50-64	31	2.8	13	<1	<1	1	4	7	13	15
65+	127	2.7	8	<1	1	2	4	5	7	18
B. *Operated*										
0-19 YRS	45	4.3	8	1	2	4	5	7	12	14
20-34	12	6.1	11	1	2	6	9	10	11	11
35-49	14	5.9	21	1	1	5	7	15	16	16
50-64	11	6.2	16	1	3	6	7	12	17	17
65+	29	5.9	15	2	2	4	7	13	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	3.7	14	1	1	3	5	8	11	20
20-34	124	3.9	12	1	1	3	5	8	10	19
35-49	255	4.6	24	1	1	3	6	10	14	22
50-64	489	4.6	21	1	1	3	6	10	13	22
65+	1843	5.1	23	1	1	4	7	10	13	23
B. *Operated*										
0-19 YRS	66	9.7	71	2	3	7	13	19	28	42
20-34	66	8.8	189	1	2	6	9	16	29	90
35-49	99	7.9	50	<1	1	7	10	15	22	38
50-64	203	8.9	62	1	2	7	11	18	25	42
65+	634	8.8	69	2	3	7	10	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	2.7	8	<1	1	2	4	6	8	15
B. *Operated*	111	5.3	13	1	2	4	6	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2921	4.8	22	1	1	3	6	10	13	23
B. *Operated*	1068	8.8	73	1	2	7	10	17	24	44
1. SINGLE DX	467	3.4	10	<1	1	2	4	7	10	16
2. MULTIPLE DX	3989	5.9	39	1	1	4	7	12	16	31
A. NOT OPERATED	3277	4.6	21	1	1	3	6	10	13	21
B. OPERATED	1179	8.4	69	1	2	6	10	16	23	42
TOTAL 0-19 YRS	449	4.4	24	1	1	3	5	9	14	27
20-34	237	5.3	66	1	1	4	6	10	14	34
35-49	403	5.2	31	1	1	4	7	12	15	30
50-64	734	5.8	35	1	1	4	8	12	16	30
65+	2633	5.8	37	1	1	4	7	12	16	31
GRAND TOTAL	**4456**	**5.6**	**36**	**1**	**1**	**4**	**7**	**11**	**15**	**30**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.7	14	1	2	4	7	13	14	14
20-34	12	3.7	3	1	2	3	5	6	6	6
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.4	42	1	1	3	6	13	17	35
20-34	23	4.3	6	1	2	3	6	8	9	10
35-49	10	5.2	8	2	2	4	7	9	10	10
50-64	4	4.5	7	2	2	4	6	8	8	8
65+										
B. *Operated*										
0-19 YRS	6	9.3	94	2	2	4	18	24	25	25
20-34	3	4.7	5	2	2	6	6	6	6	6
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	4.7	10	1	2	4	6	8	13	14
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	76	5.0	24	1	1	3	6	10	13	30
B. *Operated*	10	7.7	58	2	2	5	7	21	25	25
1. SINGLE DX	35	4.8	11	1	2	4	6	10	13	14
2. MULTIPLE DX	86	5.3	29	1	2	3	7	10	16	31
A. NOT OPERATED	110	4.9	20	1	1	3	6	10	13	24
B. OPERATED	11	7.9	53	2	2	6	9	21	25	25
TOTAL 0-19 YRS	65	5.9	38	1	1	4	7	14	17	33
20-34	38	4.1	5	1	2	3	6	8	9	10
35-49	13	4.5	8	1	2	4	7	9	10	10
50-64	5	5.0	7	2	2	5	7	8	8	8
65+										
GRAND TOTAL	**121**	**5.2**	**23**	**1**	**2**	**4**	**6**	**10**	**14**	**28**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	3.5	10	1	1	3	4	6	11	19
20-34	27	4.3	5	2	2	3	6	7	8	11
35-49	22	4.0	8	1	1	3	6	8	9	10
50-64	20	3.9	15	<1	1	3	5	8	13	17
65+	30	4.1	6	1	1	4	6	6	10	10
B. *Operated*										
0-19 YRS	87	4.5	7	1	2	4	6	7	9	16
20-34	51	6.8	10	3	4	6	8	11	12	20
35-49	30	6.8	13	1	2	7	7	13	14	17
50-64	25	7.0	16	2	3	6	9	12	14	18
65+	22	8.2	42	3	3	7	9	14	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	365	4.4	11	1	1	4	6	8	10	19
20-34	127	5.1	21	1	2	4	7	9	11	23
35-49	171	5.6	16	1	2	5	7	10	12	22
50-64	316	5.9	15	1	2	5	8	11	13	20
65+	619	6.7	33	1	2	5	8	13	17	34
B. *Operated*										
0-19 YRS	120	8.7	66	1	2	6	11	21	28	37
20-34	89	8.8	129	2	2	6	9	16	25	72
35-49	83	10.3	86	2	2	8	12	20	33	48
50-64	179	9.3	50	2	3	7	11	19	22	34
65+	353	11.5	73	3	4	9	15	24	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	3.7	9	1	1	3	5	7	10	17
B. *Operated*	215	6.1	15	2	2	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1598	5.8	22	1	2	5	7	11	14	24
B. *Operated*	824	10.2	75	2	3	8	13	21	27	43
1. SINGLE DX	463	4.8	13	1	1	4	6	9	11	19
2. MULTIPLE DX	2422	7.3	45	1	2	5	9	14	20	37
A. NOT OPERATED	1846	5.5	21	1	1	4	7	10	13	22
B. OPERATED	1039	9.4	66	2	3	7	11	19	25	41
TOTAL 0-19 YRS	721	4.9	22	1	1	4	6	10	14	28
20-34	294	6.5	53	1	2	5	7	11	15	29
35-49	306	6.9	38	1	2	5	9	12	17	36
50-64	540	7.0	29	1	2	6	9	13	18	30
65+	1024	8.3	51	2	2	6	10	17	23	41
GRAND TOTAL	**2885**	**6.9**	**40**	**1**	**2**	**5**	**8**	**14**	**18**	**34**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	1.8	1	1	1	2	2	3	4	5
20-34	99	1.8	1	1	1	2	2	3	4	7
35-49	14	2.1	1	<1	<1	2	3	4	4	4
50-64	7	2.1		1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	251	3.2	2	1	2	3	4	5	6	9
20-34	85	3.7	3	2	2	3	4	6	8	9
35-49	15	3.9	1	1	3	4	5	5	5	5
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	2.0	1	1	1	2	3	3	4	8
20-34	47	2.7	2	1	1	2	4	4	5	8
35-49	16	2.8	3	1	1	2	3	4	7	8
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	5	5.4	30	1	1	4	7	15	15	15
B. *Operated*										
0-19 YRS	124	4.0	4	2	2	4	5	6	8	13
20-34	67	5.2	8	2	3	4	6	8	10	16
35-49	7	6.7	14	3	3	6	9	12	13	13
50-64	4	7.3	36	3	3	5	11	16	16	16
65+	5	7.0	2	6	6	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	1.8	1	1	1	2	2	3	4	5
B. *Operated*	355	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	258	2.3	2	1	1	2	3	4	4	8
B. *Operated*	207	4.6	7	2	2	4	5	8	9	16
1. SINGLE DX	794	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	465	3.3	6	1	1	3	4	6	8	15
A. NOT OPERATED	697	2.0	2	1	1	2	3	3	4	7
B. OPERATED	562	3.8	4	2	2	3	4	6	8	13
TOTAL 0-19 YRS	877	2.6	3	1	1	2	3	4	5	8
20-34	298	3.3	5	1	1	3	4	6	8	12
35-49	52	3.4	5	1	1	3	4	6	8	13
50-64	19	3.8	14	1	1	3	4	9	14	16
65+	13	5.5	13	1	2	4	7	10	14	15
GRAND TOTAL	**1259**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	4.6	5	2	2	4	6	7	8	12
20-34	7	4.3	3	2	2	5	6	6	6	6
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	4	5.3	22	1	1	4	8	12	12	12
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	22	4.2	7	1	1	3	7	8	9	9
20-34	29	2.0	3	<1	<1	1	2	3	7	9
35-49	13	2.2	1	<1	<1	2	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	6	2.7	3	<1	<1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	4.3	7	1	2	4	5	8	10	14
20-34	14	3.9	1	3	3	4	4	5	6	6
35-49	5	6.8	14	3	3	6	10	12	12	12
50-64	3	6.7	2	5	5	7	8	8	8	8
65+	8	3.0	6	1	1	2	4	7	8	8
B. *Operated*										
0-19 YRS	31	5.7	16	1	1	5	7	12	14	17
20-34	19	4.1	5	<1	1	4	6	8	9	9
35-49	13	3.8	8	1	1	3	5	8	10	10
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	10	6.0	32	1	1	3	8	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	4.6	5	2	2	4	6	7	8	12
B. *Operated*	72	2.7	5	<1	1	2	3	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	101	4.3	7	1	2	4	5	8	10	13
B. *Operated*	78	4.9	14	1	1	4	7	10	13	18
1. SINGLE DX	167	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	179	4.6	10	1	2	4	6	9	11	16
A. NOT OPERATED	196	4.4	6	1	2	4	6	7	10	12
B. OPERATED	150	3.8	10	1	1	3	5	8	10	17
TOTAL 0-19 YRS	202	4.6	8	1	2	4	6	8	10	14
20-34	69	3.2	4	<1	1	3	4	6	7	9
35-49	35	3.6	7	1	1	3	4	8	10	12
50-64	14	4.4	9	<1	1	4	6	8	11	12
65+	26	4.2	16	1	1	3	5	8	14	18
GRAND TOTAL	**346**	**4.2**	**8**	**1**	**1**	**4**	**6**	**8**	**10**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.4	125	<1	<1	4	11	28	32	32
20-34	14	10.7	98	1	2	7	18	29	31	31
35-49	12	4.8	21	1	1	3	7	13	14	14
50-64	13	6.0	29	2	2	3	8	16	18	19
65+	25	6.7	35	1	2	5	10	16	19	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	102	1	1	2	5	25	33	35
20-34	33	11.4	158	1	1	7	16	25	33	61
35-49	44	7.5	33	1	1	6	11	16	19	23
50-64	102	8.9	83	1	2	5	12	21	28	45
65+	394	8.5	53	2	2	6	11	17	23	37
B. *Operated*										
0-19 YRS										
20-34	4	25.0	397	7	7	24	65	99+	99+	99+
35-49	6	24.3	587	3	3	17	49	56	57	57
50-64	9	13.8	145	2	2	10	23	33	33	33
65+	44	12.9	127	3	4	8	19	29	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.2	53	1	1	4	9	17	24	32
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	587	8.6	64	1	2	6	11	19	24	40
B. *Operated*	63	14.9	192	2	3	8	23	36	51	94
1. SINGLE DX	71	7.2	53	1	1	4	9	17	24	32
2. MULTIPLE DX	650	9.2	80	1	2	6	11	20	27	50
A. NOT OPERATED	658	8.4	63	1	2	6	11	18	24	38
B. OPERATED	63	14.9	192	2	3	8	23	36	51	94
TOTAL 0-19 YRS	21	7.2	105	<1	1	3	6	27	33	35
20-34	51	12.3	165	1	2	7	19	30	51	99
35-49	62	8.6	104	1	1	5	12	17	25	56
50-64	124	8.9	83	1	2	5	12	21	30	43
65+	463	8.8	61	2	2	7	11	18	24	41
GRAND TOTAL	**721**	**9.0**	**77**	**1**	**2**	**6**	**11**	**20**	**27**	**50**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.1	14	<1	1	1	2	5	20	99+
20-34	64	3.7	24	<1	1	2	3	9	18	24
35-49	20	6.9	45	1	1	4	13	15	20	25
50-64	36	8.0	92	1	1	5	10	16	19	55
65+	187	9.9	86	1	2	7	13	21	25	65
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49										
50-64	4	7.5	12	4	4	7	10	12	12	12
65+	5	10.6	60	3	3	9	17	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	6.3	139	1	1	2	5	18	25	69
20-34	107	9.2	211	1	1	4	9	17	37	80
35-49	101	9.1	92	1	2	7	10	20	33	46
50-64	179	11.5	189	2	2	7	14	26	39	73
65+	1518	10.3	97	2	3	8	13	21	30	60
B. *Operated*										
0-19 YRS	5	14.8	340	1	1	2	35	35	35	35
20-34	11	10.5	452	1	1	4	9	82	97	99+
35-49	7	14.6	265	1	1	6	30	39	40	40
50-64	28	15.1	238	2	3	11	22	60	99+	99+
65+	180	17.4	210	3	4	13	23	35	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	7.3	72	1	1	4	10	17	24	73
B. *Operated*	10	9.2	33	3	3	8	12	18	21	21
2. MULTIPLE DX										
A. *Not Operated*	1998	10.1	114	1	2	7	12	21	30	62
B. *Operated*	231	16.6	226	2	3	12	23	37	50	99+
1. SINGLE DX	373	7.3	71	1	1	4	10	17	24	71
2. MULTIPLE DX	2229	10.8	129	2	2	7	13	24	34	72
A. NOT OPERATED	2361	9.6	108	1	2	7	12	20	29	62
B. OPERATED	241	16.3	220	2	3	12	22	36	49	99+
TOTAL 0-19 YRS	154	5.1	105	1	1	2	4	16	28	99
20-34	183	7.3	163	<1	1	3	8	16	30	83
35-49	128	9.0	94	1	1	6	11	21	34	46
50-64	247	11.3	180	1	2	7	14	26	42	81
65+	1890	10.9	111	2	3	8	13	23	32	61
GRAND TOTAL	**2602**	**10.3**	**122**	**1**	**2**	**7**	**13**	**22**	**33**	**72**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	6	9.5	28	6	6	8	9	19	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.0	79	1	1	5	15	18	18	18
50-64	26	14.3	113	3	4	10	18	29	39	46
65+	189	10.9	110	2	3	8	14	21	31	56
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	18.0		18	18	18	18	18	18	18
65+	22	14.3	52	7	8	13	19	21	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.6	30	3	4	7	9	18	20	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	218	11.3	111	2	3	8	15	22	31	55
B. *Operated*	24	14.8	50	7	8	13	19	21	27	39
1. SINGLE DX	7	8.6	30	3	4	7	9	18	20	20
2. MULTIPLE DX	242	11.6	106	2	3	9	15	22	31	54
A. NOT OPERATED	225	11.2	108	2	3	8	14	22	31	55
B. OPERATED	24	14.8	50	7	8	13	19	21	27	39
TOTAL 0-19 YRS										
20-34										
35-49	4	11.3	95	1	1	11	19	21	21	21
50-64	28	14.0	110	3	3	10	18	28	38	46
65+	217	11.2	103	2	3	8	14	20	30	55
GRAND TOTAL	**249**	**11.5**	**103**	**2**	**3**	**9**	**15**	**22**	**31**	**54**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	58	2.7	8	<1	1	2	3	4	6	18
35-49	80	3.1	4	1	1	3	4	6	7	9
50-64	44	4.0	6	1	1	4	5	7	9	14
65+	10	5.2	10	2	2	4	7	10	12	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	69	<1	<1	2	9	21	22	22
20-34	257	6.0	44	1	2	4	6	13	22	30
35-49	611	5.7	33	1	2	4	7	11	19	29
50-64	443	6.9	56	1	2	5	8	15	22	34
65+	224	8.3	47	2	2	6	11	18	23	29
B. *Operated*										
0-19 YRS										
20-34	7	7.6	40	1	1	6	9	18	20	20
35-49	26	12.4	96	3	3	9	17	29	33	33
50-64	26	11.3	89	2	2	9	14	30	33	35
65+	23	17.2	197	5	7	12	19	42	50	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	3.3	7	1	1	3	4	6	8	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1541	6.5	44	1	2	4	7	14	21	32
B. *Operated*	82	13.0	122	2	3	9	17	30	34	55
1. SINGLE DX	193	3.3	7	1	1	3	4	6	8	15
2. MULTIPLE DX	1623	6.8	50	1	2	4	8	15	22	33
A. NOT OPERATED	1734	6.1	41	1	2	4	7	13	20	30
B. OPERATED	82	13.0	122	2	3	9	17	30	34	55
TOTAL 0-19 YRS	7	5.6	60	<1	<1	2	7	19	22	22
20-34	322	5.4	39	1	1	3	6	12	20	30
35-49	717	5.6	34	1	1	4	6	11	19	30
50-64	513	6.9	55	1	2	4	8	15	21	34
65+	257	8.9	65	2	2	6	12	19	25	42
GRAND TOTAL	**1816**	**6.4**	**47**	**1**	**2**	**4**	**7**	**14**	**21**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	4	<1	<1	3	4	6	7	7
20-34	26	3.7	16	<1	1	3	5	7	10	21
35-49	17	4.2	28	<1	1	3	3	12	18	21
50-64	11	4.8	23	1	1	3	8	12	16	16
65+	11	3.5	3	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.8	234	1	1	5	17	36	43	54
20-34	71	8.5	92	1	2	6	10	20	30	47
35-49	66	6.6	48	1	1	4	7	17	25	32
50-64	77	6.2	24	1	2	5	8	11	15	28
65+	194	7.2	38	1	2	6	9	13	18	31
B. *Operated*										
0-19 YRS										
20-34	5	25.0	896	1	1	10	51	67	67	67
35-49	4	11.3	5	8	8	12	13	13	13	13
50-64	11	14.0	91	3	3	15	20	27	34	35
65+	16	8.8	34	3	3	7	11	17	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.9	16	<1	1	3	4	7	12	21
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	433	7.4	58	1	2	5	9	15	23	41
B. *Operated*	36	12.9	173	2	3	9	15	25	43	67
1. SINGLE DX	75	3.9	16	<1	1	3	4	7	12	21
2. MULTIPLE DX	469	7.8	69	1	2	5	9	16	24	46
A. NOT OPERATED	508	6.9	53	1	1	5	8	14	21	38
B. OPERATED	36	12.9	173	2	3	9	15	25	43	67
TOTAL 0-19 YRS	35	9.4	182	1	1	4	9	33	39	54
20-34	102	8.1	122	1	1	5	8	20	33	57
35-49	87	6.4	44	1	1	4	8	15	21	31
50-64	99	6.9	37	1	2	5	8	15	20	33
65+	221	7.2	37	1	2	5	9	13	17	30
GRAND TOTAL	**544**	**7.3**	**63**	**1**	**1**	**5**	**9**	**15**	**22**	**44**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	16.2	220	1	2	16	20	32	35	77
20-34	406	11.1	94	1	2	9	16	22	28	45
35-49	270	11.6	98	2	2	10	15	23	29	58
50-64	100	12.2	80	2	3	11	15	25	35	99+
65+	24	17.5	144	2	3	15	21	36	45	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	9.5	61	4	4	9	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	26.2	533	<1	1	24	39	70	95	99+
20-34	227	13.8	169	2	3	11	17	29	39	91
35-49	211	12.4	75	2	4	11	16	25	31	39
50-64	127	14.1	88	3	5	13	18	27	32	47
65+	69	14.1	77	3	5	14	19	25	27	48
B. *Operated*										
0-19 YRS										
20-34	5	24.0	71	13	13	28	31	31	31	31
35-49	12	21.3	279	7	9	20	22	39	66	71
50-64	18	28.3	322	8	9	27	36	67	90	99+
65+	5	22.4	156	9	9	25	31	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	11.7	100	1	2	10	16	23	30	53
B. *Operated*	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	655	13.9	129	2	4	11	18	27	36	70
B. *Operated*	40	24.9	252	8	9	24	31	50	74	99+
1. SINGLE DX	831	11.7	100	1	2	10	16	23	30	53
2. MULTIPLE DX	695	14.5	143	2	4	12	19	29	37	82
A. NOT OPERATED	1484	12.7	114	1	2	11	17	25	33	61
B. OPERATED	42	24.2	253	8	9	23	31	50	73	99+
TOTAL 0-19 YRS	50	20.4	369	1	1	18	28	50	76	99+
20-34	638	12.2	123	1	2	9	16	24	32	69
35-49	495	12.2	94	2	3	10	15	24	30	51
50-64	245	14.4	116	3	4	12	19	30	39	99+
65+	98	15.4	99	2	5	14	20	28	36	48
GRAND TOTAL	**1526**	**13.0**	**121**	**1**	**3**	**11**	**17**	**26**	**33**	**69**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	29.1	305	7	9	26	47	53	56	56
20-34	18	9.4	60	1	2	7	11	23	25	25
35-49	9	15.8	63	1	5	14	22	26	28	28
50-64	3	12.0	75	7	7	7	18	22	22	22
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	25.4	388	3	4	21	42	55	56	56
20-34	18	14.3	110	2	3	13	17	33	37	37
35-49	10	12.1	45	1	3	11	16	21	25	25
50-64	3	7.7	82	1	1	4	14	18	18	18
65+	3	6.7	30	3	3	4	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	2	26.0	32	22	22	26	30	30	30	30
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	15.6	171	1	3	13	22	28	48	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	41	14.6	151	2	3	13	18	30	43	56
B. *Operated*	2	26.0	32	22	22	26	30	30	30	30
1. SINGLE DX	39	15.6	171	1	3	13	22	28	48	56
2. MULTIPLE DX	43	15.1	150	2	3	13	20	31	41	56
A. NOT OPERATED	80	15.1	159	1	3	13	21	27	48	56
B. OPERATED	2	26.0	32	22	22	26	30	30	30	30
TOTAL 0-19 YRS	16	27.5	321	4	7	21	48	55	56	56
20-34	38	12.6	95	2	3	9	19	25	34	37
35-49	19	13.8	54	1	3	14	17	25	27	28
50-64	6	9.8	69	1	1	7	18	22	22	22
65+	3	6.7	30	3	3	4	11	13	13	13
GRAND TOTAL	**82**	**15.4**	**158**	**1**	**3**	**13**	**21**	**29**	**48**	**56**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	16.3	210	2	3	11	25	32	53	88
20-34	739	12.5	140	1	2	9	16	27	35	59
35-49	546	11.3	81	1	2	9	15	22	29	42
50-64	248	14.0	109	2	3	12	18	27	34	56
65+	57	17.7	208	3	5	14	20	37	42	88
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	21.3	396	1	2	17	37	69	99+	99+
20-34	583	14.7	176	2	3	11	19	29	38	68
35-49	516	13.8	144	2	3	11	18	28	35	68
50-64	337	14.8	142	3	4	12	20	29	36	69
65+	158	14.9	114	3	4	12	20	29	33	52
B. *Operated*										
0-19 YRS	3	24.0	1141	4	4	34	81	99+	99+	99+
20-34	16	20.8	240	6	7	16	22	47	59	63
35-49	15	19.5	313	5	7	15	21	26	66	80
50-64	22	22.7	127	8	12	19	32	37	46	50
65+	15	26.7	435	6	8	20	31	45	79	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1674	12.7	124	1	2	9	17	27	34	56
B. *Operated*	2	20.0	2	19	19	20	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	1660	14.7	164	2	3	11	19	30	37	71
B. *Operated*	71	22.5	278	5	7	17	30	46	63	98
1. SINGLE DX	1676	12.7	124	1	2	10	17	27	34	56
2. MULTIPLE DX	1731	15.0	170	2	3	12	20	31	40	77
A. NOT OPERATED	3334	13.7	145	2	3	10	18	28	36	66
B. OPERATED	73	22.4	271	5	7	17	30	45	63	98
TOTAL 0-19 YRS	153	18.6	305	2	3	15	29	51	73	99+
20-34	1338	13.5	159	1	2	10	17	28	36	63
35-49	1078	12.6	116	2	3	10	16	25	32	56
50-64	608	14.8	130	2	4	12	20	28	35	59
65+	230	16.4	164	3	4	13	21	31	40	69
GRAND TOTAL	**3407**	**13.9**	**149**	**2**	**3**	**11**	**18**	**28**	**36**	**67**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	12.0	185	2	2	7	19	26	44	53
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	29.0		29	29	64	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	20.4	543	2	2	19	63	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	24.7	1412	1	1	36	84	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	12.0	185	2	2	7	19	26	44	53
B. *Operated*	1	29.0		29	29	64	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	31	20.4	543	2	2	19	63	99+	99+	99+
B. *Operated*	3	24.7	1412	1	1	36	84	99+	99+	99+
1. SINGLE DX	18	12.9	190	2	2	8	24	43	79	99+
2. MULTIPLE DX	34	20.8	580	1	2	19	68	99+	99+	99+
A. NOT OPERATED	48	17.4	426	2	2	12	33	99+	99+	99+
B. OPERATED	4	25.8	946	1	1	48	99+	99+	99+	99+
TOTAL 0-19 YRS	52	18.1	453	2	2	14	38	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**52**	**18.1**	**453**	**2**	**2**	**14**	**38**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	22.3	415	1	3	16	35	60	72	99+
20-34	640	12.5	130	1	2	9	16	28	35	54
35-49	689	13.3	129	1	3	10	18	28	36	61
50-64	431	15.7	152	2	4	13	21	31	41	62
65+	367	18.4	167	3	5	15	25	36	44	60
B. *Operated*										
0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	4	24.5	31	19	19	23	28	32	32	32
35-49	3	13.0	49	8	8	10	18	21	21	21
50-64	4	23.8	262	7	7	24	37	40	40	40
65+	8	23.8	107	7	10	22	31	38	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	28.9	590	2	3	23	50	72	89	99+
20-34	1244	14.9	165	2	3	11	21	31	41	62
35-49	1506	14.9	149	3	4	12	20	30	38	59
50-64	1175	15.9	158	3	4	13	21	31	39	67
65+	1268	18.1	203	3	5	14	24	37	49	70
B. *Operated*										
0-19 YRS	12	45.1	951	4	13	48	85	94	99	99+
20-34	65	18.2	152	3	3	16	26	35	41	48
35-49	97	21.7	255	6	7	18	27	43	64	91
50-64	105	20.3	120	5	7	18	28	34	41	50
65+	120	24.1	320	6	7	20	32	45	64	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2293	15.0	169	2	3	12	20	32	42	66
B. *Operated*	20	24.3	190	7	8	21	33	40	52	63
2. MULTIPLE DX										
A. *Not Operated*	5554	16.8	207	2	4	13	22	35	48	77
B. *Operated*	399	22.2	260	4	6	18	30	42	56	94
1. SINGLE DX	2313	15.1	169	2	3	12	20	32	42	66
2. MULTIPLE DX	5953	17.1	212	3	4	13	23	35	48	79
A. NOT OPERATED	7847	16.2	196	2	3	12	22	34	46	73
B. OPERATED	419	22.3	256	5	6	19	30	42	56	93
TOTAL 0-19 YRS	540	27.3	559	2	3	21	46	71	88	99+
20-34	1953	14.3	155	1	3	11	19	30	40	60
35-49	2295	14.7	150	2	3	12	20	30	39	63
50-64	1715	16.1	155	3	4	13	22	32	40	66
65+	1763	18.6	205	3	5	15	25	37	48	73
GRAND TOTAL	**8266**	**16.5**	**201**	**2**	**3**	**13**	**22**	**35**	**46**	**75**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	19.1	288	3	4	13	28	46	51	79
20-34	424	13.2	104	1	2	11	18	26	34	51
35-49	432	12.7	98	2	3	11	17	24	30	43
50-64	229	14.7	97	2	4	13	19	29	32	52
65+	98	16.2	99	5	5	14	22	31	37	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	24.8	488	2	5	21	46	99+	99+	99+
20-34	454	15.1	154	3	4	11	19	31	39	63
35-49	585	15.3	155	3	4	12	21	31	43	70
50-64	422	16.5	141	3	5	14	21	31	38	72
65+	331	19.1	212	3	5	16	25	36	51	70
B. *Operated*										
0-19 YRS	2	34.5	1105	11	11	34	58	58	58	58
20-34	21	21.1	190	6	8	18	26	36	52	67
35-49	44	21.3	169	6	9	17	28	46	53	99+
50-64	33	20.5	208	4	7	17	26	32	54	74
65+	28	32.3	283	12	14	30	41	56	70	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	13.8	112	2	3	11	18	27	34	51
B. *Operated*	3	9.0	9	6	6	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1860	16.5	178	3	4	13	22	33	45	86
B. *Operated*	128	23.7	232	7	9	20	29	47	56	79
1. SINGLE DX	1251	13.8	112	2	3	11	18	27	34	51
2. MULTIPLE DX	1988	17.0	185	3	4	14	22	35	47	86
A. NOT OPERATED	3108	15.5	153	2	4	13	20	31	40	75
B. OPERATED	131	23.3	232	6	9	19	29	46	56	79
TOTAL 0-19 YRS	135	22.2	400	3	4	15	37	76	99+	99+
20-34	899	14.3	133	2	3	11	19	28	36	59
35-49	1061	14.5	136	2	4	12	19	29	39	61
50-64	686	16.1	131	3	5	14	21	30	38	65
65+	458	19.3	204	4	5	16	25	38	47	70
GRAND TOTAL	**3239**	**15.8**	**159**	**2**	**4**	**13**	**21**	**31**	**41**	**75**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	14.6	139	2	3	11	21	34	40	45
20-34	163	8.7	77	1	1	6	12	19	28	37
35-49	130	10.2	70	1	2	8	15	22	25	36
50-64	95	9.9	132	1	1	6	13	20	29	68
65+	122	10.6	85	2	3	8	13	22	26	50
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	10.5	5	9	9	10	12	12	12	12
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	20.3	522	1	2	14	31	81	99+	99+
20-34	249	9.9	67	1	2	8	13	21	25	36
35-49	222	9.1	68	1	2	7	13	19	24	38
50-64	275	10.5	120	2	2	7	13	21	30	61
65+	807	9.9	84	2	2	7	13	21	27	46
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	10	77	99+	99+	99+
20-34	11	14.1	275	1	2	4	26	40	49	50
35-49	6	9.7	133	2	2	6	7	30	33	33
50-64	30	18.3	248	3	4	15	21	38	44	77
65+	68	19.0	314	3	4	14	25	63	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	10.1	93	1	2	7	13	21	29	48
B. *Operated*	4	6.5	23	2	2	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1633	10.4	112	1	2	7	13	22	30	62
B. *Operated*	117	17.7	281	2	3	13	24	51	79	99+
1. SINGLE DX	553	10.1	92	1	2	7	13	21	29	48
2. MULTIPLE DX	1750	10.9	126	1	2	7	14	24	33	77
A. NOT OPERATED	2182	10.3	107	1	2	7	13	22	30	57
B. OPERATED	121	17.3	277	2	3	13	24	50	78	99+
TOTAL 0-19 YRS	121	18.2	398	1	2	11	28	56	98	99+
20-34	423	9.5	77	1	2	7	13	20	28	40
35-49	358	9.5	70	1	2	7	13	20	25	38
50-64	402	11.0	136	1	2	8	14	21	33	69
65+	999	10.6	105	2	2	7	14	23	31	60
GRAND TOTAL	**2303**	**10.7**	**118**	**1**	**2**	**7**	**14**	**23**	**32**	**68**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.8	18	<1	<1	3	4	9	15	18
20-34	104	4.6	28	<1	1	3	6	11	15	29
35-49	96	5.2	48	1	1	3	5	13	24	34
50-64	51	5.1	13	1	1	4	6	11	12	17
65+	17	12.5	215	<1	1	8	15	31	50	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	11.3	477	1	1	3	16	99+	99+	99+
20-34	269	7.1	58	1	2	4	8	16	27	36
35-49	342	5.8	35	1	1	4	7	13	19	29
50-64	250	6.3	43	1	1	4	8	15	21	30
65+	260	6.3	35	1	2	4	7	15	21	25
B. *Operated*										
0-19 YRS	3	56.0	2223	2	2	83	94	99+	99+	99+
20-34	10	12.9	197	1	1	7	20	36	43	43
35-49	21	8.8	73	1	1	6	13	21	30	32
50-64	17	7.6	49	1	2	5	10	17	25	29
65+	8	9.3	29	3	3	9	13	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	5.3	45	<1	1	3	6	12	18	32
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1179	6.6	65	1	1	4	7	15	22	60
B. *Operated*	59	11.6	260	1	2	7	13	29	60	99
1. SINGLE DX	290	5.3	44	<1	1	3	6	12	18	32
2. MULTIPLE DX	1238	6.8	75	1	1	4	8	16	23	84
A. NOT OPERATED	1468	6.3	61	1	1	4	7	15	22	48
B. OPERATED	60	11.5	256	1	2	7	13	29	58	99
TOTAL 0-19 YRS	82	11.0	483	1	1	3	12	93	99+	99+
20-34	383	6.6	55	1	1	4	7	15	24	36
35-49	460	5.8	40	1	1	3	7	14	19	31
50-64	318	6.2	39	1	1	4	8	13	20	29
65+	285	6.8	47	1	2	4	8	16	21	31
GRAND TOTAL	**1528**	**6.5**	**69**	**1**	**1**	**4**	**7**	**15**	**22**	**59**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	12.0	137	1	1	9	18	27	40	80
20-34	293	6.9	38	1	2	5	9	14	19	35
35-49	235	7.9	40	1	2	6	10	17	21	30
50-64	119	7.7	50	1	2	6	9	17	23	39
65+	59	10.0	60	2	2	7	13	20	25	38
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	16.5	181	7	7	16	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	24.4	472	2	3	21	43	84	99+	99+
20-34	537	10.2	101	1	2	7	13	24	30	45
35-49	620	10.0	84	2	2	7	13	22	28	45
50-64	370	10.1	79	2	3	7	13	22	27	45
65+	342	9.6	64	2	3	7	12	19	24	38
B. *Operated*										
0-19 YRS	5	34.2	423	8	8	45	48	56	56	56
20-34	31	17.8	230	3	4	11	27	37	48	68
35-49	31	16.2	149	4	5	13	18	37	46	49
50-64	33	12.6	69	3	4	11	16	22	28	42
65+	26	17.2	328	4	5	10	20	48	65	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	804	8.2	57	1	2	6	11	18	23	37
B. *Operated*	3	13.3	120	7	7	7	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	2102	11.6	147	2	2	8	15	27	37	98
B. *Operated*	126	16.6	205	3	5	12	20	39	48	70
1. SINGLE DX	807	8.2	57	1	2	6	11	18	23	37
2. MULTIPLE DX	2228	11.9	152	2	2	8	15	28	38	96
A. NOT OPERATED	2906	10.7	125	1	2	7	14	24	32	79
B. OPERATED	129	16.5	202	3	5	12	20	37	48	69
TOTAL 0-19 YRS	336	20.9	406	1	2	16	35	69	99+	99+
20-34	861	9.4	89	1	2	7	12	22	29	42
35-49	886	9.6	77	2	2	7	12	21	28	44
50-64	523	9.7	73	2	3	7	13	21	26	43
65+	429	10.2	82	2	3	7	13	20	25	47
GRAND TOTAL	**3035**	**10.9**	**129**	**2**	**2**	**7**	**14**	**24**	**34**	**78**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	6.3	84	<1	1	3	7	18	29	75
20-34	197	7.5	102	1	1	4	9	18	24	60
35-49	114	8.4	93	1	1	5	11	21	28	46
50-64	47	6.9	76	1	1	4	10	15	19	53
65+	18	8.2	89	<1	1	5	9	24	33	35
B. *Operated*										
0-19 YRS										
20-34	11	5.1	17	1	1	4	6	11	16	16
35-49	7	3.7	7	1	1	3	4	8	9	9
50-64	22	3.1	2	1	2	3	4	5	6	6
65+	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	13.2	293	1	1	5	21	38	55	99+
20-34	491	8.8	126	1	1	5	10	22	30	64
35-49	305	8.6	80	1	1	6	11	19	27	44
50-64	174	8.6	74	1	2	6	10	18	27	47
65+	171	8.3	68	2	2	5	10	18	29	44
B. *Operated*										
0-19 YRS	8	19.6	356	3	4	12	32	50	52	52
20-34	23	14.2	150	<1	2	9	23	35	37	37
35-49	28	10.8	89	2	3	7	18	24	30	38
50-64	29	8.7	97	<1	1	5	12	24	34	39
65+	21	10.3	70	1	2	8	14	25	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	7.4	92	1	1	4	9	19	26	53
B. *Operated*	43	3.7	7	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	1343	9.3	129	1	1	5	11	23	33	64
B. *Operated*	109	11.5	123	1	2	7	17	27	37	48
1. SINGLE DX	538	7.1	87	1	1	4	9	18	25	52
2. MULTIPLE DX	1452	9.5	129	1	1	5	11	24	34	64
A. NOT OPERATED	1838	8.8	120	1	1	5	11	22	31	64
B. OPERATED	152	9.3	102	1	2	5	11	25	34	46
TOTAL 0-19 YRS	329	10.8	230	1	1	4	13	33	50	99+
20-34	722	8.6	120	1	1	5	10	21	30	63
35-49	454	8.6	83	1	1	5	11	21	27	44
50-64	272	7.9	73	1	1	5	10	17	25	47
65+	213	8.4	69	1	2	5	10	19	29	43
GRAND TOTAL	**1990**	**8.8**	**118**	**1**	**1**	**5**	**11**	**22**	**32**	**63**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	10.4	289	<1	<1	2	11	35	53	65
20-34	255	7.6	78	1	1	4	9	23	28	31
35-49	401	7.0	66	1	1	4	7	23	28	31
50-64	172	6.6	50	1	1	4	7	15	28	32
65+	64	7.2	42	1	2	5	9	15	21	30
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	23.7	192	1	3	28	31	42	43	57
20-34	1589	17.4	167	1	2	17	28	32	41	43
35-49	1972	14.3	146	1	2	9	28	30	34	42
50-64	1466	13.4	138	2	2	7	27	29	32	42
65+	619	13.1	126	2	3	8	21	28	35	42
B. *Operated*										
0-19 YRS	3	39.3	41	32	32	42	43	44	44	44
20-34	49	22.7	134	2	3	28	30	35	37	42
35-49	88	17.4	130	3	4	15	28	31	36	45
50-64	84	19.6	162	3	4	20	29	38	46	99+
65+	48	15.1	107	3	3	13	23	28	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	7.2	69	1	1	4	8	21	28	31
B. *Operated*	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	5838	15.1	154	2	2	10	28	30	36	43
B. *Operated*	272	18.8	144	3	4	19	28	32	41	55
1. SINGLE DX	913	7.2	69	1	1	4	8	21	28	31
2. MULTIPLE DX	6110	15.3	154	2	2	10	28	30	36	43
A. NOT OPERATED	6749	14.0	150	1	2	8	27	30	35	42
B. OPERATED	274	18.7	145	3	4	19	28	32	41	55
TOTAL 0-19 YRS	214	22.7	216	1	2	27	30	42	44	60
20-34	1894	16.2	166	1	2	14	28	31	39	42
35-49	2461	13.2	140	1	2	7	27	29	32	42
50-64	1723	13.0	137	2	2	7	26	29	32	42
65+	731	12.7	120	2	3	8	21	28	35	42
GRAND TOTAL	**7023**	**14.2**	**151**	**1**	**2**	**8**	**27**	**30**	**35**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	45	10.3	81	1	2	6	18	26	27	29
35-49	12	8.4	88	1	2	5	10	19	33	36
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	30.8	58	25	25	28	35	42	42	42
20-34	230	16.2	162	2	3	11	28	35	42	44
35-49	74	16.3	156	2	4	12	28	33	42	45
50-64	22	16.9	151	4	4	12	29	36	41	42
65+	12	16.8	170	3	3	13	25	34	46	48
B. *Operated*										
0-19 YRS										
20-34	9	27.2	232	6	7	28	32	49	58	58
35-49	3	21.7	140	8	8	28	29	29	29	29
50-64	2	15.5	13	13	13	15	18	18	18	18
65+	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	9.9	80	1	2	6	14	26	28	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	342	16.4	160	2	3	12	28	35	42	45
B. *Operated*	15	24.4	172	6	8	26	30	35	52	58
1. SINGLE DX	58	9.9	80	1	2	6	14	26	28	35
2. MULTIPLE DX	357	16.8	163	2	3	13	28	35	42	45
A. NOT OPERATED	400	15.5	154	2	3	10	27	33	42	44
B. OPERATED	15	24.4	172	6	8	26	30	35	52	58
TOTAL 0-19 YRS	4	30.8	58	25	25	28	35	42	42	42
20-34	284	15.6	160	2	3	10	26	34	42	45
35-49	89	15.4	153	2	3	11	28	32	42	45
50-64	24	16.8	138	4	5	12	26	35	41	42
65+	14	16.6	157	3	3	13	25	30	44	48
GRAND TOTAL	**415**	**15.8**	**157**	**2**	**3**	**11**	**27**	**33**	**42**	**45**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	24.8	432	1	1	28	36	54	65	70
20-34	74	10.1	90	1	1	6	16	28	29	34
35-49	18	12.6	113	1	2	8	28	28	29	30
50-64	7	10.9	168	<1	<1	7	16	33	37	37
65+	3	13.7	200	5	5	6	24	30	30	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	29.4	262	3	5	30	42	45	54	70
20-34	556	22.9	192	2	3	27	32	42	42	49
35-49	138	20.2	177	2	3	19	29	42	42	45
50-64	58	20.1	142	2	4	23	28	36	40	43
65+	39	17.3	148	4	5	12	27	37	42	44
B. *Operated*										
0-19 YRS	2	57.0	338	44	44	57	70	70	70	70
20-34	27	26.5	87	11	15	28	30	39	43	49
35-49	9	32.9	51	20	23	33	38	42	43	43
50-64	6	15.0	50	4	5	16	20	23	23	23
65+	1	25.0		25	25	25	25	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	12.6	165	<1	1	7	21	30	34	60
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	962	23.3	207	2	4	27	33	42	43	56
B. *Operated*	45	27.6	141	9	14	28	32	42	45	70
1. SINGLE DX	118	12.6	165	<1	1	7	21	30	34	60
2. MULTIPLE DX	1007	23.5	205	2	4	27	33	42	43	56
A. NOT OPERATED	1080	22.1	213	2	3	25	32	42	43	56
B. OPERATED	45	27.6	141	9	14	28	32	42	45	70
TOTAL 0-19 YRS	189	29.3	283	2	4	30	42	46	55	71
20-34	657	21.6	194	2	3	26	31	42	42	49
35-49	165	20.1	177	2	3	20	29	42	42	45
50-64	71	18.8	143	2	3	21	28	35	38	43
65+	43	17.2	146	4	5	12	27	36	42	44
GRAND TOTAL	**1125**	**22.3**	**212**	**2**	**3**	**25**	**32**	**42**	**43**	**56**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.8	75	<1	<1	1	1	2	9	58
20-34	71	2.5	16	<1	<1	1	3	4	7	27
35-49	81	4.5	41	<1	1	2	4	8	24	29
50-64	49	4.2	26	1	1	3	4	10	12	32
65+	8	8.3	124	1	1	4	8	27	35	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	11.3	265	<1	<1	2	19	41	46	58
20-34	241	7.2	92	<1	<1	2	8	27	29	35
35-49	199	7.6	84	<1	1	3	9	27	29	35
50-64	145	6.2	49	1	1	4	6	13	26	32
65+	54	5.9	54	1	1	3	6	15	28	29
B. *Operated*										
0-19 YRS	5	8.4	144	<1	<1	2	14	29	29	29
20-34	19	4.5	76	<1	<1	1	3	18	29	31
35-49	4	11.5	65	5	5	9	17	23	23	23
50-64	7	15.6	140	3	3	10	28	29	29	29
65+	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.6	46	<1	<1	1	3	7	12	33
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	760	7.7	109	<1	1	3	8	28	30	44
B. *Operated*	37	8.2	104	<1	<1	3	10	28	29	31
1. SINGLE DX	303	3.6	45	<1	<1	1	3	7	12	33
2. MULTIPLE DX	797	7.7	109	<1	1	3	8	28	30	44
A. NOT OPERATED	1062	6.5	94	<1	1	2	6	21	29	43
B. OPERATED	38	8.1	101	<1	<1	3	10	28	29	31
TOTAL 0-19 YRS	219	7.6	198	<1	<1	1	4	31	43	58
20-34	331	6.0	78	<1	<1	2	6	22	29	34
35-49	284	6.7	74	<1	1	3	7	22	28	33
50-64	202	6.0	49	1	1	4	6	12	27	32
65+	64	6.4	61	1	1	3	6	16	28	34
GRAND TOTAL	**1100**	**6.5**	**95**	**<1**	**1**	**2**	**6**	**22**	**29**	**43**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	11.8	224	<1	1	5	18	35	47	53
20-34	119	7.5	77	<1	1	4	7	21	28	38
35-49	41	6.5	42	<1	1	5	8	14	24	29
50-64	6	11.0	127	1	1	8	14	30	32	32
65+	3	8.0	25	3	3	8	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	23.9	302	1	2	21	38	44	54	72
20-34	491	15.5	144	1	2	13	28	30	32	43
35-49	122	13.7	118	1	2	10	23	30	30	39
50-64	49	10.1	102	1	2	7	13	28	33	42
65+	35	12.1	59	2	3	11	18	22	26	29
B. *Operated*										
0-19 YRS	9	29.7	393	3	6	24	46	55	59	59
20-34	16	24.8	211	2	3	28	30	41	53	58
35-49	8	22.6	111	9	9	24	31	35	37	37
50-64	4	9.5	28	3	3	9	13	16	16	16
65+	4	11.3	2	10	10	11	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	8.3	102	<1	1	5	9	27	30	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	929	16.9	192	1	2	14	28	35	42	57
B. *Operated*	41	22.6	222	3	5	21	30	43	54	59
1. SINGLE DX	211	8.3	102	<1	1	5	9	27	30	49
2. MULTIPLE DX	970	17.2	194	1	2	14	28	35	42	58
A. NOT OPERATED	1140	15.3	187	1	2	10	28	32	41	54
B. OPERATED	41	22.6	222	3	5	21	30	43	54	59
TOTAL 0-19 YRS	283	22.3	312	1	2	18	36	44	53	70
20-34	626	14.2	145	1	2	9	27	30	32	43
35-49	171	12.4	113	1	2	8	21	30	30	38
50-64	59	10.1	97	1	2	7	13	28	33	42
65+	42	11.7	51	2	3	11	17	22	25	29
GRAND TOTAL	**1181**	**15.6**	**189**	**1**	**2**	**11**	**28**	**33**	**41**	**57**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	3	1	1	2	3	4	7	8
20-34	26	3.2	4	1	1	3	5	7	7	7
35-49	19	2.9	3	1	1	3	4	5	7	7
50-64	6	3.8	15	1	1	2	5	10	11	11
65+	4	3.3	11	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	4.0		4	4	4	4	4	4	4
35-49	4	3.8	7	1	1	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.8	241	<1	1	3	5	14	48	79
20-34	60	4.2	17	<1	1	3	5	8	9	27
35-49	76	6.1	57	1	1	4	6	13	27	36
50-64	65	7.2	124	1	1	4	6	16	30	68
65+	92	4.5	13	1	2	3	5	8	13	21
B. *Operated*										
0-19 YRS	1	83.0		83	83	83	83	83	83	83
20-34	4	8.5	18	4	4	8	12	13	13	13
35-49	7	5.4	11	2	2	5	8	10	10	10
50-64	13	4.9	20	1	1	4	6	10	16	18
65+	11	5.5	7	2	2	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	3.0	4	1	1	2	4	6	7	10
B. *Operated*	8	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	336	5.7	75	1	1	3	6	11	17	43
B. *Operated*	36	7.8	179	1	2	5	8	11	16	83
1. SINGLE DX	91	3.0	4	1	1	2	4	6	7	10
2. MULTIPLE DX	372	5.9	85	1	1	4	6	11	18	57
A. NOT OPERATED	419	5.2	62	1	1	3	5	9	15	38
B. OPERATED	44	7.0	150	1	2	5	7	10	14	83
TOTAL 0-19 YRS	74	6.7	227	1	1	2	4	11	35	82
20-34	92	4.1	14	1	1	3	5	8	9	22
35-49	106	5.4	43	1	1	3	6	12	17	36
50-64	84	6.6	101	1	1	4	6	15	28	60
65+	107	4.5	12	1	2	3	6	8	10	20
GRAND TOTAL	**463**	**5.4**	**70**	**1**	**1**	**3**	**5**	**9**	**15**	**40**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	418	12.7	233	1	1	8	16	33	50	88
20-34	425	5.5	42	<1	1	3	7	12	17	34
35-49	275	5.5	28	1	1	4	7	12	17	26
50-64	88	6.6	40	1	1	5	9	15	18	34
65+	26	7.5	61	1	2	5	9	16	24	37
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	686	16.8	356	1	1	10	26	44	64	97
20-34	907	7.8	75	1	1	5	10	18	24	38
35-49	599	7.7	55	1	1	5	10	18	23	36
50-64	272	8.5	82	1	2	6	10	18	28	48
65+	201	8.2	42	1	2	6	11	18	23	28
B. *Operated*										
0-19 YRS	18	16.5	139	<1	1	14	20	37	39	40
20-34	25	9.2	62	<1	1	7	14	21	24	29
35-49	31	11.7	85	1	2	10	17	26	40	99+
50-64	8	11.0	159	2	2	6	13	32	40	40
65+	13	10.4	25	4	5	9	13	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1232	8.0	115	1	1	4	10	18	29	63
B. *Operated*	3	7.0	91	<1	<1	2	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	2665	10.2	156	1	1	6	12	25	33	75
B. *Operated*	95	11.7	89	1	2	9	17	24	37	73
1. SINGLE DX	1235	8.0	115	1	1	4	10	18	29	63
2. MULTIPLE DX	2760	10.2	154	1	1	6	12	25	34	75
A. NOT OPERATED	3897	9.5	144	1	1	5	11	23	32	69
B. OPERATED	98	11.6	89	1	2	9	17	24	37	72
TOTAL 0-19 YRS	1122	15.2	310	1	1	9	21	40	59	95
20-34	1359	7.1	66	1	1	4	9	17	23	36
35-49	905	7.1	50	1	1	5	9	17	22	35
50-64	369	8.1	74	1	2	5	10	16	26	43
65+	240	8.2	43	1	2	6	11	18	22	29
GRAND TOTAL	**3995**	**9.6**	**143**	**1**	**1**	**5**	**11**	**23**	**32**	**69**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	422	16.1	339	1	1	10	23	46	66	99+
20-34	290	7.7	90	<1	1	4	10	22	28	53
35-49	189	6.7	57	1	1	5	8	14	20	36
50-64	79	9.5	82	1	2	6	13	21	28	46
65+	53	9.9	90	2	2	6	13	23	29	49
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	3	16.3	426	2	2	7	32	40	40	40
35-49	7	6.7	16	1	1	7	10	11	11	11
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1047	24.2	548	1	2	19	42	79	99+	99+
20-34	683	9.2	124	1	2	5	11	22	34	72
35-49	603	7.9	62	1	2	5	10	18	25	39
50-64	399	8.7	69	1	2	6	11	20	27	38
65+	408	9.0	77	2	2	6	11	18	25	41
B. *Operated*										
0-19 YRS	29	35.4	974	2	4	29	79	98	99+	99+
20-34	41	11.7	136	2	2	7	17	34	42	99+
35-49	55	11.1	80	3	3	9	15	22	25	52
50-64	27	15.4	265	1	2	12	21	33	45	79
65+	42	12.6	120	4	5	8	18	27	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1033	11.2	202	1	1	5	14	29	44	84
B. *Operated*	17	6.9	84	1	1	5	8	11	30	40
2. MULTIPLE DX										
A. *Not Operated*	3140	13.9	294	1	2	7	18	41	66	99+
B. *Operated*	194	15.8	323	2	3	9	22	38	79	99+
1. SINGLE DX	1050	11.1	200	1	1	5	14	29	44	84
2. MULTIPLE DX	3334	14.0	296	1	2	7	18	40	66	99+
A. NOT OPERATED	4173	13.2	272	1	2	7	17	37	62	99+
B. OPERATED	211	15.1	309	2	2	9	20	35	77	99+
TOTAL 0-19 YRS	1501	22.1	513	1	2	15	36	72	99	99+
20-34	1017	8.9	116	1	1	5	11	24	32	65
35-49	854	7.8	62	1	2	5	10	18	24	39
50-64	508	9.2	83	1	2	6	12	20	27	40
65+	504	9.3	83	2	2	6	11	20	26	46
GRAND TOTAL	**4384**	**13.3**	**274**	**1**	**2**	**7**	**17**	**37**	**62**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	8.9	94	1	1	5	13	25	30	31
20-34	2	10.0	8	8	8	10	12	12	12	12
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	11.1	150	1	2	7	16	31	48	99+
20-34	43	10.0	61	2	3	8	12	21	25	40
35-49	29	13.3	108	2	4	9	17	27	32	47
50-64	7	16.4	428	2	2	12	14	52	62	62
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS	7	12.9	204	2	2	5	18	37	41	41
20-34	5	10.6	55	5	5	6	17	21	21	21
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	14.0		14	14	14	14	14	14	14
65+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.0	73	1	1	7	12	22	29	31
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	125	11.6	122	2	2	8	16	27	37	71
B. *Operated*	16	11.1	108	2	2	6	16	21	35	41
1. SINGLE DX	15	8.9	68	1	1	8	12	21	28	31
2. MULTIPLE DX	141	11.6	120	2	2	8	16	26	38	65
A. NOT OPERATED	139	11.4	117	1	2	8	15	27	34	66
B. OPERATED	17	10.9	102	2	2	6	16	21	34	41
TOTAL 0-19 YRS	63	10.9	142	1	2	7	16	31	42	94
20-34	50	10.1	57	2	3	8	13	21	23	40
35-49	32	12.5	105	2	3	9	17	27	31	47
50-64	9	15.2	329	2	2	12	14	43	62	62
65+	2	17.5	25	14	14	17	21	21	21	21
GRAND TOTAL	**156**	**11.3**	**115**	**1**	**2**	**8**	**16**	**26**	**34**	**62**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	9.1	17	2	3	10	11	14	15	22
20-34	38	6.1	14	<1	1	6	8	10	14	17
35-49	29	4.6	13	1	1	3	6	11	12	13
50-64	15	5.9	24	1	1	6	10	13	15	16
65+	6	5.7	35	1	1	3	11	15	15	15
B. *Operated*										
0-19 YRS	31	12.8	47	5	6	11	16	21	29	35
20-34	14	4.2	20	<1	1	3	4	12	15	16
35-49	22	5.1	22	1	1	3	9	13	14	15
50-64	10	5.9	25	1	1	5	8	14	16	16
65+	9	9.8	98	1	1	9	15	25	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	459	11.6	30	3	5	11	14	17	22	31
20-34	68	7.5	30	1	2	5	11	14	18	24
35-49	52	9.8	51	1	2	8	14	19	20	33
50-64	53	11.5	86	1	2	11	16	21	26	46
65+	64	14.5	147	2	4	12	16	31	42	61
B. *Operated*										
0-19 YRS	125	20.3	212	5	7	16	26	40	53	85
20-34	32	18.3	200	3	6	15	27	41	60	99+
35-49	44	13.4	184	1	2	10	18	31	54	99+
50-64	53	16.8	301	3	3	10	21	50	62	67
65+	41	21.5	199	2	5	18	33	43	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	8.4	19	1	2	10	11	13	15	21
B. *Operated*	86	8.3	51	1	1	7	12	16	20	33
2. MULTIPLE DX										
A. *Not Operated*	696	11.3	49	2	3	11	14	18	23	39
B. *Operated*	295	18.6	225	3	4	15	25	40	52	90
1. SINGLE DX	520	8.4	24	1	2	10	11	14	16	23
2. MULTIPLE DX	991	13.5	112	2	3	11	16	25	36	64
A. NOT OPERATED	1130	10.2	39	1	3	10	12	16	21	34
B. OPERATED	381	16.3	204	1	2	12	21	37	49	78
TOTAL 0-19 YRS	961	11.9	61	2	4	11	14	19	24	45
20-34	152	9.1	83	1	2	7	12	18	31	62
35-49	147	9.1	90	1	1	7	12	19	29	70
50-64	131	12.6	176	1	2	9	16	26	46	65
65+	120	16.1	172	1	2	13	20	37	45	55
GRAND TOTAL	**1511**	**11.7**	**88**	**1**	**3**	**10**	**14**	**21**	**30**	**53**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	8.3	17	5	5	7	11	13	13	13
50-64	17	6.8	38	2	2	5	8	13	22	27
65+	34	7.7	14	3	4	7	10	11	16	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	11.8	61	3	3	10	20	23	24	24
50-64	49	9.4	72	2	3	7	10	17	24	50
65+	413	9.5	46	2	3	8	12	18	23	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	13	8.5	17	2	3	8	10	16	16	16
65+	49	14.5	183	2	4	11	18	32	34	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.4	21	2	3	6	10	12	16	27
B. *Operated*	3	6.0	19	3	3	4	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	473	9.5	49	2	3	8	12	18	23	37
B. *Operated*	63	13.3	151	2	4	10	16	30	33	76
1. SINGLE DX	57	7.4	20	2	3	6	10	12	16	26
2. MULTIPLE DX	536	9.9	62	2	3	8	13	19	25	39
A. NOT OPERATED	527	9.3	46	2	3	8	12	17	23	36
B. OPERATED	66	12.9	147	2	4	10	15	29	33	74
TOTAL 0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	15	10.8	48	3	3	9	15	22	23	24
50-64	79	8.7	56	2	3	7	10	16	22	46
65+	498	9.8	60	2	3	8	12	18	25	38
GRAND TOTAL	**593**	**9.7**	**59**	**2**	**3**	**8**	**12**	**18**	**24**	**38**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	5	2	2	3	5	7	7	7
20-34	44	5.0	11	1	1	4	7	10	11	14
35-49	76	7.1	34	1	2	6	9	12	20	31
50-64	22	5.5	13	1	1	4	9	11	12	12
65+										
B. *Operated*										
0-19 YRS										
20-34	12	3.9	12	1	1	2	6	9	12	12
35-49	7	2.9	8	<1	<1	2	3	8	9	9
50-64	4	5.3	52	1	1	2	9	16	16	16
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	2	2	4	5	6	6	6
20-34	69	6.8	19	2	2	6	8	13	17	20
35-49	118	8.1	46	2	2	6	11	18	22	33
50-64	77	8.9	36	2	3	8	12	16	18	34
65+	16	9.6	52	1	2	8	12	19	25	28
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	21	13.2	140	3	3	9	15	34	41	43
35-49	31	12.1	245	1	2	6	13	25	57	71
50-64	25	15.1	120	3	4	13	18	37	38	40
65+	3	18.0	388	2	2	12	33	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	6.0	23	1	1	5	8	11	13	28
B. *Operated*	24	3.8	15	<1	1	2	4	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	285	8.0	37	2	2	7	10	17	19	30
B. *Operated*	81	13.5	175	2	3	9	15	33	40	67
1. SINGLE DX	175	5.7	23	1	1	5	8	11	13	26
2. MULTIPLE DX	366	9.2	72	2	2	7	11	18	26	40
A. NOT OPERATED	436	7.3	33	1	2	6	9	15	19	29
B. OPERATED	105	11.3	155	1	2	7	13	28	39	64
TOTAL 0-19 YRS	15	4.2	8	2	2	3	6	7	11	12
20-34	146	6.9	40	1	2	6	8	13	17	39
35-49	232	8.2	69	1	2	6	10	18	22	40
50-64	128	9.4	58	2	2	8	13	18	20	39
65+	20	10.5	95	1	2	8	13	23	34	40
GRAND TOTAL	**541**	**8.1**	**59**	**1**	**2**	**6**	**10**	**17**	**21**	**39**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	640	3.1	9	1	1	2	4	6	8	15
20-34	222	2.7	4	1	1	2	3	5	6	10
35-49	103	3.4	10	1	1	2	4	6	9	18
50-64	57	3.7	11	1	1	3	4	8	11	19
65+	47	3.4	7	1	1	3	4	7	8	15
B. *Operated*										
0-19 YRS	19	5.2	12	1	2	4	7	10	13	14
20-34	6	6.3	22	2	2	5	9	13	14	14
35-49	9	3.8	3	1	2	3	5	6	7	7
50-64										
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	955	4.6	34	1	1	3	5	9	12	31
20-34	396	4.7	39	1	1	3	5	9	13	35
35-49	426	5.1	28	1	1	4	6	10	15	24
50-64	512	5.9	27	2	2	4	7	13	17	28
65+	871	6.5	33	2	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	70	15.1	199	3	4	11	21	33	50	96
20-34	28	5.6	12	1	1	5	8	10	11	16
35-49	34	10.6	67	1	2	9	15	25	28	32
50-64	49	13.0	225	2	2	8	16	35	49	65
65+	82	13.2	118	2	3	10	20	31	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1069	3.1	8	1	1	2	4	6	8	15
B. *Operated*	36	5.1	12	1	2	4	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	3160	5.4	33	1	1	4	6	11	15	28
B. *Operated*	263	12.6	147	2	3	9	16	29	44	99+
1. SINGLE DX	1105	3.1	9	1	1	2	4	6	8	15
2. MULTIPLE DX	3423	5.9	45	1	1	4	7	12	17	37
A. NOT OPERATED	4229	4.8	28	1	1	3	6	10	14	25
B. OPERATED	299	11.7	137	2	3	8	15	28	40	99+
TOTAL 0-19 YRS	1684	4.5	36	1	1	3	5	9	13	31
20-34	652	4.0	27	1	1	3	5	7	11	23
35-49	572	5.1	29	1	1	3	6	10	16	25
50-64	618	6.2	45	1	2	4	7	13	18	37
65+	1002	6.9	42	1	2	5	8	14	20	40
GRAND TOTAL	**4528**	**5.3**	**38**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.9	5	1	1	2	4	6	8	13
20-34	163	3.5	11	1	1	3	4	7	10	17
35-49	102	4.0	18	1	1	3	4	8	10	27
50-64	86	4.0	12	1	1	3	5	8	13	16
65+	88	5.1	20	1	1	4	6	11	13	25
B. *Operated*										
0-19 YRS	197	4.6	16	1	1	3	6	9	13	23
20-34	92	4.5	17	1	1	3	6	9	11	23
35-49	106	4.9	14	1	1	4	7	11	13	15
50-64	60	5.2	17	1	2	4	7	10	15	21
65+	65	7.6	47	1	2	5	11	16	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	496	6.5	92	1	1	4	6	15	25	52
20-34	304	7.4	159	1	1	4	7	15	33	99
35-49	306	7.5	121	1	1	4	8	14	29	63
50-64	414	10.7	180	1	2	6	12	25	40	69
65+	1416	11.5	145	2	3	8	14	25	35	61
B. *Operated*										
0-19 YRS	491	10.0	214	1	2	6	10	23	56	99+
20-34	192	8.8	100	1	2	6	12	21	39	99+
35-49	222	9.5	114	1	2	6	11	22	30	67
50-64	246	12.7	207	2	2	8	16	29	44	94
65+	459	14.8	237	2	3	10	18	32	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	3.7	13	1	1	3	5	8	10	17
B. *Operated*	520	5.1	21	1	1	4	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	2936	9.7	144	1	2	5	11	23	35	66
B. *Operated*	1610	11.6	197	2	2	7	14	27	48	99+
1. SINGLE DX	1130	4.4	17	1	1	3	5	9	13	23
2. MULTIPLE DX	4546	10.4	164	1	2	6	12	24	38	86
A. NOT OPERATED	3546	8.7	127	1	1	5	10	19	31	60
B. OPERATED	2130	10.0	162	1	2	6	12	22	37	99+
TOTAL 0-19 YRS	1355	7.0	120	1	1	4	7	15	26	91
20-34	751	6.6	98	1	1	4	7	14	26	99+
35-49	736	7.2	93	1	1	4	8	15	24	58
50-64	806	10.2	166	1	2	6	12	23	38	73
65+	2028	11.8	162	2	3	8	14	26	37	73
GRAND TOTAL	**5676**	**9.2**	**140**	**1**	**2**	**5**	**11**	**21**	**33**	**78**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.1	2	1	1	2	3	4	4	7
20-34	337	3.0	5	1	1	2	4	6	7	12
35-49	245	3.2	5	1	1	3	4	6	7	12
50-64	73	3.2	6	1	1	3	4	7	8	13
65+	7	5.4	23	<1	<1	3	10	13	13	13
B. *Operated*										
0-19 YRS	8	4.0	19	1	1	3	5	11	14	14
20-34	33	3.3	4	1	1	2	5	6	7	8
35-49	24	2.7	5	1	1	2	3	5	9	10
50-64	4	2.8	3	1	1	2	4	5	5	5
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.8	4	1	1	2	3	5	7	10
20-34	419	3.9	10	1	1	3	5	7	9	14
35-49	450	4.3	12	1	1	3	5	8	10	20
50-64	220	4.1	10	1	2	3	5	7	11	16
65+	84	4.4	10	1	2	4	5	8	12	16
B. *Operated*										
0-19 YRS	7	4.1	15	1	1	3	7	10	11	11
20-34	41	4.8	17	1	2	3	6	10	14	21
35-49	47	5.2	14	1	2	4	7	11	13	17
50-64	30	5.2	16	1	2	4	7	10	14	18
65+	9	5.6	12	1	1	5	9	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	808	2.9	5	1	1	2	4	5	7	12
B. *Operated*	71	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1286	4.0	10	1	1	3	5	7	10	17
B. *Operated*	134	5.1	15	1	2	4	7	10	12	18
1. SINGLE DX	879	2.9	5	1	1	2	4	5	7	13
2. MULTIPLE DX	1420	4.1	11	1	1	3	5	8	10	17
A. NOT OPERATED	2094	3.6	8	1	1	3	4	7	9	15
B. OPERATED	205	4.4	12	1	1	3	6	9	12	17
TOTAL 0-19 YRS	274	2.5	4	1	1	2	3	4	6	12
20-34	830	3.6	8	1	1	3	4	7	8	14
35-49	766	3.9	10	1	1	3	5	7	10	17
50-64	327	4.0	10	1	1	3	5	8	11	16
65+	102	4.5	11	1	2	4	5	9	12	16
GRAND TOTAL	**2299**	**3.7**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.8	1	1	1	2	2	4	4	4
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	4	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	93	1.4	1	<1	<1	1	2	2	2	5
35-49	177	1.7	1	<1	<1	1	2	3	4	6
50-64	146	1.7	2	<1	<1	1	2	3	4	8
65+	68	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	2.8	2	<1	<1	3	4	5	5	5
35-49	8	3.6	4	<1	1	3	5	7	7	7
50-64	9	5.4	57	1	1	3	5	18	25	25
65+	10	3.8	10	<1	<1	3	6	9	9	9
B. *Operated*										
0-19 YRS	7	7.1	163	1	1	2	4	30	36	36
20-34	52	2.3	3	<1	<1	2	3	5	6	8
35-49	129	2.5	4	<1	1	2	3	6	7	10
50-64	149	3.3	26	<1	<1	2	3	5	8	30
65+	87	3.4	13	<1	1	2	4	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.9	1	1	1	2	2	4	4	4
B. *Operated*	488	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	37	4.1	18	<1	1	3	5	8	9	25
B. *Operated*	424	3.0	16	<1	1	2	3	6	8	18
1. SINGLE DX	507	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	461	3.1	16	<1	1	2	3	6	8	24
A. NOT OPERATED	56	3.3	13	<1	1	2	4	7	9	24
B. OPERATED	912	2.3	9	<1	<1	2	2	4	6	11
TOTAL 0-19 YRS	13	5.1	91	<1	<1	2	3	14	32	36
20-34	160	1.8	2	<1	<1	1	2	3	5	7
35-49	322	2.1	3	<1	<1	2	2	4	6	10
50-64	308	2.6	16	<1	<1	2	3	4	6	19
65+	165	2.6	9	<1	<1	2	3	6	9	11
GRAND TOTAL	**968**	**2.3**	**9**	**<1**	**<1**	**2**	**2**	**4**	**6**	**11**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	5.5	21	1	1	4	8	11	13	26
20-34	83	5.3	29	1	1	4	6	10	16	31
35-49	90	4.5	17	<1	1	3	6	9	11	24
50-64	74	4.7	16	1	1	3	6	11	14	20
65+	48	3.9	7	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	49	3.3	4	1	1	3	4	7	8	9
20-34	275	3.3	6	1	1	3	4	6	8	11
35-49	354	3.6	15	<1	<1	3	4	7	10	19
50-64	279	3.4	10	<1	1	2	4	8	9	17
65+	164	3.1	8	<1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	8.6	168	1	2	5	9	16	24	83
20-34	107	5.1	28	1	1	3	5	11	13	31
35-49	202	5.9	40	1	1	4	7	11	14	35
50-64	282	6.2	63	1	1	4	8	11	17	45
65+	355	6.5	30	2	2	5	8	13	15	32
B. *Operated*										
0-19 YRS	59	8.1	185	1	2	4	6	18	28	75
20-34	180	6.5	89	1	1	4	7	11	18	62
35-49	309	6.2	65	1	1	4	7	13	18	44
50-64	303	6.2	85	1	1	4	7	12	17	69
65+	330	8.4	124	1	2	5	10	20	31	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	4.8	19	1	1	4	6	10	12	24
B. *Operated*	1121	3.4	10	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	996	6.3	48	1	2	4	8	12	15	36
B. *Operated*	1181	7.0	97	1	1	4	8	14	23	70
1. SINGLE DX	1484	3.7	13	<1	1	3	5	8	10	18
2. MULTIPLE DX	2177	6.6	75	1	2	4	8	13	20	57
A. NOT OPERATED	1359	5.9	41	1	1	4	7	11	14	29
B. OPERATED	2302	5.2	58	1	1	3	6	10	15	41
TOTAL 0-19 YRS	226	6.4	96	1	1	4	7	12	18	71
20-34	645	4.7	37	1	1	3	5	9	12	33
35-49	955	5.0	38	<1	1	3	6	10	13	34
50-64	938	5.3	52	1	1	3	6	10	15	35
65+	897	6.5	63	1	2	4	8	13	19	50
GRAND TOTAL	**3661**	**5.5**	**52**	**1**	**1**	**4**	**6**	**11**	**15**	**36**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	3.1	3	1	1	3	4	5	7	8
20-34	38	3.7	6	1	1	3	5	7	8	13
35-49	64	3.9	7	1	2	3	5	7	9	15
50-64	168	3.4	4	1	2	3	4	6	7	10
65+	174	3.4	2	2	2	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+	7	2.0	2	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS	54	4.1	5	1	2	4	5	6	8	14
20-34	60	4.5	14	1	2	4	5	7	10	25
35-49	113	4.7	9	2	2	4	5	8	11	15
50-64	265	3.9	5	2	2	3	5	6	8	12
65+	395	4.0	7	2	2	3	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	481	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	17	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	887	4.1	7	2	2	3	5	7	8	14
1. SINGLE DX	482	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	904	4.1	7	1	2	3	5	7	8	14
A. NOT OPERATED	18	2.1	2	<1	<1	1	3	5	5	5
B. OPERATED	1368	3.9	6	1	2	3	5	7	8	14
TOTAL 0-19 YRS	97	3.5	5	1	1	3	5	6	7	13
20-34	101	4.2	11	1	2	4	5	7	9	20
35-49	177	4.4	8	2	2	4	5	8	11	16
50-64	435	3.7	5	1	2	3	5	6	7	11
65+	576	3.8	6	2	2	3	4	7	8	12
GRAND TOTAL	**1386**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	8	1.3		1	1	1	2	2	2	2
65+	12	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	3.8	10	1	1	3	6	8	8	8
35-49	11	2.5	2	<1	<1	2	4	5	5	5
50-64	41	2.2	2	<1	<1	2	3	4	5	5
65+	66	3.0	6	<1	1	2	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	9	4.8	21	1	1	2	7	12	14	14
65+	21	3.0	11	1	1	2	3	8	12	13
B. *Operated*										
0-19 YRS	6	3.8	21	1	1	2	4	12	13	13
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	10	3.2	4	1	1	3	4	6	8	8
50-64	40	3.6	11	1	1	2	4	7	13	14
65+	139	3.7	16	1	1	3	5	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.5	1	<1	1	1	2	3	3	4
B. *Operated*	124	2.7	4	<1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	41	3.2	11	1	1	2	4	8	12	14
B. *Operated*	197	3.6	15	1	1	3	4	7	9	16
1. SINGLE DX	151	2.5	4	<1	1	2		5	6	10
2. MULTIPLE DX	238	3.6	14	1	1	2	4	7	10	15
A. NOT OPERATED	68	2.5	8	1	1	2	3	5	9	14
B. OPERATED	321	3.3	11	1	1	2	4	6	9	14
TOTAL 0-19 YRS	16	2.5	9	<1	<1	2	3	4	10	13
20-34	10	3.0	5	1	1	3	4	6	8	8
35-49	27	2.6	3	<1	1	2	3	5	6	8
50-64	98	2.9	8	<1	1	2	3	6	8	14
65+	238	3.3	12	1	1	2	4	7	9	15
GRAND TOTAL	**389**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	13	3.9	12	1	1	2	4	11	12	12
50-64	9	2.8	4	<1	<1	2	4	6	7	7
65+	28	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	5	8.8	28	1	1	11	12	14	14	14
35-49	5	4.4	24	1	1	2	6	13	13	13
50-64	11	3.5	12	1	1	2	4	9	13	13
65+	20	3.5	6	<1	1	3	5	6	8	10
B. Operated										
0-19 YRS	9	4.2	27	1	1	2	4	13	17	17
20-34	11	3.1	1	1	1	3	4	4	4	4
35-49	10	3.7	6	1	1	3	4	7	10	10
50-64	42	3.6	7	1	1	3	4	7	9	15
65+	58	4.0	11	<1	1	3	4	9	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	<1	<1	2	3	3	3	3
B. Operated	56	2.9	6	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	48	3.8	13	1	1	2	5	11	13	14
B. Operated	130	3.8	10	1	1	3	4	8	10	16
1. SINGLE DX	62	2.8	6	<1	<1	2	4	5	8	12
2. MULTIPLE DX	178	3.8	10	1	1	3	4	8	12	16
A. NOT OPERATED	54	3.6	12	1	1	2	4	10	13	14
B. OPERATED	186	3.5	9	<1	1	3	4	7	10	16
TOTAL 0-19 YRS	21	2.5	13	1	1	1	2	5	12	17
20-34	18	4.4	15	1	1	3	4	12	13	14
35-49	29	3.9	11	1	1	3	4	11	12	13
50-64	65	3.4	8	1	1	2	4	7	9	15
65+	107	3.5	8	<1	1	3	4	7	9	15
GRAND TOTAL	**240**	**3.5**	**9**	**<1**	**1**	**2**	**4**	**7**	**11**	**15**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS										
20-34										
35-49	28	1.6	1	<1	<1	1	2	3	3	4
50-64	175	1.6		<1	<1	1	2	2	3	4
65+	750	1.4	1	<1	<1	<1	2	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	7	7.4	130	<1	<1	2	11	28	31	31
65+	40	1.9	2	<1	<1	1	2	4	5	6
B. Operated										
0-19 YRS										
20-34										
35-49	38	4.4	173	<1	1	2	3	5	6	83
50-64	273	2.1	5	<1	1	2	2	3	4	8
65+	1337	2.1	4	<1	<1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		<1	<1	1	1	1	1	1
B. Operated	953	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	49	2.7	22	<1	<1	1	2	4	7	31
B. Operated	1648	2.1	8	<1	<1	2	2	3	4	8
1. SINGLE DX	956	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	1697	2.2	8	<1	<1	2	2	3	4	9
A. NOT OPERATED	52	2.6	20	<1	<1	1	2	4	6	31
B. OPERATED	2601	1.9	5	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS										
20-34										
35-49	69	3.2	97	<1	1	2	2	4	5	68
50-64	456	2.0	5	<1	<1	2	2	3	4	8
65+	2128	1.9	3	<1	<1	2	2	3	4	6
GRAND TOTAL	**2653**	**1.9**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.2	4	<1	1	2	3	3	6	11
20-34	8	2.1	4	<1	<1	1	2	6	7	7
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	20	1.2		<1	<1	1	1	2	2	2
65+	11	1.5		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	25	2.4	2	1	1	2	3	5	5	6
20-34	10	6.0	106	<1	<1	3	5	20	35	35
35-49	13	2.7	6	1	1	2	3	5	9	10
50-64	28	2.0	1	1	1	2	2	3	4	4
65+	72	2.2	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	69	1.7	2	<1	<1	1	2	3	3	10
2. MULTIPLE DX										
A. *Not Operated*	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*	148	2.5	9	1	1	2	3	4	5	10
1. SINGLE DX	69	1.7	2	<1	<1	1	2	3	3	10
2. MULTIPLE DX	154	2.5	9	1	1	2	3	4	5	10
A. NOT OPERATED	6	2.3	1	1	1	2	3	4	4	4
B. OPERATED	217	2.2	7	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	52	2.3	3	1	1	2	3	4	5	11
20-34	18	4.3	62	<1	<1	2	4	6	24	35
35-49	18	2.3	5	<1	<1	2	3	4	8	10
50-64	51	1.7	1	<1	<1	1	2	3	3	4
65+	84	2.1	2	1	1	2	2	3	5	7
GRAND TOTAL	**223**	**2.2**	**7**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	3	3.0	7	<1	<1	2	5	6	6	6
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	277	1.4		<1	<1	1	2	2	2	3
20-34	25	1.4	1	<1	<1	1	2	2	3	4
35-49	18	1.4		<1	1	1	2	2	3	3
50-64	9	2.6	5	1	1	2	3	6	7	7
65+	7	2.9	7	<1	<1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	8	<1	<1	2	3	8	10	10
20-34	10	2.3	2	<1	<1	2	4	4	4	4
35-49	11	3.0	2	1	1	2	4	5	6	6
50-64	19	3.1	3	1	1	3	4	6	6	6
65+	27	4.4	9	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	132	1.4		<1	<1	1	2	2	3	4
20-34	20	2.6	5	<1	1	2	2	5	8	10
35-49	17	3.1	8	1	1	2	3	8	10	11
50-64	15	3.7	6	<1	1	3	4	7	9	10
65+	32	4.0	7	1	1	3	6	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	336	1.4	1	<1	<1	1	2	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	80	3.4	6	<1	1	3	5	6	8	13
B. *Operated*	216	2.2	4	<1	<1	2	2	4	7	10
1. SINGLE DX	358	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	296	2.5	5	<1	<1	2	3	6	7	10
A. NOT OPERATED	102	3.1	5	<1	1	3	4	6	7	12
B. OPERATED	552	1.7	2	<1	<1	1	2	2	4	9
TOTAL 0-19 YRS	431	1.4	1	<1	<1	1	2	2	2	4
20-34	58	2.1	3	<1	<1	2	2	4	5	10
35-49	49	2.4	4	1	1	2	3	5	7	11
50-64	46	3.2	4	1	1	3	4	6	7	10
65+	70	3.9	8	1	1	3	6	8	9	13
GRAND TOTAL	**654**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**6**	**9**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.1	2	<1	1	3	4	5	6	7
20-34	20	5.0	24	2	2	3	5	13	18	19
35-49	11	4.2	3	3	3	3	5	7	9	8
50-64	13	4.8	18	1	1	4	5	11	16	17
65+	21	5.0	8	1	2	4	6	10	11	11
B. *Operated*										
0-19 YRS	61	2.2	3	<1	<1	2	3	4	6	9
20-34	48	2.2	2	1	1	2	3	5	5	6
35-49	70	1.9	1	1	1	2	2	3	4	5
50-64	77	2.2	3	<1	<1	2	3	4	5	11
65+	212	2.1	2	<1	<1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.9	4	1	1	4	5	6	8	10
20-34	32	4.4	6	1	2	4	6	8	10	10
35-49	32	5.3	20	<1	1	4	6	9	18	21
50-64	30	5.6	13	1	2	5	7	10	14	16
65+	76	5.9	54	<1	1	4	7	11	16	49
B. *Operated*										
0-19 YRS	48	2.9	4	1	1	2	4	6	7	9
20-34	51	3.2	6	1	1	3	3	7	8	12
35-49	87	3.1	24	<1	1	2	3	6	9	31
50-64	112	2.8	6	1	1	2	3	5	6	16
65+	458	3.0	7	1	1	2	3	5	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.9	9	1	1	3	5	7	9	18
B. *Operated*	468	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	291	4.8	21	1	1	4	6	8	10	19
B. *Operated*	756	3.0	9	1	1	2	3	5	8	14
1. SINGLE DX	597	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX	1047	3.5	13	1	1	3	4	6	9	17
A. NOT OPERATED	420	4.5	17	1	1	4	5	8	10	19
B. OPERATED	1224	2.6	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	294	3.2	4	<1	1	3	4	6	7	10
20-34	151	3.4	8	1	1	3	4	7	9	18
35-49	200	3.1	15	<1	1	2	4	6	8	20
50-64	232	3.0	8	<1	1	2	4	6	9	16
65+	767	3.1	12	<1	1	2	3	5	8	16
GRAND TOTAL	**1644**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	3.4	3	1	2	3	4	6	7	10
20-34	31	3.8	4	1	2	3	5	6	8	11
35-49	30	4.0	9	1	1	3	4	8	9	15
50-64	21	3.8	6	1	1	3	5	7	9	10
65+	22	3.8	3	2	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	36	3.3	9	<1	1	2	4	8	10	13
20-34	25	3.0	5	<1	1	3	4	7	8	10
35-49	22	4.0	25	<1	<1	2	3	12	16	20
50-64	60	2.4	3	<1	1	2	3	5	6	7
65+	109	2.6	6	<1	<1	2	3	6	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	4.3	5	1	2	4	6	7	9	11
20-34	61	4.1	7	1	1	3	5	8	9	13
35-49	65	4.9	12	1	1	4	7	10	11	16
50-64	59	4.6	11	1	1	4	6	8	11	17
65+	108	5.4	22	1	1	4	7	11	12	25
B. *Operated*										
0-19 YRS	91	4.6	43	1	1	3	5	10	13	42
20-34	72	4.4	16	1	1	3	5	11	13	20
35-49	87	4.8	20	1	1	4	7	8	11	28
50-64	145	4.4	14	1	2	3	5	10	13	20
65+	349	4.0	12	1	1	3	4	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	3.6	4	1	2	3	4	6	8	10
B. *Operated*	252	2.8	7	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	633	4.5	10	1	2	4	6	8	10	14
B. *Operated*	744	4.3	18	1	1	3	5	9	12	21
1. SINGLE DX	611	3.3	6	<1	1	3	4	6	8	12
2. MULTIPLE DX	1377	4.4	14	1	1	3	6	9	11	17
A. NOT OPERATED	992	4.2	8	1	2	3	5	8	9	14
B. OPERATED	996	3.9	15	1	1	3	4	8	12	19
TOTAL 0-19 YRS	722	4.0	10	1	2	3	5	7	9	13
20-34	189	4.0	10	1	1	3	5	8	11	16
35-49	204	4.6	16	1	1	3	6	10	12	18
50-64	285	4.0	11	1	1	3	5	8	10	17
65+	588	4.0	13	<1	1	3	5	9	11	16
GRAND TOTAL	**1988**	**4.1**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	3	1	1	2	5	6	6	6
20-34	4	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	3.1	2	1	1	3	4	5	5	5
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	9	1.3		1	1	1	2	2	2	2
35-49	10	2.4	2	<1	<1	2	4	5	5	5
50-64	5	1.2		1	1	1	2	2	2	2
65+	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	4	1	1	3	4	6	7	7
20-34	12	3.6	7	1	1	3	5	7	10	11
35-49	15	3.3	2	1	1	4	4	5	6	6
50-64	19	4.4	11	1	2	3	6	9	12	14
65+	43	4.3	8	1	2	4	6	7	8	18
B. *Operated*										
0-19 YRS	12	2.3	8	<1	<1	2	2	5	10	11
20-34	11	2.0	1	1	1	2	3	3	3	3
35-49	19	3.1	5	<1	1	3	3	5	9	11
50-64	22	5.1	22	1	1	4	6	13	16	19
65+	42	3.3	4	1	1	3	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.6	2	1	1	2	4	5	5	6
B. *Operated*	33	1.6	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	99	4.0	7	1	2	3	5	7	9	16
B. *Operated*	106	3.4	9	1	1	3	4	7	10	16
1. SINGLE DX	60	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	205	3.7	8	1	1	3	4	7	9	16
A. NOT OPERATED	126	3.7	7	1	1	3	5	6	8	15
B. OPERATED	139	3.0	7	1	1	2	3	6	9	15
TOTAL 0-19 YRS	35	2.6	5	<1	1	2	3	6	7	11
20-34	36	2.3	4	1	1	2	3	5	5	11
35-49	45	3.0	3	<1	1	3	4	5	6	11
50-64	55	4.2	14	1	1	3	5	9	13	19
65+	94	3.6	6	1	1	3	5	7	7	14
GRAND TOTAL	**265**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351	2.7	2	1	1	2	3	5	5	7
20-34	6	3.3	1	2	2	3	4	5	5	5
35-49										
50-64	3	5.0	7	2	2	6	7	7	7	7
65+	2	32.5	1861	2	2	32	63	63	63	63
B. *Operated*										
0-19 YRS	491	1.4	9	<1	<1	<1	1	2	3	8
20-34	54	1.5	1	<1	1	1	2	2	2	7
35-49	57	1.7	3	<1	1	1	2	2	3	13
50-64	54	1.5	1	1	1	1	2	2	3	4
65+	12	1.8	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1413	3.1	4	1	1	3	4	5	7	10
20-34	53	3.8	9	1	1	3	5	6	7	18
35-49	30	4.7	12	<1	1	4	6	9	9	18
50-64	24	4.0	7	<1	1	4	5	7	10	12
65+	17	7.0	52	<1	1	5	7	20	26	27
B. *Operated*										
0-19 YRS	920	1.8	4	<1	<1	1	2	3	5	10
20-34	115	1.9	3	1	1	1	2	3	4	11
35-49	112	1.9	2	1	1	2	2	3	4	9
50-64	101	2.2	5	1	1	2	2	4	6	13
65+	41	2.5	5	<1	1	2	3	4	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	2.9	12	1	1	2	3	5	6	7
B. *Operated*	668	1.5	7	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	1537	3.2	5	1	1	3	4	6	7	11
B. *Operated*	1289	1.9	4	<1	<1	1	2	3	5	11
1. SINGLE DX	1030	2.0	9	<1	<1	1	2	4	5	8
2. MULTIPLE DX	2826	2.6	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1899	3.1	6	1	1	3	4	5	7	11
B. OPERATED	1957	1.7	5	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	3175	2.4	5	<1	<1	2	3	5	6	10
20-34	228	2.3	4	1	1	2	3	4	5	13
35-49	199	2.3	5	<1	1	2	2	4	7	12
50-64	182	2.3	4	1	1	2	3	4	6	12
65+	72	4.3	68	<1	1	2	4	7	14	55
GRAND TOTAL	**3856**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.3	5	1	1	3	4	6	8	12
20-34	40	3.0	2	1	1	3	4	5	6	99+
35-49	20	3.0	1	2	2	3	3	4	6	7
50-64	11	5.0	2	3	3	5	6	7	7	7
65+	13	12.5	446	2	2	7	11	31	72	81
B. *Operated*										
0-19 YRS	63	3.2	13	<1	1	2	4	7	11	18
20-34	30	2.4	4	<1	1	1	3	5	7	8
35-49	24	3.3	16	1	1	2	3	6	15	17
50-64	26	2.3	7	1	1	2	2	4	6	14
65+	9	4.3	17	<1	1	2	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	3.6	11	1	1	3	4	6	7	16
20-34	60	4.4	5	2	2	4	5	7	8	13
35-49	34	6.0	25	2	2	5	7	10	13	30
50-64	39	6.3	19	2	3	5	7	12	14	24
65+	48	7.5	17	3	3	7	10	13	16	18
B. *Operated*										
0-19 YRS	158	4.1	29	1	1	2	5	9	13	28
20-34	57	3.6	18	1	1	2	3	11	15	18
35-49	60	3.9	26	1	1	2	4	8	14	29
50-64	50	6.4	146	1	1	2	7	13	22	80
65+	59	10.9	159	1	1	6	15	28	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.1	45	1	2	3	4	7	10	79
B. *Operated*	152	3.0	11	1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	427	4.6	15	1	2	4	6	8	12	18
B. *Operated*	384	5.3	68	1	1	2	6	13	18	43
1. SINGLE DX	304	3.5	28	1	1	3	4	7	10	18
2. MULTIPLE DX	811	5.0	40	1	1	3	6	10	14	31
A. NOT OPERATED	579	4.5	23	1	2	3	5	8	11	19
B. OPERATED	536	4.7	53	1	1	2	5	11	16	39
TOTAL 0-19 YRS	535	3.7	16	1	1	3	4	7	9	18
20-34	187	3.5	9	1	1	3	4	7	10	18
35-49	138	4.2	21	1	1	3	5	8	13	30
50-64	126	5.4	67	1	1	3	6	12	14	41
65+	129	9.4	127	1	2	6	11	19	28	64
GRAND TOTAL	**1115**	**4.6**	**37**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	<1	<1	3	3	4	4	4
20-34	57	2.5	2	1	1	2	3	5	5	7
35-49	106	2.8	2	1	1	3	4	5	6	7
50-64	151	2.7	3	1	1	2	3	5	6	15
65+	136	2.9	3	1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	6	2.3	6	<1	<1	1	3	7	7	7
20-34	18	1.7	1	<1	<1	1	2	3	4	4
35-49	26	2.9	6	1	1	2	4	8	8	9
50-64	26	3.4	9	1	1	3	3	7	11	15
65+	13	2.4	2	1	1	2	3	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	3	1	1	3	5	5	6	6
20-34	94	3.4	6	1	1	3	4	7	7	13
35-49	243	3.4	5	1	1	3	4	6	8	11
50-64	515	3.9	8	1	1	3	5	7	8	15
65+	941	4.3	8	1	2	4	5	7	10	14
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	9	5.1	29	1	1	2	6	15	17	17
35-49	20	4.4	13	1	1	3	6	10	12	13
50-64	54	4.6	9	1	2	4	6	9	10	13
65+	80	6.7	54	1	2	4	8	12	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	2.7	3	1	1	2	3	5	6	8
B. *Operated*	89	2.7	6	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1809	4.0	8	1	2	3	5	7	9	14
B. *Operated*	166	5.6	33	1	2	4	7	11	13	38
1. SINGLE DX	547	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1975	4.2	10	1	2	3	5	7	10	15
A. NOT OPERATED	2267	3.8	7	1	1	3	5	7	8	14
B. OPERATED	255	4.6	25	1	1	3	5	10	12	25
TOTAL 0-19 YRS	33	2.8	3	<1	1	3	4	5	6	7
20-34	178	3.1	6	1	1	2	4	6	7	15
35-49	395	3.3	5	1	1	3	4	6	8	11
50-64	746	3.7	8	1	1	3	5	7	9	15
65+	1170	4.3	11	1	2	3	5	8	10	16
GRAND TOTAL	**2522**	**3.8**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	80	1.5		1	1	1	2	2	3	3
35-49	87	1.5		1	1	1	2	2	3	4
50-64	67	1.6	1	1	1	1	2	2	3	4
65+	32	1.7		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	39	1.4		1	1	1	2	2	2	4
35-49	42	1.7	1	1	1	1	2	3	4	4
50-64	49	1.7	1	1	1	2	2	3	3	4
65+	26	2.1	2	1	1	2	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	271	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	158	1.7	1	1	1	1	2	3	4	4
1. SINGLE DX	272	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX	159	1.7	1	1	1	1	2	3	4	4
A. NOT OPERATED	2	3.0		3	3	3	3	3	3	3
B. OPERATED	429	1.6	1	1	1	1	2	2	3	4
TOTAL 0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	120	1.5		1	1	1	2	2	3	4
35-49	129	1.6	1	1	1	1	2	2	3	4
50-64	117	1.6	1	1	1	2	2	2	3	4
65+	58	1.8	1	1	1	2	2	3	3	8
GRAND TOTAL	**431**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	3	3	3
20-34	8	4.1	4	1	1	4	6	7	7	7
35-49	13	2.8	3	1	1	3	4	5	5	5
50-64	9	3.2	3	1	1	3	5	5	5	5
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	339	1.3		<1	<1	1	1	2	2	3
20-34	184	1.5	1	<1	1	1	2	3	3	8
35-49	132	1.6	1	<1	1	1	2	3	3	6
50-64	98	1.8	3	<1	1	1	2	3	4	11
65+	44	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	10	<1	1	3	5	10	11	12
20-34	17	4.0	9	<1	1	3	6	7	10	12
35-49	17	3.1	4	<1	<1	3	4	6	7	7
50-64	25	3.6	8	<1	1	3	4	6	11	13
65+	35	4.6	6	2	2	4	6	9	10	11
B. *Operated*										
0-19 YRS	332	1.7	4	<1	1	1	2	3	3	9
20-34	217	1.6	1	<1	1	1	2	3	3	6
35-49	191	1.9	2	<1	1	2	2	3	5	8
50-64	173	1.9	2	<1	1	2	2	3	4	9
65+	98	2.4	6	<1	1	2	3	4	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.0	3	1	1	3	4	5	6	7
B. *Operated*	797	1.5	1	<1	1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	120	4.0	8	<1	1	3	5	7	10	12
B. *Operated*	1011	1.8	3	<1	1	1	2	3	4	9
1. SINGLE DX	839	1.6	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	1131	2.0	4	<1	1	1	2	4	6	10
A. NOT OPERATED	162	3.7	6	<1	1	3	5	7	10	12
B. OPERATED	1808	1.7	2	<1	1	1	2	3	3	8
TOTAL 0-19 YRS	705	1.6	3	<1	1	1	2	2	3	9
20-34	426	1.7	2	<1	1	1	2	3	5	8
35-49	353	1.9	2	<1	1	2	2	3	5	8
50-64	305	2.1	3	<1	1	2	2	4	5	11
65+	181	2.7	6	<1	1	2	3	5	7	11
GRAND TOTAL	**1970**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**9**

321 Hospitals, Southern Region, January-December 1986

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.3	23	2	2	4	8	13	18	20
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	3	5.0	4	3	3	5	6	7	7	7
50-64										
65+	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.4	26	3	3	5	8	12	16	27
20-34	12	3.7	2	1	2	4	5	6	6	6
35-49	8	12.3	247	5	5	7	8	38	51	51
50-64	11	5.3	6	1	2	6	7	8	9	9
65+	13	8.3	14	2	4	8	10	13	16	17
B. *Operated*										
0-19 YRS	4	14.3	289	1	1	9	26	38	38	38
20-34	1	12.0		12	12	12	12	12	12	12
35-49	7	6.3	12	1	1	7	9	10	10	10
50-64	6	9.2	49	3	3	7	11	21	22	22
65+	6	15.7	460	2	2	8	11	54	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	6.0	20	2	2	4	8	12	17	20
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	75	6.8	43	2	3	5	8	11	15	45
B. *Operated*	24	10.9	167	1	2	8	11	24	44	59
1. SINGLE DX	51	6.0	20	2	2	4	8	12	17	20
2. MULTIPLE DX	99	7.8	75	1	2	6	9	12	20	55
A. NOT OPERATED	124	6.5	34	2	2	5	8	11	16	33
B. OPERATED	26	10.4	157	1	2	7	11	21	42	59
TOTAL 0-19 YRS	76	6.8	37	2	2	4	8	14	18	35
20-34	17	3.9	6	1	2	3	5	6	10	12
35-49	18	8.7	117	1	2	7	8	10	35	51
50-64	18	6.4	22	2	3	6	8	10	18	22
65+	21	10.4	136	2	4	8	11	14	36	59
GRAND TOTAL	**150**	**7.2**	**56**	**2**	**2**	**5**	**8**	**12**	**17**	**51**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.2	7	1	1	2	6	6	6	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	7	3.0	1	2	2	3	3	5	5	5
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	8	5.9	15	1	1	6	9	11	11	11
20-34	11	5.6	14	1	1	7	9	10	10	10
35-49	33	6.7	24	1	2	7	9	13	17	19
50-64	20	8.6	71	1	1	9	12	14	26	38
65+	8	8.9	52	1	1	8	13	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	1	1	1	2	3	4	4	4
20-34	15	3.3	11	1	1	2	3	4	12	15
35-49	45	4.9	12	1	2	4	6	8	10	22
50-64	62	7.4	114	1	2	4	8	14	18	72
65+	105	8.4	46	2	3	6	10	16	22	36
B. *Operated*										
0-19 YRS	14	5.3	20	1	1	3	8	11	15	16
20-34	27	9.7	73	1	2	8	13	22	28	37
35-49	115	10.1	94	1	2	9	12	22	30	51
50-64	212	9.4	106	1	1	7	12	20	31	61
65+	151	13.1	122	2	2	12	19	28	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.1	5	1	1	2	4	6	8	9
B. *Operated*	80	7.2	36	1	1	8	10	13	16	33
2. MULTIPLE DX										
A. *Not Operated*	237	6.9	56	1	2	5	8	14	20	33
B. *Operated*	519	10.6	107	1	2	9	15	22	31	54
1. SINGLE DX	97	6.4	33	1	1	5	9	12	15	30
2. MULTIPLE DX	756	9.4	94	1	2	7	13	21	29	45
A. NOT OPERATED	254	6.6	54	1	2	5	8	14	19	32
B. OPERATED	599	10.1	99	1	2	9	13	22	30	49
TOTAL 0-19 YRS	33	4.4	14	1	1	3	8	10	11	16
20-34	58	6.7	48	1	1	4	9	15	21	36
35-49	196	8.2	68	1	2	6	11	17	23	41
50-64	301	8.8	104	1	1	6	12	18	27	61
65+	265	11.1	94	2	2	8	16	23	30	44
GRAND TOTAL	**853**	**9.1**	**88**	**1**	**2**	**7**	**12**	**20**	**27**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.2	2	1	1	2	3	4	4	6
20-34	101	3.3	3	1	1	3	4	6	7	9
35-49	234	3.5	5	1	1	3	4	6	8	12
50-64	235	3.8	8	1	1	3	5	7	8	17
65+	139	3.8	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	17	2.8	5	<1	<1	2	3	6	8	9
35-49	37	3.0	6	1	1	2	3	7	8	10
50-64	44	3.6	11	<1	1	3	5	7	8	20
65+	16	5.4	41	<1	1	3	6	15	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	5	1	1	3	5	6	8	12
20-34	324	3.8	5	1	2	3	5	7	8	11
35-49	1031	4.3	10	1	2	4	5	8	10	18
50-64	1441	4.7	11	1	2	4	6	8	11	15
65+	1482	5.2	16	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS	21	5.0	19	1	1	3	7	9	15	20
20-34	70	4.7	13	1	1	4	7	10	13	17
35-49	171	5.7	23	1	2	4	7	12	14	24
50-64	260	5.6	20	1	1	4	8	11	13	22
65+	213	6.7	34	1	1	5	8	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	3.6	6	1	1	3	5	6	8	11
B. *Operated*	119	3.5	12	<1	1	2	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	4341	4.7	12	1	2	4	6	8	11	18
B. *Operated*	735	5.8	24	1	2	4	8	12	15	25
1. SINGLE DX	860	3.6	7	1	1	3	5	7	8	15
2. MULTIPLE DX	5076	4.9	14	1	2	4	6	9	11	20
A. NOT OPERATED	5082	4.5	11	1	2	4	6	8	10	17
B. OPERATED	854	5.5	23	1	1	4	7	11	14	24
TOTAL 0-19 YRS	121	3.4	7	1	1	3	4	7	8	14
20-34	512	3.8	6	1	1	3	5	7	8	13
35-49	1473	4.3	11	1	2	3	5	8	10	18
50-64	1980	4.7	12	1	2	4	6	9	11	18
65+	1850	5.3	17	1	2	4	7	10	12	23
GRAND TOTAL	**5936**	**4.7**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.2	6	2	2	5	7	8	8	8
35-49	21	4.6	6	1	2	4	6	8	10	11
50-64	44	4.7	7	2	2	4	6	7	9	15
65+	70	4.8	8	1	2	4	6	9	11	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	4.0	19	<1	<1	2	5	12	13	13
50-64	16	2.3	4	<1	<1	2	2	4	8	9
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	5	1	1	5	6	7	7	7
20-34	24	6.0	21	1	2	5	7	14	16	19
35-49	166	5.5	13	1	2	5	7	10	12	21
50-64	523	6.9	23	2	3	6	8	12	16	24
65+	1685	7.6	30	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	7.6	95	1	1	4	7	25	29	29
35-49	46	5.3	21	1	1	4	8	12	17	20
50-64	153	6.5	44	1	1	4	8	17	19	35
65+	220	11.0	101	2	2	9	14	21	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.7	7	1	2	4	6	8	10	14
B. *Operated*	26	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*	2403	7.3	28	2	3	6	9	13	17	27
B. *Operated*	427	8.7	77	1	2	6	11	18	24	40
1. SINGLE DX	166	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX	2830	7.5	35	2	2	6	9	14	18	31
A. NOT OPERATED	2543	7.1	27	2	3	6	9	13	17	27
B. OPERATED	453	8.4	75	1	2	6	11	18	24	38
TOTAL 0-19 YRS	6	4.3	4	1	1	5	5	7	7	7
20-34	36	6.2	31	1	2	5	7	13	18	29
35-49	240	5.3	14	1	2	4	7	10	12	20
50-64	736	6.5	26	1	2	5	8	13	17	27
65+	1978	7.9	39	2	3	6	10	15	19	32
GRAND TOTAL	**2996**	**7.3**	**34**	**2**	**2**	**6**	**9**	**14**	**18**	**30**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	6	4.0	6	2	2	3	7	7	7	7
50-64	8	4.8	9	1	1	4	7	9	10	10
65+	9	5.9	13	2	2	6	7	11	13	13
B. *Operated*										
0-19 YRS	8	4.9	14	1	1	4	6	11	13	13
20-34	10	4.5	14	1	1	3	5	11	11	11
35-49	21	3.5	10	1	1	3	4	6	10	16
50-64	17	4.0	12	1	1	3	5	11	11	11
65+	14	4.8	17	1	2	3	6	11	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.7	11	1	1	2	5	8	13	14
20-34	18	5.6	24	<1	1	3	10	13	15	17
35-49	49	5.3	16	1	1	4	8	10	14	18
50-64	88	6.7	42	2	2	4	8	12	16	40
65+	209	7.8	32	2	2	7	10	15	20	29
B. *Operated*										
0-19 YRS	17	10.6	67	1	2	9	15	19	28	33
20-34	64	7.8	71	1	2	5	9	17	29	40
35-49	123	10.3	76	2	2	8	14	23	29	41
50-64	202	8.4	50	2	2	6	11	18	23	37
65+	216	10.5	94	2	2	8	13	23	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.6	9	1	2	4	6	9	10	13
B. *Operated*	70	4.2	12	1	1	3	5	11	11	16
2. MULTIPLE DX										
A. *Not Operated*	407	6.7	31	1	2	5	9	13	17	29
B. *Operated*	622	9.5	74	2	2	7	13	20	28	39
1. SINGLE DX	99	4.3	11	1	1	3	6	10	11	16
2. MULTIPLE DX	1029	8.4	59	2	2	6	11	18	24	38
A. NOT OPERATED	436	6.6	30	1	2	5	9	13	16	28
B. OPERATED	692	9.0	70	2	2	6	12	19	26	38
TOTAL 0-19 YRS	71	5.5	32	1	1	4	6	14	15	30
20-34	95	6.9	55	1	1	4	9	14	20	39
35-49	199	8.2	60	1	2	5	10	18	25	36
50-64	315	7.6	46	2	2	5	10	17	21	38
65+	448	9.0	63	2	2	7	11	19	25	38
GRAND TOTAL	**1128**	**8.1**	**56**	**1**	**2**	**6**	**10**	**17**	**23**	**37**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	7.2	9	1	3	7	10	10	11	12
35-49	245	7.4	9	2	3	8	10	11	12	14
50-64	624	7.8	10	2	3	8	10	12	13	15
65+	492	8.7	29	3	4	8	10	13	14	20
B. *Operated*										
0-19 YRS										
20-34	13	7.2	12	3	3	7	10	12	13	13
35-49	121	8.2	11	2	4	8	10	13	13	18
50-64	134	8.5	13	2	4	8	10	13	16	19
65+	55	9.9	34	1	2	9	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	7.4	19	1	2	7	9	14	16	16
20-34	47	7.5	11	2	4	8	9	10	13	20
35-49	922	8.4	16	2	4	8	10	12	14	19
50-64	3218	9.1	17	3	5	9	11	14	16	24
65+	7773	10.3	27	4	6	9	12	16	19	29
B. *Operated*										
0-19 YRS	2	13.5	41	9	9	13	18	18	18	18
20-34	63	9.1	35	2	3	8	11	14	19	33
35-49	855	9.8	39	2	4	9	12	15	18	32
50-64	1871	11.2	46	3	5	10	13	19	23	34
65+	1718	14.5	81	5	7	13	17	25	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1381	8.1	17	2	4	8	10	12	13	17
B. *Operated*	323	8.5	16	2	3	8	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	11969	9.8	24	4	5	9	11	15	18	28
B. *Operated*	4509	12.2	61	3	5	11	14	21	26	42
1. SINGLE DX	1704	8.1	17	2	4	8	10	12	13	18
2. MULTIPLE DX	16478	10.4	35	4	5	9	12	16	21	32
A. NOT OPERATED	13350	9.6	23	3	5	9	11	14	17	27
B. OPERATED	4832	11.9	59	3	5	10	14	20	25	40
TOTAL 0-19 YRS	11	8.5	25	1	3	8	11	17	18	18
20-34	143	8.2	22	2	3	8	10	13	15	33
35-49	2143	8.8	25	2	3	8	11	13	16	25
50-64	5847	9.6	27	3	5	9	11	15	18	28
65+	10038	10.9	39	4	6	10	13	17	22	34
GRAND TOTAL	**18182**	**10.2**	**34**	**3**	**5**	**9**	**12**	**16**	**20**	**32**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	2.6	1	1	2	2	3	4	5	5
35-49	195	2.8	3	1	1	2	4	5	6	10
50-64	336	2.9	3	1	1	3	4	5	6	8
65+	310	3.3	4	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	51	2.7	3	1	1	2	4	5	6	8
50-64	86	2.4	3	1	1	2	3	5	6	9
65+	42	3.9	14	1	1	2	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	11	1	1	4	8	9	9	9
20-34	91	3.7	9	1	1	3	4	7	8	19
35-49	1087	3.6	5	1	1	3	4	7	8	11
50-64	3031	4.1	8	1	2	3	5	7	9	14
65+	6012	4.7	10	2	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	35	5.1	12	1	2	4	7	10	13	15
35-49	593	4.1	13	1	1	3	5	9	11	16
50-64	1739	5.1	23	1	1	3	7	11	14	21
65+	1278	6.4	42	1	1	4	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	3.0	3	1	1	3	4	5	6	8
B. *Operated*	181	2.9	5	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	10228	4.4	9	1	2	4	5	8	9	15
B. *Operated*	3647	5.4	29	1	1	3	8	12	15	26
1. SINGLE DX	1045	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	13875	4.7	14	1	2	4	6	9	11	19
A. NOT OPERATED	11092	4.3	8	1	2	4	5	7	9	15
B. OPERATED	3828	5.3	28	1	1	3	7	12	15	25
TOTAL 0-19 YRS	10	4.1	9	1	1	3	6	9	9	9
20-34	150	3.8	9	1	1	3	5	7	9	17
35-49	1926	3.7	7	1	1	3	4	7	9	13
50-64	5192	4.4	13	1	1	3	5	8	11	17
65+	7642	4.9	16	1	2	4	6	9	12	20
GRAND TOTAL	**14920**	**4.5**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	2.6	3	1	1	2	3	5	7	8
35-49	162	3.5	5	1	1	3	4	6	8	11
50-64	409	3.5	4	1	1	3	5	6	7	11
65+	638	4.0	5	1	2	4	5	7	8	12
B. *Operated*										
0-19 YRS										
20-34										
35-49	42	4.2	7	1	2	4	5	8	10	11
50-64	93	5.5	17	1	1	4	7	10	15	20
65+	59	4.8	11	1	1	5	7	9	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	9	2	2	6	7	11	12	12
20-34	56	3.8	4	2	2	3	5	7	8	8
35-49	1030	4.1	8	1	2	4	5	7	8	12
50-64	3999	4.6	7	2	2	4	6	8	9	14
65+	10124	5.3	10	2	2	5	6	9	11	17
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	26	5.6	17	1	2	5	7	12	14	19
35-49	648	6.9	28	1	2	6	9	13	16	27
50-64	2137	7.6	31	1	2	7	10	14	17	26
65+	2295	9.7	61	2	2	8	13	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1224	3.8	5	1	2	3	5	6	8	11
B. *Operated*	194	5.0	13	1	1	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	15228	5.0	9	2	2	4	6	8	10	16
B. *Operated*	5108	8.4	45	2	2	7	11	16	20	33
1. SINGLE DX	1418	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	20336	5.9	21	2	2	5	7	11	14	23
A. NOT OPERATED	16452	4.9	9	2	2	4	6	8	10	16
B. OPERATED	5302	8.3	45	2	2	7	11	16	20	33
TOTAL 0-19 YRS	22	5.7	10	1	2	5	7	11	12	12
20-34	96	4.1	8	1	2	3	5	8	9	16
35-49	1882	5.0	16	1	2	4	6	9	12	21
50-64	6638	5.5	17	1	2	4	7	10	13	20
65+	13116	6.0	22	2	2	5	7	11	14	24
GRAND TOTAL	**21754**	**5.8**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**23**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	1	4	4	5	5	6	6	6
35-49	35	3.0	2	<1	1	3	4	5	5	7
50-64	56	3.1	5	1	1	3	4	5	7	12
65+	48	4.7	36	<1	1	4	5	7	10	42
B. *Operated*										
0-19 YRS	6	2.7	5	<1	<1	2	3	7	7	7
20-34	15	3.7	8	1	1	3	5	9	9	9
35-49	355	4.0	12	1	1	2	6	9	11	18
50-64	877	4.3	16	1	1	2	7	10	12	18
65+	321	5.1	21	1	1	3	8	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	16	4.2	7	1	1	4	5	9	10	10
35-49	273	4.3	8	1	2	4	5	8	10	14
50-64	884	4.5	10	1	2	4	6	8	11	17
65+	1184	5.6	16	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	15	6.1	37	1	1	4	10	15	19	21
20-34	78	5.6	22	1	1	4	8	12	14	24
35-49	1602	5.4	24	1	1	3	8	11	14	23
50-64	4805	6.5	34	1	2	4	9	13	17	27
65+	3445	8.2	55	1	2	7	12	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.7	15	<1	1	3	4	6	7	15
B. *Operated*	1574	4.4	16	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	2360	5.0	13	1	2	4	6	9	12	18
B. *Operated*	9945	6.9	41	1	2	5	10	14	18	29
1. SINGLE DX	1717	4.3	16	1	1	2	7	10	12	17
2. MULTIPLE DX	12305	6.5	36	1	2	5	9	14	17	28
A. NOT OPERATED	2503	4.9	13	1	2	4	6	9	12	18
B. OPERATED	11519	6.6	38	1	1	4	9	14	17	28
TOTAL 0-19 YRS	24	5.1	26	<1	1	3	6	13	17	21
20-34	113	5.1	18	1	1	4	8	10	13	21
35-49	2265	5.0	20	1	1	3	8	11	13	21
50-64	6622	5.9	29	1	1	4	9	12	15	25
65+	4998	7.3	45	1	2	5	10	15	19	31
GRAND TOTAL	**14022**	**6.3**	**34**	**1**	**2**	**4**	**9**	**13**	**16**	**27**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	49	6.8	7	2	3	7	8	10	11	13
35-49	65	7.7	11	1	3	8	10	12	13	15
50-64	59	8.2	13	3	4	8	11	13	15	18
65+	83	9.3	14	4	5	9	12	13	16	21
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	8.1	26	2	3	6	10	16	19	19
35-49	9	9.7	9	6	6	9	11	14	16	16
50-64	11	9.0	20	1	3	9	10	16	18	18
65+	10	9.1	9	5	6	8	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.7	39	1	2	9	15	18	18	18
20-34	93	8.7	14	3	5	8	10	12	14	24
35-49	203	9.6	15	4	5	9	12	14	16	24
50-64	435	10.5	35	4	6	10	12	15	19	32
65+	1008	11.2	29	5	6	10	13	17	20	31
B. *Operated*										
0-19 YRS	6	12.2	49	5	5	11	15	23	24	24
20-34	40	11.2	33	4	5	10	13	17	21	35
35-49	66	12.0	60	6	7	10	14	19	28	91
50-64	119	14.5	70	7	7	12	18	25	31	43
65+	243	15.5	124	5	7	12	19	26	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	8.2	12	3	4	8	10	12	14	19
B. *Operated*	40	9.0	15	3	5	9	10	14	17	19
2. MULTIPLE DX										
A. *Not Operated*	1746	10.7	29	4	6	10	13	16	19	30
B. *Operated*	474	14.3	95	5	7	11	17	24	34	61
1. SINGLE DX	298	8.3	13	3	4	8	10	13	14	19
2. MULTIPLE DX	2220	11.5	45	5	6	10	13	18	23	39
A. NOT OPERATED	2004	10.4	27	4	5	10	12	15	18	29
B. OPERATED	514	13.9	90	5	7	11	17	23	32	59
TOTAL 0-19 YRS	16	10.6	33	2	5	9	14	18	22	24
20-34	191	8.7	19	3	4	8	10	13	16	27
35-49	343	9.7	24	4	5	9	12	14	17	27
50-64	624	11.0	43	4	6	10	13	17	22	35
65+	1344	11.9	48	5	6	10	14	18	23	41
GRAND TOTAL	**2518**	**11.1**	**42**	**4**	**6**	**10**	**13**	**17**	**21**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.5	313	2	2	14	27	27	27	27
35-49	2	18.0	32	14	14	18	22	22	22	22
50-64	4	18.8	133	2	2	22	26	28	28	28
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	32.0		32	32	32	32	32	32	32
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	14.0	32	10	10	14	18	18	18	18
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	20.1	266	1	3	15	33	43	45	46
20-34	27	15.7	127	1	2	15	21	30	37	45
35-49	16	28.9	189	9	15	26	43	47	49	50
50-64	41	20.8	151	4	7	17	30	41	44	47
65+	62	25.1	156	7	10	23	36	44	48	94
B. *Operated*										
0-19 YRS	4	36.8	361	9	9	43	48	52	52	52
20-34	28	33.8	271	11	17	31	43	53	70	85
35-49	21	29.5	174	7	12	31	36	47	56	58
50-64	21	31.1	221	9	15	31	40	51	62	63
65+	37	27.8	205	9	11	25	42	48	54	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	17.0	98	2	2	21	25	28	28	28
B. *Operated*	5	19.8	107	10	10	18	30	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	160	22.3	174	3	6	20	31	43	46	53
B. *Operated*	111	30.6	222	10	13	30	41	50	58	75
1. SINGLE DX	14	18.0	95	2	2	19	27	29	31	32
2. MULTIPLE DX	271	25.7	209	4	8	25	35	45	50	67
A. NOT OPERATED	169	22.0	171	3	6	20	31	43	46	52
B. OPERATED	116	30.1	221	10	11	29	40	49	57	74
TOTAL 0-19 YRS	19	24.1	302	2	3	27	42	45	49	52
20-34	58	24.6	275	2	4	22	33	44	52	84
35-49	40	28.2	178	8	12	28	36	46	52	58
50-64	68	23.6	189	2	8	21	31	43	45	63
65+	100	26.0	174	7	11	24	36	45	51	79
GRAND TOTAL	**285**	**25.3**	**206**	**4**	**8**	**24**	**33**	**45**	**50**	**66**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	4	1	1	2	3	4	7	10
20-34	33	2.0	1	1	1	2	2	3	4	6
35-49	42	2.2	2	<1	<1	2	3	4	5	6
50-64	72	3.1	51	1	1	2	3	4	5	91
65+	44	2.6	2	1	1	2	4	4	5	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.4	5	1	1	3	5	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.8	5	<1	1	2	4	5	7	12
20-34	43	3.0	4	1	1	2	4	6	8	10
35-49	136	3.0	3	1	1	3	4	5	6	8
50-64	255	4.2	14	1	1	3	5	8	10	27
65+	595	5.1	33	1	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	4.3	13	1	1	3	7	9	9	9
35-49	13	3.7	1	2	2	4	4	5	6	6
50-64	32	6.2	18	2	2	5	8	14	15	17
65+	49	9.3	102	2	3	7	10	17	28	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.6	19	1	1	2	3	4	5	28
B. *Operated*	6	3.2	5	1	1	3	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1058	4.5	23	1	1	3	5	8	11	22
B. *Operated*	101	7.2	60	1	2	5	8	14	18	50
1. SINGLE DX	221	2.6	18	1	1	2	3	4	5	25
2. MULTIPLE DX	1159	4.7	27	1	1	4	6	8	12	24
A. NOT OPERATED	1273	4.2	23	1	1	3	5	8	10	22
B. OPERATED	107	6.9	58	1	2	5	8	14	17	49
TOTAL 0-19 YRS	56	2.7	4	1	1	2	3	4	7	12
20-34	80	2.6	4	1	1	2	3	5	7	10
35-49	191	2.8	3	1	1	3	4	5	6	8
50-64	364	4.1	22	1	1	3	5	8	10	29
65+	689	5.3	37	1	2	4	6	9	13	28
GRAND TOTAL	**1380**	**4.4**	**26**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	5	1	1	2	3	7	8	8
20-34	63	1.9	3	<1	1	1	2	4	6	8
35-49	116	2.1	2	<1	1	2	3	3	4	8
50-64	220	2.7	4	1	1	2	3	5	7	11
65+	243	3.0	5	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	2.9	4	<1	<1	2	4	6	6	6
65+	6	3.3	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	11	1	1	3	5	10	12	12
20-34	110	2.8	6	1	1	2	4	5	6	14
35-49	316	3.8	8	1	1	3	5	8	9	15
50-64	1421	4.1	10	1	1	3	5	8	10	16
65+	4481	5.4	18	1	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	3	7.3	36	1	1	8	12	13	13	13
20-34	4	5.3	9	2	2	5	7	9	9	9
35-49	31	7.3	43	1	2	5	8	17	20	31
50-64	175	6.9	38	2	2	6	8	12	16	36
65+	450	9.8	75	2	3	7	12	19	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	2.6	4	1	1	2	3	5	7	10
B. *Operated*	16	3.1	3	<1	1	2	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	6362	5.0	16	1	2	4	6	9	12	20
B. *Operated*	663	8.9	65	2	2	7	11	18	23	39
1. SINGLE DX	665	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	7025	5.4	22	1	2	4	7	10	13	23
A. NOT OPERATED	7011	4.8	15	1	1	4	6	9	12	20
B. OPERATED	679	8.8	64	2	2	7	11	18	23	38
TOTAL 0-19 YRS	45	3.9	11	1	1	3	5	10	12	13
20-34	177	2.6	5	<1	1	2	3	5	6	14
35-49	464	3.6	10	1	1	3	4	7	9	17
50-64	1824	4.2	13	1	1	3	5	8	11	18
65+	5180	5.7	24	1	2	4	7	11	14	24
GRAND TOTAL	**7690**	**5.1**	**21**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.1	7	1	1	2	3	5	8	18
20-34	83	2.4	3	<1	1	2	3	4	6	8
35-49	166	2.8	3	1	1	3	3	5	6	9
50-64	194	3.0	3	1	1	3	4	5	6	9
65+	206	3.8	7	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	9	3.9	7	2	2	2	6	8	9	9
20-34	13	5.9	19	1	2	4	9	13	15	15
35-49	25	4.3	9	1	2	3	5	8	11	15
50-64	53	4.5	8	1	1	4	6	8	10	14
65+	171	5.2	16	1	2	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	12	1	1	3	4	6	8	21
20-34	292	3.9	38	1	1	3	4	6	8	12
35-49	687	3.8	7	1	1	3	5	7	8	12
50-64	1857	4.6	12	1	2	4	6	8	10	18
65+	5335	5.7	18	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	38	7.1	128	1	1	4	7	9	32	60
20-34	45	5.6	23	2	2	4	7	11	15	25
35-49	170	6.4	68	1	2	5	8	12	18	99
50-64	621	7.6	57	2	2	6	9	14	20	32
65+	2879	8.3	40	2	3	7	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	3.1	5	1	1	3	4	6	7	12
B. *Operated*	271	5.0	14	1	2	4	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	8284	5.2	17	1	2	4	7	9	12	20
B. *Operated*	3753	8.1	45	2	3	6	10	15	19	36
1. SINGLE DX	970	3.6	8	1	1	3	4	7	9	14
2. MULTIPLE DX	12037	6.1	28	1	2	5	7	11	15	26
A. NOT OPERATED	8983	5.1	16	1	2	4	6	9	12	19
B. OPERATED	4024	7.9	44	2	2	6	10	15	19	34
TOTAL 0-19 YRS	210	4.1	33	1	1	3	5	7	9	36
20-34	433	3.8	30	1	1	3	4	7	9	16
35-49	1048	4.1	17	1	1	3	5	7	10	18
50-64	2725	5.2	24	1	2	4	6	10	13	23
65+	8591	6.6	27	2	2	5	8	12	15	28
GRAND TOTAL	**13007**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	6	1	1	6	6	7	7	7
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	17	4.0	10	<1	1	3	5	9	12	13
50-64	128	5.0	10	1	2	4	6	10	12	14
65+	507	5.6	22	2	2	4	7	10	13	28
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	5	10.8	36	2	2	12	15	17	17	17
65+	8	8.9	38	2	2	7	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.5	17	1	2	4	8	11	13	19
20-34	103	6.1	19	2	2	5	7	10	13	27
35-49	718	6.3	19	2	2	5	8	11	14	25
50-64	4084	6.9	26	2	3	6	8	12	15	27
65+	18539	7.7	33	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	34	14.3	174	2	3	11	22	34	60	99+
20-34	34	7.7	58	<1	<1	5	10	17	24	34
35-49	156	10.5	116	1	2	8	13	20	33	52
50-64	560	11.1	81	2	3	9	14	20	27	45
65+	1832	13.7	111	3	4	11	17	26	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	5.4	19	1	2	4	7	10	13	27
B. *Operated*	17	8.2	33	2	2	5	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	23595	7.5	31	2	3	6	9	13	17	29
B. *Operated*	2616	12.9	107	2	4	10	16	25	34	55
1. SINGLE DX	676	5.5	20	1	2	4	7	10	13	27
2. MULTIPLE DX	26211	8.0	41	2	3	6	10	15	19	34
A. NOT OPERATED	24254	7.4	31	2	3	6	9	13	17	29
B. OPERATED	2633	12.9	106	2	4	10	16	25	34	55
TOTAL 0-19 YRS	191	7.1	55	1	2	5	9	14	22	55
20-34	140	6.5	28	1	2	5	8	12	16	33
35-49	893	7.0	39	2	2	5	8	13	17	33
50-64	4777	7.4	34	2	3	6	9	13	17	30
65+	20886	8.2	43	2	3	7	10	15	20	34
GRAND TOTAL	**26887**	**8.0**	**41**	**2**	**3**	**6**	**10**	**15**	**19**	**34**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.7	6	<1	1	3	5	7	9	11
20-34	116	3.2	4	1	1	3	4	6	7	10
35-49	119	3.3	4	1	1	3	4	6	8	9
50-64	96	3.8	4	2	2	3	5	6	7	10
65+	53	5.8	20	2	2	4	8	12	15	20
B. *Operated*										
0-19 YRS	42	3.0	7	1	1	2	3	8	9	11
20-34	34	5.2	28	1	1	2	8	13	16	20
35-49	112	4.1	22	1	1	2	5	10	15	23
50-64	143	5.2	48	1	1	2	7	12	17	38
65+	60	5.2	32	1	1	2	6	13	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	5.3	30	1	1	4	7	10	14	33
20-34	288	4.3	15	1	1	3	5	8	10	21
35-49	582	5.2	14	1	2	4	6	10	13	19
50-64	965	6.5	22	2	2	5	8	12	16	23
65+	1479	7.7	33	2	3	6	9	14	18	33
B. *Operated*										
0-19 YRS	97	10.3	169	1	1	7	12	33	42	81
20-34	130	8.9	64	1	2	7	12	17	29	37
35-49	444	7.2	79	1	2	4	9	15	22	49
50-64	943	8.6	95	1	2	5	12	19	24	48
65+	1004	10.1	92	2	2	8	14	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	3.8	6	1	1	3	5	7	8	14
B. *Operated*	391	4.6	32	1	1	2	6	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	3434	6.6	27	2	2	5	8	12	16	27
B. *Operated*	2618	9.0	93	1	2	6	12	19	26	49
1. SINGLE DX	810	4.2	19	1	1	3	5	9	12	22
2. MULTIPLE DX	6052	7.6	57	1	2	5	10	16	21	37
A. NOT OPERATED	3853	6.3	25	1	2	5	8	12	15	25
B. OPERATED	3009	8.4	87	1	2	6	11	18	25	47
TOTAL 0-19 YRS	294	6.4	77	1	1	3	8	13	26	55
20-34	568	5.2	29	1	1	3	6	11	15	30
35-49	1257	5.6	38	1	2	4	7	11	15	32
50-64	2147	7.2	57	1	2	5	9	15	20	37
65+	2596	8.5	58	2	2	7	11	17	23	36
GRAND TOTAL	**6862**	**7.2**	**54**	**1**	**2**	**5**	**9**	**15**	**20**	**36**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	4	4.0	6	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.8	6	1	1	4	5	7	7	7
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	23	3.6	4	1	2	3	5	6	8	10
50-64	89	4.6	10	2	2	3	6	10	10	17
65+	195	5.8	16	2	2	4	8	11	14	20
B. *Operated*										
0-19 YRS										
20-34	4	5.0	18	2	2	4	8	11	11	11
35-49	24	5.0	25	1	1	3	6	14	16	18
50-64	88	5.6	46	1	1	3	7	12	14	43
65+	67	8.9	78	1	1	6	11	20	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	7	1	1	4	7	7	7	7
B. *Operated*	8	3.0	5	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	309	5.3	14	2	2	4	7	10	12	19
B. *Operated*	183	6.7	57	1	1	4	9	14	19	40
1. SINGLE DX	14	3.4	6	1	1	3	5	7	7	7
2. MULTIPLE DX	492	5.8	30	1	2	4	7	11	16	32
A. NOT OPERATED	315	5.3	14	2	2	4	7	10	12	19
B. OPERATED	191	6.5	55	1	1	4	8	14	18	40
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	5.4	14	2	2	5	8	11	11	11
35-49	48	4.2	15	1	1	3	5	10	14	18
50-64	184	5.0	27	1	2	3	6	10	13	29
65+	268	6.5	33	1	2	5	8	12	17	35
GRAND TOTAL	**506**	**5.7**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	8.8	88	<1	<1	7	16	20	20	20
50-64	4	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	13	15.7	127	2	3	14	21	36	37	37
35-49	30	13.2	71	1	2	12	19	23	24	38
50-64	27	13.9	82	1	3	14	18	26	30	38
65+	5	18.0	214	4	4	12	30	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	21	3	3	3	9	11	11	11
20-34	2	8.5	113	1	1	8	16	16	16	16
35-49	5	11.6	161	<1	<1	11	18	32	32	32
50-64	13	8.5	77	1	1	7	9	22	30	32
65+	22	13.2	97	1	2	11	19	26	35	39
B. *Operated*										
0-19 YRS	7	20.6	167	10	10	20	23	42	47	47
20-34	24	16.4	75	6	8	14	19	32	36	36
35-49	47	22.4	232	5	7	19	32	44	63	99+
50-64	76	22.6	225	2	9	20	30	46	66	99+
65+	53	23.9	311	3	8	21	28	43	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.9	44	<1	<1	1	11	16	20	20
B. *Operated*	77	14.0	89	1	2	13	19	26	37	39
2. MULTIPLE DX										
A. *Not Operated*	45	11.0	92	<1	1	8	16	23	32	39
B. *Operated*	207	22.1	230	4	8	19	28	42	65	99+
1. SINGLE DX	88	13.0	90	1	1	12	18	24	36	39
2. MULTIPLE DX	252	20.1	223	2	4	17	26	40	60	99+
A. NOT OPERATED	56	10.0	86	<1	1	8	14	21	32	39
B. OPERATED	284	19.9	205	2	5	17	25	38	49	99+
TOTAL 0-19 YRS	14	14.0	129	3	3	11	20	25	42	47
20-34	40	15.5	92	2	4	14	19	34	36	37
35-49	86	17.9	186	1	3	15	23	38	45	90
50-64	120	18.4	204	1	2	16	25	37	52	99+
65+	80	20.6	265	2	4	19	26	39	65	97
GRAND TOTAL	**340**	**18.3**	**198**	**1**	**3**	**16**	**24**	**37**	**47**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	30.3	212	15	15	32	41	44	44	44
50-64	1	23.0		23	23	23	23	23	23	23
65+	3	8.3		8	8	8	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	4	43.5	963	18	18	38	69	81	81	81
35-49	5	37.6	549	18	19	33	78	98	99+	99+
50-64	8	32.1	478	8	9	28	50	61	64	64
65+	4	46.0	450	20	22	63	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	19.9	194	8	8	15	30	42	44	44
B. *Operated*	21	38.2	522	11	14	39	65	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	28	33.6	495	8	9	32	58	88	99+	99+
A. NOT OPERATED	7	19.9	194	8	8	15	30	42	44	44
B. OPERATED	21	38.2	522	11	14	39	65	99+	99+	99+
TOTAL 0-19 YRS										
20-34	4	43.5	963	18	18	38	69	81	81	81
35-49	8	34.9	388	15	16	32	52	91	99+	99+
50-64	9	31.1	428	8	10	23	48	60	64	64
65+	7	29.9	630	8	8	38	75	99+	99+	99+
GRAND TOTAL	**28**	**33.6**	**495**	**8**	**9**	**32**	**58**	**88**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.8	97	1	1	5	14	25	25	25
20-34										
35-49	3	8.7	80	3	3	4	15	19	19	19
50-64	15	8.3	128	1	1	5	7	24	38	43
65+	25	7.6	26	1	1	7	11	16	17	18
B. *Operated*										
0-19 YRS	12	7.0	13	3	3	6	10	12	13	13
20-34	12	8.1	18	2	3	7	11	15	15	15
35-49	12	11.4	42	6	6	9	16	22	24	24
50-64	35	9.0	49	2	3	7	11	15	26	35
65+	46	10.2	64	5	5	8	11	17	19	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	10	13.4	254	2	3	7	15	37	56	56
35-49	36	9.5	103	1	2	5	11	29	32	40
50-64	104	11.3	73	2	3	9	15	21	30	71
65+	433	12.2	111	2	3	9	15	23	30	56
B. *Operated*										
0-19 YRS	20	15.7	115	3	4	13	23	29	37	45
20-34	20	18.1	278	1	3	11	24	42	57	66
35-49	33	21.8	390	4	6	17	27	58	81	99+
50-64	88	18.2	248	3	4	13	25	40	47	78
65+	228	19.7	271	4	6	15	25	35	47	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	8.0	63	1	1	6	11	18	24	43
B. *Operated*	117	9.4	48	3	4	8	11	16	20	41
2. MULTIPLE DX										
A. *Not Operated*	587	11.9	106	2	3	9	15	23	31	56
B. *Operated*	389	19.3	267	4	5	14	25	39	52	90
1. SINGLE DX	165	9.0	52	1	3	7	11	17	22	42
2. MULTIPLE DX	976	14.8	183	3	4	11	19	31	40	83
A. NOT OPERATED	635	11.6	104	2	3	9	15	23	30	56
B. OPERATED	506	17.0	233	4	5	12	21	34	46	89
TOTAL 0-19 YRS	41	11.2	89	2	3	9	13	25	29	45
20-34	42	14.1	208	2	3	9	15	34	52	66
35-49	84	14.6	236	2	3	8	20	33	54	94
50-64	242	13.3	150	2	3	9	17	30	41	65
65+	732	14.3	169	3	4	11	18	28	35	79
GRAND TOTAL	**1141**	**14.0**	**168**	**2**	**4**	**10**	**18**	**29**	**39**	**79**

321 Hospitals, Southern Region, January-December 1986

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	13.5	265	2	2	13	25	25	25	25
20-34	1	6.0		6	6	6	6	6	6	6
35-49	14	23.1	434	2	6	16	28	55	74	80
50-64	49	11.0	57	2	4	9	13	20	28	39
65+	155	15.6	132	5	6	13	19	28	34	99
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	2	36.0	242	25	25	36	47	47	47	47
35-49	5	23.6	110	8	9	26	37	94	99+	99+
50-64	31	24.4	429	7	7	14	38	55	69	85
65+	46	19.2	174	5	7	17	24	36	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	221	15.0	140	3	6	12	19	28	34	94
B. *Operated*	85	21.8	266	6	7	19	28	47	58	95
1. SINGLE DX										
2. MULTIPLE DX	306	16.9	184	4	6	13	21	31	48	95
A. NOT OPERATED	221	15.0	140	3	6	12	19	28	34	94
B. OPERATED	85	21.8	266	6	7	19	28	47	58	95
TOTAL 0-19 YRS	3	17.3	176	2	2	25	25	25	25	25
20-34	3	26.0	421	6	6	25	41	47	47	47
35-49	19	23.3	338	4	7	20	30	66	90	99+
50-64	80	16.2	241	3	5	10	19	40	52	80
65+	201	16.4	143	5	6	13	20	29	~~42~~	96
GRAND TOTAL	**306**	**16.9**	**184**	**4**	**6**	**13**	**21**	**31**	**48**	**95**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	8	4.6	35	<1	<1	2	4	15	19	19
65+	24	4.9	52	<1	1	3	6	8	17	37
B. *Operated*										
0-19 YRS										
20-34										
35-49	29	5.1	7	1	2	4	6	9	10	14
50-64	239	4.9	6	1	2	5	6	9	10	12
65+	477	5.1	9	1	2	5	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	1	7.0		7	7	7	7	7	7	7
35-49	12	4.7	9	2	2	4	7	9	11	11
50-64	84	4.6	14	1	2	3	6	10	13	17
65+	296	5.6	19	1	2	4	7	11	13	26
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.8	57	1	1	3	5	19	21	21
35-49	84	6.3	27	2	2	5	8	11	15	33
50-64	926	6.6	28	2	2	5	8	12	16	24
65+	2251	7.0	32	2	2	6	9	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.8	45	<1	1	3	5	8	17	37
B. *Operated*	745	5.0	8	1	2	5	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	395	5.4	18	1	2	4	7	10	13	24
B. *Operated*	3268	6.9	31	2	2	6	8	13	16	27
1. SINGLE DX	778	5.0	10	1	2	5	6	9	11	15
2. MULTIPLE DX	3663	6.7	30	2	2	5	8	12	16	26
A. NOT OPERATED	428	5.3	20	1	2	4	7	10	13	25
B. OPERATED	4013	6.5	27	2	2	5	8	12	15	24
TOTAL 0-19 YRS	3	6.7	4	5	5	6	8	9	9	9
20-34	8	5.6	42	1	1	3	6	17	21	21
35-49	125	5.8	21	2	2	5	7	10	13	24
50-64	1257	6.1	23	2	2	5	7	11	15	23
65+	3048	6.6	28	2	2	5	8	12	15	25
GRAND TOTAL	**4441**	**6.4**	**26**	**2**	**2**	**5**	**8**	**12**	**15**	**24**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	15	15.5	675	1	2	6	13	83	95	99+
65+	49	9.5	37	3	4	7	12	19	24	29
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	6	11.3	50	4	4	10	18	21	21	21
50-64	51	10.9	107	4	4	8	12	21	26	67
65+	147	11.3	102	3	4	8	15	24	30	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	65	10.9	182	2	3	7	12	21	38	97
B. *Operated*	208	11.1	100	3	4	8	13	23	28	66
1. SINGLE DX										
2. MULTIPLE DX	273	11.0	119	2	4	8	13	23	29	81
A. NOT OPERATED	65	10.9	182	2	3	7	12	21	38	97
B. OPERATED	208	11.1	100	3	4	8	13	23	28	66
TOTAL 0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	7	11.0	43	4	4	9	17	20	21	21
50-64	66	12.0	231	2	3	8	12	24	68	97
65+	196	10.8	86	3	4	8	13	23	28	63
GRAND TOTAL	**273**	**11.0**	**119**	**2**	**4**	**8**	**13**	**23**	**29**	**81**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	5.0	3	3	3	6	6	6	6	6
35-49	23	5.8	10	1	2	5	8	10	11	12
50-64	80	5.8	20	2	2	5	7	10	13	28
65+	238	7.3	44	2	2	6	9	14	20	32
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.0	25	2	2	7	11	12	12	12
35-49	10	8.3	26	2	2	8	13	15	15	15
50-64	23	4.8	21	1	1	4	6	9	15	22
65+	15	7.3	67	2	2	4	11	17	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	10.5	90	1	2	7	14	24	33	37
20-34	29	8.0	23	2	2	8	11	15	17	19
35-49	166	8.1	57	2	3	6	9	15	20	46
50-64	862	8.7	66	2	3	7	10	16	21	46
65+	4310	9.8	59	3	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	6	11.7	71	3	3	10	17	24	25	25
20-34	24	13.8	113	2	4	11	21	26	36	47
35-49	66	10.1	112	2	3	8	11	20	26	69
50-64	247	11.0	113	2	3	8	14	23	32	70
65+	660	14.8	157	3	4	11	19	33	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	6.8	36	2	2	5	8	12	18	30
B. *Operated*	52	6.3	36	1	2	4	8	14	17	31
2. MULTIPLE DX										
A. *Not Operated*	5384	9.5	60	2	3	8	12	18	23	41
B. *Operated*	1003	13.5	144	3	4	10	17	28	40	89
1. SINGLE DX	398	6.7	36	2	2	5	8	12	17	30
2. MULTIPLE DX	6387	10.2	75	2	3	8	12	19	26	48
A. NOT OPERATED	5730	9.4	59	2	3	8	11	17	23	41
B. OPERATED	1055	13.1	141	2	3	9	17	28	39	82
TOTAL 0-19 YRS	26	9.8	81	1	2	6	14	24	28	37
20-34	59	10.2	67	2	2	8	13	21	24	46
35-49	265	8.4	66	2	3	7	9	16	22	46
50-64	1212	8.9	74	2	3	7	10	17	23	51
65+	5223	10.3	74	3	3	8	13	19	26	47
GRAND TOTAL	**6785**	**10.0**	**74**	**2**	**3**	**8**	**12**	**19**	**26**	**48**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	10.1	30	2	4	10	13	19	21	21
20-34	6	5.5	6	3	3	5	6	10	10	10
35-49	60	12.4	115	3	4	10	16	22	36	56
50-64	351	13.8	157	3	4	10	17	28	42	77
65+	1791	12.4	91	3	4	10	15	23	30	60
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	14	16.1	124	4	6	11	25	35	35	35
35-49	28	13.6	196	2	4	9	17	32	74	99+
50-64	90	17.0	245	4	5	12	22	42	62	99+
65+	271	17.3	216	3	5	13	22	36	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2219	12.6	101	3	4	10	15	23	31	67
B. *Operated*	405	16.9	217	3	5	13	21	36	62	99+
1. SINGLE DX										
2. MULTIPLE DX	2624	13.3	122	3	4	10	16	25	35	79
A. NOT OPERATED	2219	12.6	101	3	4	10	15	23	31	67
B. OPERATED	405	16.9	217	3	5	13	21	36	62	99+
TOTAL 0-19 YRS	13	9.9	27	2	4	10	12	18	20	21
20-34	20	13.0	112	3	4	9	16	33	35	35
35-49	88	12.8	139	3	4	9	16	25	43	89
50-64	441	14.4	176	3	4	10	18	31	46	95
65+	2062	13.0	110	3	5	10	16	24	33	78
GRAND TOTAL	**2624**	**13.3**	**122**	**3**	**4**	**10**	**16**	**25**	**35**	**79**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.6	6	<1	1	2	6	7	7	7
35-49	57	3.7	6	1	2	3	5	7	8	13
50-64	174	3.2	6	1	1	3	4	6	8	13
65+	466	3.7	5	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	17	5.9	66	<1	1	3	5	20	28	30
50-64	83	3.4	6	1	1	3	5	6	8	14
65+	75	3.8	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.8	31	1	1	2	7	11	19	21
20-34	41	4.2	6	1	1	4	6	7	9	12
35-49	200	3.8	5	1	1	3	5	7	8	11
50-64	1165	4.5	8	1	2	4	6	8	10	14
65+	5679	5.2	16	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	13	6.2	33	2	2	5	7	12	22	24
35-49	105	5.8	24	1	2	5	7	10	12	29
50-64	421	5.6	21	1	2	4	7	10	13	24
65+	1016	7.3	36	2	2	6	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	709	3.6	6	1	1	3	4	6	8	13
B. *Operated*	180	3.8	12	1	1	3	5	7	8	22
2. MULTIPLE DX										
A. *Not Operated*	7098	5.0	14	2	2	4	6	9	11	18
B. *Operated*	1557	6.7	32	2	2	5	8	12	16	33
1. SINGLE DX	889	3.6	7	1	1	3	5	6	8	14
2. MULTIPLE DX	8655	5.3	18	2	2	4	7	10	12	21
A. NOT OPERATED	7807	4.9	14	1	2	4	6	9	11	18
B. OPERATED	1737	6.4	31	2	2	5	8	12	16	31
TOTAL 0-19 YRS	17	4.6	25	1	1	2	6	9	17	21
20-34	69	4.4	11	1	1	4	6	8	9	22
35-49	379	4.4	14	1	2	3	6	8	10	19
50-64	1843	4.6	11	1	2	4	6	8	11	16
65+	7236	5.4	19	2	2	4	7	10	13	21
GRAND TOTAL	**9544**	**5.2**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.8	4	<1	<1	2	5	5	5	5
35-49	22	4.0	7	<1	1	3	5	8	9	10
50-64	84	6.5	34	1	2	5	7	14	18	31
65+	270	7.6	36	2	3	6	10	14	17	26
B. *Operated*										
0-19 YRS										
20-34	4	7.8	53	1	1	6	13	17	17	17
35-49	7	7.3	47	2	2	6	8	19	22	22
50-64	16	5.4	11	1	2	5	8	11	12	12
65+	13	9.5	227	2	2	4	8	24	52	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.5	19	1	2	4	6	12	17	19
20-34	27	7.1	22	1	1	7	9	11	18	21
35-49	132	7.7	74	1	2	5	9	14	21	58
50-64	659	8.1	47	2	2	6	10	15	21	37
65+	3240	9.8	71	3	3	8	12	18	24	48
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	6	21.0	402	2	3	16	24	55	59	59
35-49	34	8.8	88	2	2	7	10	18	28	47
50-64	118	10.2	86	2	3	8	11	21	36	69
65+	383	15.6	221	3	4	11	19	31	44	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	7.0	34	1	2	5	9	13	17	29
B. *Operated*	40	7.3	89	1	2	5	8	14	19	58
2. MULTIPLE DX										
A. *Not Operated*	4076	9.4	67	2	3	7	11	17	23	48
B. *Operated*	542	14.0	191	3	4	10	16	30	41	95
1. SINGLE DX	423	7.0	39	1	2	5	9	13	17	30
2. MULTIPLE DX	4618	10.0	84	2	3	8	12	19	26	55
A. NOT OPERATED	4459	9.2	65	2	3	7	11	17	23	47
B. OPERATED	582	13.6	186	2	3	9	16	28	41	93
TOTAL 0-19 YRS	21	5.2	18	1	1	4	6	11	16	19
20-34	42	8.6	95	<1	1	7	9	17	22	59
35-49	195	7.5	69	1	2	5	9	14	21	51
50-64	877	8.1	51	2	2	6	10	15	22	43
65+	3906	10.2	87	3	3	8	12	19	26	56
GRAND TOTAL	**5041**	**9.7**	**81**	**2**	**3**	**7**	**12**	**18**	**25**	**55**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.3	89	2	2	6	14	25	26	26
20-34	6	10.5	23	5	5	10	15	17	17	17
35-49	52	12.1	118	2	3	9	16	25	30	54
50-64	227	10.7	80	2	3	8	13	21	30	52
65+	1098	11.9	95	3	4	9	15	22	31	65
B. *Operated*										
0-19 YRS										
20-34	3	14.7	16	11	11	14	18	19	19	19
35-49	11	9.2	34	3	4	7	16	44	92	99+
50-64	54	20.1	375	2	5	12	32	48	75	99
65+	126	17.4	285	4	5	13	19	36	64	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1389	11.7	93	3	4	9	14	22	30	61
B. *Operated*	194	17.7	296	3	5	12	20	44	68	99+
1. SINGLE DX										
2. MULTIPLE DX	1583	12.4	122	3	4	9	15	24	35	78
A. NOT OPERATED	1389	11.7	93	3	4	9	14	22	30	61
B. OPERATED	194	17.7	296	3	5	12	20	44	68	99+
TOTAL 0-19 YRS	6	9.3	89	2	2	6	14	25	26	26
20-34	9	11.9	23	5	5	11	15	18	19	19
35-49	63	11.6	104	2	3	8	16	25	35	94
50-64	281	12.5	150	2	3	9	15	28	43	80
65+	1224	12.5	117	3	4	10	15	23	33	76
GRAND TOTAL	**1583**	**12.4**	**122**	**3**	**4**	**9**	**15**	**24**	**35**	**78**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	3.3	4	<1	1	3	4	6	8	8
35-49	59	3.4	6	1	1	3	4	7	8	12
50-64	55	3.8	5	1	1	3	5	7	7	11
65+	81	4.7	15	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	7	5.0	17	1	1	3	8	11	12	12
35-49	27	4.5	10	<1	1	5	8	9	9	9
50-64	36	8.3	52	1	2	7	11	19	21	35
65+	20	3.2	4	1	1	2	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.2	3	2	2	4	5	7	8	8
20-34	54	4.3	6	1	2	4	5	8	10	13
35-49	186	5.2	27	2	2	4	6	10	13	45
50-64	425	5.4	27	2	2	4	7	10	13	23
65+	1189	6.8	38	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	12	14.9	329	2	2	10	18	39	62	66
20-34	23	8.8	37	2	3	7	12	16	22	27
35-49	61	11.1	98	2	3	8	13	25	35	95
50-64	178	9.6	105	2	2	6	11	23	37	52
65+	230	7.8	63	1	2	5	11	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	4.0	9	1	1	3	5	7	9	17
B. *Operated*	94	5.6	30	1	1	4	8	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	1866	6.2	34	2	2	5	7	11	15	27
B. *Operated*	504	9.0	88	2	2	6	11	19	28	55
1. SINGLE DX	300	4.5	16	1	1	3	6	9	12	20
2. MULTIPLE DX	2370	6.8	47	2	2	5	8	13	18	40
A. NOT OPERATED	2072	6.0	32	2	2	5	7	11	15	25
B. OPERATED	598	8.5	81	1	2	6	11	18	27	51
TOTAL 0-19 YRS	30	8.0	160	1	1	4	7	18	27	66
20-34	93	5.3	18	1	2	4	7	10	13	24
35-49	333	5.9	41	1	2	4	7	11	16	58
50-64	694	6.5	51	2	2	5	8	12	19	45
65+	1520	6.7	41	2	2	5	8	13	17	31
GRAND TOTAL	**2670**	**6.5**	**44**	**1**	**2**	**5**	**8**	**13**	**17**	**37**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	5	1.0		1	1	1	1	1	1	1
65+	5	3.4	11	1	1	2	5	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	22	5.2	19	1	1	4	8	12	14	16
50-64	72	4.8	16	1	1	3	8	10	11	20
65+	75	5.1	17	1	1	4	7	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	11	3.7	9	<1	<1	2	6	8	10	10
50-64	45	3.7	11	1	1	2	4	10	12	13
65+	131	6.5	28	1	2	5	8	12	19	31
B. *Operated*										
0-19 YRS	19	7.1	35	1	1	7	10	15	20	23
20-34	10	7.1	24	1	1	8	11	13	15	15
35-49	118	8.0	46	1	2	7	11	16	23	56
50-64	626	9.5	70	1	2	8	12	19	25	38
65+	1496	11.9	112	2	2	9	15	23	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.5	6	1	1	1	4	6	8	9
B. *Operated*	173	4.9	17	1	1	3	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	191	5.5	24	1	1	4	7	11	14	27
B. *Operated*	2269	11.0	98	2	2	9	14	22	30	52
1. SINGLE DX	186	4.8	16	1	1	3	8	10	12	18
2. MULTIPLE DX	2460	10.6	94	1	2	8	14	21	29	52
A. NOT OPERATED	204	5.4	24	1	1	4	7	10	13	26
B. OPERATED	2442	10.6	94	1	2	9	14	21	29	52
TOTAL 0-19 YRS	22	6.2	34	<1	1	5	10	13	19	23
20-34	15	5.8	23	1	1	4	10	11	14	15
35-49	154	7.2	40	1	1	6	10	14	22	36
50-64	748	8.7	64	1	2	7	11	18	23	37
65+	1707	11.2	105	2	2	9	14	22	30	53
GRAND TOTAL	**2646**	**10.2**	**91**	**1**	**2**	**8**	**13**	**20**	**28**	**50**

165: Aortic aneurysm (441)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7		1	1	2	2	2	2	2
65+	4	2.3	4	<1	<1	1	3	5	5	5
B. *Operated*										
0-19 YRS										
20-34	4	9.0	9	5	5	9	11	12	12	12
35-49	3	8.3		8	8	8	9	9	9	9
50-64	61	9.9	14	5	6	9	12	15	16	22
65+	114	9.0	18	1	2	9	11	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	31	4.4	26	1	1	3	5	8	14	27
65+	168	5.7	41	1	1	4	7	12	16	20
B. *Operated*										
0-19 YRS	3	23.3	401	8	8	16	38	46	46	46
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	27	9.9	81	1	1	9	15	21	26	39
50-64	363	12.6	93	2	6	11	15	20	26	65
65+	1162	14.3	109	3	7	12	16	25	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*	182	9.3	16	2	3	9	12	14	17	20
2. MULTIPLE DX										
A. *Not Operated*	203	5.5	38	1	1	4	7	12	16	23
B. *Operated*	1557	13.9	106	2	6	11	16	23	33	63
1. SINGLE DX	190	9.0	18	1	2	9	11	14	17	20
2. MULTIPLE DX	1760	12.9	105	2	3	11	15	22	31	62
A. NOT OPERATED	211	5.4	37	1	1	4	7	11	16	23
B. OPERATED	1739	13.4	98	2	6	11	15	22	31	61
TOTAL 0-19 YRS	3	23.3	401	8	8	16	38	46	46	46
20-34	9	7.4	13	2	3	7	10	12	12	12
35-49	32	9.2	72	1	1	8	13	20	24	39
50-64	458	11.6	83	2	3	10	14	19	25	60
65+	1448	12.9	103	2	3	11	15	22	32	61
GRAND TOTAL	**1950**	**12.5**	**98**	**2**	**3**	**11**	**15**	**21**	**30**	**60**

166: Aneurysm except aortic (442)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	9	10.7	264	1	1	4	10	38	52	52
35-49	15	8.3	153	2	2	5	8	11	42	52
50-64	26	7.3	31	1	2	6	9	13	18	27
65+	34	7.2	15	2	3	7	9	11	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	5	4.0	4	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	3	6.0	13	2	2	7	8	9	9	9
20-34	8	7.8	36	2	2	7	10	17	20	20
35-49	33	11.3	127	2	3	8	13	28	32	55
50-64	96	12.1	137	2	3	9	15	22	40	64
65+	176	11.7	84	2	4	10	15	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*	87	7.7	66	2	2	6	9	13	17	52
2. MULTIPLE DX										
A. *Not Operated*	8	4.4	3	2	2	4	6	7	7	7
B. *Operated*	316	11.6	103	2	3	9	15	21	29	63
1. SINGLE DX	91	7.5	64	1	2	6	9	12	17	52
2. MULTIPLE DX	324	11.5	101	2	3	9	14	21	29	63
A. NOT OPERATED	12	3.8	3	1	2	3	5	7	7	7
B. OPERATED	403	10.8	97	2	3	8	13	20	28	59
TOTAL 0-19 YRS	6	5.5	11	2	2	5	9	9	9	9
20-34	18	9.1	142	1	2	5	10	19	39	52
35-49	48	10.4	134	2	3	6	11	26	35	55
50-64	126	10.9	116	2	2	8	12	21	31	64
65+	217	10.7	75	2	3	9	14	19	24	44
GRAND TOTAL	**415**	**10.6**	**96**	**2**	**3**	**8**	**12**	**20**	**28**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	7.3	12	2	3	8	10	11	11	11
35-49	9	6.7	18	1	1	6	10	13	13	13
50-64	12	3.7	10	<1	<1	3	6	8	10	10
65+	19	5.6	10	1	1	6	8	10	11	11
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	16	9.3	94	1	2	6	11	18	34	41
35-49	64	6.2	23	1	2	6	8	10	12	31
50-64	156	6.2	25	1	1	6	9	12	13	25
65+	145	6.8	28	1	2	6	9	12	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	10	7.8	22	1	2	7	10	15	15	15
35-49	24	6.0	16	<1	1	5	9	12	13	14
50-64	63	5.8	13	1	1	6	8	11	13	14
65+	177	7.0	30	1	1	6	9	13	19	27
B. *Operated*										
0-19 YRS	12	11.0	76	2	3	9	13	23	32	34
20-34	28	8.5	31	1	1	8	12	14	20	22
35-49	209	9.5	66	1	2	8	11	17	23	38
50-64	838	9.9	70	1	2	8	12	19	25	41
65+	1699	11.4	78	2	3	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.6	12	1	1	6	8	11	11	13
B. *Operated*	383	6.6	28	1	1	6	9	12	14	31
2. MULTIPLE DX										
A. *Not Operated*	276	6.7	25	1	1	6	9	12	15	25
B. *Operated*	2786	10.8	75	2	2	9	13	20	26	43
1. SINGLE DX	431	6.5	27	1	1	6	9	12	14	28
2. MULTIPLE DX	3062	10.4	72	2	2	9	13	19	26	41
A. NOT OPERATED	324	6.5	23	1	1	6	9	12	14	24
B. OPERATED	3169	10.2	71	2	2	9	12	19	26	41
TOTAL 0-19 YRS	17	8.9	65	1	2	7	10	18	29	34
20-34	61	8.4	42	1	2	7	11	15	19	39
35-49	306	8.5	54	1	2	8	10	14	21	37
50-64	1069	9.0	62	1	2	8	11	17	23	40
65+	2040	10.6	73	2	2	9	13	19	26	42
GRAND TOTAL	**3493**	**9.9**	**68**	**1**	**2**	**8**	**12**	**18**	**25**	**41**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	5.4	12	2	2	4	6	11	14	16
20-34	14	2.8	9	<1	<1	2	4	5	10	12
35-49	11	1.6	1	1	1	1	2	3	4	4
50-64	22	3.2	8	<1	1	2	5	8	10	11
65+	20	5.5	39	1	1	4	6	15	23	24
B. *Operated*										
0-19 YRS	14	5.0	15	1	1	4	7	10	15	16
20-34	28	5.0	21	1	1	3	7	10	16	20
35-49	71	3.7	11	1	1	2	5	8	10	17
50-64	117	4.8	33	1	1	3	6	11	14	32
65+	125	5.4	21	1	1	4	8	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	6.2	18	1	2	5	9	13	14	18
20-34	31	4.7	11	1	2	3	6	9	11	15
35-49	52	6.7	84	1	1	4	7	13	18	62
50-64	146	5.4	32	1	1	4	7	10	13	36
65+	319	6.6	24	2	2	5	8	13	17	26
B. *Operated*										
0-19 YRS	34	10.4	109	1	2	7	14	23	37	45
20-34	46	10.2	82	2	2	7	12	23	33	36
35-49	208	7.4	65	1	2	5	10	15	19	61
50-64	503	9.7	105	1	2	7	12	21	29	51
65+	1070	10.4	114	1	2	8	13	21	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	4.4	15	1	1	3	6	9	13	22
B. *Operated*	355	4.8	23	1	1	3	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	612	6.2	30	1	2	5	8	12	16	26
B. *Operated*	1861	9.9	106	1	2	7	12	21	29	58
1. SINGLE DX	487	4.7	21	1	1	3	6	10	14	20
2. MULTIPLE DX	2473	9.0	90	1	2	6	11	18	26	51
A. NOT OPERATED	744	5.9	28	1	2	5	7	11	15	26
B. OPERATED	2216	9.1	96	1	2	6	11	19	27	54
TOTAL 0-19 YRS	177	6.6	36	1	2	5	9	14	15	36
20-34	119	6.7	48	<1	1	4	9	15	21	35
35-49	342	6.3	57	1	1	4	8	13	17	56
50-64	788	8.0	83	1	1	5	10	17	25	46
65+	1534	9.2	91	1	2	7	11	19	25	52
GRAND TOTAL	**2960**	**8.3**	**81**	**1**	**2**	**6**	**10**	**17**	**24**	**46**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	7.9	29	1	2	8	10	14	20	24
20-34	171	5.7	8	1	2	5	7	9	11	15
35-49	251	6.9	13	2	3	6	9	11	14	21
50-64	235	6.8	11	2	3	6	9	11	13	21
65+	245	6.9	10	2	3	7	9	11	14	17
B. *Operated*										
0-19 YRS	13	4.6	9	1	1	4	7	9	9	9
20-34	61	5.7	20	1	2	5	8	10	12	26
35-49	92	6.5	15	2	2	6	9	11	13	21
50-64	75	7.4	26	1	2	7	9	13	16	30
65+	77	7.0	15	1	2	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.2	36	1	1	6	10	17	19	20
20-34	201	7.0	15	1	2	6	9	12	14	20
35-49	464	7.7	30	2	3	7	10	13	16	22
50-64	688	8.3	24	3	4	8	10	13	16	25
65+	1313	8.4	17	3	4	8	10	13	15	25
B. *Operated*										
0-19 YRS	5	9.2	19	4	4	8	13	15	15	15
20-34	74	7.0	22	1	2	6	10	14	18	21
35-49	198	7.9	36	2	2	7	10	14	18	36
50-64	315	9.3	40	2	3	8	12	15	19	33
65+	562	9.9	50	3	4	8	11	17	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	923	6.7	11	2	3	6	9	11	13	18
B. *Operated*	318	6.6	18	1	2	6	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	2679	8.1	21	3	4	7	10	13	16	24
B. *Operated*	1154	9.2	44	2	3	8	11	16	20	33
1. SINGLE DX	1241	6.7	13	2	3	6	9	11	13	18
2. MULTIPLE DX	3833	8.4	28	2	3	8	10	14	17	26
A. NOT OPERATED	3602	7.8	19	2	3	7	10	12	15	22
B. OPERATED	1472	8.6	39	2	3	8	11	15	19	31
TOTAL 0-19 YRS	52	7.0	26	1	1	6	9	14	16	24
20-34	507	6.4	15	1	2	6	8	11	13	19
35-49	1005	7.4	26	2	3	7	9	13	15	23
50-64	1313	8.2	26	2	3	7	10	13	17	26
65+	2197	8.5	26	3	4	8	10	14	17	26
GRAND TOTAL	**5074**	**8.0**	**25**	**2**	**3**	**7**	**10**	**13**	**16**	**25**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.3	11	1	1	6	7	10	10	10
35-49	14	11.1	145	1	2	9	12	25	43	48
50-64	16	6.3	35	1	2	5	7	11	21	26
65+	15	9.3	34	3	4	7	12	19	21	22
B. *Operated*										
0-19 YRS	12	2.9	3	<1	<1	3	4	6	7	7
20-34	194	3.2	11	1	1	2	4	5	7	20
35-49	338	3.4	10	1	1	3	4	6	9	20
50-64	226	4.8	49	1	1	3	5	8	12	34
65+	104	6.8	41	1	1	5	9	13	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	11.6	219	<1	<1	5	17	42	43	43
35-49	40	7.7	33	1	2	7	9	14	17	32
50-64	84	7.7	21	2	3	7	10	14	17	25
65+	268	10.0	50	3	3	8	13	18	22	44
B. *Operated*										
0-19 YRS	3	8.0	43	1	1	9	13	14	14	14
20-34	66	6.9	69	1	1	4	8	21	25	40
35-49	170	6.2	62	1	2	4	6	14	22	42
50-64	219	8.6	74	2	2	5	11	19	25	51
65+	319	13.8	134	2	3	11	19	28	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	8.4	64	1	2	7	10	18	23	48
B. *Operated*	874	4.1	26	1	1	3	4	7	12	26
2. MULTIPLE DX										
A. *Not Operated*	405	9.4	48	2	3	8	12	16	22	42
B. *Operated*	777	10.0	106	1	2	6	14	23	31	50
1. SINGLE DX	925	4.3	29	1	1	3	5	8	12	26
2. MULTIPLE DX	1182	9.8	86	2	2	7	13	22	27	49
A. NOT OPERATED	456	9.3	50	2	3	8	11	16	22	43
B. OPERATED	1651	6.9	72	1	1	4	8	17	24	42
TOTAL 0-19 YRS	15	3.9	13	<1	<1	3	5	9	13	14
20-34	279	4.5	38	1	1	3	4	8	19	39
35-49	562	4.7	34	1	1	3	5	9	15	34
50-64	545	6.8	58	1	2	4	8	15	21	36
65+	706	11.2	92	2	3	9	15	23	29	49
GRAND TOTAL	**2107**	**7.4**	**68**	**1**	**2**	**4**	**9**	**17**	**23**	**42**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	<1	<1	3	5	6	6	6
20-34	27	2.2	1	1	1	2	3	3	4	4
35-49	42	2.3	2	<1	<1	2	3	4	5	6
50-64	24	2.2	3	<1	1	2	3	4	6	8
65+	12	2.1	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-19 YRS	20	2.4	1	<1	<1	2	3	4	5	5
20-34	241	3.4	3	1	2	3	4	6	7	8
35-49	343	3.2	2	1	2	3	4	5	6	7
50-64	172	3.6	3	1	2	3	5	6	7	10
65+	40	4.0	5	1	1	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	10.3	185	4	4	5	7	35	38	38
20-34	68	2.9	4	<1	1	2	3	6	7	10
35-49	148	3.4	7	1	1	3	4	6	9	15
50-64	139	3.5	8	<1	1	3	5	7	8	15
65+	170	4.4	14	1	2	4	5	8	11	25
B. *Operated*										
0-19 YRS	31	4.2	8	1	2	4	5	7	10	15
20-34	957	3.8	3	1	2	4	5	6	7	10
35-49	1787	4.1	5	1	2	4	5	7	8	11
50-64	1251	4.3	6	1	2	4	5	7	9	13
65+	740	5.0	10	1	2	4	6	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.3	2	<1	<1	2	3	4	5	7
B. *Operated*	816	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	531	3.8	11	1	1	3	5	7	9	16
B. *Operated*	4766	4.2	6	1	2	4	5	7	8	13
1. SINGLE DX	925	3.2	3	1	1	3	4	5	6	8
2. MULTIPLE DX	5297	4.2	7	1	2	4	5	7	8	13
A. NOT OPERATED	640	3.5	10	<1	1	3	4	7	9	15
B. OPERATED	5582	4.1	6	1	2	4	5	7	8	13
TOTAL 0-19 YRS	61	4.2	25	<1	1	3	4	6	9	35
20-34	1293	3.7	3	1	2	3	5	6	7	9
35-49	2320	3.9	5	1	2	4	5	6	8	11
50-64	1586	4.1	6	1	2	4	5	7	8	13
65+	962	4.8	10	1	2	4	6	8	11	17
GRAND TOTAL	**6222**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.3	13	1	1	5	8	11	12	15
20-34	88	6.0	12	<1	1	6	8	10	11	16
35-49	100	7.0	15	2	3	6	9	11	15	21
50-64	119	6.5	11	2	2	7	8	10	13	16
65+	133	6.4	11	1	2	6	8	10	12	19
B. *Operated*										
0-19 YRS	50	3.7	32	<1	<1	2	4	8	18	30
20-34	127	4.7	28	1	1	2	7	11	14	26
35-49	93	5.8	32	1	1	5	7	11	15	34
50-64	74	6.4	17	1	2	6	9	11	12	22
65+	85	7.4	16	1	1	7	11	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.6	15	1	1	4	6	8	10	22
20-34	171	5.7	15	1	1	5	8	10	13	17
35-49	382	6.2	15	1	2	5	9	12	13	18
50-64	754	6.5	21	1	2	5	9	12	15	25
65+	1823	7.2	31	2	2	6	9	13	16	31
B. *Operated*										
0-19 YRS	49	6.4	59	1	1	4	9	15	19	45
20-34	181	6.6	40	1	1	5	9	13	17	36
35-49	250	8.0	44	1	1	7	11	15	20	36
50-64	422	9.9	62	2	2	8	12	17	24	41
65+	772	10.2	55	2	3	9	12	19	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	467	6.4	13	1	2	6	8	10	12	19
B. *Operated*	429	5.7	26	1	1	4	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	3177	6.8	26	2	2	6	9	12	15	26
B. *Operated*	1674	9.3	55	1	2	8	12	17	23	38
1. SINGLE DX	896	6.0	19	1	1	6	8	11	13	22
2. MULTIPLE DX	4851	7.7	37	1	2	7	10	14	18	32
A. NOT OPERATED	3644	6.7	24	2	2	6	9	12	15	25
B. OPERATED	2103	8.6	51	1	2	7	11	16	22	36
TOTAL 0-19 YRS	173	4.9	33	1	1	3	6	10	16	28
20-34	567	5.8	26	1	1	5	8	11	14	25
35-49	825	6.8	26	1	2	6	9	12	15	26
50-64	1369	7.5	35	1	2	7	10	14	17	31
65+	2813	8.0	38	2	2	7	10	14	19	32
GRAND TOTAL	**5747**	**7.4**	**35**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1259	2.5	3	1	1	2	3	4	5	8
20-34	265	2.9	2	1	1	3	4	5	6	7
35-49	124	3.3	4	1	1	3	4	6	7	10
50-64	48	4.0	5	1	2	3	5	8	10	10
65+	22	3.6	5	<1	1	3	4	7	8	9
B. *Operated*										
0-19 YRS	248	1.5	1	1	1	1	2	2	3	7
20-34	100	2.0	5	1	1	1	2	4	7	13
35-49	18	4.4	45	1	1	2	5	7	21	30
50-64	13	4.7	11	1	1	5	7	9	11	11
65+	6	2.2	4	<1	<1	1	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3042	3.1	4	1	1	3	4	5	7	11
20-34	710	3.4	4	1	2	3	4	5	7	11
35-49	487	4.2	6	2	2	4	5	7	9	13
50-64	420	5.3	12	2	2	5	7	9	11	18
65+	526	5.9	16	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	339	3.1	34	1	1	1	2	7	10	34
20-34	156	4.0	12	1	1	3	6	8	10	17
35-49	98	5.0	32	1	1	3	7	9	13	34
50-64	77	5.5	15	1	2	5	7	12	14	16
65+	86	8.1	39	1	2	6	11	19	24	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1718	2.7	3	1	1	2	3	5	6	9
B. *Operated*	385	1.8	5	1	1	1	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*	5185	3.7	7	1	1	3	4	7	8	13
B. *Operated*	756	4.4	30	1	1	2	6	10	14	33
1. SINGLE DX	2103	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5941	3.8	10	1	1	3	5	7	9	15
A. NOT OPERATED	6903	3.5	6	1	1	3	4	6	8	13
B. OPERATED	1141	3.5	23	1	1	2	4	8	12	25
TOTAL 0-19 YRS	4888	2.9	6	1	1	2	4	5	6	11
20-34	1231	3.3	5	1	1	3	4	6	7	12
35-49	727	4.2	10	1	2	3	5	7	9	14
50-64	558	5.2	12	1	2	4	7	10	12	17
65+	640	6.1	19	2	2	5	7	11	14	25
GRAND TOTAL	**8044**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1799	3.3	3	1	1	3	4	5	6	8
20-34	142	3.4	2	2	2	3	4	6	6	7
35-49	194	4.2	6	1	2	4	5	7	8	13
50-64	179	4.5	6	2	2	4	5	7	9	14
65+	178	5.1	6	2	2	5	6	8	10	14
B. *Operated*										
0-19 YRS	8	7.1	26	2	2	5	10	15	16	16
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	5	8.2	7	5	5	7	11	11	11	11
65+	7	6.3	4	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2647	3.9	7	1	2	3	5	7	8	12
20-34	518	4.4	7	2	2	4	5	8	9	15
35-49	1056	5.2	11	2	2	4	6	9	12	18
50-64	2802	6.6	18	2	3	6	8	11	14	23
65+	6092	7.2	20	3	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	30	8.7	64	2	2	6	12	18	24	38
20-34	28	8.1	34	2	2	6	12	16	19	24
35-49	88	8.4	32	2	3	7	10	18	20	25
50-64	218	9.7	75	2	3	7	12	18	25	59
65+	470	11.4	89	3	4	9	13	22	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2492	3.6	4	1	2	3	4	6	7	11
B. *Operated*	25	6.3	14	1	1	6	8	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	13115	6.1	17	2	2	5	8	11	14	22
B. *Operated*	834	10.4	78	2	3	8	13	20	27	48
1. SINGLE DX	2517	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	13949	6.4	22	2	2	5	8	11	14	25
A. NOT OPERATED	15607	5.7	16	2	2	5	7	10	13	21
B. OPERATED	859	10.3	77	2	3	8	12	20	27	48
TOTAL 0-19 YRS	4484	3.7	6	1	2	3	4	6	8	11
20-34	690	4.4	8	2	2	4	5	7	9	16
35-49	1341	5.3	13	2	2	4	6	9	12	20
50-64	3204	6.7	22	2	3	6	8	12	15	25
65+	6747	7.4	26	3	3	6	9	13	16	29
GRAND TOTAL	**16466**	**6.0**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**23**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	102	1.6	1	1	1	1	2	3	3	51
20-34	232	1.4	1	1	1	1	2	2	3	4
35-49	167	1.5	1	1	1	1	2	3	3	4
50-64	89	1.6	1	1	1	1	2	3	3	5
65+	18	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	7	1.7	1	1	1	1	3	3	3	3
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	306	1.7	1	1	1	1	2	3	4	5
20-34	834	1.7	1	1	1	1	2	3	4	5
35-49	639	1.9	2	1	1	2	2	3	5	7
50-64	329	2.1	2	1	1	2	3	4	4	6
65+	102	2.1	2	1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	13	<1	<1	1	2	9	10	10
B. *Operated*	608	1.5	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	17	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	2210	1.9	1	1	1	1	2	3	4	6
1. SINGLE DX	614	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX	2227	1.8	1	1	1	1	2	3	4	6
A. NOT OPERATED	23	1.8	4	<1	<1	1	2	3	6	10
B. OPERATED	2818	1.8	1	1	1	1	2	3	4	6
TOTAL 0-19 YRS	412	1.7	1	1	1	1	2	3	3	6
20-34	1071	1.7	1	1	1	1	2	3	4	5
35-49	814	1.9	1	1	1	1	2	3	4	7
50-64	422	2.0	2	1	1	2	3	3	4	6
65+	122	2.1	2	1	1	2	3	3	4	9
GRAND TOTAL	**2841**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	11	1.7	1	1	1	1	2	4	4	4
20-34	16	1.8	1	1	1	2	3	3	3	3
35-49	20	1.4		<1	1	1	2	2	3	3
50-64	24	1.6	1	<1	1	1	2	3	3	4
65+	11	2.0	1	<1	<1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	4	3.0	5	<1	<1	2	4	6	6	6
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	47	2.5	4	1	1	2	3	5	7	8
20-34	79	2.1	3	1	1	2	2	4	5	11
35-49	83	2.4	2	1	1	2	3	4	5	8
50-64	78	2.3	5	1	1	2	3	4	5	15
65+	62	2.7	3	1	1	2	4	6	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	82	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	11	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*	349	2.4	3	1	1	2	3	4	6	9
1. SINGLE DX	83	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	360	2.4	3	1	1	2	3	4	6	9
A. NOT OPERATED	12	2.3	2	<1	<1	2	3	5	6	6
B. OPERATED	431	2.2	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	60	2.4	3	1	1	2	3	5	6	8
20-34	97	2.1	2	1	1	2	2	3	5	10
35-49	107	2.2	2	1	1	2	3	4	5	8
50-64	105	2.2	4	1	1	2	3	4	4	13
65+	74	2.6	3	<1	1	2	3	5	6	7
GRAND TOTAL	**443**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.8	2	<1	<1	1	3	4	4	5
20-34	11	2.1	1	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	5932	1.3	2	1	1	1	2	2	2	3
20-34	1332	1.4	7	1	1	1	2	2	3	4
35-49	211	1.4	1	1	1	1	2	2	2	5
50-64	30	1.7	1	1	1	1	2	3	4	5
65+	7	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	1.7	1	<1	<1	1	2	4	4	5
20-34	22	2.6	3	<1	<1	2	3	5	7	9
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	4259	1.4	2	<1	1	1	2	2	2	6
20-34	398	1.7	2	1	1	1	2	3	4	9
35-49	103	2.3	5	1	1	2	3	4	5	14
50-64	29	2.7	9	<1	1	2	2	6	11	14
65+	9	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.9	1	<1	<1	2	3	3	4	5
B. *Operated*	7512	1.3	3	1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	120	1.9	2	<1	<1	1	3	4	5	7
B. *Operated*	4798	1.5	2	<1	1	1	2	2	3	7
1. SINGLE DX	7550	1.3	3	1	1	1	2	2	2	3
2. MULTIPLE DX	4918	1.5	2	<1	1	1	2	2	3	6
A. NOT OPERATED	158	1.9	2	<1	<1	1	3	4	4	6
B. OPERATED	12310	1.4	2	<1	1	1	2	2	2	4
TOTAL 0-19 YRS	10308	1.4	2	<1	1	1	2	2	2	4
20-34	1763	1.5	6	1	1	1	2	2	3	6
35-49	318	1.7	2	1	1	1	2	3	4	8
50-64	62	2.3	5	<1	1	2	2	5	6	14
65+	17	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**12468**	**1.4**	**2**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	2.9	3	1	1	2	4	5	6	9
20-34	192	2.8	2	1	1	3	4	5	5	7
35-49	103	3.0	4	1	1	3	4	5	7	11
50-64	41	3.0	3	1	1	3	4	5	6	9
65+	19	3.1	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	400	2.2	3	<1	1	2	3	4	5	9
20-34	366	2.1	2	<1	1	2	3	4	5	9
35-49	319	2.0	5	<1	1	1	2	3	5	10
50-64	263	2.0	3	<1	1	2	2	3	5	9
65+	121	2.1	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397	3.4	6	1	1	3	4	6	7	10
20-34	225	3.6	12	1	1	3	4	6	7	22
35-49	176	4.0	7	1	1	3	5	7	8	17
50-64	183	4.6	8	1	2	4	6	8	9	14
65+	128	4.6	9	1	1	4	6	9	10	15
B. *Operated*										
0-19 YRS	483	3.9	37	1	1	2	4	8	13	36
20-34	520	2.9	9	1	1	2	3	5	8	17
35-49	635	2.7	7	1	1	2	3	5	8	13
50-64	579	3.8	29	1	1	2	4	8	12	31
65+	399	4.0	23	1	1	2	4	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	2.9	3	1	1	2	4	5	6	8
B. *Operated*	1469	2.1	3	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1109	3.9	9	1	1	3	5	7	8	15
B. *Operated*	2616	3.4	21	1	1	2	4	7	10	24
1. SINGLE DX	2096	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	3725	3.6	17	1	1	2	4	7	10	21
A. NOT OPERATED	1736	3.5	7	1	1	3	4	6	8	12
B. OPERATED	4085	2.9	15	1	1	2	3	6	9	19
TOTAL 0-19 YRS	1552	3.2	15	1	1	2	4	6	8	19
20-34	1303	2.8	7	1	1	2	3	5	6	14
35-49	1233	2.8	7	1	1	2	3	5	7	13
50-64	1066	3.5	19	1	1	2	4	7	9	23
65+	667	3.7	17	1	1	2	4	8	11	19
GRAND TOTAL	**5821**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4242	3.8	5	1	2	3	5	6	7	10
20-34	968	4.5	6	2	2	4	6	8	9	13
35-49	763	5.0	6	2	2	4	6	8	10	12
50-64	667	5.5	8	2	3	5	7	8	11	15
65+	957	6.3	11	2	3	6	8	10	12	18
B. *Operated*										
0-19 YRS	33	6.8	20	1	2	6	10	13	16	17
20-34	25	8.4	37	1	3	7	12	19	20	22
35-49	46	9.0	28	3	4	8	10	17	19	28
50-64	57	9.1	64	2	3	7	10	14	25	51
65+	70	9.8	30	1	3	9	13	17	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7138	4.6	10	2	2	4	5	8	10	16
20-34	1565	5.9	18	2	2	5	7	10	14	22
35-49	2126	6.2	17	2	3	5	7	10	13	21
50-64	4425	7.5	29	3	3	6	9	13	16	27
65+	15454	9.0	33	3	4	8	11	15	19	31
B. *Operated*										
0-19 YRS	216	13.5	138	2	3	10	18	30	40	64
20-34	166	11.4	101	2	3	9	14	23	29	60
35-49	357	13.1	110	4	4	10	16	27	33	59
50-64	750	13.3	109	4	5	11	15	24	34	64
65+	2077	15.8	152	4	6	12	19	28	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7597	4.5	7	2	2	4	6	8	9	13
B. *Operated*	231	8.9	38	2	3	8	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	30708	7.4	28	2	3	6	9	13	17	28
B. *Operated*	3566	14.6	137	4	5	11	18	27	36	71
1. SINGLE DX	7828	4.6	8	2	2	4	6	8	10	15
2. MULTIPLE DX	34274	8.2	45	2	3	7	10	15	19	35
A. NOT OPERATED	38305	6.8	25	2	3	6	8	12	16	26
B. OPERATED	3797	14.3	133	4	5	11	17	27	35	70
TOTAL 0-19 YRS	11629	4.5	12	2	2	4	5	8	10	17
20-34	2724	5.8	21	2	2	5	7	10	13	23
35-49	3292	6.7	30	2	3	5	8	12	16	29
50-64	5899	8.1	42	3	3	7	10	14	18	35
65+	18558	9.6	50	3	4	8	11	17	22	38
GRAND TOTAL	**42102**	**7.5**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**32**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.0	3	1	1	3	4	5	7	9
20-34	148	3.1	3	1	2	3	4	5	6	10
35-49	140	3.6	3	1	2	3	5	6	7	9
50-64	100	4.2	5	2	2	4	5	7	8	12
65+	99	5.0	6	2	2	5	6	7	10	14
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	374	3.4	4	1	2	3	4	6	7	12
20-34	402	3.3	6	1	2	3	4	6	7	10
35-49	437	4.2	6	2	2	4	5	7	9	12
50-64	530	5.3	10	2	2	5	6	9	12	17
65+	1021	6.5	17	2	3	6	8	11	14	21
B. *Operated*										
0-19 YRS	4	10.8	151	3	3	5	18	29	29	29
20-34	5	11.0	214	3	3	4	14	37	37	37
35-49	12	7.1	19	2	2	6	11	14	14	14
50-64	28	8.3	24	2	3	8	10	15	19	24
65+	52	12.6	94	3	3	10	16	24	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	3.7	4	1	2	3	5	6	7	11
B. *Operated*	4	5.8	18	3	3	4	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2764	5.0	12	2	2	4	6	9	11	17
B. *Operated*	101	10.6	74	2	3	8	13	21	29	45
1. SINGLE DX	641	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	2865	5.2	15	2	2	4	6	9	12	20
A. NOT OPERATED	3401	4.8	11	2	2	4	6	9	11	16
B. OPERATED	105	10.4	73	3	3	8	13	21	29	45
TOTAL 0-19 YRS	529	3.4	5	1	1	3	4	6	7	11
20-34	555	3.4	7	1	2	3	4	5	7	10
35-49	590	4.1	6	2	2	4	5	7	9	13
50-64	659	5.2	10	2	2	5	6	9	12	18
65+	1173	6.7	21	2	3	5	8	12	15	24
GRAND TOTAL	**3506**	**4.9**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.1	3	1	1	3	4	5	6	11
20-34	47	3.5	3	1	2	3	4	6	7	11
35-49	75	4.1	4	2	2	4	5	7	8	11
50-64	118	4.9	7	2	2	4	6	8	10	15
65+	127	6.1	10	2	3	5	8	10	12	15
B. *Operated*										
0-19 YRS	7	1.6		<1	<1	2	2	2	2	2
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49	15	4.9	7	<1	1	5	7	8	9	10
50-64	16	6.6	20	1	3	5	8	14	16	17
65+	17	4.2	8	<1	<1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	507	3.5	4	1	2	3	4	6	7	10
20-34	164	4.4	7	2	2	4	5	7	8	13
35-49	303	4.9	9	2	2	4	6	9	11	16
50-64	765	6.4	21	2	3	5	8	11	14	22
65+	1344	7.1	27	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS	16	6.2	35	1	1	4	8	14	20	22
20-34	30	4.8	9	1	2	4	7	9	11	12
35-49	65	7.3	48	1	2	5	9	14	15	42
50-64	146	8.8	82	2	2	7	10	15	24	57
65+	174	10.3	96	2	2	8	13	20	28	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	4.2	7	1	2	4	5	7	9	14
B. *Operated*	61	4.5	11	<1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3083	6.0	20	2	2	5	7	11	14	22
B. *Operated*	431	8.8	78	2	2	7	11	15	24	49
1. SINGLE DX	673	4.2	7	1	2	4	5	8	9	14
2. MULTIPLE DX	3514	6.3	28	2	2	5	8	12	14	26
A. NOT OPERATED	3695	5.7	19	2	2	5	7	10	13	21
B. OPERATED	492	8.2	72	1	2	6	10	15	22	46
TOTAL 0-19 YRS	775	3.4	4	1	1	3	4	6	7	11
20-34	247	4.3	6	2	2	4	5	7	8	13
35-49	458	5.1	15	2	2	4	6	9	12	17
50-64	1045	6.6	29	2	3	5	8	12	15	26
65+	1662	7.3	34	2	3	6	9	13	15	31
GRAND TOTAL	**4187**	**6.0**	**26**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.8	14	2	2	3	6	11	13	13
50-64	30	9.3	57	2	2	6	11	22	23	31
65+	43	6.5	9	2	3	7	8	10	11	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	5.5	9	1	1	7	7	7	7	7
50-64	2	13.0	2	12	12	13	14	14	14	14
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	35	5.8	18	2	2	4	8	12	16	19
50-64	271	7.4	40	3	3	6	8	12	18	29
65+	586	7.6	30	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	9	11.7	56	3	4	8	20	22	22	22
35-49	18	15.5	410	3	3	9	13	36	69	88
50-64	50	14.0	194	3	3	9	18	32	38	68
65+	68	15.7	147	3	5	13	21	30	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	7.3	29	2	2	6	9	14	20	29
B. *Operated*	8	6.4	24	<1	<1	7	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	895	7.5	33	2	3	6	9	13	17	29
B. *Operated*	146	14.8	186	3	4	10	19	30	41	69
1. SINGLE DX	89	7.3	28	2	2	6	9	14	19	28
2. MULTIPLE DX	1041	8.5	60	2	3	6	10	15	23	40
A. NOT OPERATED	976	7.5	32	2	3	6	9	13	17	29
B. OPERATED	154	14.4	181	2	3	10	18	29	40	68
TOTAL 0-19 YRS	2	9.5	61	4	4	9	15	15	15	15
20-34	11	10.9	50	3	4	8	17	22	22	22
35-49	65	8.3	140	2	2	5	9	13	21	81
50-64	353	8.5	68	2	3	6	9	16	23	38
65+	699	8.3	46	2	3	7	10	15	22	35
GRAND TOTAL	**1130**	**8.4**	**58**	**2**	**3**	**6**	**10**	**15**	**22**	**38**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4490	2.9	2	1	1	3	4	5	6	8
20-34	896	3.5	4	1	1	3	4	6	7	9
35-49	861	4.2	6	1	2	4	5	7	9	12
50-64	661	4.6	7	1	2	4	6	8	10	13
65+	436	5.2	11	1	2	4	7	9	12	17
B. *Operated*										
0-19 YRS	21	3.7	4	1	1	4	5	6	7	9
20-34	6	4.7	5	2	2	5	7	7	7	7
35-49	13	4.5	5	1	2	5	6	8	8	8
50-64	9	6.8	18	3	3	6	9	13	15	15
65+	6	6.8	10	2	2	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3618	3.5	5	1	2	3	4	6	7	10
20-34	1128	4.4	8	1	2	4	6	7	9	14
35-49	1653	5.1	10	2	2	4	6	9	11	15
50-64	2651	6.2	17	2	2	5	8	11	14	21
65+	3502	7.0	22	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	51	7.3	21	1	2	7	10	15	17	18
20-34	46	8.2	29	2	3	7	12	17	20	21
35-49	90	10.3	102	3	3	8	14	19	36	99+
50-64	155	10.8	58	3	4	9	13	21	26	43
65+	188	13.0	121	2	4	10	15	26	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7344	3.4	4	1	1	3	4	6	7	11
B. *Operated*	55	4.9	8	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	12552	5.3	15	2	2	4	7	10	12	20
B. *Operated*	530	10.9	85	2	3	9	14	21	29	61
1. SINGLE DX	7399	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX	13082	5.6	19	2	2	4	7	10	13	22
A. NOT OPERATED	19896	4.6	12	1	2	4	6	8	11	18
B. OPERATED	585	10.3	80	2	3	8	13	20	27	58
TOTAL 0-19 YRS	8180	3.2	4	1	1	3	4	5	6	9
20-34	2076	4.1	7	1	2	3	5	7	9	14
35-49	2617	5.0	13	2	2	4	6	9	11	16
50-64	3476	6.1	18	2	2	5	8	11	14	22
65+	4132	7.1	27	2	3	6	8	12	16	28
GRAND TOTAL	**20481**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	3	2	2	4	4	7	9	9
20-34	7	2.6	3	1	1	2	3	5	6	6
35-49	70	4.9	7	1	2	5	6	8	8	15
50-64	282	5.4	14	2	2	5	7	9	11	20
65+	383	5.9	13	2	2	5	7	11	13	18
B. *Operated*										
0-19 YRS	8	4.9	20	1	1	4	5	12	15	15
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	4.3	11	2	2	3	4	10	11	11
50-64	23	7.4	30	1	2	6	9	17	19	21
65+	14	5.6	14	<1	1	5	9	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	8.2	74	2	2	6	11	13	19	47
20-34	57	6.4	17	1	2	6	8	11	14	23
35-49	286	6.1	29	2	2	5	7	10	13	25
50-64	2016	7.2	36	2	3	6	9	13	16	32
65+	3786	7.7	29	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	8	11.5	40	4	4	10	18	20	20	20
20-34	11	10.3	92	1	2	7	14	24	35	36
35-49	51	10.2	182	1	2	7	13	20	28	89
50-64	242	11.9	132	3	3	9	14	22	38	90
65+	420	13.2	160	3	4	10	15	26	43	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	753	5.6	13	2	2	5	7	10	12	18
B. *Operated*	53	6.0	22	1	2	5	7	13	17	21
2. MULTIPLE DX										
A. *Not Operated*	6173	7.4	32	2	3	6	9	13	17	29
B. *Operated*	732	12.5	150	2	3	9	15	24	38	88
1. SINGLE DX	806	5.6	13	2	2	5	7	10	12	18
2. MULTIPLE DX	6905	8.0	47	2	3	6	10	14	19	37
A. NOT OPERATED	6926	7.2	30	2	3	6	9	13	16	29
B. OPERATED	785	12.1	144	2	3	9	14	23	36	83
TOTAL 0-19 YRS	55	7.4	52	2	2	5	10	15	18	46
20-34	77	6.5	29	1	2	6	8	12	15	33
35-49	413	6.4	46	2	2	5	7	11	15	29
50-64	2563	7.5	45	2	3	6	9	13	18	37
65+	4603	8.0	43	2	3	7	10	14	18	34
GRAND TOTAL	**7711**	**7.7**	**44**	**2**	**3**	**6**	**9**	**14**	**18**	**35**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	3	<1	1	2	4	6	7	7
20-34	100	3.0	5	1	1	2	3	6	8	10
35-49	21	5.2	24	<1	1	4	5	12	18	20
50-64	10	3.3	3	1	1	3	5	6	6	6
65+	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	70	6.1	14	2	3	5	8	11	14	19
20-34	381	5.4	9	2	3	5	7	9	12	16
35-49	83	6.3	16	2	3	5	8	10	15	23
50-64	50	6.2	12	3	3	5	8	10	11	20
65+	44	7.8	40	2	3	6	9	12	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.3	6	1	1	3	4	7	9	9
20-34	30	3.7	9	1	1	3	5	8	10	13
35-49	24	6.5	48	1	1	4	8	13	25	31
50-64	38	6.5	33	2	2	5	7	16	19	27
65+	67	6.3	25	1	1	5	9	13	15	26
B. *Operated*										
0-19 YRS	29	9.5	52	2	3	7	12	20	23	32
20-34	122	8.0	28	3	3	7	11	14	18	29
35-49	112	9.9	57	3	4	8	13	18	27	39
50-64	180	11.0	81	3	3	8	14	22	29	49
65+	281	12.9	119	3	4	9	15	28	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	3.3	7	1	1	3	4	6	8	15
B. *Operated*	628	5.8	13	2	3	5	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	169	5.7	27	1	1	4	8	12	16	28
B. *Operated*	724	11.0	85	3	4	8	14	21	29	49
1. SINGLE DX	796	5.3	13	1	2	4	7	9	12	20
2. MULTIPLE DX	893	10.0	78	2	3	7	13	20	28	46
A. NOT OPERATED	337	4.5	18	1	1	3	5	9	13	23
B. OPERATED	1352	8.6	58	2	3	6	10	17	24	39
TOTAL 0-19 YRS	142	5.9	23	1	2	5	7	12	17	24
20-34	633	5.5	14	1	2	4	7	10	13	20
35-49	240	7.9	42	2	3	6	9	16	21	33
50-64	278	9.3	65	2	3	7	11	19	27	43
65+	396	11.1	101	2	3	8	13	26	31	56
GRAND TOTAL	**1689**	**7.8**	**53**	**2**	**2**	**6**	**9**	**15**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	439	2.7	3	1	1	2	3	5	6	10
20-34	118	3.1	7	1	1	2	4	6	7	16
35-49	136	3.9	14	1	1	3	5	7	10	24
50-64	115	4.6	17	1	1	3	6	9	11	24
65+	150	6.2	22	1	2	5	7	11	15	29
B. *Operated*										
0-19 YRS	84	3.8	19	<1	1	2	4	10	13	22
20-34	60	6.6	22	1	2	5	9	14	17	20
35-49	92	6.6	31	1	1	5	8	13	20	27
50-64	124	6.6	39	1	1	6	8	12	14	32
65+	100	6.6	38	1	1	5	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	881	4.4	21	1	1	3	5	9	12	25
20-34	338	5.1	21	1	1	4	6	11	13	24
35-49	647	5.8	30	1	2	4	7	11	14	33
50-64	1395	6.7	35	1	2	5	8	13	16	32
65+	3804	8.1	40	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	243	11.7	221	1	1	6	16	29	40	88
20-34	187	10.4	91	1	2	8	15	21	29	49
35-49	370	9.8	78	1	2	7	13	20	27	46
50-64	741	10.5	105	1	2	8	13	22	30	58
65+	1471	12.4	124	2	3	10	16	25	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	3.7	11	1	1	3	4	7	9	18
B. *Operated*	460	6.1	32	1	1	5	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	7065	7.0	37	1	2	5	9	14	17	31
B. *Operated*	3012	11.4	121	1	2	8	15	24	33	61
1. SINGLE DX	1418	4.5	19	1	1	3	6	9	12	23
2. MULTIPLE DX	10077	8.3	66	1	2	6	10	17	22	44
A. NOT OPERATED	8023	6.6	35	1	2	5	8	13	17	29
B. OPERATED	3472	10.7	112	1	2	8	14	22	31	58
TOTAL 0-19 YRS	1647	5.0	54	1	1	3	5	10	17	35
20-34	703	6.3	44	1	1	4	8	14	19	32
35-49	1245	6.8	47	1	2	5	8	14	19	37
50-64	2375	7.8	60	1	2	6	9	15	21	45
65+	5525	9.2	66	2	3	7	11	17	23	43
GRAND TOTAL	**11495**	**7.9**	**62**	**1**	**2**	**6**	**10**	**16**	**22**	**42**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	2	1	2	3	4	5	6	6
20-34	24	3.0	2	1	1	3	4	5	6	6
35-49	13	4.2	9	1	2	4	5	8	12	13
50-64	3	7.7	25	3	3	7	11	13	13	13
65+	4	2.8		2	2	3	3	3	3	3
B. *Operated*										
0-19 YRS	495	2.4	2	<1	<1	2	3	4	5	6
20-34	594	3.0	2	1	1	3	4	4	5	8
35-49	357	3.0	2	1	1	3	4	4	5	8
50-64	153	3.1	6	1	1	3	4	5	6	13
65+	56	3.0	4	1	1	3	4	5	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	2.9	2	<1	1	3	4	5	5	8
20-34	66	3.6	6	1	1	3	5	7	8	12
35-49	37	3.2	4	<1	1	3	4	7	7	8
50-64	35	4.3	11	1	1	3	6	8	10	17
65+	40	5.0	40	1	1	4	5	7	11	41
B. *Operated*										
0-19 YRS	651	2.6	2	<1	<1	2	3	4	5	7
20-34	580	3.2	4	1	1	3	4	5	6	10
35-49	420	3.4	10	1	1	3	4	6	8	15
50-64	315	3.3	10	1	1	2	4	6	8	20
65+	256	3.5	19	1	1	3	3	6	9	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.4	5	1	1	3	4	6	7	13
B. *Operated*	1655	2.8	3	<1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	255	3.7	11	1	1	3	5	7	8	12
B. *Operated*	2222	3.1	7	1	1	3	4	5	7	11
1. SINGLE DX	1724	2.9	3	<1	1	3	4	4	5	9
2. MULTIPLE DX	2477	3.1	8	1	1	3	4	5	7	12
A. NOT OPERATED	324	3.6	10	1	1	3	4	6	8	13
B. OPERATED	3877	3.0	5	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	1248	2.5	2	<1	<1	2	3	4	5	7
20-34	1264	3.1	3	1	1	3	4	5	6	9
35-49	827	3.2	6	1	1	3	4	5	7	12
50-64	506	3.3	9	1	1	3	4	6	8	17
65+	356	3.6	19	1	1	3	4	6	9	26
GRAND TOTAL	**4201**	**3.0**	**6**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	4.0	5	2	2	3	5	7	7	12
20-34	29	3.0	2	1	1	3	4	5	6	7
35-49	14	3.8	3	<1	<1	4	5	6	6	6
50-64	18	3.6	4	1	1	3	5	7	8	8
65+	17	5.1	3	2	3	5	6	7	8	8
B. *Operated*										
0-19 YRS	69	3.0	5	1	1	3	4	6	8	11
20-34	84	2.5	2	1	1	2	3	5	6	8
35-49	82	2.5	3	<1	1	2	3	4	7	8
50-64	74	2.5	3	1	1	2	3	4	5	11
65+	71	2.4	2	<1	1	2	3	4	5	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	3.8	7	1	1	3	5	6	7	17
20-34	42	3.5	2	1	1	3	4	5	6	8
35-49	32	8.8	218	1	2	5	7	12	53	70
50-64	63	5.6	18	1	1	4	7	11	15	21
65+	112	7.2	24	2	2	6	10	13	15	27
B. *Operated*										
0-19 YRS	89	3.9	11	1	1	3	5	7	10	18
20-34	73	3.5	6	1	1	3	4	7	9	12
35-49	83	3.6	7	1	1	3	5	8	9	12
50-64	118	4.6	77	1	1	3	4	8	15	47
65+	143	4.6	24	1	1	3	5	11	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.8	4	1	2	3	5	7	7	10
B. *Operated*	380	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	399	5.4	32	1	2	4	6	10	14	23
B. *Operated*	506	4.2	29	1	1	3	4	9	11	21
1. SINGLE DX	510	2.9	3	1	1	2	4	5	7	10
2. MULTIPLE DX	905	4.7	31	1	1	3	5	9	13	22
A. NOT OPERATED	529	5.0	26	1	2	4	6	9	12	19
B. OPERATED	886	3.5	18	1	1	3	4	6	9	19
TOTAL 0-19 YRS	360	3.7	7	1	1	3	5	6	8	16
20-34	228	3.1	4	1	1	3	4	5	7	10
35-49	211	4.0	40	1	1	3	4	7	9	30
50-64	273	4.2	40	1	1	3	4	8	13	24
65+	343	5.0	21	1	1	3	6	11	15	25
GRAND TOTAL	**1415**	**4.0**	**22**	**1**	**1**	**3**	**5**	**7**	**11**	**19**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	2.8	4	1	1	2	4	5	6	11
20-34	99	2.5	2	<1	1	2	3	5	6	7
35-49	182	3.0	3	1	1	3	4	5	6	9
50-64	132	2.9	3	1	1	3	4	5	6	9
65+	61	3.0	5	<1	1	2	4	5	6	14
B. *Operated*										
0-19 YRS	110	5.7	53	1	1	4	7	11	16	44
20-34	41	5.0	10	1	1	4	7	9	11	15
35-49	65	5.4	27	<1	1	4	7	10	13	32
50-64	68	4.7	8	1	1	4	7	9	10	11
65+	68	4.9	18	1	1	4	7	10	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	4.5	26	1	1	3	6	9	11	16
20-34	420	3.7	6	1	1	3	5	7	8	12
35-49	836	3.8	6	1	1	3	5	7	8	13
50-64	1046	4.1	15	1	2	3	5	7	9	15
65+	1311	4.9	13	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	327	10.3	118	1	2	7	14	23	32	64
20-34	188	6.7	56	1	2	5	8	12	16	51
35-49	441	6.0	28	1	2	5	7	11	16	27
50-64	680	7.0	51	1	2	5	8	13	19	39
65+	995	8.1	66	2	2	6	9	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	2.8	3	1	1	2	4	5	6	10
B. *Operated*	352	5.2	28	1	1	4	7	10	12	31
2. MULTIPLE DX										
A. *Not Operated*	4040	4.3	13	1	2	3	5	8	10	15
B. *Operated*	2631	7.7	63	1	2	6	9	15	21	44
1. SINGLE DX	1091	3.6	13	1	1	3	4	7	9	16
2. MULTIPLE DX	6671	5.6	35	1	2	4	7	11	15	30
A. NOT OPERATED	4779	4.1	12	1	1	3	5	7	9	15
B. OPERATED	2983	7.4	59	1	2	5	9	15	20	43
TOTAL 0-19 YRS	1129	5.9	59	1	1	3	7	13	18	50
20-34	748	4.3	20	1	1	3	5	8	10	21
35-49	1524	4.4	14	1	1	3	5	8	11	19
50-64	1926	5.1	29	1	2	4	6	9	12	27
65+	2435	6.2	37	1	2	5	7	12	16	30
GRAND TOTAL	**7762**	**5.3**	**33**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	55	3.6	5	1	1	3	4	8	9	11
35-49	74	3.9	5	1	2	3	5	6	9	12
50-64	48	4.4	11	1	2	3	5	8	11	19
65+	26	5.5	9	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	3	9.7	64	2	2	9	16	18	18	18
20-34	21	6.9	26	2	2	5	9	10	17	26
35-49	59	5.8	10	1	2	6	8	10	11	16
50-64	46	6.3	16	2	3	5	7	11	15	22
65+	25	7.0	13	2	3	7	9	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	1	1	2	3	4	5	6	6
20-34	93	4.4	8	1	2	4	5	7	10	17
35-49	190	4.9	11	1	2	4	6	10	11	16
50-64	276	4.9	15	1	2	4	6	8	10	22
65+	365	6.0	14	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	9	7.2	25	2	3	6	9	16	17	17
20-34	71	6.2	18	2	2	5	8	12	13	20
35-49	196	6.9	39	2	2	5	8	13	17	37
50-64	291	7.1	23	2	3	6	9	12	15	27
65+	347	8.3	47	2	3	7	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	4.1	7	1	2	3	5	8	9	14
B. *Operated*	154	6.4	15	2	2	6	8	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	941	5.2	13	2	2	4	6	9	12	18
B. *Operated*	914	7.4	36	2	3	6	9	13	18	32
1. SINGLE DX	365	5.0	12	1	2	4	7	9	11	18
2. MULTIPLE DX	1855	6.3	25	2	2	5	8	11	14	25
A. NOT OPERATED	1152	5.0	12	2	2	4	6	9	11	18
B. OPERATED	1068	7.3	33	2	3	6	9	13	17	31
TOTAL 0-19 YRS	37	4.6	16	1	2	3	5	9	16	18
20-34	240	5.0	13	1	2	4	6	9	11	20
35-49	519	5.6	22	2	2	4	7	10	13	22
50-64	661	5.9	19	2	2	5	7	10	13	23
65+	763	7.0	30	2	3	6	8	12	16	30
GRAND TOTAL	**2220**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**14**	**24**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8		4	4	5	5	5	5	5
20-34	31	3.7	1	2	2	4	4	5	6	6
35-49	43	3.7	4	1	2	3	5	6	7	11
50-64	49	4.7	6	2	2	4	6	9	10	11
65+	45	5.2	22	2	2	4	6	8	9	33
B. *Operated*										
0-19 YRS	3	6.0	7	3	3	7	8	8	8	8
20-34	13	7.9	21	2	3	7	10	14	18	19
35-49	41	6.1	8	3	3	5	8	10	11	15
50-64	44	6.8	17	2	3	6	9	11	13	25
65+	63	7.0	31	2	3	5	9	12	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	59	4.8	6	1	2	5	6	8	10	11
35-49	174	5.2	14	2	2	4	6	8	11	24
50-64	367	5.5	10	2	3	5	7	9	12	18
65+	884	6.7	18	2	3	6	8	11	15	23
B. *Operated*										
0-19 YRS	10	5.5	22	1	1	4	7	12	17	17
20-34	41	10.3	103	3	3	7	10	21	39	46
35-49	133	8.7	92	2	3	6	10	16	21	53
50-64	312	8.6	55	2	3	7	10	16	20	34
65+	915	9.9	68	3	4	8	12	18	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.4	9	2	2	4	5	7	8	12
B. *Operated*	164	6.8	20	2	3	6	9	11	13	28
2. MULTIPLE DX										
A. *Not Operated*	1487	6.1	15	2	3	5	7	11	13	22
B. *Operated*	1411	9.5	69	3	3	7	11	17	23	45
1. SINGLE DX	336	5.5	16	2	2	5	7	10	12	26
2. MULTIPLE DX	2898	7.8	44	2	3	6	9	14	18	33
A. NOT OPERATED	1659	6.0	15	2	3	5	7	10	13	21
B. OPERATED	1575	9.2	64	3	3	7	11	17	22	43
TOTAL 0-19 YRS	20	5.0	13	1	1	5	6	8	13	17
20-34	144	6.4	40	2	2	5	7	10	12	44
35-49	391	6.3	42	2	2	5	7	11	15	28
50-64	772	6.8	31	2	3	5	8	12	16	30
65+	1907	8.2	45	3	3	6	10	15	19	33
GRAND TOTAL	**3234**	**7.5**	**42**	**2**	**3**	**6**	**9**	**14**	**18**	**33**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.6	3	1	1	2	3	5	6	7
20-34	232	3.3	4	1	1	3	4	6	7	11
35-49	259	3.6	4	1	2	3	4	6	8	9
50-64	140	3.7	4	1	1	3	5	6	7	9
65+	48	4.3	11	1	1	4	5	7	9	21
B. *Operated*										
0-19 YRS	4	4.5	6	3	3	4	6	8	8	8
20-34	46	7.4	7	3	4	7	9	11	12	13
35-49	52	8.1	16	3	4	8	10	12	13	25
50-64	34	7.7	18	3	3	7	9	14	17	21
65+	8	6.9	15	3	3	6	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.5	12	2	2	4	6	7	9	24
20-34	403	4.0	5	1	2	3	5	7	8	11
35-49	630	4.5	8	2	2	4	5	8	10	16
50-64	600	4.6	7	2	2	4	6	8	10	15
65+	710	5.7	16	2	2	5	7	9	12	21
B. *Operated*										
0-19 YRS	9	4.3	8	1	1	4	7	8	9	9
20-34	74	7.1	25	2	2	6	9	15	18	24
35-49	186	8.5	66	2	3	6	10	16	19	39
50-64	196	7.1	20	2	2	6	9	13	17	22
65+	200	9.0	63	2	3	7	10	16	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	742	3.5	4	1	1	3	4	6	7	11
B. *Operated*	144	7.6	13	3	4	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	2401	4.8	10	2	2	4	6	8	10	16
B. *Operated*	665	8.0	47	2	3	7	9	15	19	32
1. SINGLE DX	886	4.2	8	1	2	3	5	8	9	14
2. MULTIPLE DX	3066	5.5	20	2	2	4	7	10	13	24
A. NOT OPERATED	3143	4.5	9	1	2	4	5	8	9	15
B. OPERATED	809	7.9	41	2	3	7	9	14	18	31
TOTAL 0-19 YRS	134	3.6	8	1	1	3	5	6	7	13
20-34	755	4.3	8	1	2	3	5	8	10	15
35-49	1127	5.1	20	2	2	4	6	9	12	20
50-64	970	5.1	11	2	2	4	6	9	12	18
65+	966	6.3	27	2	2	5	8	11	14	29
GRAND TOTAL	**3952**	**5.2**	**18**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.7	3	1	2	3	5	6	7	7
20-34	128	3.7	3	1	2	3	5	6	7	10
35-49	158	3.9	4	1	2	4	5	6	8	9
50-64	135	4.1	3	2	2	4	5	7	8	9
65+	128	5.0	10	2	3	4	6	8	10	20
B. *Operated*										
0-19 YRS	8	6.9	3	4	4	7	8	9	9	9
20-34	44	7.6	10	4	5	7	8	11	15	18
35-49	69	8.0	6	4	5	8	9	11	12	16
50-64	60	7.3	8	3	3	7	8	11	12	15
65+	38	9.4	21	3	5	8	12	15	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.3	2	1	2	3	4	5	6	6
20-34	166	3.9	5	2	2	4	5	6	7	11
35-49	318	4.9	7	2	2	4	6	8	10	14
50-64	529	5.3	11	2	2	5	6	9	11	16
65+	1088	6.6	19	2	3	6	8	11	15	24
B. *Operated*										
0-19 YRS	11	9.3	21	3	4	8	11	17	19	19
20-34	55	9.6	31	3	5	8	12	18	23	26
35-49	157	9.7	55	3	4	8	11	15	23	30
50-64	275	10.2	69	3	4	9	12	18	24	46
65+	565	12.8	107	4	4	10	16	23	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	4.2	5	2	2	4	5	7	8	11
B. *Operated*	219	7.9	10	3	4	8	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	2129	5.8	15	2	3	5	7	10	12	22
B. *Operated*	1063	11.5	86	3	4	9	13	20	28	53
1. SINGLE DX	791	5.2	9	2	2	4	7	9	11	16
2. MULTIPLE DX	3192	7.7	46	2	3	6	9	14	19	35
A. NOT OPERATED	2701	5.4	13	2	2	5	7	9	11	21
B. OPERATED	1282	10.9	75	3	4	8	13	20	26	50
TOTAL 0-19 YRS	70	4.8	10	2	2	4	6	8	10	18
20-34	393	5.1	13	2	2	4	6	8	12	22
35-49	702	6.1	22	2	2	5	8	10	13	24
50-64	999	6.6	31	2	3	5	8	11	15	31
65+	1819	8.5	54	3	3	6	10	16	21	42
GRAND TOTAL	**3983**	**7.2**	**40**	**2**	**3**	**6**	**8**	**13**	**18**	**31**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	5.3	6	2	2	5	7	9	10	10
35-49	13	4.4	5	1	2	4	6	7	8	8
50-64	11	7.6	29	2	2	6	11	17	17	17
65+	10	6.3	15	3	3	5	8	12	14	14
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	11	8.8	16	5	5	8	9	16	17	17
35-49	20	9.4	12	4	6	9	11	13	17	20
50-64	17	9.5	7	5	5	10	11	13	14	14
65+	22	9.6	31	3	4	8	11	15	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	4.8	7	1	2	4	6	9	10	12
35-49	29	4.8	9	1	2	4	6	8	10	16
50-64	47	5.7	10	2	2	5	7	11	13	14
65+	107	8.3	44	3	3	7	9	16	19	39
B. *Operated*										
0-19 YRS	2	11.5	13	9	9	11	14	14	14	14
20-34	26	11.7	52	3	4	10	16	22	24	32
35-49	57	13.5	46	6	7	11	16	24	28	33
50-64	102	13.5	136	4	4	11	16	22	35	93
65+	174	15.9	194	4	5	13	20	32	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.8	14	2	2	5	7	11	14	17
B. *Operated*	71	9.4	16	4	5	9	11	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	207	6.8	29	2	3	6	8	13	16	27
B. *Operated*	361	14.5	144	4	5	12	17	26	37	78
1. SINGLE DX	118	7.9	18	2	3	7	10	14	16	23
2. MULTIPLE DX	568	11.7	116	3	3	9	14	22	31	66
A. NOT OPERATED	254	6.6	26	2	2	6	8	12	16	24
B. OPERATED	432	13.7	127	4	5	11	16	24	35	72
TOTAL 0-19 YRS	3	10.3	10	8	8	9	13	14	14	14
20-34	74	7.9	33	2	2	6	10	16	20	30
35-49	119	9.7	42	2	3	8	12	19	24	32
50-64	177	10.7	95	2	3	9	13	19	27	80
65+	313	12.6	140	3	4	9	15	24	36	68
GRAND TOTAL	**686**	**11.1**	**101**	**3**	**3**	**8**	**13**	**20**	**29**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	229	2.2	1	1	1	2	3	4	5	6
20-34	462	2.8	3	1	1	2	4	5	6	9
35-49	343	2.9	3	1	1	3	4	5	7	9
50-64	166	3.1	5	1	1	3	4	5	7	12
65+	70	3.6	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	19	3.5	8	1	1	3	4	7	10	13
20-34	29	4.0	6	1	1	3	6	7	8	10
35-49	53	5.6	27	<1	2	4	7	12	16	26
50-64	41	5.4	19	<1	1	4	7	10	11	26
65+	22	6.3	28	<1	1	5	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	674	2.8	3	1	1	2	3	5	6	9
20-34	1187	3.6	6	1	1	3	4	6	8	11
35-49	1506	4.0	7	1	2	3	5	7	9	13
50-64	1409	4.4	8	1	2	4	5	8	10	16
65+	1784	5.4	16	2	2	4	7	9	13	23
B. *Operated*										
0-19 YRS	57	5.9	66	1	1	4	6	10	20	49
20-34	200	6.0	18	2	2	5	7	11	15	22
35-49	341	6.6	20	2	2	5	9	12	15	24
50-64	407	7.0	27	2	3	6	8	13	17	28
65+	594	7.8	35	2	3	6	9	14	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	2.8	3	1	1	2	4	5	6	9
B. *Operated*	164	5.1	20	<1	1	4	7	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	6560	4.3	10	1	2	3	5	8	10	16
B. *Operated*	1599	7.1	29	2	3	6	9	13	16	28
1. SINGLE DX	1434	3.1	6	1	1	3	4	6	7	12
2. MULTIPLE DX	8159	4.8	15	1	2	4	6	9	11	20
A. NOT OPERATED	7830	4.0	9	1	1	3	5	7	9	15
B. OPERATED	1763	6.9	29	2	2	6	9	12	16	28
TOTAL 0-19 YRS	979	2.8	7	1	1	2	3	5	6	13
20-34	1878	3.7	7	1	1	3	4	7	8	15
35-49	2243	4.3	10	1	2	3	5	8	10	16
50-64	2023	4.8	13	1	2	4	6	9	11	19
65+	2470	6.0	22	2	2	5	7	11	14	25
GRAND TOTAL	**9593**	**4.6**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.0	4	1	1	2	3	5	7	11
20-34	59	3.1	3	1	1	3	4	6	7	8
35-49	91	3.6	6	1	1	3	5	7	8	12
50-64	43	3.7	4	1	1	3	5	7	8	8
65+	16	3.7	7	<1	<1	3	5	9	10	10
B. *Operated*										
0-19 YRS	58	3.6	3	1	2	3	4	5	7	10
20-34	15	8.7	27	2	3	7	10	16	20	22
35-49	29	8.0	45	1	2	6	10	15	17	36
50-64	16	9.9	19	4	4	9	12	14	19	21
65+	9	11.1	37	3	3	11	16	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	3.3	5	1	1	3	4	7	8	11
20-34	241	4.2	12	1	1	3	5	7	10	24
35-49	284	4.8	15	1	2	4	6	9	11	21
50-64	286	4.7	13	1	2	4	6	9	9	19
65+	402	5.9	32	1	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	54	8.1	144	1	2	4	8	18	36	71
20-34	55	9.5	54	2	2	8	13	17	21	40
35-49	126	10.3	82	2	2	8	13	20	29	45
50-64	161	11.7	69	3	4	10	14	21	27	47
65+	229	13.4	130	3	3	11	16	25	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	3.4	5	1	1	3	4	6	8	10
B. *Operated*	127	6.5	27	2	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	1352	4.9	19	1	2	4	6	9	11	22
B. *Operated*	625	11.5	101	2	3	9	14	22	32	56
1. SINGLE DX	409	4.4	14	1	1	3	5	8	11	19
2. MULTIPLE DX	1977	7.0	55	1	2	5	8	14	20	38
A. NOT OPERATED	1634	4.6	17	1	1	4	6	8	11	19
B. OPERATED	752	10.7	92	2	3	8	14	21	29	50
TOTAL 0-19 YRS	324	4.1	30	1	1	3	5	7	9	29
20-34	370	5.0	22	1	1	4	6	10	13	24
35-49	530	6.1	37	1	2	4	7	12	16	32
50-64	506	7.0	42	2	2	5	9	14	19	35
65+	656	8.5	79	2	2	6	11	17	23	50
GRAND TOTAL	**2386**	**6.5**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**37**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.7	1	<1	1	2	2	3	4	4
20-34	14	1.9	2	<1	1	2	2	4	6	6
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	3	6.0	19	3	3	4	9	11	11	11
65+										
B. *Operated*										
0-19 YRS	2776	3.0	2	1	2	3	4	5	5	8
20-34	2045	3.2	2	2	2	3	4	5	5	7
35-49	700	3.6	3	2	2	3	4	6	7	10
50-64	257	4.4	6	2	2	4	5	7	9	12
65+	71	4.5	3	2	3	4	6	7	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	3	1	1	2	4	5	5	5
20-34	8	2.9	3	1	1	3	4	5	5	5
35-49	4	2.8	8	1	1	2	4	7	7	7
50-64	3	7.7	17	3	3	9	10	11	11	11
65+	5	7.2	5	5	5	7	8	11	11	11
B. *Operated*										
0-19 YRS	477	4.3	9	2	2	4	5	7	9	17
20-34	413	4.5	7	2	2	4	5	7	9	15
35-49	230	5.1	7	2	3	4	6	9	10	15
50-64	142	6.4	17	2	3	5	8	11	15	22
65+	106	6.6	18	2	3	6	7	12	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.1	3	<1	1	2	3	4	5	11
B. *Operated*	5849	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.8	9	1	1	3	5	8	11	11
B. *Operated*	1368	4.9	10	2	2	4	6	8	11	17
1. SINGLE DX	5892	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	1400	4.9	10	2	2	4	6	8	11	17
A. NOT OPERATED	75	2.9	6	1	1	2	4	6	9	11
B. OPERATED	7217	3.6	4	2	2	3	4	6	7	11
TOTAL 0-19 YRS	3287	3.2	3	1	2	3	4	5	6	9
20-34	2480	3.4	3	2	2	3	4	5	6	9
35-49	938	3.9	5	2	2	3	5	6	8	12
50-64	405	5.2	11	2	2	4	6	9	11	18
65+	182	5.8	13	2	3	5	7	9	12	19
GRAND TOTAL	**7292**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	19	<1	<1	4	10	11	11	11
20-34	9	5.7	19	3	3	4	6	13	17	17
35-49	9	8.0	18	<1	2	8	10	14	15	15
50-64	2	7.5	1	7	7	7	8	8	8	8
65+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	540	6.7	11	3	3	6	8	11	13	19
20-34	267	6.1	8	2	3	6	7	9	11	16
35-49	207	7.0	9	3	4	7	8	10	13	17
50-64	138	7.2	8	3	4	7	8	11	13	18
65+	76	9.1	22	4	5	8	10	15	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	19	1	1	5	9	12	12	12
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	5.0	21	1	1	4	8	10	10	10
50-64	4	6.8		6	6	7	7	7	7	7
65+	9	8.3	20	4	4	7	11	15	18	18
B. *Operated*										
0-19 YRS	372	9.9	41	4	5	8	11	18	24	33
20-34	243	9.1	20	4	5	8	11	15	19	24
35-49	209	9.5	17	4	5	9	11	16	18	21
50-64	280	11.2	51	5	6	9	13	18	23	43
65+	264	12.7	96	5	6	11	13	20	28	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.5	16	<1	2	5	9	12	15	17
B. *Operated*	1228	6.8	11	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	23	6.7	16	1	1	6	8	11	14	18
B. *Operated*	1368	10.5	48	4	5	9	12	17	22	40
1. SINGLE DX	1256	6.8	11	3	3	6	8	11	13	19
2. MULTIPLE DX	1391	10.5	47	4	5	9	12	17	22	40
A. NOT OPERATED	51	6.5	15	1	2	6	8	11	15	18
B. OPERATED	2596	8.8	34	3	4	8	10	14	18	30
TOTAL 0-19 YRS	922	8.0	25	3	3	7	9	13	17	28
20-34	521	7.5	16	3	3	7	9	12	16	22
35-49	428	8.2	15	3	4	7	10	14	16	20
50-64	424	9.8	40	4	5	8	11	15	20	41
65+	352	11.8	80	5	6	10	13	19	27	49
GRAND TOTAL	**2647**	**8.7**	**33**	**3**	**4**	**8**	**10**	**14**	**18**	**29**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.0	2	<1	1	2	2	4	5	9
20-34	20	2.4	3	<1	1	2	3	5	6	7
35-49	9	2.4	1	1	1	2	3	4	4	4
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	3	4.0	1	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	234	3.2	2	1	2	3	4	5	6	8
20-34	185	3.7	4	2	2	3	4	6	7	11
35-49	48	4.2	6	2	2	4	5	8	10	12
50-64	19	4.3	4	2	2	4	5	7	9	9
65+	7	4.6	7	2	2	4	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.3	4	<1	1	2	2	4	6	11
20-34	17	2.8	3	<1	1	2	3	4	7	8
35-49	6	4.5	2	2	2	5	6	6	6	6
50-64	8	4.1	18	1	1	2	6	11	13	13
65+	10	6.0	21	2	2	5	9	13	16	16
B. *Operated*										
0-19 YRS	140	4.9	27	2	2	4	5	8	10	25
20-34	121	5.2	24	2	3	4	5	8	10	27
35-49	44	6.6	15	2	3	6	8	12	14	20
50-64	18	6.6	12	2	2	6	10	12	13	13
65+	21	9.9	53	3	3	8	11	22	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.2	2	1	1	2	3	4	5	8
B. *Operated*	493	3.6	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	72	3.3	9	1	1	2	4	7	10	15
B. *Operated*	344	5.6	27	2	3	4	6	10	12	23
1. SINGLE DX	572	3.4	3	1	2	3	4	5	7	10
2. MULTIPLE DX	416	5.2	24	2	2	4	6	9	12	23
A. NOT OPERATED	151	2.7	6	1	1	2	3	5	8	13
B. OPERATED	837	4.4	14	2	2	4	5	7	10	18
TOTAL 0-19 YRS	447	3.6	11	1	1	3	4	6	7	12
20-34	343	4.1	11	2	2	3	5	6	8	17
35-49	107	5.0	11	2	2	4	6	9	12	19
50-64	50	4.9	10	1	2	4	6	10	12	13
65+	41	7.6	38	2	2	5	10	15	22	30
GRAND TOTAL	**988**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4		<1	<1	1	2	3	3	3
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	6	1.8	4	1	1	1	1	6	6	6
50-64	9	3.1	3	<1	<1	3	4	6	6	6
65+	9	2.6	5	<1	<1	2	3	6	8	8
B. *Operated*										
0-19 YRS	1142	1.5	1	<1	<1	1	2	2	3	4
20-34	1521	2.2	1	1	1	2	3	4	4	6
35-49	1703	2.4	2	1	1	2	3	4	5	7
50-64	2054	2.6	2	1	1	2	3	4	5	7
65+	1404	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	1.4	1	<1	<1	1	1	2	3	7
20-34	14	1.9	3	<1	<1	1	2	5	6	6
35-49	17	4.4	16	<1	<1	3	6	11	14	15
50-64	33	2.7	10	<1	<1	2	3	5	6	18
65+	47	4.2	16	<1	1	3	6	11	13	18
B. *Operated*										
0-19 YRS	814	1.9	3	<1	<1	1	2	3	4	8
20-34	498	2.7	3	1	1	2	4	5	6	9
35-49	940	3.1	3	1	1	3	4	5	6	9
50-64	1835	3.4	5	1	1	3	4	6	7	12
65+	2747	4.1	9	1	2	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*	7824	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	168	2.8	10	<1	<1	1	3	6	10	17
B. *Operated*	6834	3.4	6	1	1	3	4	6	8	12
1. SINGLE DX	7869	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	7002	3.4	6	1	1	3	4	6	8	13
A. NOT OPERATED	213	2.6	8	<1	<1	1	3	6	8	16
B. OPERATED	14658	2.9	4	1	1	2	4	5	6	10
TOTAL 0-19 YRS	2024	1.6	2	<1	<1	1	2	3	3	6
20-34	2043	2.4	2	1	1	2	3	4	5	7
35-49	2666	2.7	3	1	1	2	3	5	5	8
50-64	3931	3.0	4	1	1	3	4	5	6	10
65+	4207	3.7	7	1	1	3	4	6	8	13
GRAND TOTAL	**14871**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49										
50-64	5	1.6	1	<1	<1	<1	2	3	3	3
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	195	1.8	1	1	1	2	2	3	4	6
20-34	85	2.8	2	1	1	3	4	5	5	6
35-49	66	2.9	2	1	2	3	4	4	5	7
50-64	99	3.3	3	1	1	3	4	6	7	8
65+	141	4.4	10	2	2	4	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	13	6.6	168	<1	1	3	4	18	43	49
B. *Operated*										
0-19 YRS	207	2.5	4	<1	1	2	3	4	6	10
20-34	46	4.1	11	1	1	3	5	10	12	14
35-49	50	6.2	90	1	2	4	6	10	14	67
50-64	136	5.7	26	1	2	4	7	11	14	25
65+	498	6.6	20	2	3	6	8	12	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	5	<1	<1	1	2	4	8	9
B. *Operated*	586	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	28	4.1	81	<1	<1	2	3	5	14	49
B. *Operated*	937	5.4	23	1	1	4	7	11	14	21
1. SINGLE DX	599	2.9	5	1	1	3	4	5	7	11
2. MULTIPLE DX	965	5.4	25	1	1	4	7	11	14	22
A. NOT OPERATED	41	3.5	57	<1	<1	2	3	5	9	49
B. OPERATED	1523	4.5	18	1	1	3	6	9	12	20
TOTAL 0-19 YRS	418	2.1	3	<1	1	2	3	4	5	8
20-34	132	3.3	6	1	1	3	4	6	8	14
35-49	117	4.3	42	1	2	3	4	7	10	36
50-64	243	4.6	17	1	1	3	5	8	12	19
65+	654	6.1	21	2	2	5	8	11	15	23
GRAND TOTAL	**1564**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	203	1.6	1	<1	<1	1	2	3	3	5
20-34	63	2.2	1	<1	1	2	3	4	5	6
35-49	115	2.4	2	1	1	2	3	4	6	8
50-64	75	2.3	2	1	1	2	3	4	5	7
65+	36	2.7	2	1	1	3	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	4	4.3	12	1	1	3	6	9	9	9
35-49	7	2.0	3	1	1	1	3	5	5	5
50-64	4	1.5	1	<1	<1	1	2	3	3	3
65+	7	4.4	4	2	2	5	6	7	7	7
B. *Operated*										
0-19 YRS	92	2.2	6	<1	<1	1	2	4	6	65
20-34	56	3.3	4	1	1	3	4	6	7	9
35-49	98	3.9	9	1	1	3	5	8	9	17
50-64	113	4.0	8	1	1	3	5	7	9	15
65+	77	4.7	33	1	2	4	5	8	9	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	492	2.0	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	34	2.4	4	<1	<1	1	3	6	7	9
B. *Operated*	436	3.6	12	1	1	3	5	7	8	19
1. SINGLE DX	503	2.0	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	470	3.5	12	1	1	3	5	7	8	19
A. NOT OPERATED	45	2.2	4	<1	<1	1	3	5	6	9
B. OPERATED	928	2.8	7	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	315	1.7	2	<1	<1	1	2	3	4	9
20-34	124	2.7	3	1	1	2	4	5	6	9
35-49	220	3.1	6	1	1	2	4	6	8	12
50-64	193	3.3	6	1	1	3	4	6	7	12
65+	121	4.1	23	1	1	3	5	7	8	29
GRAND TOTAL	**973**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

321 Hospitals, Southern Region, January-December 1986

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	7	2.7	2	<1	<1	3	4	5	5	5
50-64	10	3.2	7	<1	<1	3	4	7	10	10
65+										
B. *Operated*										
0-19 YRS	55	2.3	2	<1	1	2	3	4	5	8
20-34	189	3.3	4	1	1	3	4	6	7	10
35-49	368	4.0	4	1	2	4	5	7	8	10
50-64	382	4.2	5	1	2	4	5	7	8	9
65+	272	4.9	5	2	2	5	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	6	1	1	3	5	6	6	6
20-34	5	2.0	5	<1	<1	1	2	6	6	6
35-49	20	3.3	10	<1	<1	2	3	7	11	14
50-64	25	3.0	5	<1	1	2	4	6	7	9
65+	40	3.6	5	<1	1	3	5	7	7	8
B. *Operated*										
0-19 YRS	32	4.1	33	<1	1	3	4	7	13	32
20-34	150	5.1	9	2	2	4	6	8	11	16
35-49	421	5.8	15	2	2	5	7	10	12	19
50-64	555	6.0	17	2	2	5	7	10	12	21
65+	671	6.8	24	2	3	6	8	12	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.9	5	<1	<1	3	4	5	8	10
B. *Operated*	1266	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	94	3.3	6	<1	1	3	5	6	7	12
B. *Operated*	1829	6.1	19	2	2	5	7	10	13	21
1. SINGLE DX	1285	4.1	5	1	1	4	5	7	8	10
2. MULTIPLE DX	1923	6.0	19	2	2	5	7	10	13	21
A. NOT OPERATED	113	3.2	6	<1	<1	3	4	6	7	11
B. OPERATED	3095	5.3	14	1	2	5	7	9	11	17
TOTAL 0-19 YRS	91	2.9	14	<1	1	2	4	5	7	25
20-34	346	4.0	7	1	1	4	5	7	8	12
35-49	816	4.9	11	1	2	4	6	8	10	15
50-64	972	5.2	13	1	2	5	7	9	10	17
65+	983	6.1	19	2	2	5	8	10	13	19
GRAND TOTAL	**3208**	**5.2**	**14**	**1**	**2**	**4**	**7**	**9**	**11**	**17**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	2.8	3	1	1	3	4	5	6	6
35-49	40	2.9	2	1	1	3	4	5	5	6
50-64	68	3.0	2	1	1	3	4	5	5	7
65+	22	3.8	4	1	2	3	5	6	8	9
B. *Operated*										
0-19 YRS	3	7.0	3	6	6	6	8	9	9	9
20-34	8	7.4	38	3	3	6	7	18	22	22
35-49	10	5.4	5	1	2	6	7	8	8	8
50-64	16	4.5	9	1	1	4	6	8	11	12
65+	14	6.2	14	1	2	6	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	5	1	1	3	6	7	8	8
20-34	102	4.0	4	2	2	4	5	7	9	11
35-49	342	3.6	4	1	1	3	4	6	8	12
50-64	549	4.0	5	1	2	4	5	7	8	10
65+	756	4.7	10	2	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	19	10.7	76	2	3	7	12	23	30	35
20-34	59	8.1	21	2	4	7	9	14	16	29
35-49	189	7.0	13	2	3	7	8	12	14	19
50-64	238	7.2	17	2	3	7	9	12	14	24
65+	234	9.2	52	2	2	8	11	17	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.1	2	1	1	3	4	5	6	7
B. *Operated*	51	5.7	14	1	2	6	7	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1760	4.2	7	1	2	4	5	7	9	14
B. *Operated*	739	7.9	30	2	3	7	10	14	18	30
1. SINGLE DX	194	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	2499	5.3	17	2	2	4	7	10	12	23
A. NOT OPERATED	1903	4.2	7	1	2	4	5	7	9	14
B. OPERATED	790	7.8	29	2	3	7	9	14	17	29
TOTAL 0-19 YRS	34	7.9	54	2	2	6	9	21	24	35
20-34	181	5.4	15	2	2	4	7	9	12	21
35-49	581	4.7	10	1	2	4	6	8	11	16
50-64	871	4.8	10	1	2	4	6	9	10	17
65+	1026	5.8	23	2	2	4	7	10	15	25
GRAND TOTAL	**2693**	**5.2**	**16**	**1**	**2**	**4**	**7**	**9**	**12**	**22**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	31	2.7	4	1	1	2	3	5	8	10
35-49	40	3.0	4	1	1	3	4	5	6	11
50-64	46	3.2	4	1	1	3	4	5	7	10
65+	34	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	5	5.0	10	2	2	4	7	10	10	10
65+	11	5.7	30	1	1	4	7	16	16	16
B. *Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	11	2.9	3	1	1	3	4	5	6	6
35-49	32	4.0	15	1	1	3	5	8	15	17
50-64	46	4.4	12	1	1	4	5	8	12	19
65+	78	5.3	16	1	2	4	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	153	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	19	4.9	21	<1	1	4	6	13	16	16
B. *Operated*	172	4.6	14	1	1	3	6	9	13	20
1. SINGLE DX	155	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX	191	4.6	15	1	1	3	6	9	14	20
A. NOT OPERATED	21	4.7	20	<1	1	3	6	12	16	16
B. OPERATED	325	3.9	10	1	1	3	4	8	10	17
TOTAL 0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	43	2.7	4	<1	1	2	3	5	7	10
35-49	74	3.4	9	1	1	3	4	6	10	17
50-64	100	3.9	8	1	1	3	5	7	9	16
65+	124	4.7	15	1	1	3	6	9	13	21
GRAND TOTAL	**346**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	1.4		<1	<1	1	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65+	11	4.7	4	2	2	5	6	7	8	8
B. *Operated*										
0-19 YRS	26	2.8	12	1	1	2	3	6	9	18
20-34	79	3.3	5	1	1	3	4	6	8	12
35-49	135	3.8	6	1	1	3	5	7	9	11
50-64	146	4.5	7	1	2	4	6	9	10	12
65+	162	5.1	8	2	2	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	8	3.0	6	1	1	2	4	7	8	8
50-64	29	4.9	10	2	2	4	6	8	11	17
65+	88	5.6	13	2	2	5	7	11	13	17
B. *Operated*										
0-19 YRS	25	5.6	14	1	2	4	8	11	12	14
20-34	46	5.5	17	2	2	4	7	10	14	22
35-49	160	5.0	17	1	2	5	8	10	12	22
50-64	277	8.2	44	2	3	7	10	16	19	31
65+	608	10.5	79	2	3	8	12	20	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	6	<1	<1	2	5	7	8	8
B. *Operated*	548	4.3	7	1	1	4	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	130	5.2	12	1	2	4	6	10	13	17
B. *Operated*	1116	9.0	61	2	3	7	11	17	23	43
1. SINGLE DX	569	4.2	7	1	1	4	5	8	9	13
2. MULTIPLE DX	1246	8.6	57	2	3	7	11	16	22	42
A. NOT OPERATED	151	4.9	12	1	1	4	6	9	13	17
B. OPERATED	1664	7.4	48	1	2	5	9	14	19	38
TOTAL 0-19 YRS	56	3.9	14	1	1	3	5	10	12	18
20-34	129	4.1	11	1	1	3	5	8	10	17
35-49	308	4.9	13	1	1	4	7	9	11	22
50-64	453	6.8	33	2	2	5	9	13	17	29
65+	869	8.9	64	2	3	7	11	16	24	47
GRAND TOTAL	**1815**	**7.2**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.6	3	<1	1	2	3	5	6	9
20-34	156	3.8	5	1	1	3	5	7	8	11
35-49	228	4.4	7	1	1	4	6	8	9	15
50-64	276	4.2	7	1	2	4	5	8	9	14
65+	304	4.5	7	1	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	116	6.4	41	2	2	5	7	10	12	47
20-34	113	8.3	23	4	4	7	9	14	18	27
35-49	154	10.2	28	4	5	9	12	20	23	25
50-64	146	9.6	20	5	5	8	12	15	18	28
65+	140	11.6	48	5	6	10	13	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	3.7	6	1	1	3	5	7	9	12
20-34	179	4.9	9	1	2	4	6	8	10	17
35-49	406	5.3	10	2	2	5	7	9	11	17
50-64	697	5.8	18	2	2	5	7	11	14	22
65+	2148	6.9	25	2	2	6	9	13	15	26
B. *Operated*										
0-19 YRS	151	10.8	77	3	4	8	13	19	27	56
20-34	183	12.0	101	4	5	9	15	21	28	85
35-49	387	12.6	69	5	5	10	15	23	30	44
50-64	589	14.7	113	5	6	12	17	26	38	63
65+	1355	15.7	119	6	7	13	19	29	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1110	4.1	7	1	1	4	5	7	9	13
B. *Operated*	669	9.4	35	3	4	8	11	15	21	29
2. MULTIPLE DX										
A. *Not Operated*	3553	6.3	21	2	2	5	8	12	14	24
B. *Operated*	2665	14.5	109	5	6	12	17	27	35	63
1. SINGLE DX	1779	6.1	24	1	2	5	8	11	14	25
2. MULTIPLE DX	6218	9.8	75	2	3	8	12	19	25	46
A. NOT OPERATED	4663	5.8	19	1	2	5	7	11	13	22
B. OPERATED	3334	13.5	98	4	6	11	16	24	32	59
TOTAL 0-19 YRS	536	6.0	44	1	1	4	7	11	16	37
20-34	631	7.3	48	2	2	6	9	14	18	30
35-49	1175	8.2	44	2	2	6	10	15	21	34
50-64	1708	9.0	68	2	2	7	11	17	23	48
65+	3947	9.9	76	2	3	8	12	19	25	44
GRAND TOTAL	**7997**	**9.0**	**66**	**2**	**2**	**7**	**11**	**17**	**24**	**43**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2096	2.4	2	1	1	2	3	4	5	7
20-34	1140	2.4	2	1	1	2	3	4	5	7
35-49	582	2.9	3	1	1	3	4	5	6	9
50-64	362	3.0	3	1	1	2	4	5	7	9
65+	215	3.1	5	1	1	2	4	6	8	14
B. *Operated*										
0-19 YRS	50	3.9	12	1	2	3	4	7	9	23
20-34	85	3.9	3	2	2	4	5	6	7	68
35-49	44	4.0	5	1	2	4	5	6	8	13
50-64	33	5.2	9	2	2	4	7	9	11	14
65+	14	7.1	30	1	2	6	11	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5369	2.9	4	1	1	3	4	5	6	10
20-34	1823	2.9	4	1	1	2	4	5	6	10
35-49	1487	3.7	8	1	1	3	4	6	8	13
50-64	1554	4.1	7	1	2	4	5	7	9	15
65+	2745	5.2	16	2	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	148	7.3	88	2	2	4	7	16	31	53
20-34	176	6.1	36	1	2	5	7	10	14	40
35-49	201	6.1	19	2	2	5	7	11	14	24
50-64	227	8.0	52	2	3	6	9	15	21	38
65+	364	10.4	95	3	3	8	13	20	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4395	2.5	3	1	1	2	3	4	5	8
B. *Operated*	226	4.3	8	2	2	4	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	12978	3.6	8	1	1	3	4	6	8	15
B. *Operated*	1116	8.1	65	2	2	6	9	16	22	46
1. SINGLE DX	4621	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	14094	4.0	14	1	1	3	5	7	9	18
A. NOT OPERATED	17373	3.4	7	1	1	3	4	6	8	13
B. OPERATED	1342	7.4	58	2	2	5	8	14	21	44
TOTAL 0-19 YRS	7663	2.9	5	1	1	2	3	5	6	10
20-34	3224	2.9	6	1	1	2	4	5	6	11
35-49	2314	3.7	8	1	1	3	5	7	8	13
50-64	2176	4.4	13	1	2	4	5	8	10	17
65+	3338	5.6	27	1	2	4	7	10	14	25
GRAND TOTAL	**18715**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	39	4.1	4	2	2	4	6	7	8	9
35-49	295	4.3	5	1	2	4	5	7	9	11
50-64	502	4.8	6	1	2	4	6	8	9	12
65+	426	4.9	7	1	2	5	6	8	9	14
B. Operated										
0-19 YRS	3	5.7	25	1	1	5	9	11	11	11
20-34	13	6.1	4	4	4	5	8	9	10	10
35-49	95	9.1	14	3	5	9	10	14	17	21
50-64	101	9.2	8	5	6	9	11	13	14	16
65+	82	11.4	25	5	7	10	14	16	18	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	9.6	56	3	3	9	14	21	21	21
20-34	35	4.5	6	1	2	4	6	7	10	12
35-49	338	5.1	9	2	2	4	6	8	10	13
50-64	1074	5.3	10	2	2	5	7	9	11	15
65+	3177	6.1	16	2	3	5	8	11	13	20
B. Operated										
0-19 YRS	4	9.5	26	2	2	11	12	13	13	13
20-34	37	9.5	38	3	4	8	12	16	18	37
35-49	239	11.4	64	3	5	10	14	18	23	39
50-64	626	11.2	44	3	4	10	14	20	24	38
65+	1340	12.8	79	3	4	11	16	23	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1262	4.7	6	1	2	4	6	8	9	13
B. Operated	294	9.6	16	4	5	9	11	14	16	22
2. MULTIPLE DX										
A. Not Operated	4629	5.8	14	2	2	5	7	10	12	19
B. Operated	2246	12.1	67	3	4	10	15	21	27	46
1. SINGLE DX	1556	5.6	12	2	2	5	7	10	12	17
2. MULTIPLE DX	6875	7.9	40	2	3	6	10	15	19	33
A. NOT OPERATED	5891	5.6	13	2	2	5	7	10	12	18
B. OPERATED	2540	11.8	62	3	4	10	14	20	26	44
TOTAL 0-19 YRS	12	8.6	35	1	2	10	12	15	20	21
20-34	124	6.0	20	2	2	5	7	10	14	23
35-49	967	6.8	31	2	2	5	9	12	15	25
50-64	2303	6.9	26	2	2	6	9	13	16	27
65+	5025	7.9	41	2	3	6	10	15	19	33
GRAND TOTAL	**8431**	**7.5**	**36**	**2**	**3**	**6**	**9**	**14**	**18**	**31**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.8	1	1	1	2	2	3	3	3
20-34	30	2.8	2	1	1	3	3	5	7	7
35-49	21	3.0	5	1	1	2	3	5	8	11
50-64	14	3.4	3	1	2	3	4	6	7	7
65+	5	3.4	2	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	101	2.2	3	<1	1	2	2	4	7	10
20-34	598	2.6	3	1	1	2	3	4	6	9
35-49	561	2.6	2	1	1	2	3	4	5	8
50-64	276	2.8	3	1	1	2	4	5	6	9
65+	89	2.8	3	<1	1	3	4	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.5	42	<1	1	2	3	12	20	30
20-34	24	4.1	5	1	2	4	5	8	9	10
35-49	36	3.9	7	1	1	4	5	6	10	13
50-64	48	4.8	9	2	2	4	6	8	10	16
65+	42	6.5	29	1	2	5	8	11	16	31
B. Operated										
0-19 YRS	72	3.1	5	1	1	2	4	7	9	11
20-34	547	3.6	8	1	1	3	4	6	8	15
35-49	792	3.8	16	1	1	3	4	6	8	21
50-64	601	4.4	23	1	2	3	5	8	10	23
65+	379	5.1	42	1	2	4	6	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.9	3	1	1	2	3	6	7	10
B. Operated	1625	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	175	4.9	18	1	2	4	6	9	12	28
B. Operated	2391	4.1	20	1	1	3	5	7	9	21
1. SINGLE DX	1704	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX	2566	4.2	20	1	1	3	5	7	10	22
A. NOT OPERATED	254	4.3	14	1	1	3	5	8	10	21
B. OPERATED	4016	3.5	13	1	1	3	4	6	8	17
TOTAL 0-19 YRS	207	2.8	9	<1	1	2	3	5	8	14
20-34	1199	3.1	5	1	1	3	4	6	7	12
35-49	1410	3.3	11	1	1	3	4	5	7	14
50-64	939	3.9	17	1	1	3	4	7	9	20
65+	515	4.8	34	1	1	4	5	8	13	26
GRAND TOTAL	**4270**	**3.5**	**14**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.0	5	1	1	2	4	5	7	13
20-34	480	4.1	8	1	1	3	5	8	9	14
35-49	357	4.0	7	1	1	3	5	7	9	14
50-64	194	4.0	8	1	1	3	5	8	10	13
65+	168	3.5	7	<1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	159	5.5	31	1	1	4	7	11	14	30
20-34	328	6.8	29	1	2	6	9	14	17	26
35-49	231	6.5	28	1	2	5	9	12	16	32
50-64	155	6.7	27	1	2	5	10	14	16	23
65+	133	7.3	46	1	2	6	9	13	15	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	491	4.4	25	1	1	3	5	9	12	21
20-34	841	4.7	13	1	2	4	6	9	12	19
35-49	997	5.0	14	1	2	4	6	10	12	20
50-64	1096	5.1	16	1	2	4	6	9	12	20
65+	2241	6.1	23	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	323	10.4	133	1	1	7	12	25	36	62
20-34	791	9.1	75	2	3	7	11	19	25	45
35-49	975	9.4	83	2	3	7	12	19	29	46
50-64	1085	10.2	105	2	2	7	12	22	31	60
65+	1727	12.1	125	2	3	9	15	25	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1487	3.8	7	1	1	3	5	7	9	13
B. *Operated*	1006	6.6	31	1	2	5	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	5666	5.4	19	1	2	4	7	10	13	22
B. *Operated*	4901	10.5	106	2	3	8	13	22	30	57
1. SINGLE DX	2493	4.9	19	1	1	4	6	10	13	22
2. MULTIPLE DX	10567	7.8	66	1	2	5	9	16	22	42
A. NOT OPERATED	7153	5.0	17	1	2	4	6	10	12	21
B. OPERATED	5907	9.9	96	2	2	7	12	21	28	53
TOTAL 0-19 YRS	1261	5.8	56	1	1	3	6	12	18	43
20-34	2440	6.3	39	1	2	5	8	12	17	31
35-49	2560	6.7	45	1	2	5	8	13	18	36
50-64	2530	7.3	61	1	2	5	9	15	21	42
65+	4269	8.4	74	1	2	6	10	17	24	47
GRAND TOTAL	**13060**	**7.2**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**40**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	12	8.0	62	2	2	5	10	20	28	29
35-49	18	6.8	39	1	1	4	8	19	20	21
50-64	17	7.7	19	3	4	7	10	16	16	16
65+	4	6.0	9	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	3	7.0	28	1	1	9	10	11	11	11
35-49	11	5.8	5	1	2	7	7	8	9	9
50-64	11	4.3	24	1	1	4	4	11	17	18
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	84	7.7	52	1	2	6	9	15	23	41
35-49	330	9.0	66	2	3	7	11	17	27	42
50-64	324	9.1	57	2	3	7	11	18	25	39
65+	201	9.2	45	2	3	8	12	17	21	39
B. *Operated*										
0-19 YRS										
20-34	22	14.5	208	2	3	10	16	39	50	55
35-49	121	12.8	148	2	3	9	16	27	33	62
50-64	155	11.5	137	1	2	9	13	23	34	66
65+	76	10.9	91	2	2	8	15	26	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.5	35	2	2	6	9	16	19	29
B. *Operated*	26	5.3	15	1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	940	8.9	57	2	3	7	11	17	23	40
B. *Operated*	374	12.0	135	2	3	9	15	26	34	62
1. SINGLE DX	78	6.8	29	1	1	5	8	16	18	27
2. MULTIPLE DX	1314	9.8	81	2	3	7	12	19	27	46
A. NOT OPERATED	992	8.9	56	2	3	7	11	17	22	39
B. OPERATED	400	11.6	130	1	2	8	15	25	33	59
TOTAL 0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	121	9.0	85	1	2	6	10	17	28	49
35-49	480	9.8	87	2	3	7	12	20	28	44
50-64	507	9.7	81	2	3	7	12	19	27	44
65+	282	9.6	57	2	3	8	12	18	22	41
GRAND TOTAL	**1392**	**9.6**	**78**	**2**	**3**	**7**	**12**	**19**	**27**	**45**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	98	1	1	8	15	15	15	15
20-34	6	4.2	4	2	2	4	6	7	7	7
35-49	8	5.5	16	1	1	4	8	12	13	13
50-64	13	3.3	10	1	1	2	3	9	11	11
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	47	2.3	6	1	1	2	2	5	7	13
35-49	47	1.9	7	<1	1	1	2	3	7	17
50-64	49	3.0	8	1	1	2	4	7	9	12
65+	26	3.9	37	1	1	2	3	11	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	7	1	1	3	6	7	9	10
20-34	27	5.7	21	1	2	5	7	11	14	23
35-49	82	6.7	38	1	2	5	8	13	16	37
50-64	157	7.7	46	2	2	6	9	15	19	32
65+	241	9.2	60	2	3	7	11	17	23	37
B. *Operated*										
0-19 YRS	38	6.8	94	1	1	4	9	15	17	57
20-34	49	6.8	123	1	1	3	7	17	22	67
35-49	105	7.3	101	1	1	4	8	16	30	55
50-64	209	7.4	69	1	1	5	11	17	22	42
65+	226	9.8	76	1	1	8	14	21	26	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.2	13	1	1	3	5	10	13	15
B. *Operated*	181	2.6	11	1	1	1	2	5	9	17
2. MULTIPLE DX										
A. *Not Operated*	526	8.0	50	1	2	6	10	15	20	34
B. *Operated*	627	8.2	84	1	1	5	11	18	24	45
1. SINGLE DX	214	2.8	12	1	1	2	3	6	11	16
2. MULTIPLE DX	1153	8.1	68	1	1	6	11	17	22	41
A. NOT OPERATED	559	7.8	49	1	2	6	10	15	20	33
B. OPERATED	808	6.9	73	1	1	4	9	17	22	41
TOTAL 0-19 YRS	71	5.1	58	1	1	3	6	13	15	49
20-34	129	4.8	57	1	1	2	5	11	17	42
35-49	242	6.0	62	1	1	3	7	12	18	42
50-64	428	6.9	54	1	1	5	9	14	20	35
65+	497	9.2	68	1	1	7	12	19	25	37
GRAND TOTAL	**1367**	**7.3**	**63**	**1**	**1**	**5**	**10**	**16**	**22**	**38**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	4	1	1	4	5	6	7	8
20-34	92	4.6	9	2	2	4	5	7	12	16
35-49	43	4.7	11	<1	1	4	6	8	12	17
50-64	21	6.0	19	1	2	5	7	12	16	19
65+	15	4.9	11	<1	1	5	8	9	10	10
B. *Operated*										
0-19 YRS	8	5.0	11	1	1	4	8	10	10	10
20-34	18	6.6	42	1	1	5	10	13	21	26
35-49	15	7.5	38	1	1	6	13	16	18	19
50-64	19	7.2	80	1	1	3	9	23	29	32
65+	25	5.1	22	<1	1	3	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.6	7	1	2	4	6	7	10	16
20-34	129	6.2	28	2	2	5	7	12	19	29
35-49	188	7.9	43	2	3	6	10	15	21	33
50-64	280	7.7	41	2	3	6	9	15	22	33
65+	395	8.7	51	2	3	7	10	16	21	42
B. *Operated*										
0-19 YRS	30	12.0	227	1	1	5	17	33	49	62
20-34	44	9.1	63	1	1	6	14	20	26	33
35-49	79	14.2	301	1	1	8	18	30	60	85
50-64	147	11.8	138	1	2	9	15	24	40	66
65+	140	12.8	110	2	2	10	16	26	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.7	10	1	2	4	6	8	11	17
B. *Operated*	85	6.3	40	1	1	4	9	14	19	30
2. MULTIPLE DX										
A. *Not Operated*	1040	7.8	43	2	3	6	9	15	21	33
B. *Operated*	440	12.3	157	1	2	9	16	26	35	66
1. SINGLE DX	285	5.2	19	1	1	4	6	10	14	23
2. MULTIPLE DX	1480	9.1	81	2	2	6	11	19	25	50
A. NOT OPERATED	1240	7.3	39	2	2	5	9	14	19	32
B. OPERATED	525	11.3	143	1	1	8	15	25	33	65
TOTAL 0-19 YRS	115	6.4	74	1	1	4	6	10	19	54
20-34	283	6.2	30	1	2	4	7	14	18	29
35-49	325	9.0	110	1	2	6	11	19	26	67
50-64	467	8.9	76	2	2	6	11	20	25	52
65+	575	9.4	67	2	2	7	12	18	23	44
GRAND TOTAL	**1765**	**8.5**	**73**	**1**	**2**	**6**	**10**	**17**	**24**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	2	<1	<1	3	3	5	5	6
20-34	167	2.1	2	<1	1	2	3	4	5	7
35-49	177	2.6	3	1	1	2	3	5	6	8
50-64	167	2.9	4	1	1	3	4	5	6	11
65+	143	4.1	5	1	2	3	5	7	9	11
B. *Operated*										
0-19 YRS	215	5.2	6	3	3	5	6	7	10	12
20-34	2281	5.0	4	3	3	5	6	7	8	11
35-49	2165	5.3	5	3	3	5	6	8	9	13
50-64	1619	5.7	5	3	3	5	7	8	10	13
65+	845	6.9	8	4	4	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	4	1	1	3	4	6	8	9
20-34	212	3.2	6	<1	1	3	4	6	7	14
35-49	287	3.5	5	1	1	3	4	6	8	12
50-64	476	4.5	10	1	1	4	6	9	10	14
65+	1274	6.1	28	2	2	5	7	11	14	28
B. *Operated*										
0-19 YRS	205	6.9	11	3	4	6	8	11	13	17
20-34	2088	6.3	11	3	3	6	7	10	12	16
35-49	2653	6.9	14	3	4	6	8	11	13	21
50-64	3322	8.0	25	4	4	7	9	13	16	25
65+	4637	10.1	36	4	5	9	12	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	2.9	4	1	1	2	4	5	7	9
B. *Operated*	7125	5.5	5	3	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	2289	5.1	20	1	2	4	6	9	12	24
B. *Operated*	12905	8.2	26	3	4	7	10	14	17	28
1. SINGLE DX	7806	5.3	6	2	3	5	6	8	9	13
2. MULTIPLE DX	15194	7.8	27	2	3	7	9	13	16	27
A. NOT OPERATED	2970	4.6	17	1	1	4	6	9	11	20
B. OPERATED	20030	7.3	21	3	4	6	8	12	15	24
TOTAL 0-19 YRS	487	5.6	9	2	3	5	7	9	11	16
20-34	4748	5.4	8	2	3	5	6	8	10	14
35-49	5282	5.9	11	2	3	5	7	9	11	18
50-64	5584	6.9	19	2	3	6	8	11	14	22
65+	6899	8.9	34	3	4	8	11	15	19	31
GRAND TOTAL	**23000**	**6.9**	**21**	**2**	**3**	**6**	**8**	**12**	**14**	**24**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.2	6	<1	1	3	4	7	9	10
20-34	106	3.1	4	1	1	3	4	6	7	10
35-49	108	3.5	3	1	1	3	5	6	7	8
50-64	67	3.4	4	1	1	3	5	6	7	10
65+	48	4.4	8	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	20	4.8	4	1	2	5	6	7	8	9
20-34	219	5.5	7	3	3	5	6	9	10	15
35-49	222	5.9	7	2	3	5	7	9	12	14
50-64	136	6.4	8	3	3	6	8	10	12	15
65+	59	7.4	5	4	5	7	9	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.1	20	1	1	3	4	10	16	19
20-34	120	3.9	9	1	1	3	5	7	8	18
35-49	153	4.2	5	1	2	4	5	7	9	13
50-64	216	5.1	10	2	2	5	6	9	11	15
65+	379	6.3	15	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	26	6.5	13	2	2	6	9	11	14	15
20-34	302	6.8	14	3	3	6	8	12	14	21
35-49	472	7.4	23	3	3	6	9	12	16	27
50-64	423	9.4	42	4	4	8	11	16	21	36
65+	465	11.7	49	4	5	10	14	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	3.4	5	1	1	3	4	6	7	10
B. *Operated*	656	5.9	7	3	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	890	5.3	12	1	2	4	7	9	12	17
B. *Operated*	1688	9.0	37	3	4	7	11	15	20	34
1. SINGLE DX	1005	5.1	8	1	2	5	6	9	10	14
2. MULTIPLE DX	2578	7.7	31	2	3	6	9	14	17	31
A. NOT OPERATED	1239	4.8	11	1	2	4	6	9	11	15
B. OPERATED	2344	8.1	30	3	4	7	10	14	17	31
TOTAL 0-19 YRS	88	4.8	12	1	1	4	6	9	11	17
20-34	747	5.4	12	1	2	5	7	9	12	17
35-49	955	6.1	16	2	2	5	7	10	13	21
50-64	842	7.3	30	2	3	6	9	13	16	29
65+	951	8.9	38	2	3	7	11	15	21	34
GRAND TOTAL	**3583**	**7.0**	**26**	**2**	**2**	**6**	**8**	**13**	**15**	**28**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.9	5	1	1	3	6	7	8	8
35-49	11	3.4	2	<1	1	4	5	5	5	5
50-64	12	3.5	3	<1	1	3	5	6	7	7
65+	13	4.9	8	2	3	4	6	8	12	13
B. *Operated*										
0-19 YRS	10	6.8	19	1	2	5	10	13	14	14
20-34	81	6.4	10	2	3	6	8	10	12	20
35-49	54	6.2	11	1	2	6	8	11	12	16
50-64	61	6.6	14	1	2	6	8	10	15	19
65+	79	7.9	32	1	1	8	10	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	18	4.3	7	1	2	4	6	7	10	12
35-49	22	3.7	11	1	1	3	5	8	11	14
50-64	42	4.3	6	1	1	4	6	8	9	10
65+	129	6.3	20	2	3	5	7	12	14	25
B. *Operated*										
0-19 YRS	13	10.2	16	6	6	10	12	29	84	99+
20-34	92	8.6	24	4	5	8	10	13	16	76
35-49	102	9.8	68	2	3	8	11	16	24	51
50-64	169	9.7	34	3	4	8	11	16	21	36
65+	630	12.5	63	3	5	11	15	21	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.9	5	1	1	4	5	7	7	13
B. *Operated*	285	6.8	18	1	2	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	212	5.5	16	1	2	5	7	10	14	22
B. *Operated*	1006	11.4	56	3	5	10	14	19	24	45
1. SINGLE DX	333	6.4	17	1	2	6	8	11	13	21
2. MULTIPLE DX	1218	10.4	54	2	3	9	13	18	23	43
A. NOT OPERATED	260	5.2	14	1	2	4	6	9	13	21
B. OPERATED	1291	10.4	51	2	4	9	13	18	22	41
TOTAL 0-19 YRS	25	8.7	21	2	3	9	12	14	37	99+
20-34	202	7.1	18	2	3	7	9	12	13	32
35-49	189	7.7	47	1	2	7	10	13	16	33
50-64	284	8.0	29	1	3	7	10	15	18	25
65+	851	11.0	59	2	3	10	14	19	24	40
GRAND TOTAL	**1551**	**9.5**	**49**	**2**	**3**	**8**	**12**	**17**	**21**	**36**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.4	22	2	2	6	7	14	16	16
20-34	19	3.8	4	1	2	4	5	6	7	8
35-49	20	4.5	9	<1	1	4	6	8	11	13
50-64	19	4.8	11	1	1	4	7	9	12	14
65+	18	5.0	17	1	1	5	6	7	15	20
B. *Operated*										
0-19 YRS	3	12.3	170	2	2	8	22	27	27	27
20-34	12	4.8	6	2	2	5	6	8	11	11
35-49	14	4.7	13	1	1	4	7	11	11	11
50-64	15	8.0	34	<1	1	6	14	16	17	17
65+	14	8.2	47	1	1	6	11	17	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.2	53	2	2	8	11	18	25	32
20-34	26	6.5	28	1	2	5	8	12	15	28
35-49	50	5.0	8	1	2	5	7	9	10	14
50-64	73	6.0	14	2	2	5	7	10	15	21
65+	176	6.9	22	2	3	6	8	12	16	26
B. *Operated*										
0-19 YRS	12	16.1	250	2	2	11	19	39	56	59
20-34	40	10.5	139	1	2	8	14	25	47	99+
35-49	71	10.0	58	2	3	9	13	20	22	42
50-64	114	11.8	124	2	2	9	15	24	28	64
65+	250	12.2	68	2	3	11	16	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	4.7	11	1	1	4	6	8	10	19
B. *Operated*	58	6.8	34	1	1	5	9	15	17	27
2. MULTIPLE DX										
A. *Not Operated*	347	6.5	22	2	2	5	8	11	15	26
B. *Operated*	487	11.8	90	2	3	10	15	22	28	59
1. SINGLE DX	141	5.6	21	1	1	5	6	11	15	26
2. MULTIPLE DX	834	9.6	68	2	2	8	12	18	24	45
A. NOT OPERATED	430	6.2	20	2	2	5	8	11	15	26
B. OPERATED	545	11.2	86	2	2	10	15	22	28	58
TOTAL 0-19 YRS	44	10.8	113	2	2	8	13	22	31	59
20-34	97	7.4	72	1	2	5	8	16	26	84
35-49	155	7.2	38	1	2	6	9	14	19	29
50-64	221	9.0	80	2	2	7	11	18	24	52
65+	458	9.8	55	2	3	8	13	18	24	40
GRAND TOTAL	**975**	**9.0**	**63**	**2**	**2**	**7**	**12**	**18**	**24**	**44**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	9	1	1	5	7	9	11	13
20-34	268	4.8	9	2	2	4	6	8	10	15
35-49	294	5.7	18	1	2	5	7	10	12	18
50-64	172	5.0	8	1	2	5	7	9	11	15
65+	115	5.4	8	2	2	5	7	9	12	15
B. *Operated*										
0-19 YRS	13	8.7	64	1	2	6	12	18	29	31
20-34	36	9.6	60	1	2	8	12	20	30	31
35-49	46	9.2	152	<1	1	7	11	17	19	84
50-64	34	9.7	128	<1	1	8	11	17	35	58
65+	25	6.5	22	<1	1	6	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	6.0	23	2	2	5	8	11	16	25
20-34	759	6.1	17	2	2	5	8	11	14	21
35-49	1298	6.7	26	2	3	5	8	11	15	30
50-64	858	6.6	22	2	3	5	8	12	14	29
65+	1086	7.4	32	2	3	6	9	12	16	30
B. *Operated*										
0-19 YRS	19	14.2	157	3	3	9	21	35	41	45
20-34	155	15.8	151	3	4	11	22	34	42	62
35-49	338	15.7	158	3	5	11	20	36	44	67
50-64	340	14.8	208	2	3	10	17	34	48	69
65+	419	13.2	130	3	4	10	16	25	35	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	889	5.3	12	1	2	5	6	9	11	16
B. *Operated*	154	8.9	96	1	1	7	11	17	24	57
2. MULTIPLE DX										
A. *Not Operated*	4081	6.7	25	2	3	6	8	12	15	28
B. *Operated*	1271	14.6	162	3	4	11	18	32	43	76
1. SINGLE DX	1043	5.8	26	1	2	5	7	10	12	24
2. MULTIPLE DX	5352	8.6	69	2	3	6	10	16	23	47
A. NOT OPERATED	4970	6.5	23	2	2	5	8	11	14	25
B. OPERATED	1425	14.0	158	2	4	10	17	30	42	75
TOTAL 0-19 YRS	152	7.0	46	1	2	5	8	13	23	35
20-34	1218	7.2	45	2	2	5	8	13	20	38
35-49	1976	8.1	62	2	3	6	9	16	23	44
50-64	1404	8.5	81	2	3	6	10	16	23	52
65+	1645	8.7	62	2	3	7	10	16	21	50
GRAND TOTAL	**6395**	**8.2**	**63**	**2**	**3**	**6**	**9**	**15**	**22**	**45**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.7	3	1	1	2	3	5	7	10
20-34	67	2.8	3	<1	1	2	4	5	6	7
35-49	71	3.7	7	1	1	3	5	6	10	14
50-64	93	3.7	10	1	1	3	5	6	8	20
65+	112	4.4	9	<1	1	4	6	8	10	16
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	9.3	14	5	5	11	12	12	12	12
35-49	4	5.8	30	3	3	3	9	14	14	14
50-64	16	3.5	10	<1	<1	3	6	12	69	99+
65+	21	7.0	33	1	2	4	10	15	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.7	17	1	1	3	4	7	10	24
20-34	346	3.8	8	1	1	3	5	7	8	13
35-49	531	4.6	12	1	2	4	6	8	11	21
50-64	889	5.2	17	1	2	4	6	9	11	19
65+	3015	6.3	28	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	38	6.7	100	1	1	4	7	12	16	62
20-34	71	6.1	34	1	2	4	7	12	15	36
35-49	138	8.0	105	2	2	5	8	15	23	63
50-64	368	8.4	56	2	3	6	10	17	23	38
65+	934	9.4	77	2	3	7	11	17	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.6	7	1	1	3	5	7	8	15
B. *Operated*	47	5.6	24	<1	1	4	9	13	18	99+
2. MULTIPLE DX										
A. *Not Operated*	4925	5.7	23	1	2	5	7	10	13	23
B. *Operated*	1549	8.8	74	2	3	7	10	17	24	55
1. SINGLE DX	452	3.8	9	1	1	3	5	7	10	16
2. MULTIPLE DX	6474	6.4	37	2	2	5	8	12	16	31
A. NOT OPERATED	5330	5.5	22	1	2	4	7	10	13	23
B. OPERATED	1596	8.7	72	2	3	6	10	17	24	56
TOTAL 0-19 YRS	247	3.9	27	1	1	3	4	7	10	23
20-34	487	4.0	12	1	1	3	5	7	9	16
35-49	744	5.1	31	1	2	4	6	9	13	27
50-64	1366	6.0	29	1	2	5	7	11	15	31
65+	4082	7.0	40	2	2	5	8	13	17	33
GRAND TOTAL	**6926**	**6.3**	**36**	**1**	**2**	**5**	**7**	**11**	**15**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.0	4	<1	1	3	4	6	8	9
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	3	3.3	10	1	1	2	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	4.5	6	3	3	4	6	8	8	8
B. *Operated*										
0-19 YRS	2	18.0	450	3	3	18	33	33	33	33
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	8.4	81	2	2	5	12	24	24	24
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	7.1	96	1	2	4	7	22	45	99+
20-34	9	4.8	3	3	3	4	6	7	8	8
35-49	24	8.5	77	2	3	6	8	15	27	45
50-64	22	9.4	38	2	2	8	11	17	22	28
65+	21	7.6	64	2	3	5	9	14	26	39
B. *Operated*										
0-19 YRS	15	19.0	245	2	3	18	34	48	84	99+
20-34	10	15.9	87	3	5	16	21	29	34	34
35-49	17	16.9	214	4	4	15	18	27	53	67
50-64	13	19.5	383	2	3	15	22	47	70	75
65+	12	14.8	92	4	6	12	16	32	36	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.6	8	1	1	3	5	8	9	13
B. *Operated*	11	8.7	108	<1	1	3	10	28	33	33
2. MULTIPLE DX										
A. *Not Operated*	129	7.7	71	2	2	5	8	17	38	99+
B. *Operated*	67	17.3	204	3	4	15	21	38	50	95
1. SINGLE DX	39	5.1	39	<1	1	3	5	10	19	33
2. MULTIPLE DX	196	11.0	136	2	2	7	15	27	41	99+
A. NOT OPERATED	157	7.0	62	1	2	5	8	15	25	95
B. OPERATED	78	16.1	198	2	3	14	21	36	47	93
TOTAL 0-19 YRS	88	8.6	132	1	2	4	9	35	47	99+
20-34	22	9.9	74	1	2	7	15	22	29	34
35-49	49	11.1	135	2	3	7	15	23	28	67
50-64	38	12.6	173	2	2	10	16	23	35	75
65+	38	9.4	77	2	3	6	12	16	34	39
GRAND TOTAL	**235**	**10.0**	**125**	**2**	**2**	**6**	**13**	**25**	**39**	**99+**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.3	8	1	1	3	6	9	11	12
20-34	8	3.8	5	1	1	3	5	7	7	7
35-49	3	6.0	1	5	5	6	7	7	7	7
50-64	3	5.7	2	4	4	6	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	80	3.3	11	1	1	2	3	6	13	18
20-34	27	3.1	3	1	2	2	4	7	7	7
35-49	17	4.9	34	1	1	3	4	12	20	24
50-64	14	3.3	8	1	1	2	3	9	10	10
65+	9	4.7	59	1	1	2	3	17	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.0	13	1	2	4	6	9	12	18
20-34	33	6.7	42	2	2	5	8	14	15	36
35-49	28	5.4	23	1	2	4	7	10	16	24
50-64	46	7.3	26	2	3	6	8	15	18	26
65+	79	9.3	36	2	3	8	11	18	22	28
B. *Operated*										
0-19 YRS	83	6.7	28	1	2	5	10	15	16	24
20-34	58	5.8	35	1	2	3	7	16	21	26
35-49	69	5.4	30	1	1	3	7	13	15	29
50-64	67	7.3	156	1	1	4	8	15	20	85
65+	90	10.2	162	2	2	7	12	23	35	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.4	7	1	1	4	6	8	10	12
B. *Operated*	147	3.5	15	1	1	2	3	7	12	24
2. MULTIPLE DX										
A. *Not Operated*	313	6.6	27	2	2	5	8	14	18	26
B. *Operated*	367	7.3	88	1	2	4	9	15	21	49
1. SINGLE DX	248	3.9	12	1	1	3	5	7	11	20
2. MULTIPLE DX	680	7.0	60	1	2	5	9	15	19	34
A. NOT OPERATED	414	6.1	23	1	2	5	7	12	15	25
B. OPERATED	514	6.2	70	1	2	3	8	14	20	38
TOTAL 0-19 YRS	377	4.9	16	1	2	4	6	11	14	20
20-34	126	5.3	30	1	2	3	6	11	17	28
35-49	117	5.3	28	1	1	3	7	12	15	26
50-64	130	6.8	91	1	1	5	8	15	19	43
65+	178	9.5	101	2	2	7	12	20	26	81
GRAND TOTAL	**928**	**6.1**	**49**	**1**	**2**	**4**	**7**	**13**	**18**	**30**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.5	7	1	2	4	6	8	10	11
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	12.0		12	12	12	12	12	12	12
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	5.2	9	2	2	5	7	10	11	12
20-34	9	3.7	3	<1	1	4	5	6	6	6
35-49	7	7.4	17	2	2	7	10	13	14	14
50-64	10	6.8	16	3	3	6	9	13	16	16
65+	26	11.0	111	3	3	7	12	25	37	46
B. *Operated*										
0-19 YRS	12	7.9	48	1	1	6	10	19	24	25
20-34	14	10.2	63	2	4	7	14	21	29	31
35-49	10	9.4	64	2	2	6	15	22	26	26
50-64	11	9.8	68	1	2	7	13	24	26	26
65+	15	15.3	65	4	6	14	18	30	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.4	7	1	1	4	6	8	10	11
B. *Operated*	5	4.6	21	1	1	2	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	96	7.0	43	2	2	5	8	12	17	41
B. *Operated*	62	10.8	65	2	2	8	15	24	28	34
1. SINGLE DX	41	4.4	8	1	1	4	6	8	10	12
2. MULTIPLE DX	158	8.5	55	2	2	6	10	18	25	35
A. NOT OPERATED	132	6.3	34	2	2	5	8	11	16	37
B. OPERATED	67	10.3	64	1	2	7	15	22	27	33
TOTAL 0-19 YRS	90	5.2	14	1	2	5	7	10	12	21
20-34	27	7.4	44	1	2	5	9	15	22	31
35-49	19	8.1	42	1	2	6	10	17	23	26
50-64	22	8.1	43	1	2	6	9	18	24	26
65+	41	12.6	96	3	4	10	17	28	34	46
GRAND TOTAL	**199**	**7.6**	**48**	**1**	**2**	**6**	**10**	**16**	**22**	**35**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	6.7	20	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	12	5.7	21	<1	1	4	6	15	15	15
20-34	14	6.1	33	<1	<1	3	10	16	18	18
35-49	21	7.3	85	<1	1	3	12	18	29	38
50-64	43	5.1	20	1	1	3	6	14	15	19
65+	28	3.6	10	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.0	17	1	1	2	6	8	14	21
20-34	41	3.9	9	<1	1	3	4	9	11	14
35-49	71	4.4	13	1	1	3	5	9	10	20
50-64	110	6.1	25	1	2	5	8	12	19	25
65+	289	8.8	63	2	2	7	11	16	21	42
B. *Operated*										
0-19 YRS	103	15.3	194	2	3	12	21	35	39	96
20-34	229	10.1	86	1	2	7	14	23	30	40
35-49	343	9.5	88	1	2	6	14	21	28	41
50-64	392	9.8	107	1	2	6	14	23	29	54
65+	381	10.6	102	1	2	8	14	22	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.4	12	<1	<1	2	5	9	11	11
B. *Operated*	118	5.3	31	1	1	3	7	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	560	6.9	45	1	2	5	8	14	18	40
B. *Operated*	1448	10.4	106	1	2	7	14	23	30	52
1. SINGLE DX	127	5.2	30	1	1	3	6	14	15	26
2. MULTIPLE DX	2008	9.4	91	1	2	6	13	21	28	46
A. NOT OPERATED	569	6.9	45	1	2	5	8	14	18	39
B. OPERATED	1566	10.0	102	1	2	7	14	22	30	50
TOTAL 0-19 YRS	165	11.2	156	1	1	7	15	28	38	87
20-34	285	9.0	77	1	2	6	12	20	28	39
35-49	438	8.5	79	1	2	5	12	19	25	40
50-64	546	8.7	87	1	2	5	11	20	27	52
65+	701	9.5	84	1	2	7	12	19	27	45
GRAND TOTAL	**2135**	**9.1**	**89**	**1**	**2**	**6**	**12**	**20**	**28**	**44**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	98	3	3	10	17	17	17	17
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	9.7	30	4	4	10	14	15	15	15
65+	8	4.6	36	<1	<1	3	4	15	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	4	5.5	50	1	1	2	9	16	16	16
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.5	11	1	1	4	5	8	13	15
20-34	24	7.8	60	1	1	6	9	16	29	33
35-49	48	7.0	29	1	1	6	11	16	18	19
50-64	117	7.3	24	1	2	6	9	15	17	23
65+	682	9.4	44	3	3	8	12	16	21	38
B. *Operated*										
0-19 YRS	7	10.0	66	3	3	8	18	22	22	22
20-34	45	9.5	54	2	2	8	12	20	24	32
35-49	53	14.1	212	2	3	8	20	36	54	99
50-64	102	12.7	112	2	3	9	17	26	34	53
65+	366	16.4	179	3	5	13	20	31	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.6	33	<1	1	3	6	16	18	19
B. *Operated*	7	5.3	30	1	1	3	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	888	8.8	41	2	3	7	11	16	20	33
B. *Operated*	573	14.9	163	2	4	12	19	29	40	74
1. SINGLE DX	25	5.5	31	<1	1	3	7	16	17	19
2. MULTIPLE DX	1461	11.2	98	2	3	8	14	22	29	52
A. NOT OPERATED	906	8.8	41	2	3	7	11	16	20	32
B. OPERATED	580	14.8	163	2	4	12	19	29	40	73
TOTAL 0-19 YRS	26	6.4	34	1	2	4	8	17	21	22
20-34	71	8.8	55	1	2	7	11	19	27	33
35-49	105	10.4	134	1	2	7	13	22	38	80
50-64	226	9.7	71	2	2	7	13	19	26	43
65+	1058	11.8	102	3	3	9	14	22	29	51
GRAND TOTAL	**1486**	**11.1**	**97**	**2**	**3**	**8**	**14**	**21**	**28**	**52**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	3.9	3	2	2	4	5	6	7	10
20-34	334	3.7	2	2	2	3	4	6	6	9
35-49	101	3.8	2	2	2	3	4	6	7	8
50-64	67	4.3	4	2	2	4	5	7	8	12
65+	61	4.8	4	2	2	4	6	7	9	11
B. *Operated*										
0-19 YRS	9	4.8	5	1	2	4	6	8	9	9
20-34	11	4.5	2	3	3	4	5	6	7	7
35-49	10	5.1	5	2	2	5	5	9	10	10
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	3	12.0	4	10	10	12	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	477	4.7	7	2	2	4	6	7	10	14
20-34	744	4.6	6	2	2	4	5	7	8	11
35-49	442	5.4	10	2	3	5	7	9	12	17
50-64	462	6.0	11	2	3	5	7	10	12	19
65+	1210	7.2	18	3	3	6	9	12	15	22
B. *Operated*										
0-19 YRS	61	7.6	22	3	4	7	9	12	14	32
20-34	102	7.6	40	3	3	6	9	13	19	42
35-49	79	9.0	82	3	3	6	9	17	27	55
50-64	87	11.5	93	5	6	9	13	18	22	66
65+	205	11.2	43	4	5	10	13	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	3.9	3	2	2	4	5	6	7	9
B. *Operated*	35	5.5	8	2	3	5	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	3335	5.9	13	2	3	5	7	10	12	19
B. *Operated*	534	9.8	56	3	4	8	12	17	21	40
1. SINGLE DX	867	3.9	3	2	2	4	5	6	7	10
2. MULTIPLE DX	3869	6.4	21	2	3	5	8	11	14	23
A. NOT OPERATED	4167	5.5	12	2	2	5	7	9	12	19
B. OPERATED	569	9.6	54	3	4	8	11	16	21	40
TOTAL 0-19 YRS	816	4.7	8	2	2	4	5	7	10	14
20-34	1191	4.6	9	2	2	4	5	7	9	14
35-49	632	5.6	19	2	3	5	7	10	13	26
50-64	618	6.6	26	2	3	5	8	11	14	22
65+	1479	7.6	23	3	3	7	9	13	17	25
GRAND TOTAL	**4736**	**6.0**	**18**	**2**	**3**	**5**	**7**	**10**	**13**	**21**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.6	3	1	2	3	4	6	7	9
20-34	299	3.7	3	2	2	3	4	6	7	10
35-49	107	3.9	3	2	2	4	5	6	7	10
50-64	49	5.0	7	2	2	5	6	9	11	12
65+	27	4.7	3	2	3	5	6	7	7	8
B. *Operated*										
0-19 YRS	19	5.9	11	1	2	5	8	11	13	14
20-34	22	5.6	17	2	2	5	6	9	15	21
35-49	15	6.2	17	1	3	5	8	14	15	16
50-64	13	5.5	7	2	3	6	7	9	11	12
65+	4	8.0	33	3	3	6	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	362	4.4	5	2	2	4	5	7	9	11
20-34	575	4.3	5	2	2	4	5	7	8	12
35-49	303	5.0	7	2	2	5	6	8	9	12
50-64	301	6.0	18	2	3	5	7	10	12	19
65+	607	7.2	22	3	3	6	8	12	16	24
B. *Operated*										
0-19 YRS	77	8.8	39	2	3	7	10	16	21	37
20-34	97	7.5	24	3	3	6	9	15	18	26
35-49	92	8.7	25	3	4	7	11	16	18	23
50-64	106	10.1	72	3	4	8	12	17	24	51
65+	168	12.5	112	2	4	10	15	23	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	671	3.8	3	2	2	3	5	6	7	11
B. *Operated*	73	5.9	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2148	5.5	14	2	2	5	7	9	12	19
B. *Operated*	540	9.9	66	3	4	8	12	18	23	41
1. SINGLE DX	744	4.1	5	2	2	4	5	6	8	12
2. MULTIPLE DX	2688	6.4	27	2	3	5	8	11	15	27
A. NOT OPERATED	2819	5.1	12	2	2	4	6	8	11	18
B. OPERATED	613	9.5	62	2	3	7	12	17	22	39
TOTAL 0-19 YRS	647	4.7	11	2	2	4	6	8	10	17
20-34	993	4.5	8	2	2	4	5	7	9	16
35-49	517	5.5	12	2	2	5	6	9	13	19
50-64	469	6.8	32	2	3	5	8	12	15	28
65+	806	8.2	45	3	3	7	9	15	20	36
GRAND TOTAL	**3432**	**5.9**	**23**	**2**	**2**	**5**	**7**	**10**	**14**	**24**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.1	2	1	1	2	3	4	5	6
20-34	382	1.9	1	<1	1	2	2	3	4	5
35-49	595	1.9	1	<1	1	2	2	3	4	6
50-64	388	2.1	3	1	1	2	2	3	4	7
65+	137	2.6	6	1	1	2	3	4	4	14
B. *Operated*										
0-19 YRS	18	4.0	6	1	2	3	6	8	9	9
20-34	204	4.1	11	1	1	3	5	8	10	17
35-49	359	3.4	7	1	1	2	4	7	9	15
50-64	270	3.7	9	1	1	3	4	8	10	16
65+	130	4.4	12	1	2	3	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.5	3	<1	1	2	3	5	6	8
20-34	252	2.6	4	1	1	2	3	5	6	11
35-49	373	2.6	5	1	1	2	3	5	6	11
50-64	338	2.9	8	1	1	2	3	5	7	11
65+	291	3.5	6	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	27	4.3	9	1	1	3	6	8	10	14
20-34	199	6.2	23	2	2	5	8	12	14	24
35-49	306	6.0	43	1	2	4	7	10	15	33
50-64	373	5.8	25	1	2	4	8	11	14	25
65+	389	7.8	64	2	2	6	10	15	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	2.0	2	1	1	2	2	3	4	6
B. *Operated*	981	3.8	9	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1301	2.9	6	1	1	2	4	5	7	11
B. *Operated*	1294	6.5	41	2	2	5	8	12	17	34
1. SINGLE DX	2536	2.7	6	1	1	2	3	5	7	12
2. MULTIPLE DX	2595	4.7	27	1	1	3	6	10	13	24
A. NOT OPERATED	2856	2.4	4	1	1	2	3	4	6	10
B. OPERATED	2275	5.3	29	1	2	4	7	11	14	25
TOTAL 0-19 YRS	145	2.9	5	1	1	2	4	6	7	9
20-34	1037	3.3	10	1	1	2	4	7	10	17
35-49	1633	3.1	13	1	1	2	3	7	9	17
50-64	1369	3.6	14	1	1	2	4	8	10	19
65+	947	5.3	35	1	2	3	6	11	14	28
GRAND TOTAL	**5131**	**3.7**	**17**	**1**	**1**	**2**	**4**	**8**	**10**	**19**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	1.7	1	1	1	1	2	3	4	5
20-34	1503	1.7	1	<1	1	1	2	3	4	5
35-49	1921	1.7	1	<1	1	1	2	3	3	5
50-64	942	1.8	1	<1	1	2	2	3	4	6
65+	266	2.1	2	<1	1	2	3	4	4	6
B. *Operated*										
0-19 YRS	138	3.6	4	1	1	3	5	6	7	8
20-34	1105	3.4	5	1	1	3	4	6	8	11
35-49	1654	3.4	5	1	1	3	4	6	8	11
50-64	984	3.8	7	1	1	3	5	7	8	12
65+	316	4.3	8	1	2	3	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.4	3	1	1	2	3	4	5	9
20-34	533	2.2	2	1	1	2	3	4	5	7
35-49	861	2.2	3	1	1	2	3	4	5	7
50-64	701	2.5	3	1	1	2	3	5	6	8
65+	474	3.0	5	1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	62	4.3	5	2	2	4	5	7	8	12
20-34	525	4.5	9	1	2	4	6	8	10	15
35-49	907	4.9	14	1	2	4	6	9	12	19
50-64	891	5.6	20	1	2	4	7	11	13	21
65+	828	6.8	40	2	2	5	9	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4836	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	4197	3.6	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2642	2.4	3	1	1	2	3	4	6	8
B. *Operated*	3213	5.5	22	1	2	4	7	11	13	21
1. SINGLE DX	9033	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	5855	4.1	16	1	1	3	5	8	11	18
A. NOT OPERATED	7478	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	7410	4.4	14	1	1	3	6	8	11	17
TOTAL 0-19 YRS	477	2.7	3	1	1	2	4	5	6	8
20-34	3666	2.7	5	1	1	2	3	5	7	11
35-49	5343	2.8	6	1	1	2	3	6	8	12
50-64	3518	3.5	10	1	1	2	4	7	9	15
65+	1884	4.8	24	1	1	3	6	10	12	22
GRAND TOTAL	**14888**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	5	<1	1	2	4	7	8	10
20-34	26	2.1	3	<1	1	2	2	5	6	7
35-49	24	2.5	2	<1	1	2	3	4	5	6
50-64	21	2.7	2	<1	1	2	3	5	6	7
65+	15	3.2	4	<1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	195	5.7	6	1	2	6	7	9	10	11
20-34	92	5.2	10	1	2	5	7	9	11	15
35-49	117	5.5	19	1	1	4	8	11	14	20
50-64	86	5.5	13	1	1	5	8	10	12	15
65+	65	5.0	22	1	1	3	8	11	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.9	17	<1	1	3	5	8	11	22
20-34	71	4.0	13	1	1	3	5	8	11	20
35-49	66	4.3	20	1	1	3	5	10	11	28
50-64	100	5.0	10	1	1	5	7	9	10	16
65+	169	6.2	22	1	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	322	6.9	19	1	2	6	8	12	15	27
20-34	199	7.1	27	1	2	6	9	14	18	26
35-49	246	6.9	18	1	2	7	9	12	14	20
50-64	319	8.2	37	1	2	7	11	16	20	30
65+	473	8.6	56	1	2	7	11	17	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.6	3	1	1	2	3	5	7	8
B. *Operated*	555	5.5	12	1	1	5	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	481	5.0	18	1	1	4	6	10	12	21
B. *Operated*	1559	7.7	35	1	2	7	10	15	19	29
1. SINGLE DX	669	5.0	12	1	1	4	7	9	11	16
2. MULTIPLE DX	2040	7.1	32	1	2	6	9	14	18	29
A. NOT OPERATED	595	4.5	16	1	1	3	6	9	11	20
B. OPERATED	2114	7.1	30	1	2	6	9	13	17	27
TOTAL 0-19 YRS	620	6.0	15	1	1	6	8	10	12	21
20-34	388	5.7	21	1	1	5	8	11	15	23
35-49	453	5.9	19	1	1	5	8	11	14	20
50-64	526	6.9	29	1	2	6	9	14	18	26
65+	722	7.6	46	1	2	6	10	15	21	33
GRAND TOTAL	**2709**	**6.6**	**28**	**1**	**1**	**6**	**8**	**12**	**16**	**26**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	5	<1	1	2	3	7	7	7
20-34	64	1.7	1	<1	<1	1	2	3	4	6
35-49	54	2.1	2	<1	1	2	3	4	6	7
50-64	20	1.8	1	1	1	2	3	3	4	4
65+	7	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	6	3.2	5	<1	<1	3	4	7	7	7
20-34	29	3.4	6	1	1	3	4	6	8	13
35-49	35	4.1	9	1	1	3	6	7	10	15
50-64	29	3.8	10	<1	1	3	5	9	10	13
65+	27	3.7	11	<1	1	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	4	4	4
20-34	31	2.5	3	1	1	2	3	5	6	7
35-49	40	2.7	5	1	1	2	3	5	7	12
50-64	28	3.1	6	1	1	3	4	7	8	12
65+	28	4.2	7	1	1	4	5	9	10	11
B. *Operated*										
0-19 YRS	8	6.5	21	1	1	6	10	13	13	13
20-34	40	6.5	27	2	2	5	8	12	16	28
35-49	41	5.2	10	1	1	5	7	10	11	13
50-64	77	4.4	9	1	1	4	6	8	11	15
65+	214	5.9	17	1	2	5	8	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	1.9	2	<1	1	2	2	3	5	7
B. *Operated*	126	3.7	8	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	134	3.0	5	1	1	2	4	6	8	12
B. *Operated*	380	5.6	16	1	2	5	7	11	13	19
1. SINGLE DX	286	2.7	5	<1	1	2	3	6	7	13
2. MULTIPLE DX	514	4.9	15	1	1	4	7	10	12	17
A. NOT OPERATED	294	2.4	4	1	1	2	3	4	7	11
B. OPERATED	506	5.1	15	1	1	4	7	10	13	17
TOTAL 0-19 YRS	36	3.4	10	<1	1	2	5	7	11	13
20-34	164	3.3	12	<1	1	2	4	7	9	17
35-49	170	3.4	8	1	1	2	5	7	9	13
50-64	154	3.7	8	1	1	3	5	7	10	13
65+	276	5.4	16	1	1	4	7	11	13	19
GRAND TOTAL	**800**	**4.1**	**13**	**1**	**1**	**3**	**6**	**9**	**11**	**16**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.2	1	<1	1	2	3	3	4	5
20-34	31	2.6	1	1	1	3	3	4	5	5
35-49	19	2.3	1	<1	<1	2	3	4	4	4
50-64	8	2.1	1	<1	<1	2	3	4	4	4
65+	16	3.8	10	1	1	3	5	8	11	13
B. *Operated*										
0-19 YRS	24	2.0	1	<1	1	2	3	4	4	4
20-34	50	2.8	9	<1	<1	2	4	5	7	18
35-49	71	2.4	7	<1	<1	1	3	5	7	15
50-64	54	2.7	3	1	1	2	3	5	7	7
65+	73	2.5	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	8	1	1	3	4	6	7	19
20-34	74	4.1	14	1	1	3	5	7	9	25
35-49	63	4.5	7	1	2	4	6	8	10	14
50-64	61	4.8	14	1	2	4	6	9	11	23
65+	229	5.8	12	2	2	5	7	11	13	18
B. *Operated*										
0-19 YRS	62	3.1	4	1	1	3	4	6	7	9
20-34	114	4.1	10	1	1	3	5	8	10	17
35-49	139	4.8	11	1	2	4	6	9	12	29
50-64	214	5.7	31	1	1	4	7	12	16	31
65+	515	6.2	39	1	1	5	8	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.6	3	<1	1	2	3	4	5	10
B. *Operated*	272	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	487	4.9	12	1	2	4	6	9	12	18
B. *Operated*	1044	5.5	29	1	1	4	7	11	14	26
1. SINGLE DX	372	2.5	4	<1	1	2	3	5	6	12
2. MULTIPLE DX	1531	5.3	24	1	1	4	7	10	14	24
A. NOT OPERATED	587	4.5	11	1	1	4	6	9	11	17
B. OPERATED	1316	4.9	26	1	1	4	6	10	14	24
TOTAL 0-19 YRS	172	2.9	5	1	1	2	4	5	7	9
20-34	269	3.7	10	1	1	3	5	7	9	17
35-49	292	4.0	10	1	1	3	5	8	10	16
50-64	337	5.0	24	1	1	3	6	10	14	27
65+	833	5.7	29	1	1	4	7	11	14	23
GRAND TOTAL	**1903**	**4.8**	**21**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	119	1.7	2	<1	<1	1	2	3	4	9
20-34	81	2.5	5	1	1	2	3	4	5	14
35-49	69	2.1	2	1	1	2	3	4	6	8
50-64	54	2.3	2	<1	1	2	3	4	5	6
65+	94	2.8	5	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	8	2.3	1	<1	<1	2	3	4	4	4
65+	29	4.3	12	<1	1	3	5	10	12	15
B. *Operated*										
0-19 YRS	122	2.8	6	<1	<1	2	3	7	9	11
20-34	120	3.0	15	<1	1	2	4	6	7	19
35-49	133	3.5	13	1	1	2	4	7	10	20
50-64	201	3.8	13	1	1	3	5	8	11	17
65+	469	4.9	19	1	1	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	417	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	45	3.6	9	<1	1	3	4	8	11	15
B. *Operated*	1045	4.1	16	1	1	3	5	9	11	18
1. SINGLE DX	426	2.2	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX	1090	4.0	15	1	1	3	5	8	11	18
A. NOT OPERATED	54	3.3	8	<1	<1	3	4	6	10	15
B. OPERATED	1462	3.5	13	<1	1	2	4	7	10	16
TOTAL 0-19 YRS	244	2.2	4	<1	<1	1	3	5	7	10
20-34	208	2.7	11	1	1	2	3	5	6	13
35-49	206	3.0	10	1	1	2	4	6	9	16
50-64	263	3.5	11	1	1	2	4	7	10	16
65+	595	4.5	17	1	1	4	5	9	12	19
GRAND TOTAL	**1516**	**3.5**	**13**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	2.9	3	1	1	3	4	5	6	9
20-34	191	3.2	5	1	1	3	4	6	7	10
35-49	105	3.4	3	1	1	3	5	6	6	7
50-64	75	4.0	10	1	1	3	5	7	8	18
65+	151	4.6	9	1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	163	2.5	5	<1	1	2	3	5	7	12
20-34	116	3.1	4	<1	1	3	4	6	7	11
35-49	127	3.3	5	<1	1	3	5	7	8	10
50-64	148	3.2	7	<1	1	2	4	6	8	15
65+	183	3.3	7	<1	1	3	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1190	4.1	6	1	2	3	5	7	9	13
20-34	828	4.4	14	1	2	4	5	8	9	16
35-49	722	5.3	14	2	2	4	7	10	13	19
50-64	1178	6.1	27	2	2	5	7	11	13	25
65+	5959	7.6	32	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	338	5.2	28	<1	1	4	7	10	15	26
20-34	338	5.7	29	1	1	4	7	11	15	28
35-49	410	5.8	38	<1	1	4	7	11	15	25
50-64	682	7.0	45	1	2	5	9	14	20	34
65+	2128	8.8	70	1	2	7	11	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	839	3.4	5	1	1	3	4	6	8	11
B. *Operated*	737	3.1	6	<1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	9877	6.5	27	2	2	5	8	12	15	26
B. *Operated*	3896	7.6	57	1	2	6	9	15	21	39
1. SINGLE DX	1576	3.2	6	<1	1	3	4	6	7	13
2. MULTIPLE DX	13773	6.8	36	1	2	5	8	13	16	30
A. NOT OPERATED	10716	6.3	26	2	2	5	8	11	15	26
B. OPERATED	4633	6.9	52	1	1	5	9	14	20	36
TOTAL 0-19 YRS	2008	3.9	10	1	1	3	5	7	9	15
20-34	1473	4.5	16	1	1	4	5	8	10	19
35-49	1364	5.1	20	1	1	4	6	10	13	21
50-64	2083	6.1	32	1	2	5	7	11	15	29
65+	8421	7.7	42	2	3	6	9	14	18	34
GRAND TOTAL	**15349**	**6.5**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	9	2.4	3	<1	<1	2	4	5	5	5
65+	7	2.9	8	1	1	2	3	8	9	9
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	2.8	1	1	1	3	4	4	4	4
35-49	54	3.1	3	<1	1	3	4	5	6	10
50-64	971	4.3	4	1	2	4	5	6	8	10
65+	1565	4.7	4	1	2	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	7	2.4		2	2	2	3	3	3	3
50-64	48	3.1	5	<1	1	3	5	6	7	9
65+	251	5.2	26	1	1	4	7	10	12	28
B. *Operated*										
0-19 YRS	12	4.8	5	3	3	4	6	8	9	9
20-34	6	6.5	12	2	2	6	10	11	11	11
35-49	106	4.5	6	1	2	4	5	7	10	14
50-64	2268	5.4	9	2	3	5	6	9	11	16
65+	7578	6.3	15	3	3	5	7	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.7	4	<1	1	2	3	5	8	9
B. *Operated*	2598	4.5	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	310	4.8	23	<1	1	4	6	9	12	26
B. *Operated*	9970	6.1	14	2	3	5	7	10	13	20
1. SINGLE DX	2615	4.5	4	1	2	4	5	7	8	11
2. MULTIPLE DX	10280	6.0	14	2	3	5	7	10	13	20
A. NOT OPERATED	327	4.7	22	<1	1	3	6	9	12	25
B. OPERATED	12568	5.8	12	2	3	5	7	9	12	19
TOTAL 0-19 YRS	15	4.7	4	2	3	4	6	8	9	9
20-34	16	4.5	8	1	2	4	5	10	11	11
35-49	167	4.0	5	1	1	4	5	6	8	11
50-64	3296	5.0	8	2	2	5	6	8	10	15
65+	9401	6.0	14	2	3	5	7	10	12	20
GRAND TOTAL	**12895**	**5.7**	**12**	**2**	**3**	**5**	**7**	**9**	**12**	**19**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	2	1	1	2	4	5	6	6
20-34	52	3.0	2	1	1	3	4	5	5	6
35-49	39	3.3	2	1	1	3	4	5	7	8
50-64	43	4.0	3	1	2	4	5	6	7	8
65+	20	4.0	4	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	3.1	6	<1	<1	2	4	6	9	11
35-49	40	3.5	8	<1	<1	3	5	8	9	12
50-64	37	3.0	5	1	1	3	4	6	7	11
65+	17	2.6	3	<1	1	2	4	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	3	1	1	3	5	6	6	6
20-34	75	3.9	6	1	2	3	5	7	9	15
35-49	133	4.2	4	1	2	4	5	7	8	11
50-64	211	4.6	5	2	2	4	6	7	8	15
65+	169	5.1	7	2	3	5	6	8	9	14
B. *Operated*										
0-19 YRS	3	7.3	24	4	4	5	11	13	13	13
20-34	34	4.9	11	<1	1	4	7	10	11	12
35-49	96	5.1	19	1	2	4	7	9	10	29
50-64	139	4.9	12	1	1	4	6	9	11	19
65+	185	6.4	26	1	2	5	8	12	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.5	3	1	1	3	4	6	7	8
B. *Operated*	124	3.1	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	598	4.5	6	2	2	4	6	7	9	14
B. *Operated*	457	5.6	20	1	2	5	7	10	13	26
1. SINGLE DX	288	3.3	4	<1	1	3	4	5	7	10
2. MULTIPLE DX	1055	5.0	12	1	2	4	6	9	10	18
A. NOT OPERATED	762	4.3	5	1	2	4	5	7	8	11
B. OPERATED	581	5.0	18	<1	1	4	7	9	12	24
TOTAL 0-19 YRS	24	3.5	7	1	1	3	5	6	8	13
20-34	190	3.7	6	1	1	3	5	7	9	12
35-49	308	4.2	9	1	1	4	5	8	9	12
50-64	430	4.5	7	1	2	4	6	7	9	16
65+	391	5.6	16	1	2	5	7	9	13	24
GRAND TOTAL	**1343**	**4.6**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	102	1.5	1	<1	<1	1	2	2	3	5
20-34	46	2.0	1	<1	1	2	2	3	4	7
35-49	59	2.2	2	<1	1	2	3	4	4	7
50-64	96	2.0	1	1	1	2	3	3	4	6
65+	64	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	4	3.8	1	3	3	4	4	5	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	3.0	7	<1	<1	2	5	6	6	6
65+	5	4.6	14	2	2	2	8	10	10	10
B. *Operated*										
0-19 YRS	55	1.7	1	<1	1	1	2	3	4	6
20-34	23	2.4	2	1	1	2	3	4	5	6
35-49	57	2.6	3	1	1	2	3	5	6	10
50-64	99	3.7	20	1	1	3	4	6	9	26
65+	106	3.9	19	1	1	3	4	7	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	30	1	1	1	7	12	12	12
B. *Operated*	367	2.0	1	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	6	<1	<1	2	4	6	8	10
B. *Operated*	340	3.2	13	1	1	2	4	5	7	22
1. SINGLE DX	371	2.0	2	<1	1	2	2	4	4	7
2. MULTIPLE DX	360	3.2	13	1	1	2	4	6	7	21
A. NOT OPERATED	24	3.0	9	<1	<1	2	4	7	11	12
B. OPERATED	707	2.5	7	1	1	2	3	4	6	11
TOTAL 0-19 YRS	165	1.6	1	<1	<1	1	2	3	3	6
20-34	74	2.2	2	1	1	2	3	4	5	7
35-49	118	2.4	2	1	1	2	3	4	5	8
50-64	199	2.9	12	1	1	2	3	5	6	23
65+	175	3.4	13	1	1	3	4	6	8	15
GRAND TOTAL	**731**	**2.6**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.9	8	1	1	3	6	7	9	12
20-34	125	3.5	4	1	1	3	5	6	8	9
35-49	89	4.6	6	1	2	4	6	8	10	13
50-64	52	5.2	5	2	2	5	7	8	10	11
65+	34	5.2	5	2	3	5	7	8	9	10
B. *Operated*										
0-19 YRS	28	3.0	6	1	1	2	4	7	10	10
20-34	42	3.4	8	<1	1	3	5	8	9	14
35-49	42	3.0	9	1	1	2	3	7	11	13
50-64	30	3.0	7	1	1	2	4	6	8	13
65+	18	4.9	14	2	2	3	7	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	3	<1	1	3	4	6	6	7
20-34	79	5.1	12	1	2	4	6	10	13	18
35-49	77	5.4	6	2	2	5	7	9	10	13
50-64	91	5.6	10	2	3	5	7	10	11	19
65+	135	6.1	9	2	3	6	8	10	13	15
B. *Operated*										
0-19 YRS	18	4.5	7	1	1	4	7	8	9	9
20-34	44	4.7	16	1	1	3	6	11	13	18
35-49	39	3.8	10	1	1	3	5	8	11	15
50-64	53	5.4	8	1	1	5	7	9	10	15
65+	92	7.0	24	1	2	6	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	4.3	6	1	1	4	6	8	9	11
B. *Operated*	160	3.4	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	406	5.5	10	2	2	5	7	10	11	15
B. *Operated*	246	5.6	17	1	1	5	7	10	13	23
1. SINGLE DX	520	4.0	7	1	1	3	5	8	9	12
2. MULTIPLE DX	652	5.5	12	1	2	5	7	10	12	18
A. NOT OPERATED	766	4.9	8	1	2	4	6	8	10	14
B. OPERATED	406	4.7	15	1	1	4	7	9	13	20
TOTAL 0-19 YRS	130	3.6	6	1	1	3	5	7	9	11
20-34	290	4.1	9	1	1	3	5	8	10	15
35-49	247	4.5	8	1	1	4	6	8	10	13
50-64	226	5.1	9	1	2	5	7	9	10	14
65+	279	6.2	14	2	2	6	8	11	14	23
GRAND TOTAL	**1172**	**4.8**	**10**	**1**	**1**	**4**	**6**	**9**	**11**	**15**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	<1	<1	1	3	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	207	1.2		<1	<1	<1	1	2	2	4
20-34	33	1.8	3	<1	<1	1	2	3	6	8
35-49	21	1.3		<1	<1	1	2	2	3	3
50-64	19	1.5	1	<1	<1	1	2	3	4	4
65+	6	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.0	3	<1	<1	1	3	5	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	5.3	17	2	2	4	8	10	10	10
B. *Operated*										
0-19 YRS	60	1.8	2	<1	<1	1	2	4	5	6
20-34	27	1.8	2	<1	<1	1	2	4	5	5
35-49	50	2.1	2	<1	1	2	2	4	6	8
50-64	47	1.9	2	<1	<1	1	2	4	5	6
65+	44	2.7	6	<1	1	2	3	6	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	2	<1	<1	1	3	4	4	4
B. *Operated*	286	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	16	2.6	6	<1	<1	2	3	5	8	10
B. *Operated*	228	2.0	3	<1	<1	1	2	4	6	7
1. SINGLE DX	293	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	244	2.1	3	<1	<1	1	2	4	6	8
A. NOT OPERATED	23	2.3	4	<1	<1	1	3	4	7	10
B. OPERATED	514	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	281	1.3	1	<1	<1	<1	1	2	3	5
20-34	64	1.8	2	<1	<1	1	2	3	5	8
35-49	72	1.8	2	<1	<1	2	2	3	4	8
50-64	67	1.8	1	<1	<1	1	2	4	4	6
65+	53	2.8	6	<1	1	2	3	6	6	15
GRAND TOTAL	**537**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.1	2	1	1	2	3	4	4	7
20-34	22	2.2	1	<1	1	2	3	4	4	4
35-49	11	2.7	3	<1	<1	2	3	6	6	6
50-64	19	1.5	1	<1	<1	1	2	3	5	5
65+	7	2.7	2	<1	<1	3	4	5	5	5
B. *Operated*										
0-19 YRS	383	1.6	1	<1	1	1	2	3	3	6
20-34	187	1.8	2	<1	1	1	2	3	5	8
35-49	158	2.6	4	<1	1	2	3	5	7	9
50-64	215	3.1	4	1	1	3	4	5	6	12
65+	98	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	4	<1	1	3	4	5	6	9
20-34	31	3.6	10	<1	<1	3	4	7	8	17
35-49	34	3.1	3	<1	1	3	4	7	7	7
50-64	39	3.2	9	<1	<1	2	4	6	10	15
65+	25	5.4	18	<1	<1	4	7	10	13	20
B. *Operated*										
0-19 YRS	163	2.4	6	<1	1	2	3	4	7	14
20-34	133	3.6	11	1	1	3	4	8	11	15
35-49	231	3.9	12	1	1	3	5	7	10	17
50-64	383	4.3	26	1	1	3	5	7	11	20
65+	261	5.4	60	1	2	3	5	9	16	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	1041	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	153	3.6	9	<1	<1	3	4	7	9	17
B. *Operated*	1171	4.1	27	1	1	3	5	7	11	20
1. SINGLE DX	1130	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1324	4.1	25	1	1	3	5	7	10	20
A. NOT OPERATED	242	3.1	7	<1	<1	2	4	6	8	15
B. OPERATED	2212	3.2	16	1	1	2	4	6	8	16
TOTAL 0-19 YRS	600	1.9	3	<1	1	1	2	3	4	8
20-34	373	2.6	6	<1	1	2	3	5	8	13
35-49	434	3.3	8	1	1	3	4	6	8	15
50-64	656	3.7	18	1	1	3	4	6	9	16
65+	391	4.7	43	1	1	3	5	8	14	24
GRAND TOTAL	**2454**	**3.2**	**15**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	18	1.4		<1	<1	1	2	2	2	2
20-34	143	2.4	3	<1	<1	2	3	5	6	9
35-49	519	2.2	2	<1	<1	2	3	4	5	7
50-64	391	2.0	2	<1	<1	2	2	3	4	7
65+	151	1.8	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	10	3.5	10	1	1	3	3	8	12	12
50-64	5	2.8	9	1	1	2	4	8	8	8
65+	4	6.3	18	2	2	5	9	12	12	12
B. *Operated*										
0-19 YRS	4	2.0		2	2	2	2	2	2	2
20-34	134	3.1	4	<1	<1	3	4	5	8	11
35-49	472	3.1	4	1	1	3	4	6	7	9
50-64	418	2.8	4	1	1	2	3	5	7	11
65+	265	2.7	9	<1	1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*	1222	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	3.9	11	1	1	3	5	9	12	12
B. *Operated*	1293	2.9	5	<1	1	2	4	5	7	10
1. SINGLE DX	1226	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	1314	3.0	5	<1	1	2	4	5	7	11
A. NOT OPERATED	25	3.7	10	1	1	3	5	8	12	12
B. OPERATED	2515	2.5	4	<1	<1	2	3	5	6	9
TOTAL 0-19 YRS	23	1.5		<1	<1	1	2	2	2	2
20-34	278	2.7	4	<1	<1	2	4	5	6	10
35-49	1003	2.7	3	<1	<1	2	3	5	6	8
50-64	816	2.4	3	<1	1	2	3	5	6	9
65+	420	2.5	6	<1	<1	2	3	4	6	10
GRAND TOTAL	**2540**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	4	1	1	3	4	7	7	7
20-34	33	4.0	8	2	2	3	5	6	9	17
35-49	16	4.2	7	1	1	4	5	9	10	10
50-64	12	3.6	4	<1	1	3	5	7	7	7
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	210	2.2	1	1	1	2	3	4	4	6
20-34	349	2.7	3	1	1	3	3	4	5	7
35-49	213	2.8	2	1	1	3	4	5	6	8
50-64	149	2.6	2	1	1	2	3	4	5	7
65+	74	2.5	4	<1	1	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	7	<1	<1	3	5	8	9	9
20-34	18	3.7	6	<1	<1	3	5	8	9	9
35-49	25	4.7	10	<1	1	5	7	9	10	11
50-64	32	3.6	9	<1	1	3	5	7	11	13
65+	30	5.3	19	<1	<1	4	8	10	13	21
B. *Operated*										
0-19 YRS	65	2.8	3	<1	1	3	3	5	6	9
20-34	207	3.0	3	1	1	3	4	5	6	8
35-49	361	3.6	7	1	1	3	5	6	8	12
50-64	248	4.2	15	1	1	3	5	7	9	31
65+	149	3.6	11	1	1	2	4	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.8	6	1	1	3	5	7	8	15
B. *Operated*	995	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	117	4.3	11	<1	1	4	6	9	11	16
B. *Operated*	1030	3.6	9	1	1	3	4	6	8	14
1. SINGLE DX	1075	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX	1147	3.7	9	1	1	3	4	7	9	14
A. NOT OPERATED	197	4.1	9	<1	1	3	5	8	10	15
B. OPERATED	2025	3.1	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	304	2.5	2	1	1	2	3	4	5	8
20-34	607	2.9	3	1	1	3	4	5	6	9
35-49	615	3.4	6	1	1	3	4	6	8	11
50-64	441	3.6	11	1	1	3	4	6	8	14
65+	255	3.5	11	1	1	2	4	7	9	17
GRAND TOTAL	**2222**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	2.2	1	1	1	2	3	4	4	6
20-34	347	2.1	2	<1	1	2	3	4	5	7
35-49	106	2.3	3	1	1	2	3	5	6	8
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	221	3.7	3	1	1	3	5	6	7	9
20-34	711	3.7	4	1	1	4	5	6	7	9
35-49	222	4.8	5	1	2	5	6	7	8	13
50-64	28	5.6	4	2	4	5	6	8	9	12
65+	13	6.2	6	3	4	6	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	2.7	3	1	1	2	3	6	7	9
20-34	289	2.7	3	1	1	2	3	5	6	9
35-49	95	2.8	3	<1	1	2	3	5	7	9
50-64	4	3.0	6	1	1	3	5	6	6	6
65+	10	3.3	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	254	4.1	4	1	2	4	5	6	7	11
20-34	1755	5.0	6	1	2	5	6	8	9	13
35-49	1089	6.0	9	3	4	6	7	9	10	17
50-64	124	6.7	11	4	4	6	7	10	13	19
65+	72	8.2	14	4	5	7	9	14	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1195	4.0	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	536	2.7	3	1	1	2	3	5	6	9
B. *Operated*	3294	5.4	8	2	3	5	6	8	10	16
1. SINGLE DX	1845	3.4	4	1	1	3	5	6	7	9
2. MULTIPLE DX	3830	5.0	8	1	2	5	6	8	9	15
A. NOT OPERATED	1186	2.4	2	1	1	2	3	5	6	8
B. OPERATED	4489	5.0	7	1	2	5	6	8	9	14
TOTAL 0-19 YRS	808	3.3	4	1	1	3	4	6	7	9
20-34	3102	4.2	6	1	1	4	5	7	8	12
35-49	1512	5.4	9	1	2	5	6	8	10	16
50-64	156	6.4	10	3	4	6	7	9	12	18
65+	97	7.3	15	2	4	7	9	12	15	22
GRAND TOTAL	**5675**	**4.5**	**7**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	583	3.9	4	1	2	3	5	6	8	12
20-34	1437	4.0	4	1	2	4	5	6	7	10
35-49	190	4.2	4	2	2	4	5	7	8	10
50-64	9	5.6	22	1	1	4	9	13	14	14
65+	4	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	86	4.4	6	<1	2	4	6	7	9	11
20-34	481	4.9	7	1	1	5	6	8	10	14
35-49	189	5.5	8	1	2	5	6	8	11	16
50-64	26	5.6	7	2	3	5	7	9	11	13
65+	3	8.0	1	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	4.9	8	2	2	4	6	8	10	15
20-34	1236	4.4	5	2	2	4	5	7	8	12
35-49	241	4.9	6	2	2	5	6	8	9	12
50-64	32	6.3	11	2	3	5	8	11	12	14
65+	17	7.9	25	2	3	7	10	15	19	21
B. *Operated*										
0-19 YRS	223	5.8	11	2	2	5	7	10	12	16
20-34	2361	5.5	11	1	3	5	6	9	11	16
35-49	1087	6.2	11	3	4	6	7	9	11	20
50-64	133	7.2	14	3	4	6	8	12	15	22
65+	44	10.6	99	2	4	7	12	22	24	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	4.0	4	1	2	4	5	6	8	11
B. *Operated*	785	5.0	8	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2018	4.6	6	2	2	4	6	8	9	14
B. *Operated*	3848	5.8	12	2	3	5	7	9	11	19
1. SINGLE DX	3008	4.3	5	1	2	4	5	7	8	12
2. MULTIPLE DX	5866	5.4	11	2	2	5	6	8	11	17
A. NOT OPERATED	4241	4.3	5	2	2	4	5	7	8	13
B. OPERATED	4633	5.7	12	1	3	5	7	9	11	18
TOTAL 0-19 YRS	1384	4.6	7	1	2	4	6	8	10	14
20-34	5515	4.8	8	1	2	4	6	8	9	14
35-49	1707	5.7	10	2	3	5	7	9	10	18
50-64	200	6.8	13	2	3	6	8	12	14	21
65+	68	9.4	73	2	4	7	10	20	23	55
GRAND TOTAL	**8874**	**5.0**	**9**	**2**	**2**	**5**	**6**	**8**	**10**	**15**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	1	1	1	3	3	4	4	4
20-34	22	2.7	3	<1	<1	2	4	5	6	6
35-49	9	3.1	5	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.4	4	<1	<1	3	5	6	7	9
20-34	437	4.4	4	1	1	5	6	6	7	10
35-49	276	5.5	17	2	3	5	6	7	8	9
50-64	20	5.8	2	4	4	5	7	8	8	8
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	57	3.4	9	1	1	2	4	6	11	16
35-49	21	3.8	6	<1	<1	3	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	45	3.8	4	1	1	4	5	6	7	8
20-34	2640	5.1	4	1	3	5	6	7	8	13
35-49	3321	5.7	3	4	4	5	6	7	8	12
50-64	287	6.3	5	4	4	6	7	8	9	14
65+	29	8.2	36	4	5	7	8	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.7	3	<1	1	3	4	6	6	6
B. *Operated*	762	4.8	9	1	2	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	84	3.4	8	<1	1	3	4	6	10	15
B. *Operated*	6322	5.5	4	3	4	5	6	7	8	13
1. SINGLE DX	800	4.7	9	1	2	5	6	7	7	9
2. MULTIPLE DX	6406	5.4	4	2	4	5	6	7	8	13
A. NOT OPERATED	122	3.2	6	<1	1	3	4	6	7	13
B. OPERATED	7084	5.4	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	85	3.5	4	<1	1	3	5	6	7	9
20-34	3156	5.0	5	1	2	5	6	7	8	12
35-49	3627	5.6	4	3	4	5	6	7	8	12
50-64	307	6.2	4	4	4	6	7	8	9	14
65+	31	8.2	34	4	5	7	9	10	15	37
GRAND TOTAL	**7206**	**5.4**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	14	4.0	5	1	1	4	6	7	7	7
35-49	16	3.1	5	<1	<1	3	5	6	6	6
50-64	6	3.3	6	<1	<1	2	6	7	7	7
65+	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	9	3.9	4	1	1	3	5	7	7	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	221	5.1	4	1	3	5	6	7	8	13
35-49	253	5.4	5	2	3	5	6	8	9	12
50-64	43	5.0	6	1	2	5	7	7	9	11
65+	18	4.1	8	<1	1	4	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	41	3.3	5	<1	<1	3	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	19	3.4	3	<1	1	3	4	6	7	7
B. *Operated*	536	5.2	5	1	2	5	6	8	9	12
1. SINGLE DX	42	3.3	5	<1	1	3	6	6	7	7
2. MULTIPLE DX	555	5.1	5	1	2	5	6	7	8	12
A. NOT OPERATED	20	3.3	3	<1	1	3	4	6	7	7
B. OPERATED	577	5.1	5	1	2	5	6	7	8	12
TOTAL 0-19 YRS	6	3.5	1	2	2	3	4	5	5	5
20-34	245	5.0	4	1	2	5	6	7	8	12
35-49	272	5.2	5	1	2	5	6	8	9	12
50-64	50	4.8	6	1	1	5	6	7	9	11
65+	24	3.5	7	<1	<1	3	4	7	9	11
GRAND TOTAL	**597**	**5.0**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	2	<1	1	3	4	4	5	5
20-34	73	3.2	4	1	1	3	4	6	7	10
35-49	22	3.5	3	1	1	3	4	6	7	8
50-64	5	4.0	1	3	3	4	5	5	5	5
65+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	34	2.6	3	<1	<1	2	4	5	6	7
20-34	142	2.4	5	<1	<1	2	3	5	6	14
35-49	61	1.8	1	<1	<1	1	2	3	4	8
50-64	21	3.4	7	<1	<1	3	4	6	9	12
65+	10	3.2	17	<1	<1	1	3	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	4.3	14	1	2	4	5	6	12	24
20-34	130	4.3	4	1	2	4	5	7	8	11
35-49	45	5.5	16	1	2	4	7	10	14	22
50-64	14	4.9	12	<1	1	4	5	11	13	13
65+	15	7.5	19	<1	2	7	11	14	14	14
B. *Operated*										
0-19 YRS	19	6.3	38	1	1	4	8	17	21	22
20-34	169	4.4	9	<1	1	4	6	8	10	14
35-49	107	4.6	10	1	1	4	6	9	11	15
50-64	44	6.2	53	<1	1	4	6	17	21	35
65+	31	6.9	53	<1	2	5	7	13	16	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.2	3	1	1	3	4	5	7	9
B. *Operated*	268	2.4	4	<1	<1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	250	4.7	10	1	2	4	6	8	11	15
B. *Operated*	370	5.0	20	<1	1	4	6	10	14	21
1. SINGLE DX	394	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	620	4.9	16	1	1	4	6	9	12	20
A. NOT OPERATED	376	4.2	8	1	2	4	5	7	10	14
B. OPERATED	638	3.9	15	<1	1	3	5	7	11	18
TOTAL 0-19 YRS	122	3.8	14	<1	1	3	4	6	12	23
20-34	514	3.6	6	<1	1	3	5	7	9	13
35-49	235	3.9	10	<1	1	3	6	8	11	15
50-64	84	5.1	33	<1	1	4	5	12	17	32
65+	59	6.3	37	<1	1	5	8	13	14	39
GRAND TOTAL	**1014**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**7**	**11**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	8.5	71	3	3	5	13	21	21	21
B. *Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	225	5.0	3	2	3	5	6	7	8	9
35-49	376	5.3	4	2	3	5	7	8	8	11
50-64	510	5.7	4	3	3	6	7	8	9	11
65+	434	6.0	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	1.7	2	<1	<1	1	2	4	5	5
35-49	19	3.4	12	<1	<1	1	6	8	11	13
50-64	26	2.4	7	<1	<1	1	2	6	8	12
65+	38	3.0	4	<1	1	3	4	6	8	9
B. *Operated*										
0-19 YRS	13	5.1	5	1	2	5	7	8	8	8
20-34	1105	5.4	3	3	4	5	6	7	8	11
35-49	2082	6.0	4	3	4	6	7	8	9	12
50-64	1586	6.5	5	4	4	6	7	9	10	14
65+	1692	7.2	10	4	4	7	8	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.1	45	<1	1	4	6	18	21	21
B. *Operated*	1547	5.6	4	3	3	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	94	2.8	6	<1	<1	2	4	6	8	13
B. *Operated*	6478	6.3	6	3	4	6	7	9	10	15
1. SINGLE DX	1554	5.6	4	3	3	6	7	8	9	11
2. MULTIPLE DX	6572	6.3	6	3	4	6	7	9	10	15
A. NOT OPERATED	101	3.0	9	<1	<1	2	4	7	8	17
B. OPERATED	8025	6.2	6	3	4	6	7	9	10	15
TOTAL 0-19 YRS	15	5.2	5	1	2	5	7	8	8	8
20-34	1342	5.3	3	3	3	5	6	7	8	11
35-49	2477	5.8	4	3	4	6	7	8	9	12
50-64	2124	6.3	5	3	4	6	7	9	10	14
65+	2168	6.9	9	3	4	7	8	10	12	18
GRAND TOTAL	**8126**	**6.2**	**6**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.8	4	<1	<1	1	1	6	6	6
20-34	18	2.1	2	<1	<1	1	3	5	5	5
35-49	7	1.9	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	3.2	7	1	1	2	5	7	7	7
35-49	5	5.2	5	3	3	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	48	4.4	4	1	1	5	6	7	7	9
35-49	62	4.7	6	1	1	5	6	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	31	2.0	2	<1	<1	1	2	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	13	3.5	7	<1	<1	3	6	7	8	8
B. *Operated*	112	4.5	5	1	1	5	6	7	8	12
1. SINGLE DX	34	1.9	2	<1	<1	1	2	5	5	6
2. MULTIPLE DX	125	4.4	6	1	1	5	6	7	8	12
A. NOT OPERATED	16	3.1	6	<1	1	2	5	7	8	8
B. OPERATED	143	4.0	6	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	11	1.6	2	<1	<1	1	2	4	6	6
20-34	73	3.7	5	<1	1	4	6	7	7	9
35-49	75	4.4	7	<1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**159**	**3.9**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	1	<1	<1	1	2	4	4	6
20-34	65	1.6	1	<1	<1	1	2	3	3	6
35-49	16	1.9	1	<1	<1	2	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	53	1.7	1	<1	<1	1	2	3	4	5
20-34	485	2.8	4	<1	<1	2	5	6	6	9
35-49	509	2.9	5	<1	<1	2	5	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	2	1	1	2	3	4	6	8
20-34	145	2.4	3	<1	1	2	3	5	6	7
35-49	109	2.5	4	<1	<1	2	3	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	66	3.0	4	1	1	3	4	6	7	9
20-34	2088	4.7	5	1	2	5	6	7	8	12
35-49	3241	5.1	5	1	2	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	1047	2.8	4	<1	<1	2	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	303	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	5395	4.9	5	1	2	5	6	7	8	12
1. SINGLE DX	1159	2.7	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX	5698	4.8	5	1	1	5	6	7	8	12
A. NOT OPERATED	415	2.2	2	<1	<1	2	3	4	6	8
B. OPERATED	6442	4.6	6	1	1	5	6	7	8	12
TOTAL 0-19 YRS	199	2.3	3	<1	1	2	3	4	6	8
20-34	2783	4.2	6	<1	1	4	6	7	8	11
35-49	3875	4.7	6	1	1	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**6857**	**4.4**	**6**	**<1**	**1**	**5**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	3	4.7		4	4	5	5	5	5	5
35-49	26	1.7	1	<1	<1	1	2	2	5	5
50-64	141	1.8	2	<1	<1	1	2	3	5	7
65+	61	1.8	1	<1	<1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	12	4.3	7	1	1	4	7	8	9	9
50-64	23	2.4	4	<1	<1	2	3	4	6	9
65+	25	4.6	12	1	1	4	6	8	12	16
B. *Operated*										
0-19 YRS										
20-34	14	4.6	8	<1	1	5	5	7	12	13
35-49	98	4.5	8	1	1	5	6	8	9	15
50-64	423	4.3	10	1	1	4	7	8	9	13
65+	311	3.8	13	1	1	2	5	8	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	1	1	1	3	3	4	4	4
B. *Operated*	231	1.8	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*	63	3.6	8	<1	1	3	5	7	9	15
B. *Operated*	846	4.2	11	1	1	3	6	8	9	15
1. SINGLE DX	237	1.8	2	<1	<1	1	2	3	5	6
2. MULTIPLE DX	909	4.1	11	1	1	3	6	8	9	16
A. NOT OPERATED	69	3.5	8	<1	1	3	4	7	9	15
B. OPERATED	1077	3.7	10	<1	1	2	5	7	9	15
TOTAL 0-19 YRS										
20-34	20	4.3	7	<1	1	4	5	6	9	13
35-49	138	3.9	8	<1	1	4	6	7	9	15
50-64	589	3.6	9	<1	1	2	6	7	9	12
65+	399	3.5	12	1	1	2	5	8	9	19
GRAND TOTAL	**1146**	**3.6**	**10**	**<1**	**1**	**2**	**5**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.6	1	<1	1	1	2	2	3	4
20-34	32	2.2	2	<1	1	2	3	4	5	6
35-49	17	1.6	1	<1	<1	1	2	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	56	2.9	4	<1	1	2	4	5	7	9
20-34	630	3.0	4	<1	1	3	4	6	7	8
35-49	295	3.4	5	<1	1	3	5	6	7	10
50-64	162	4.0	12	<1	<1	3	5	7	10	15
65+	65	3.2	5	<1	<1	2	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.4	3	<1	1	2	3	5	7	8
20-34	78	2.4	4	<1	<1	2	3	5	6	11
35-49	42	3.9	11	<1	1	3	6	8	11	15
50-64	22	3.1	7	<1	<1	2	4	7	10	10
65+	41	5.2	21	1	1	4	6	11	17	20
B. *Operated*										
0-19 YRS	70	4.2	7	<1	1	4	6	7	8	13
20-34	1300	4.6	6	1	1	5	6	7	8	11
35-49	1419	5.2	7	1	2	5	6	8	9	16
50-64	706	5.5	13	1	2	5	6	8	10	25
65+	433	7.0	39	1	1	6	8	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	1.9	1	<1	<1	1	2	4	5	6
B. *Operated*	1208	3.3	5	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	214	3.3	10	<1	1	2	4	7	10	17
B. *Operated*	3928	5.3	11	1	2	5	6	8	10	19
1. SINGLE DX	1289	3.2	5	<1	1	3	5	6	7	10
2. MULTIPLE DX	4142	5.1	12	1	1	5	6	8	10	19
A. NOT OPERATED	295	2.9	8	<1	1	2	4	6	8	15
B. OPERATED	5136	4.8	11	1	1	5	6	8	9	18
TOTAL 0-19 YRS	184	3.1	5	<1	1	2	4	6	7	11
20-34	2040	4.0	6	1	1	4	5	7	8	11
35-49	1773	4.9	7	1	1	5	6	7	9	15
50-64	891	5.2	13	1	1	5	6	8	10	24
65+	543	6.3	35	1	1	5	8	13	18	28
GRAND TOTAL	**5431**	**4.7**	**11**	**1**	**1**	**5**	**6**	**8**	**9**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	1.9	1	<1	1	2	2	3	4	5
20-34	143	2.2	3	1	1	2	3	4	5	9
35-49	24	2.8	3	<1	1	2	4	5	6	6
50-64	5	2.4	2	1	1	3	3	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	48	2.8	5	<1	<1	2	4	6	7	12
20-34	389	3.8	4	<1	1	4	5	6	7	9
35-49	346	5.2	4	2	3	5	6	8	8	10
50-64	268	5.9	5	3	3	6	7	8	9	12
65+	115	6.4	6	2	3	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	2.3	2	<1	1	2	3	4	5	7
20-34	239	2.5	4	<1	1	2	3	5	6	9
35-49	81	2.9	5	<1	<1	2	4	5	8	11
50-64	13	5.4	22	1	1	4	6	14	16	17
65+	15	5.9	26	1	1	4	10	16	16	16
B. *Operated*										
0-19 YRS	54	3.4	5	1	1	3	4	7	8	11
20-34	1941	4.8	5	1	2	5	6	7	8	11
35-49	1513	5.6	5	2	4	5	7	8	9	13
50-64	499	6.9	8	4	4	7	8	10	11	17
65+	326	7.8	15	4	5	7	9	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	2.1	2	1	1	2	3	4	5	7
B. *Operated*	1166	4.9	5	1	2	5	6	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	431	2.7	6	<1	1	2	3	5	7	14
B. *Operated*	4333	5.5	7	2	3	5	7	8	9	14
1. SINGLE DX	1440	4.4	6	1	1	4	6	8	8	11
2. MULTIPLE DX	4764	5.3	7	1	2	5	6	8	9	14
A. NOT OPERATED	705	2.5	4	<1	1	2	3	4	6	11
B. OPERATED	5499	5.4	6	1	2	5	7	8	9	13
TOTAL 0-19 YRS	286	2.4	3	<1	1	2	3	5	6	9
20-34	2712	4.3	5	1	1	4	6	7	8	11
35-49	1964	5.4	5	2	3	5	6	8	9	12
50-64	785	6.5	7	3	4	6	8	9	11	16
65+	457	7.4	13	3	4	7	8	10	14	22
GRAND TOTAL	**6204**	**5.1**	**7**	**1**	**2**	**5**	**6**	**8**	**9**	**13**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	19	2.1	2	<1	<1	2	3	5	6	6
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	93	3.9	1	2	3	4	4	5	6	7
20-34	1217	4.0	2	2	3	4	5	5	6	7
35-49	138	4.1	2	1	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.2	2	<1	<1	2	3	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	89	4.5	9	2	3	4	5	6	7	21
20-34	1340	4.4	3	2	3	4	5	6	7	9
35-49	231	4.8	3	3	3	5	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.2	3	<1	<1	2	3	5	6	6
B. *Operated*	1448	4.0	2	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	2	<1	1	2	2	5	5	5
B. *Operated*	1660	4.5	3	2	3	4	5	6	7	9
1. SINGLE DX	1470	3.9	2	2	2	4	5	5	6	7
2. MULTIPLE DX	1674	4.5	3	2	3	4	5	6	7	9
A. NOT OPERATED	36	2.2	2	<1	1	2	3	5	6	6
B. OPERATED	3108	4.2	2	2	3	4	5	6	7	8
TOTAL 0-19 YRS	185	4.1	5	2	3	4	5	6	7	8
20-34	2589	4.2	2	2	3	4	5	6	6	8
35-49	370	4.5	3	2	3	4	5	6	7	9
50-64	-									
65+										
GRAND TOTAL	**3144**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4	1	<1	<1	1	2	3	3	3
20-34	29	1.6	1	1	1	1	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	99	1.6	4	<1	1	1	2	2	3	13
20-34	217	1.5	1	<1	<1	1	2	2	3	5
35-49	29	1.4	1	<1	<1	1	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	2	1	1	2	3	5	6	6
20-34	33	2.3	5	<1	1	2	2	6	8	10
35-49	12	1.8		<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	40	2.3	3	1	1	2	3	5	6	9
20-34	148	2.8	14	<1	1	2	3	6	7	17
35-49	36	2.0	2	<1	<1	2	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.6	1	<1	1	1	2	3	3	3
B. *Operated*	345	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	56	2.3	3	<1	1	2	2	5	6	10
B. *Operated*	224	2.6	10	<1	1	2	3	5	7	13
1. SINGLE DX	383	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	280	2.5	9	<1	1	2	3	5	7	11
A. NOT OPERATED	94	2.0	2	<1	1	2	2	3	6	9
B. OPERATED	569	1.9	5	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	157	1.8	4	1	1	1	2	3	5	9
20-34	427	2.0	6	<1	<1	1	2	4	5	9
35-49	79	1.7	1	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**663**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	3.5	1	3	3	3	4	4	4	4
1. SINGLE DX										
2. MULTIPLE DX	2	3.5	1	3	3	3	4	4	4	4
A. NOT OPERATED										
B. OPERATED	2	3.5	1	3	3	3	4	4	4	4
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	144	1.5	1	<1	<1	1	2	2	3	6
20-34	324	1.6	3	<1	<1	1	2	2	3	6
35-49	34	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	883	1.4	2	<1	<1	1	1	2	3	5
20-34	3473	1.3	1	<1	<1	1	1	2	3	5
35-49	455	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.0	2	<1	1	2	2	4	5	7
20-34	111	2.1	2	<1	<1	2	3	4	5	9
35-49	15	1.5	1	<1	<1	1	2	2	4	4
50-64										
65+										
B. Operated										
0-19 YRS	160	2.0	3	<1	<1	2	2	3	5	11
20-34	803	2.2	4	<1	1	1	3	4	6	10
35-49	193	2.0	3	<1	1	1	2	4	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	502	1.6	2	<1	<1	1	2	2	3	6
B. Operated	4811	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	173	2.0	2	<1	1	2	2	4	5	8
B. Operated	1156	2.1	3	<1	1	1	3	4	6	10
1. SINGLE DX	5313	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	1329	2.1	3	<1	1	1	3	4	5	9
A. NOT OPERATED	675	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	5967	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	1234	1.5	2	<1	<1	1	2	2	3	6
20-34	4711	1.5	1	<1	<1	1	2	3	4	6
35-49	697	1.5	1	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**6642**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.8	3	<1	1	2	4	5	6	7
20-34	124	1.8	2	<1	1	1	2	3	4	7
35-49	9	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	93	1.9	1	<1	<1	2	2	3	4	7
20-34	656	1.5	1	<1	<1	1	2	2	3	6
35-49	64	1.3		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.7	10	<1	1	2	5	8	10	12
20-34	66	3.2	4	1	1	3	4	6	7	10
35-49	5	1.6		1	1	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	41	2.4	2	<1	1	2	3	4	6	7
20-34	217	2.7	25	<1	1	2	3	5	7	11
35-49	49	2.7	6	1	1	2	3	6	6	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	1.9	2	<1	1	2	2	4	5	7
B. Operated	813	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	91	3.2	5	1	1	3	4	6	7	11
B. Operated	307	2.7	19	<1	1	2	3	5	6	11
1. SINGLE DX	971	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	398	2.8	16	<1	1	2	3	5	7	11
A. NOT OPERATED	249	2.4	3	1	1	2	3	5	6	10
B. OPERATED	1120	1.8	6	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	179	2.3	3	<1	1	2	3	5	6	9
20-34	1063	1.9	6	<1	<1	1	2	3	5	8
35-49	127	1.8	3	<1	<1	1	2	4	6	9
50-64										
65+										
GRAND TOTAL	**1369**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	1.9	1	<1	<1	2	2	3	4	5
20-34	527	2.0	3	<1	1	2	2	3	4	7
35-49	40	2.3	5	<1	<1	2	3	3	5	14
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	20	1.8	1	1	1	2	2	3	3	4
35-49	3	2.7	8	<1	<1	<1	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	1	<1	<1	2	3	4	5	5
20-34	156	2.5	4	1	1	2	3	5	6	12
35-49	14	3.1	3	1	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.4	12	1	1	3	7	9	9	9
20-34	13	1.7	1	1	1	1	2	3	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	2.0	3	<1	1	2	2	3	4	7
B. *Operated*	29	1.8	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	192	2.5	4	1	1	2	3	5	6	11
B. *Operated*	20	2.6	5	1	1	2	3	6	8	9
1. SINGLE DX	718	2.0	3	<1	1	2	2	3	4	6
2. MULTIPLE DX	212	2.5	4	1	1	2	3	5	6	10
A. NOT OPERATED	881	2.1	3	<1	1	2	3	4	5	8
B. OPERATED	49	2.1	3	1	1	2	2	4	6	9
TOTAL 0-19 YRS	155	1.9	2	<1	<1	2	2	3	4	7
20-34	716	2.1	3	<1	1	2	3	4	5	8
35-49	59	2.5	4	<1	<1	2	3	5	6	13
50-64										
65+										
GRAND TOTAL	**930**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	46	2.1	1	<1	<1	2	3	4	4	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	20	2.0	2	<1	<1	2	2	4	5	6
35-49	3	4.7	14	2	2	3	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.3	2	<1	1	2	3	4	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	4	1.3		1	1	1	2	2	2	2
1. SINGLE DX	53	2.3	2	<1	1	2	3	4	4	5
2. MULTIPLE DX	28	2.2	3	<1	<1	2	3	5	6	9
A. NOT OPERATED	77	2.3	2	<1	<1	2	3	4	5	8
B. OPERATED	4	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	8	2.8	2	1	1	3	4	5	5	5
20-34	68	2.1	2	<1	<1	2	3	4	4	6
35-49	5	3.8	10	1	1	3	5	9	9	9
50-64										
65+										
GRAND TOTAL	**81**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	3.1	4	1	1	3	4	6	7	11
20-34	886	3.0	5	1	1	2	3	5	7	11
35-49	80	3.0	3	1	1	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.7	13	<1	1	2	5	8	13	15
20-34	40	3.6	8	<1	<1	3	5	7	9	12
35-49	10	2.5	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	3	1	1	3	4	5	7	9
20-34	305	3.1	6	1	1	2	4	5	7	13
35-49	48	3.8	5	1	1	3	5	7	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.0	29	<1	<1	2	3	12	19	19
20-34	45	3.7	11	<1	1	3	5	8	12	14
35-49	7	4.9	8	1	1	4	6	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1203	3.0	5	1	1	2	4	5	7	11
B. *Operated*	69	3.4	8	<1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	426	3.2	5	1	1	3	4	5	7	12
B. *Operated*	62	3.9	13	<1	1	3	5	9	12	18
1. SINGLE DX	1272	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX	488	3.3	6	1	1	3	4	6	8	13
A. NOT OPERATED	1629	3.0	5	1	1	3	4	5	7	11
B. OPERATED	131	3.6	11	<1	1	3	5	7	11	16
TOTAL 0-19 YRS	339	3.2	5	1	1	3	4	6	7	11
20-34	1276	3.0	5	1	1	2	4	5	7	13
35-49	145	3.3	4	1	1	3	4	6	7	10
50-64										
65+										
GRAND TOTAL	**1760**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.2	4	1	2	3	4	6	6	10
20-34	1104	3.3	4	1	2	3	4	5	7	10
35-49	41	4.4	22	1	1	3	4	8	14	27
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	5	2.6	3	<1	<1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	3.3	8	1	1	3	4	6	8	18
20-34	648	3.8	9	1	2	3	5	7	9	14
35-49	31	3.5	4	1	2	3	4	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	32	8.4	57	2	2	6	12	15	29	34
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	3.3	4	1	2	3	4	6	7	10
B. *Operated*	7	3.4	4	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	828	3.7	9	1	1	3	4	7	9	15
B. *Operated*	37	7.9	51	2	2	5	11	15	25	34
1. SINGLE DX	1361	3.3	4	1	2	3	4	6	7	10
2. MULTIPLE DX	865	3.9	11	1	1	3	5	7	9	17
A. NOT OPERATED	2182	3.5	6	1	2	3	4	6	7	12
B. OPERATED	44	7.2	46	1	2	5	9	14	20	34
TOTAL 0-19 YRS	364	3.3	6	1	1	3	4	6	7	15
20-34	1789	3.6	7	1	2	3	4	6	8	13
35-49	73	4.0	14	1	2	3	4	7	9	25
50-64										
65+										
GRAND TOTAL	**2226**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	509	1.2		<1	<1	1	1	2	2	4
20-34	1801	1.2	1	<1	<1	1	1	2	2	4
35-49	85	1.1		<1	<1	<1	1	1	2	5
50-64										
65+										
B. *Operated*										
0-19 YRS	34	1.1		<1	<1	<1	1	2	2	2
20-34	95	1.5	9	<1	<1	1	1	2	3	19
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	1.7	1	<1	<1	1	2	3	4	6
20-34	329	1.8	5	<1	<1	1	2	3	4	16
35-49	16	1.8	8	<1	<1	1	1	2	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	40	1.7	2	<1	<1	1	2	3	4	7
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2395	1.2	1	<1	<1	1	1	2	2	4
B. *Operated*	133	1.4	7	<1	<1	1	1	2	3	10
2. MULTIPLE DX										
A. *Not Operated*	442	1.8	5	<1	<1	1	2	3	4	14
B. *Operated*	46	1.7	2	<1	<1	1	2	4	5	7
1. SINGLE DX	2528	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	488	1.8	4	<1	<1	1	2	3	4	13
A. NOT OPERATED	2837	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	179	1.5	5	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	642	1.2	1	<1	<1	1	1	2	3	4
20-34	2265	1.3	2	<1	<1	1	1	2	3	6
35-49	109	1.3	2	<1	<1	1	1	1	3	8
50-64										
65+										
GRAND TOTAL	**3016**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.3	1	<1	1	2	3	4	5	5
20-34	218	3.4	16	<1	1	2	3	7	9	27
35-49	29	3.9	41	1	1	2	3	13	23	25
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	3.8	3	1	1	4	5	6	7	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	81	5.3	61	1	1	3	5	9	17	49
35-49	11	8.5	169	1	1	3	6	32	41	42
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	3.2	18	1	1	2	3	10	14	14
35-49	3	7.7	10	4	4	9	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	3.3	17	<1	1	2	3	6	9	27
B. *Operated*	21	3.6	3	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	99	5.6	68	1	1	3	5	10	23	47
B. *Operated*	12	4.3	19	1	1	2	7	11	14	14
1. SINGLE DX	290	3.4	16	1	1	2	3	6	9	26
2. MULTIPLE DX	111	5.5	63	1	1	3	5	10	20	46
A. NOT OPERATED	368	3.9	32	1	1	2	4	7	11	29
B. OPERATED	33	3.8	9	1	1	3	5	7	10	14
TOTAL 0-19 YRS	30	2.7	2	1	1	2	3	5	6	7
20-34	326	3.9	27	1	1	2	4	7	11	28
35-49	45	5.2	70	1	1	2	4	18	25	42
50-64										
65+										
GRAND TOTAL	**401**	**3.9**	**30**	**1**	**1**	**2**	**4**	**7**	**11**	**28**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.8	1	<1	<1	1	2	3	4	6
20-34	303	2.0	2	<1	<1	2	2	4	5	8
35-49	26	1.8	1	<1	1	1	2	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	30	3.9	37	<1	<1	2	3	9	14	32
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	1	<1	1	2	2	4	4	4
20-34	144	3.1	13	<1	1	2	4	6	10	25
35-49	7	5.6	25	1	1	4	10	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	18	2.3	3	<1	<1	2	3	5	7	7
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	1.9	2	<1	<1	2	2	3	4	8
B. *Operated*	35	3.6	32	<1	1	2	3	7	13	32
2. MULTIPLE DX										
A. *Not Operated*	185	3.0	12	<1	1	2	4	6	10	22
B. *Operated*	18	2.3	3	<1	<1	2	3	5	7	7
1. SINGLE DX	420	2.1	5	<1	<1	2	2	4	5	10
2. MULTIPLE DX	203	2.9	11	<1	1	2	4	6	9	21
A. NOT OPERATED	570	2.3	6	<1	<1	2	3	4	5	12
B. OPERATED	53	3.2	22	<1	<1	2	3	6	10	31
TOTAL 0-19 YRS	93	1.8	1	<1	<1	1	2	3	4	5
20-34	495	2.4	8	<1	<1	2	3	4	6	15
35-49	35	2.5	8	1	1	1	3	5	10	13
50-64										
65+										
GRAND TOTAL	**623**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	3.0	2	<1	1	3	4	5	6	8
20-34	357	2.9	2	1	1	3	4	5	6	8
35-49	8	2.9	6	<1	<1	2	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.4	5	<1	<1	2	3	6	8	8
20-34	8	2.8	3	<1	<1	2	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	430	3.5	5	1	1	3	4	6	6	9
20-34	800	3.3	3	1	1	3	4	5	6	9
35-49	32	3.3	3	1	2	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	18	5.2	14	1	2	4	6	9	14	17
20-34	41	5.6	46	1	1	4	6	10	13	43
35-49	5	5.0	7	<1	<1	5	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	3.0	2	1	1	3	4	5	6	8
B. *Operated*	18	2.6	4	<1	<1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	1262	3.4	4	1	1	3	4	5	6	9
B. *Operated*	64	5.5	33	1	1	4	6	9	13	39
1. SINGLE DX	540	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX	1326	3.5	5	1	1	3	4	6	7	10
A. NOT OPERATED	1784	3.2	3	1	1	3	4	5	6	9
B. OPERATED	82	4.8	28	1	1	4	6	9	11	35
TOTAL 0-19 YRS	614	3.4	5	1	1	3	4	6	6	9
20-34	1206	3.2	5	1	1	3	4	5	6	10
35-49	46	3.4	4	<1	1	3	5	6	8	9
50-64										
65+										
GRAND TOTAL	**1866**	**3.3**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.9	37	1	1	3	4	5	12	38
20-34	415	3.6	6	1	1	3	5	7	9	13
35-49	73	3.2	9	1	1	2	3	6	9	19
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.3	6	1	1	3	4	8	8	8
20-34	18	4.4	7	1	2	4	6	8	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	325	3.4	9	1	1	3	4	6	8	15
20-34	1680	3.5	10	1	1	3	4	7	9	15
35-49	182	4.3	12	1	1	3	6	9	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.5	11	1	1	3	6	10	11	13
20-34	197	4.9	22	1	1	4	6	9	13	29
35-49	19	4.6	12	<1	1	3	7	10	11	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	3.6	9	1	1	3	4	7	9	14
B. *Operated*	25	4.0	7	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	2187	3.6	10	1	1	3	4	7	9	15
B. *Operated*	242	4.8	20	1	1	4	6	10	12	26
1. SINGLE DX	554	3.6	9	1	1	3	4	7	9	14
2. MULTIPLE DX	2429	3.7	11	1	1	3	5	7	9	16
A. NOT OPERATED	2716	3.6	10	1	1	3	4	7	9	15
B. OPERATED	267	4.7	19	1	1	4	6	9	12	25
TOTAL 0-19 YRS	398	3.5	12	1	1	3	4	6	8	17
20-34	2310	3.6	11	1	1	3	5	7	9	15
35-49	275	4.0	11	1	1	3	5	8	10	16
50-64										
65+										
GRAND TOTAL	**2983**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	689	2.4	7	<1	<1	2	3	4	6	16
20-34	2351	2.4	6	<1	<1	2	3	5	6	12
35-49	122	2.8	10	<1	<1	2	3	5	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	122	2.7	6	<1	<1	2	3	5	7	14
20-34	803	2.6	10	<1	<1	2	3	5	6	17
35-49	67	2.2	12	<1	1	1	2	3	4	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393	3.7	23	<1	1	2	4	7	10	32
20-34	1358	3.6	24	<1	1	2	4	7	10	26
35-49	95	4.3	51	<1	1	2	5	7	14	44
50-64										
65+										
B. *Operated*										
0-19 YRS	82	4.0	55	<1	1	2	4	7	9	51
20-34	423	3.7	19	<1	<1	2	4	7	11	26
35-49	39	7.5	197	<1	1	3	5	12	50	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3162	2.4	7	<1	<1	2	3	5	6	13
B. *Operated*	992	2.6	9	<1	<1	2	3	5	6	17
2. MULTIPLE DX										
A. *Not Operated*	1846	3.7	25	<1	1	2	4	7	10	27
B. *Operated*	544	4.0	38	<1	1	2	4	7	11	38
1. SINGLE DX	4154	2.4	7	<1	<1	2	3	5	6	14
2. MULTIPLE DX	2390	3.7	28	<1	1	2	4	7	10	28
A. NOT OPERATED	5008	2.9	14	<1	<1	2	3	5	8	18
B. OPERATED	1536	3.1	20	<1	<1	2	3	6	8	23
TOTAL 0-19 YRS	1286	2.9	15	<1	<1	2	3	5	8	20
20-34	4935	2.9	13	<1	<1	2	3	5	8	18
35-49	323	3.7	47	<1	1	2	3	6	10	44
50-64										
65+										
GRAND TOTAL	**6544**	**2.9**	**15**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.3	1	1	1	2	3	3	4	7
20-34	372	2.4	1	1	1	2	3	3	4	6
35-49	29	2.3	1	<1	1	2	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	2.8	2	1	1	2	3	5	6	7
20-34	193	3.4	4	2	2	3	4	5	5	10
35-49	15	2.9	1	1	1	3	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	2.6	1	1	2	2	3	4	4	6
20-34	677	2.6	2	1	2	2	3	4	4	8
35-49	59	3.2	9	1	2	3	3	4	5	23
50-64										
65+										
B. *Operated*										
0-19 YRS	204	4.1	20	1	2	3	5	7	9	32
20-34	1634	4.6	30	2	2	4	5	6	9	25
35-49	215	4.9	26	2	2	4	5	7	11	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	2.4	1	1	1	2	3	3	4	6
B. *Operated*	240	3.3	4	1	2	3	4	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	936	2.6	2	1	2	2	3	4	4	7
B. *Operated*	2053	4.6	29	2	2	4	5	7	9	28
1. SINGLE DX	739	2.7	2	1	2	2	3	4	5	7
2. MULTIPLE DX	2989	4.0	21	2	2	3	4	6	8	20
A. NOT OPERATED	1435	2.5	2	1	1	2	3	4	4	7
B. OPERATED	2293	4.4	26	2	2	4	5	6	9	26
TOTAL 0-19 YRS	534	3.1	9	1	2	3	3	5	6	13
20-34	2876	3.7	19	1	2	3	4	6	7	17
35-49	318	4.2	20	1	2	3	5	6	8	29
50-64										
65+										
GRAND TOTAL	**3728**	**3.7**	**18**	**1**	**2**	**3**	**4**	**6**	**7**	**18**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4672	2.3	1	1	1	2	3	3	3	4
20-34	20670	2.3	1	1	1	2	3	3	4	4
35-49	1103	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	935	2.2	1	1	1	2	3	3	3	4
20-34	3686	2.3	1	1	1	2	3	3	4	5
35-49	169	2.7	2	1	1	3	3	4	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	2.7	2	1	1	2	3	4	5	8
20-34	864	2.6	1	1	1	2	3	4	4	6
35-49	54	2.5	2	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	212	3.1	3	1	2	3	4	4	6	10
20-34	4927	2.8	1	2	2	3	3	4	4	5
35-49	531	3.0	1	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26445	2.3	1	1	1	2	3	3	4	4
B. *Operated*	4790	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1180	2.6	2	1	1	2	3	4	5	6
B. *Operated*	5670	2.8	1	2	2	3	3	4	4	6
1. SINGLE DX	31235	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	6850	2.8	1	1	2	3	3	4	4	6
A. NOT OPERATED	27625	2.3	1	1	1	2	3	3	4	5
B. OPERATED	10460	2.6	1	1	2	3	3	4	4	5
TOTAL 0-19 YRS	6081	2.3	1	1	1	2	3	3	4	5
20-34	30147	2.4	1	1	1	2	3	3	4	5
35-49	1857	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**38085**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.8	5	1	1	2	3	5	9	10
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.3	2	2	3	4	5	6	7	7
20-34	110	5.8	23	2	3	4	5	8	20	25
35-49	15	6.1	32	3	3	5	6	7	21	26
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	19	3.0	3	<1	1	3	4	5	7	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	8.0	44	3	3	6	7	21	25	26
20-34	243	8.8	125	3	3	5	7	19	35	57
35-49	48	11.2	227	3	4	5	9	23	51	74
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.7	5	1	1	2	3	4	9	10
B. *Operated*	141	5.6	21	2	3	4	5	8	19	26
2. MULTIPLE DX										
A. *Not Operated*	21	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	312	9.1	135	3	3	5	7	21	37	59
1. SINGLE DX	155	5.4	20	2	2	4	5	8	19	26
2. MULTIPLE DX	333	8.7	129	2	3	5	7	19	32	58
A. NOT OPERATED	35	2.9	3	1	1	3	3	4	7	10
B. OPERATED	453	8.0	102	3	3	5	7	17	26	57
TOTAL 0-19 YRS	40	6.1	27	2	2	5	6	9	21	26
20-34	385	7.4	89	2	3	5	6	15	25	54
35-49	63	10.0	184	3	4	5	7	22	42	73
50-64										
65+										
GRAND TOTAL	**488**	**7.6**	**97**	**2**	**3**	**5**	**6**	**16**	**26**	**56**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	1	1	1	2	3	3	5	5
20-34	68	2.2	1	1	1	2	3	3	4	5
35-49	6	3.7	7	2	2	3	3	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.3	1	1	2	3	4	5	5	5
20-34	128	3.8	3	1	2	4	5	5	6	10
35-49	8	3.6	1	2	2	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	2	<1	1	2	3	4	6	7
20-34	113	3.0	6	1	1	2	3	5	8	15
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	64	4.7	7	1	2	4	5	8	10	14
20-34	429	4.6	7	2	2	4	5	7	9	16
35-49	37	5.0	40	1	2	4	5	7	8	41
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.3	1	1	1	2	3	3	4	8
B. *Operated*	160	3.7	2	1	2	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	142	2.9	5	1	1	2	3	5	7	15
B. *Operated*	530	4.6	9	2	2	4	5	7	9	16
1. SINGLE DX	249	3.2	3	1	1	3	4	5	5	9
2. MULTIPLE DX	672	4.2	9	1	2	4	5	7	9	16
A. NOT OPERATED	231	2.7	4	1	1	2	3	4	5	13
B. OPERATED	690	4.4	8	2	2	4	5	6	8	15
TOTAL 0-19 YRS	126	3.7	5	1	1	3	5	6	8	12
20-34	738	4.0	6	1	2	4	5	6	8	14
35-49	57	4.4	27	1	2	4	5	6	8	39
50-64										
65+										
GRAND TOTAL	**921**	**4.0**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**14**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	2.3	1	1	1	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.1	1	<1	1	2	2	3	4	4
20-34	158	2.3	1	1	1	2	3	3	4	5
35-49	10	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	6	3.7	3	2	2	3	4	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	33	3.0	4	<1	1	3	3	5	8	10
20-34	149	3.0	2	1	1	3	4	5	6	9
35-49	16	3.4	3	2	2	3	4	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	1	1	1	2	3	3	4	4
B. *Operated*	194	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	3	2	2	3	4	6	7	7
B. *Operated*	198	3.0	3	1	1	3	4	5	6	9
1. SINGLE DX	221	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	208	3.0	3	1	1	3	4	5	6	9
A. NOT OPERATED	37	2.5	1	1	1	2	3	4	4	7
B. OPERATED	392	2.7	2	1	1	2	3	4	5	9
TOTAL 0-19 YRS	64	2.5	2	<1	1	2	3	4	5	10
20-34	338	2.7	2	1	1	2	3	4	5	8
35-49	27	3.3	2	2	2	3	4	5	7	8
50-64										
65+										
GRAND TOTAL	**429**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	1	1	2	2	3	4	4	4
20-34	88	2.5	1	<1	1	2	3	4	4	5
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.4	1	<1	<1	2	3	4	4	4
20-34	56	2.4	1	<1	1	2	3	4	4	5
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	1	1	1	3	4	4	5	5
20-34	54	2.7	1	1	1	3	3	4	4	6
35-49	6	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.8	1	1	1	3	3	4	5	5
20-34	98	3.3	2	2	2	3	4	5	7	10
35-49	8	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.5	1	1	1	2	3	4	4	5
B. *Operated*	71	2.5	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	73	2.7	1	1	1	3	3	4	4	6
B. *Operated*	118	3.2	2	2	2	3	3	5	6	9
1. SINGLE DX	190	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	191	3.0	2	1	2	3	3	4	5	9
A. NOT OPERATED	192	2.6	1	1	1	3	3	4	4	6
B. OPERATED	189	2.9	2	1	2	3	3	4	5	9
TOTAL 0-19 YRS	64	2.6	1	1	1	3	3	4	4	5
20-34	296	2.8	1	1	2	3	3	4	5	8
35-49	21	2.8	1	1	2	3	3	4	5	5
50-64										
65+										
GRAND TOTAL	**381**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.8	2	1	1	3	3	5	6	6
20-34	50	3.0	1	2	2	3	3	4	5	6
35-49	5	2.6		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	5	5
20-34	47	4.0	2	2	2	4	5	6	7	8
35-49	5	5.0	2	4	4	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	1	2	2	4	4	5	5	5
20-34	50	3.3	3	2	2	3	4	5	7	11
35-49	6	3.2	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	51	6.5	52	2	3	5	7	10	18	49
20-34	491	5.5	23	2	3	5	6	8	13	25
35-49	39	6.5	30	2	3	5	6	12	16	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.9	1	2	2	3	3	4	5	6
B. *Operated*	60	4.0	2	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	61	3.3	3	1	2	3	4	5	6	11
B. *Operated*	581	5.7	26	2	3	5	6	9	13	28
1. SINGLE DX	126	3.4	2	2	2	3	4	6	6	8
2. MULTIPLE DX	642	5.5	24	2	2	4	6	8	13	26
A. NOT OPERATED	127	3.1	2	2	2	3	4	4	6	9
B. OPERATED	641	5.5	24	2	3	5	6	8	13	26
TOTAL 0-19 YRS	75	5.4	38	2	2	4	6	8	13	42
20-34	638	5.0	19	2	2	4	6	8	11	24
35-49	55	5.7	24	2	3	5	6	8	15	33
50-64										
65+										
GRAND TOTAL	**768**	**5.1**	**21**	**2**	**2**	**4**	**6**	**8**	**12**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	1	1	1	2	3	4	4	4
20-34	71	2.1	1	1	1	2	3	3	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	148	4.0	1	3	3	4	5	5	6	7
20-34	1012	4.2	1	2	3	4	5	5	6	7
35-49	43	4.1	2	2	2	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	3	1	1	3	5	6	6	6
20-34	29	2.4	2	<1	1	2	3	5	5	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	217	4.8	4	2	3	4	5	7	8	12
20-34	1458	4.6	4	3	3	4	5	6	7	12
35-49	174	4.9	7	3	3	4	5	7	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.2	1	1	1	2	3	3	4	4
B. *Operated*	1203	4.1	1	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.6	3	<1	1	2	4	5	6	7
B. *Operated*	1849	4.7	4	3	3	4	5	6	7	12
1. SINGLE DX	1290	4.0	2	2	2	4	5	5	6	7
2. MULTIPLE DX	1888	4.6	4	2	3	4	5	6	7	12
A. NOT OPERATED	126	2.3	1	1	1	2	3	4	5	6
B. OPERATED	3052	4.5	3	2	3	4	5	6	7	11
TOTAL 0-19 YRS	387	4.4	3	2	3	4	5	6	7	11
20-34	2570	4.4	3	2	3	4	5	6	6	10
35-49	221	4.7	6	2	3	4	5	6	8	12
50-64										
65+										
GRAND TOTAL	**3178**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.3		1	2	2	3	3	3	4
20-34	211	2.5	1	1	1	2	3	4	4	5
35-49	13	2.9	2	<1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	94	3.4	1	2	2	3	4	5	6	7
20-34	500	3.5	2	2	2	3	4	5	5	7
35-49	38	3.9	1	2	2	4	5	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	1	1	2	2	3	3	4	4
20-34	136	2.7	2	1	2	3	3	4	4	8
35-49	12	2.1		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	301	4.0	3	2	2	4	5	6	7	9
20-34	1986	4.1	3	2	2	4	5	6	6	10
35-49	194	4.5	3	2	3	4	5	6	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	259	2.5	1	1	1	2	3	4	4	5
B. *Operated*	632	3.5	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	171	2.6	1	1	2	2	3	4	4	7
B. *Operated*	2481	4.1	3	2	2	4	5	6	7	10
1. SINGLE DX	891	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX	2652	4.0	3	2	2	4	5	6	6	10
A. NOT OPERATED	430	2.5	1	1	2	2	3	4	4	6
B. OPERATED	3113	4.0	3	2	2	4	5	6	6	9
TOTAL 0-19 YRS	453	3.7	2	2	2	4	4	5	6	8
20-34	2833	3.8	3	2	2	4	5	5	6	9
35-49	257	4.2	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**3543**	**3.8**	**3**	**2**	**2**	**4**	**5**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	18	2.7	2	1	1	3	4	4	5	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	411	4.6	2	3	3	4	5	6	7	10
20-34	1810	4.5	1	3	3	4	5	6	6	7
35-49	67	4.7	1	3	4	5	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	1	3	3	4	4	5	5	5
20-34	13	3.2	3	1	1	3	3	6	8	8
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	869	5.0	4	3	3	5	6	7	8	13
20-34	4103	4.8	3	3	4	5	5	6	7	10
35-49	277	5.0	2	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.8	2	1	1	3	4	5	5	6
B. *Operated*	2288	4.5	1	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.4	3	1	1	3	4	6	7	8
B. *Operated*	5249	4.9	3	3	4	5	5	6	7	11
1. SINGLE DX	2310	4.5	1	3	3	4	5	6	6	8
2. MULTIPLE DX	5269	4.9	3	3	3	5	5	6	7	11
A. NOT OPERATED	42	3.0	2	1	1	3	4	5	6	8
B. OPERATED	7537	4.8	3	3	3	5	5	6	7	10
TOTAL 0-19 YRS	1288	4.9	3	3	3	5	5	6	8	12
20-34	5944	4.7	3	3	3	5	5	6	7	9
35-49	347	5.0	2	3	4	5	6	7	7	11
50-64										
65+										
GRAND TOTAL	**7579**	**4.8**	**3**	**3**	**3**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.6	1	1	2	3	3	4	4	5
20-34	342	2.6	1	1	2	2	3	4	4	6
35-49	15	3.2	11	2	2	2	3	3	12	15
50-64										
65+										
B. *Operated*										
0-19 YRS	148	3.8	2	2	2	4	5	6	6	8
20-34	805	3.8	2	2	2	4	5	6	6	7
35-49	42	4.1	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.7	1	1	2	3	3	4	4	5
20-34	226	3.0	9	1	2	3	3	4	4	9
35-49	12	3.1	4	1	1	3	4	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	468	4.3	5	2	2	4	5	6	7	13
20-34	2431	4.4	5	2	2	4	5	6	7	11
35-49	177	4.8	3	2	3	5	5	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	2.6	1	1	2	2	3	4	4	6
B. *Operated*	995	3.8	2	2	2	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	284	2.9	7	1	2	3	3	4	5	8
B. *Operated*	3076	4.4	5	2	2	4	5	6	7	11
1. SINGLE DX	1433	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX	3360	4.3	5	2	2	4	5	6	7	11
A. NOT OPERATED	722	2.7	4	1	2	3	3	4	4	6
B. OPERATED	4071	4.2	4	2	2	4	5	6	7	11
TOTAL 0-19 YRS	743	3.9	4	2	2	4	5	6	7	12
20-34	3804	4.0	5	2	2	4	5	6	6	10
35-49	246	4.5	4	2	2	4	5	6	8	12
50-64										
65+										
GRAND TOTAL	**4793**	**4.0**	**5**	**2**	**2**	**4**	**5**	**6**	**6**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1		2	2	2	2	3	3	3
20-34	69	2.3	1	1	1	2	3	3	4	4
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	41	4.4	3	2	2	4	5	6	8	9
20-34	244	4.2	6	2	2	4	5	6	7	8
35-49	15	3.7	2	1	2	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	2	1	1	2	3	5	6	6
20-34	64	3.5	16	1	2	3	4	4	5	28
35-49	7	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	116	5.0	6	2	3	5	6	7	9	17
20-34	635	4.6	12	2	2	4	5	6	7	18
35-49	74	4.6	5	2	2	4	5	7	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.3	1	1	1	2	3	3	4	4
B. *Operated*	300	4.2	5	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	83	3.2	13	1	1	3	3	4	5	26
B. *Operated*	825	4.6	11	2	2	4	5	7	8	16
1. SINGLE DX	381	3.8	5	1	2	4	5	6	6	8
2. MULTIPLE DX	908	4.5	11	2	2	4	5	7	8	18
A. NOT OPERATED	164	2.7	7	1	1	2	3	4	4	17
B. OPERATED	1125	4.5	9	2	2	4	5	6	7	14
TOTAL 0-19 YRS	176	4.6	6	2	2	4	5	7	8	15
20-34	1012	4.3	11	2	2	4	5	6	7	16
35-49	101	4.2	4	2	2	4	5	7	8	12
50-64										
65+										
GRAND TOTAL	**1289**	**4.3**	**9**	**2**	**2**	**4**	**5**	**6**	**7**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6		1	1	2	2	2	2	2
20-34	104	2.4	1	1	1	2	3	3	4	6
35-49	9	2.4	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	308	4.4	1	3	3	4	5	6	6	8
20-34	3855	4.4	1	3	3	4	5	6	6	7
35-49	232	4.6	1	3	3	5	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	52	2.7	2	1	1	3	3	4	6	7
35-49	5	3.2	5	1	1	3	4	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	301	4.8	2	3	3	5	5	6	7	11
20-34	6499	4.7	3	3	3	4	5	6	7	9
35-49	647	4.9	2	3	4	5	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.3	1	1	1	2	3	3	4	6
B. *Operated*	4395	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	61	2.8	2	1	1	3	3	5	6	7
B. *Operated*	7447	4.7	2	3	3	5	5	6	7	9
1. SINGLE DX	4517	4.4	1	3	3	4	5	6	6	7
2. MULTIPLE DX	7508	4.7	2	3	3	5	5	6	7	9
A. NOT OPERATED	183	2.5	1	1	1	2	3	4	5	7
B. OPERATED	11842	4.6	2	3	3	4	5	6	7	9
TOTAL 0-19 YRS	622	4.5	2	3	3	4	5	6	7	9
20-34	10510	4.5	2	3	3	4	5	6	6	9
35-49	893	4.8	2	3	3	5	5	6	7	9
50-64										
65+										
GRAND TOTAL	**12025**	**4.6**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	2.6	1	1	2	3	3	4	4	7
20-34	610	2.8	3	1	2	3	3	4	4	8
35-49	43	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	70	3.1	3	1	2	3	4	5	6	13
20-34	472	3.0	2	1	2	3	4	5	5	7
35-49	31	2.6	2	1	1	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.1	4	1	2	3	3	5	6	12
20-34	589	3.4	7	1	2	3	4	6	7	15
35-49	51	3.6	4	2	2	3	4	6	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	359	4.2	15	2	2	4	5	7	8	17
20-34	2122	4.2	11	2	2	4	5	6	8	17
35-49	201	4.3	10	2	2	4	5	6	8	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	2.7	2	1	2	3	3	4	4	7
B. *Operated*	573	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	793	3.4	6	1	2	3	4	6	7	14
B. *Operated*	2682	4.2	11	2	2	4	5	6	8	17
1. SINGLE DX	1369	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	3475	4.1	10	2	2	3	5	6	8	16
A. NOT OPERATED	1589	3.1	4	1	2	3	3	5	6	11
B. OPERATED	3255	4.0	10	2	2	3	5	6	7	15
TOTAL 0-19 YRS	725	3.6	10	1	2	3	4	6	7	15
20-34	3793	3.7	8	2	2	3	4	6	7	14
35-49	326	3.9	7	1	2	3	5	6	7	12
50-64										
65+										
GRAND TOTAL	**4844**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	2.3	1	1	1	2	3	3	3	4
20-34	1849	2.4	1	1	1	2	3	3	4	4
35-49	110	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	181	2.5	1	1	1	2	3	4	4	6
20-34	962	2.5	1	1	2	2	3	3	4	5
35-49	44	2.5	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.3	1	1	1	2	3	3	4	6
20-34	470	2.5	1	1	1	2	3	4	4	6
35-49	35	3.3	30	<1	1	2	3	4	6	34
50-64										
65+										
B. *Operated*										
0-19 YRS	239	2.7	2	1	1	3	3	4	5	7
20-34	1761	2.9	1	2	2	3	3	4	5	7
35-49	156	3.0	1	2	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2226	2.4	1	1	1	2	3	3	4	4
B. *Operated*	1187	2.5	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	583	2.5	3	1	1	2	3	4	4	6
B. *Operated*	2156	2.9	1	1	2	3	3	4	5	7
1. SINGLE DX	3413	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2739	2.8	2	1	2	3	3	4	5	7
A. NOT OPERATED	2809	2.4	1	1	1	2	3	3	4	5
B. OPERATED	3343	2.7	1	1	2	3	3	4	5	6
TOTAL 0-19 YRS	765	2.5	1	1	1	2	3	4	4	6
20-34	5042	2.6	1	1	2	2	3	4	4	6
35-49	345	2.8	4	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**6152**	**2.6**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.2	1	1	1	2	3	3	3	5
20-34	490	2.2	1	1	1	2	3	3	4	4
35-49	39	2.4	1	<1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	749	2.2	1	1	1	2	3	3	3	4
20-34	3744	2.2	1	1	1	2	3	3	3	5
35-49	275	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.2	21	2	2	3	3	4	5	21
20-34	294	2.7	2	1	2	3	3	4	4	10
35-49	15	3.1	7	1	1	3	3	4	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	460	2.8	4	1	2	2	3	4	5	9
20-34	3042	2.6	1	1	2	2	3	4	4	6
35-49	286	2.7	1	1	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4768	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	430	2.9	8	1	2	3	3	4	4	12
B. *Operated*	3788	2.6	2	1	2	2	3	4	4	7
1. SINGLE DX	5437	2.2	1	1	1	2	3	3	3	4
2. MULTIPLE DX	4218	2.7	2	1	2	3	3	4	4	7
A. NOT OPERATED	1099	2.5	4	1	1	2	3	3	4	6
B. OPERATED	8556	2.4	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1470	2.5	4	1	1	2	3	3	4	7
20-34	7570	2.4	1	1	1	2	3	3	4	5
35-49	615	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**9655**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.2	1	1	1	2	3	3	3	4
20-34	162	2.4	1	1	1	2	3	3	4	5
35-49	6	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	617	2.4	1	1	2	2	3	3	4	4
20-34	2090	2.6	1	1	2	3	3	4	4	5
35-49	94	2.6	1	1	1	3	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	3	1	2	3	3	5	5	10
20-34	65	2.9	2	1	2	3	3	4	5	10
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	542	2.9	3	2	2	3	3	4	5	7
20-34	2086	2.9	2	2	2	3	3	4	4	7
35-49	105	2.9	2	1	2	3	3	4	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	2.4	1	1	1	2	3	3	4	5
B. *Operated*	2801	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	100	2.9	2	1	2	3	3	4	5	10
B. *Operated*	2733	2.9	2	2	2	3	3	4	5	7
1. SINGLE DX	3003	2.6	1	1	2	2	3	4	4	5
2. MULTIPLE DX	2833	2.9	2	2	2	3	3	4	5	7
A. NOT OPERATED	302	2.5	1	1	1	2	3	4	4	7
B. OPERATED	5534	2.7	2	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1226	2.6	2	1	2	2	3	4	4	6
20-34	4403	2.7	1	1	2	3	3	4	4	6
35-49	207	2.8	2	1	1	3	3	4	5	7
50-64										
65+										
GRAND TOTAL	**5836**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.1		1	1	2	2	3	3	4
20-34	194	2.2	1	1	1	2	3	3	4	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	208	2.3	1	1	1	2	3	3	4	5
20-34	818	2.4	1	1	1	2	3	3	4	5
35-49	31	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.8	4	1	1	2	3	4	6	13
20-34	116	2.6	1	1	2	2	3	4	4	7
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	184	3.0	4	2	2	3	3	4	5	10
20-34	952	2.8	2	1	2	3	3	4	5	7
35-49	56	3.0	2	1	2	3	4	4	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	2.2	1	1	1	2	3	3	4	5
B. *Operated*	1057	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	171	2.7	2	1	2	2	3	4	4	10
B. *Operated*	1192	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	1300	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1363	2.8	2	1	2	3	3	4	5	7
A. NOT OPERATED	414	2.4	1	1	1	2	3	3	4	6
B. OPERATED	2249	2.6	2	1	2	2	3	4	4	6
TOTAL 0-19 YRS	491	2.6	2	1	2	2	3	4	4	7
20-34	2080	2.6	2	1	1	2	3	4	4	6
35-49	92	2.8	2	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**2663**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	982	2.5	2	1	1	2	3	4	4	6
20-34	3425	2.5	2	1	1	2	3	4	4	7
35-49	215	2.7	3	1	1	2	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2345	2.9	2	1	2	3	3	4	5	8
20-34	11062	2.9	2	1	2	3	3	4	5	7
35-49	609	3.2	3	1	2	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	775	3.2	10	1	1	3	3	5	7	17
20-34	2411	2.9	8	1	1	2	3	4	6	13
35-49	189	2.7	2	1	1	3	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3397	3.9	8	1	2	3	5	7	9	15
20-34	17252	3.9	9	2	2	3	5	6	8	15
35-49	1541	4.4	18	2	2	4	5	7	9	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4622	2.5	2	1	1	2	3	4	4	7
B. *Operated*	14016	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	3375	3.0	8	1	1	2	3	5	6	13
B. *Operated*	22190	3.9	10	2	2	3	5	6	8	15
1. SINGLE DX	18638	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	25565	3.8	10	1	2	3	4	6	8	15
A. NOT OPERATED	7997	2.7	5	1	1	2	3	4	5	10
B. OPERATED	36206	3.5	7	2	2	3	4	5	7	13
TOTAL 0-19 YRS	7499	3.3	6	1	2	3	4	5	7	13
20-34	34150	3.4	7	1	2	3	4	5	6	12
35-49	2554	3.8	13	1	2	3	4	6	7	17
50-64										
65+										
GRAND TOTAL	**44203**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.3	1	1	2	3	4	5	6	6
20-34	111	3.1	1	2	2	3	4	5	5	7
35-49	3	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	4	3.5	4	2	2	3	5	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.3	2	1	2	3	4	5	6	8
20-34	55	4.2	6	2	2	3	5	7	9	13
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.0	48	4	4	4	13	16	16	16
20-34	18	7.4	111	<1	1	4	8	16	35	46
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	3.1	1	1	2	3	4	5	5	6
B. *Operated*	7	3.9	8	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	80	4.0	5	2	2	3	5	6	8	13
B. *Operated*	23	7.5	90	1	2	4	9	17	28	46
1. SINGLE DX	151	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	103	4.8	26	1	2	4	5	8	11	32
A. NOT OPERATED	224	3.4	3	2	2	3	4	5	6	10
B. OPERATED	30	6.7	73	1	1	4	8	13	19	46
TOTAL 0-19 YRS	60	3.6	5	1	2	3	4	5	7	15
20-34	188	3.8	14	2	2	3	4	6	8	17
35-49	6	4.7	9	2	2	4	6	10	10	10
50-64										
65+										
GRAND TOTAL	**254**	**3.8**	**12**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	34	1.6	1	<1	1	1	2	2	3	4
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	17	1.8	1	<1	<1	1	2	3	4	5
20-34	119	1.6	1	<1	1	1	2	3	4	5
35-49	6	2.2	3	1	1	2	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	24	2.3	2	1	1	2	3	4	5	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.7	2	<1	<1	3	4	5	5	5
20-34	85	2.2	3	<1	1	2	3	4	7	8
35-49	5	3.4	4	2	2	2	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.5		<1	<1	1	2	2	3	4
B. *Operated*	142	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	29	2.2	1	1	1	2	3	4	4	6
B. *Operated*	100	2.3	3	<1	1	2	3	5	7	8
1. SINGLE DX	185	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	129	2.3	2	1	1	2	3	4	6	8
A. NOT OPERATED	72	1.8	1	<1	1	2	2	3	4	6
B. OPERATED	242	2.0	2	<1	1	1	2	4	5	7
TOTAL 0-19 YRS	36	1.9	1	<1	<1	2	3	4	5	5
20-34	262	1.9	2	<1	1	1	2	3	4	7
35-49	16	2.3	3	<1	1	2	3	5	6	6
50-64										
65+										
GRAND TOTAL	**314**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.0	19	1	1	4	6	12	15	15
20-34	65	3.9	5	1	2	3	5	7	9	10
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.1	6	1	1	2	3	7	9	10
20-34	83	3.5	12	1	1	2	4	6	12	19
35-49	11	2.7	6	<1	<1	2	3	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	13	2	2	3	5	12	13	13
20-34	51	4.4	10	1	1	3	6	9	11	14
35-49	4	8.5	8	5	5	8	10	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.1	7	1	1	2	3	7	10	11
20-34	63	5.4	32	2	2	3	6	12	15	31
35-49	6	6.2	18	2	2	5	7	13	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.9	7	1	2	3	5	8	9	14
B. *Operated*	109	3.4	10	1	1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	67	4.7	11	1	1	3	7	10	11	14
B. *Operated*	86	5.0	27	1	2	3	6	11	14	31
1. SINGLE DX	186	3.6	9	1	1	3	5	7	10	16
2. MULTIPLE DX	153	4.9	20	1	2	3	6	11	13	28
A. NOT OPERATED	144	4.3	9	1	1	3	6	9	11	14
B. OPERATED	195	4.1	18	1	1	3	5	8	13	24
TOTAL 0-19 YRS	53	3.8	10	1	1	3	4	9	11	15
20-34	262	4.2	15	1	1	3	5	9	11	20
35-49	24	4.5	14	<1	1	3	7	9	13	14
50-64										
65+										
GRAND TOTAL	**339**	**4.2**	**14**	**1**	**1**	**3**	**5**	**9**	**11**	**17**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	476	3.6	4	1	2	3	4	6	7	11
20-34	393	3.9	6	1	2	3	5	7	8	13
35-49	313	4.6	6	2	2	4	6	8	9	14
50-64	176	5.1	10	2	2	4	6	8	10	17
65+	170	5.9	10	2	3	5	7	10	13	16
B. *Operated*										
0-19 YRS	220	4.1	8	1	1	4	5	8	9	14
20-34	211	4.6	14	1	1	4	6	9	10	22
35-49	147	5.4	15	1	2	4	7	11	13	18
50-64	83	6.8	29	1	2	6	8	14	19	26
65+	49	7.8	22	2	2	7	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	764	4.3	7	2	2	4	5	8	10	15
20-34	690	5.1	15	2	2	4	6	9	11	17
35-49	785	6.1	14	2	3	5	7	11	13	19
50-64	1004	6.4	16	2	3	5	8	11	14	21
65+	1976	7.8	26	3	3	7	9	14	17	27
B. *Operated*										
0-19 YRS	283	6.3	31	2	2	5	8	11	14	29
20-34	439	7.4	49	2	2	6	9	14	19	39
35-49	501	9.9	81	2	3	7	12	19	26	50
50-64	574	10.4	83	2	3	8	13	21	28	47
65+	827	12.2	105	3	4	9	15	22	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1528	4.3	7	2	2	4	5	7	9	14
B. *Operated*	710	5.1	16	1	1	4	7	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	5219	6.4	19	2	3	5	8	11	14	24
B. *Operated*	2624	9.9	82	2	3	7	12	19	27	50
1. SINGLE DX	2238	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX	7843	7.6	43	2	3	6	9	14	19	35
A. NOT OPERATED	6747	5.9	17	2	2	5	7	11	14	22
B. OPERATED	3334	8.9	72	2	2	7	11	18	24	45
TOTAL 0-19 YRS	1743	4.4	11	1	2	4	5	8	10	15
20-34	1733	5.3	23	2	2	4	6	9	12	30
35-49	1746	6.8	36	2	2	5	8	13	17	31
50-64	1837	7.5	41	2	3	6	9	14	19	32
65+	3022	8.9	51	3	3	7	11	16	21	40
GRAND TOTAL	**10081**	**6.9**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**32**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.9	5	2	2	3	5	7	8	12
20-34	66	3.8	3	1	2	3	5	6	7	9
35-49	34	3.0	2	1	2	3	4	5	5	7
50-64	32	4.0	5	2	2	3	5	7	10	11
65+	10	4.3	4	2	2	4	6	7	8	8
B. *Operated*										
0-19 YRS	83	3.7	8	<1	1	3	5	7	8	15
20-34	79	4.2	9	<1	1	3	6	9	10	15
35-49	51	5.6	31	1	1	4	7	11	16	34
50-64	20	4.1	7	<1	1	3	6	8	10	10
65+	20	5.3	32	<1	1	4	7	12	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	4.4	7	2	2	4	5	7	11	13
20-34	141	5.0	15	2	2	4	6	10	14	18
35-49	114	5.5	12	2	2	4	7	10	13	16
50-64	134	6.4	19	2	2	5	8	13	14	24
65+	191	6.9	27	2	3	6	8	11	15	31
B. *Operated*										
0-19 YRS	94	6.3	24	1	2	5	8	13	17	25
20-34	128	6.7	33	2	2	5	8	12	18	31
35-49	117	7.5	38	1	2	6	10	15	24	54
50-64	154	8.7	51	1	2	7	11	19	23	39
65+	142	9.9	47	2	3	8	14	19	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.8	4	2	2	3	5	6	8	11
B. *Operated*	253	4.4	15	<1	1	3	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	802	5.6	17	2	2	4	7	10	13	20
B. *Operated*	635	8.0	41	2	2	6	10	17	22	36
1. SINGLE DX	537	4.1	9	1	1	3	5	8	9	16
2. MULTIPLE DX	1437	6.7	29	2	2	5	8	13	17	30
A. NOT OPERATED	1086	5.1	14	2	2	4	6	9	12	18
B. OPERATED	888	7.0	36	1	2	5	9	15	19	33
TOTAL 0-19 YRS	541	4.5	10	1	2	4	6	8	11	18
20-34	414	5.2	19	1	2	4	6	10	13	24
35-49	316	6.0	25	1	2	4	8	12	15	31
50-64	340	7.1	34	2	2	5	9	14	19	36
65+	363	7.9	37	2	3	6	9	15	19	35
GRAND TOTAL	**1974**	**6.0**	**25**	**1**	**2**	**5**	**7**	**11**	**16**	**26**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.9	18	<1	<1	2	4	11	14	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	391	2.6	3	1	1	2	4	5	6	8
20-34	600	2.5	2	1	1	2	3	4	5	8
35-49	106	2.8	3	1	1	2	3	5	7	8
50-64	24	3.5	5	1	2	3	5	6	8	12
65+	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	6	1	1	3	5	7	7	7
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	54	3.8	40	1	1	3	4	5	8	46
20-34	132	3.4	7	1	1	3	4	6	8	16
35-49	40	3.3	4	1	1	3	4	5	7	10
50-64	21	5.0	47	1	1	3	5	6	19	34
65+	11	4.0	7	1	1	4	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.7	20	<1	1	3	6	13	14	14
B. *Operated*	1126	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	10	2.4	4	<1	<1	1	4	6	7	7
B. *Operated*	258	3.6	17	1	1	3	4	6	8	18
1. SINGLE DX	1137	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	268	3.6	16	1	1	3	4	6	8	18
A. NOT OPERATED	21	3.6	13	<1	<1	2	4	9	13	14
B. OPERATED	1384	2.8	5	1	1	2	3	5	6	9
TOTAL 0-19 YRS	458	2.8	7	1	1	2	4	5	6	9
20-34	735	2.6	3	1	1	2	3	5	6	9
35-49	148	2.9	3	1	1	2	4	5	7	8
50-64	46	4.1	24	1	2	3	5	6	8	34
65+	18	4.3	10	1	1	4	5	9	11	12
GRAND TOTAL	**1405**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	35	1.9	2	<1	<1	1	2	3	5	7
20-34	37	1.7	2	<1	<1	1	2	4	5	7
35-49	32	1.5	1	<1	<1	1	2	3	4	4
50-64	30	2.0	3	<1	<1	1	3	4	6	8
65+	13	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	10	5.0	92	<1	<1	2	3	19	32	32
20-34	16	2.3	2	<1	<1	2	3	5	5	5
35-49	17	3.1	4	<1	<1	2	4	7	8	8
50-64	17	3.6	4	1	1	3	5	6	7	7
65+	19	3.4	5	<1	1	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	147	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9	4.0	8	<1	1	3	6	9	9	9
B. *Operated*	79	3.3	15	<1	1	2	5	6	7	25
1. SINGLE DX	149	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	88	3.4	14	<1	1	3	5	6	8	23
A. NOT OPERATED	11	3.7	7	<1	1	3	5	8	9	9
B. OPERATED	226	2.3	7	<1	<1	1	3	5	6	8
TOTAL 0-19 YRS	48	2.7	21	<1	<1	2	2	5	7	32
20-34	56	2.0	2	<1	<1	1	3	4	5	7
35-49	52	2.2	3	<1	<1	1	3	4	7	8
50-64	49	2.5	4	<1	<1	2	3	6	6	8
65+	32	2.4	4	<1	<1	1	3	6	7	8
GRAND TOTAL	**237**	**2.3**	**7**	**<1**	**<1**	**1**	**3**	**5**	**6**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	3.7	13	1	1	3	4	7	8	16
20-34	112	3.3	5	1	1	3	4	6	6	14
35-49	76	4.5	13	1	1	4	5	8	14	17
50-64	65	4.9	20	1	1	4	6	11	14	24
65+	49	6.9	30	1	2	5	8	13	18	31
B. *Operated*										
0-19 YRS	191	3.0	16	<1	<1	2	3	7	9	17
20-34	243	4.2	23	<1	1	3	5	9	13	24
35-49	205	4.3	30	<1	1	2	4	10	16	29
50-64	182	4.1	23	1	1	2	5	10	14	25
65+	151	5.8	42	<1	<1	3	8	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	324	4.7	22	1	1	3	6	9	13	25
20-34	243	5.8	40	1	2	4	7	12	16	24
35-49	274	6.1	25	1	2	5	8	13	16	27
50-64	370	7.4	48	1	2	6	9	14	19	44
65+	984	10.2	92	2	3	8	12	19	26	54
B. *Operated*										
0-19 YRS	268	7.8	120	1	1	4	9	21	34	93
20-34	429	13.7	286	1	1	7	20	39	59	99+
35-49	497	10.5	173	1	1	5	14	28	39	70
50-64	676	10.9	198	1	1	6	14	29	41	79
65+	1253	15.4	227	2	3	11	19	36	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	4.2	15	1	1	3	5	7	12	19
B. *Operated*	972	4.2	27	<1	1	2	5	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	2195	7.9	65	1	2	6	10	15	21	46
B. *Operated*	3123	12.8	217	1	1	8	16	32	45	92
1. SINGLE DX	1472	4.2	23	<1	1	3	5	9	14	25
2. MULTIPLE DX	5318	10.8	160	1	2	7	13	25	38	79
A. NOT OPERATED	2695	7.2	58	1	2	5	9	14	19	44
B. OPERATED	4095	10.7	185	1	1	6	14	28	39	81
TOTAL 0-19 YRS	981	5.0	49	<1	1	3	5	10	17	41
20-34	1027	8.5	155	1	1	4	9	22	36	79
35-49	1052	7.7	103	1	1	4	9	18	28	57
50-64	1293	8.6	128	1	1	5	10	20	31	68
65+	2437	12.5	167	1	3	9	15	27	39	79
GRAND TOTAL	**6790**	**9.3**	**138**	**1**	**1**	**5**	**11**	**21**	**34**	**73**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.8	6	1	1	3	5	8	9	9
20-34	25	4.4	8	1	1	3	6	8	10	13
35-49	31	5.8	35	2	2	5	7	10	14	34
50-64	12	6.3	20	<1	1	5	10	13	14	14
65+	7	5.0	10	1	1	4	7	9	10	10
B. *Operated*										
0-19 YRS	24	7.2	115	1	1	4	8	12	31	53
20-34	16	3.8	8	1	1	2	6	8	9	10
35-49	11	5.3	24	1	2	4	5	12	18	19
50-64	8	9.3	35	4	4	7	12	19	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	5.3	25	1	2	4	7	9	11	33
20-34	140	6.4	24	1	2	5	8	13	16	26
35-49	97	7.5	49	2	2	6	9	14	17	44
50-64	134	8.2	82	2	2	6	9	16	22	41
65+	136	7.6	22	2	3	7	10	14	17	36
B. *Operated*										
0-19 YRS	41	11.2	269	1	2	7	12	25	34	99
20-34	74	13.6	140	1	3	10	19	32	37	92
35-49	58	9.5	57	2	2	8	13	20	23	36
50-64	62	11.6	82	3	3	9	16	24	33	41
65+	74	13.9	170	3	4	10	18	26	35	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.8	17	1	1	4	6	9	11	22
B. *Operated*	59	6.2	60	1	1	4	8	11	20	50
2. MULTIPLE DX										
A. *Not Operated*	585	7.1	42	2	2	6	9	13	18	31
B. *Operated*	309	12.2	138	2	3	9	15	26	35	79
1. SINGLE DX	170	5.3	32	1	1	4	7	10	13	31
2. MULTIPLE DX	894	8.9	81	2	2	6	10	18	25	42
A. NOT OPERATED	696	6.7	38	2	2	5	8	13	16	31
B. OPERATED	368	11.2	130	2	2	8	14	24	34	64
TOTAL 0-19 YRS	179	6.6	95	1	2	4	8	11	20	50
20-34	255	8.1	68	1	2	6	10	19	26	44
35-49	197	7.7	49	2	2	6	10	15	20	36
50-64	216	9.1	79	2	3	7	11	19	26	38
65+	217	9.6	81	2	3	7	11	20	25	56
GRAND TOTAL	**1064**	**8.3**	**75**	**2**	**2**	**6**	**10**	**17**	**24**	**40**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.0	8	<1	1	3	5	8	9	15
20-34	19	5.4	14	3	3	5	5	8	15	19
35-49	48	5.6	11	2	2	5	7	10	12	17
50-64	77	5.6	15	2	2	5	6	12	16	20
65+	64	5.2	4	2	3	5	6	8	9	12
B. *Operated*										
0-19 YRS	13	11.1	124	<1	1	7	15	32	33	33
20-34	40	6.5	20	2	2	5	8	12	15	24
35-49	97	6.3	31	1	1	5	8	13	17	29
50-64	179	7.3	24	1	2	7	10	13	16	26
65+	118	7.4	22	2	2	8	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	8.6	102	<1	<1	5	10	21	26	55
20-34	36	7.6	50	2	3	5	9	16	17	41
35-49	99	5.5	10	1	2	5	7	10	11	16
50-64	241	7.3	30	3	3	6	9	12	17	31
65+	345	7.4	24	3	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	17	8.6	199	<1	1	4	9	17	45	60
20-34	39	11.3	339	1	2	6	11	15	58	94
35-49	136	7.2	41	1	2	5	9	13	18	36
50-64	345	9.5	50	2	2	8	13	18	22	36
65+	346	11.0	63	2	3	10	14	22	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	5.2	10	2	2	5	6	9	12	18
B. *Operated*	447	7.2	28	1	2	6	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*	817	7.3	35	2	3	6	9	13	18	32
B. *Operated*	883	9.8	70	2	2	8	13	18	25	40
1. SINGLE DX	700	6.5	22	1	2	5	9	12	16	23
2. MULTIPLE DX	1700	8.6	55	2	3	7	11	16	22	37
A. NOT OPERATED	1070	6.8	30	2	3	5	8	12	16	30
B. OPERATED	1330	8.9	57	1	2	7	12	17	22	36
TOTAL 0-19 YRS	171	7.6	92	<1	1	4	9	18	25	55
20-34	134	8.0	123	2	3	5	9	14	17	76
35-49	380	6.3	27	1	2	5	8	12	16	33
50-64	842	8.0	37	2	3	6	10	15	19	31
65+	873	8.7	41	2	3	7	11	16	21	33
GRAND TOTAL	**2400**	**8.0**	**46**	**2**	**2**	**6**	**10**	**15**	**20**	**34**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	4.0	10	1	1	3	6	9	11	11
50-64	23	4.7	4	2	2	5	7	8	8	8
65+	30	5.4	23	1	1	4	6	11	14	24
B. *Operated*										
0-19 YRS	9	7.9	30	1	1	8	11	16	17	17
20-34	84	5.0	17	1	1	3	8	10	12	18
35-49	220	5.8	18	1	1	5	8	11	13	18
50-64	752	8.6	21	2	2	9	11	14	16	21
65+	1180	10.8	16	3	6	11	13	16	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	86	2	2	2	8	23	23	23
20-34	9	6.0	20	1	1	4	9	12	14	14
35-49	41	6.3	24	<1	1	5	8	15	17	20
50-64	168	5.3	19	1	2	4	7	10	11	26
65+	459	6.2	24	1	2	5	8	11	16	26
B. *Operated*										
0-19 YRS	5	8.2	5	5	5	9	10	10	10	10
20-34	80	4.8	17	1	1	3	7	10	13	19
35-49	232	6.7	29	1	1	5	10	13	17	26
50-64	1013	10.0	45	1	2	10	13	17	21	35
65+	3025	13.0	51	3	6	12	15	20	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.9	13	1	2	4	6	9	11	22
B. *Operated*	2245	9.3	21	1	2	9	12	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	682	6.0	23	1	2	5	7	11	15	26
B. *Operated*	4355	11.8	52	2	3	11	15	19	23	37
1. SINGLE DX	2310	9.2	22	1	2	9	12	15	16	21
2. MULTIPLE DX	5037	11.0	52	2	3	11	14	18	22	36
A. NOT OPERATED	747	5.9	22	1	2	5	7	10	15	25
B. OPERATED	6600	11.0	43	2	3	11	14	17	21	32
TOTAL 0-19 YRS	20	7.4	33	1	2	6	10	16	20	23
20-34	174	4.9	17	1	1	3	8	10	13	19
35-49	503	6.2	24	1	1	5	9	12	15	22
50-64	1956	9.0	35	1	2	9	12	15	18	30
65+	4694	11.7	44	2	4	11	15	18	22	33
GRAND TOTAL	**7347**	**10.5**	**43**	**2**	**3**	**10**	**13**	**17**	**20**	**32**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	7.2	32	1	2	6	10	14	16	30
20-34	61	5.0	9	2	2	4	6	10	12	13
35-49	48	5.2	15	1	1	4	7	9	12	21
50-64	19	6.5	30	1	1	4	11	14	18	21
65+	25	4.4	8	1	1	4	5	10	10	10
B. *Operated*										
0-19 YRS	54	10.6	51	1	3	9	13	21	23	39
20-34	138	5.0	21	1	1	4	6	11	13	28
35-49	124	5.2	22	1	1	4	7	10	13	28
50-64	121	6.1	27	1	1	4	9	14	16	23
65+	65	9.7	35	1	2	9	13	18	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	8.1	35	2	3	6	11	18	21	26
20-34	71	6.1	19	2	2	4	8	12	15	23
35-49	83	6.8	32	2	2	5	7	13	18	33
50-64	119	6.8	24	2	2	6	8	13	17	28
65+	198	7.7	44	2	2	6	9	15	19	39
B. *Operated*										
0-19 YRS	89	14.3	73	4	5	13	21	25	28	45
20-34	143	7.4	53	1	1	5	9	17	22	36
35-49	138	8.6	106	1	1	6	11	19	26	58
50-64	175	10.2	91	1	2	8	14	22	30	63
65+	210	14.5	119	2	3	13	18	30	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	5.9	21	1	2	4	8	12	14	21
B. *Operated*	502	6.5	32	1	1	5	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	568	7.3	34	2	2	6	9	15	18	27
B. *Operated*	755	11.1	100	1	2	8	15	23	30	47
1. SINGLE DX	745	6.3	28	1	1	4	9	13	16	25
2. MULTIPLE DX	1323	9.4	75	1	2	7	13	20	26	42
A. NOT OPERATED	811	6.8	30	2	2	5	9	13	18	26
B. OPERATED	1257	9.3	78	1	2	7	13	20	26	42
TOTAL 0-19 YRS	330	9.9	55	2	3	8	14	21	23	37
20-34	413	6.0	31	1	1	4	8	13	17	31
35-49	393	6.7	55	1	1	5	8	13	19	34
50-64	434	8.0	55	1	2	6	10	16	22	39
65+	498	10.7	84	1	2	8	15	21	29	45
GRAND TOTAL	**2068**	**8.3**	**60**	**1**	**2**	**6**	**11**	**17**	**23**	**38**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	7	2.4	3	<1	<1	2	4	5	5	5
35-49	6	3.3	5	1	1	3	5	7	7	7
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	163	2.3	3	<1	<1	2	3	4	5	8
20-34	285	2.5	3	<1	<1	2	3	5	6	8
35-49	180	2.5	3	<1	<1	2	3	5	6	10
50-64	73	2.5	4	<1	<1	2	4	5	7	9
65+	36	3.2	11	<1	1	2	4	6	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	8	2.8	3	<1	<1	3	4	5	5	5
35-49	13	3.7	24	<1	<1	3	4	9	17	19
50-64	13	9.0	305	<1	1	3	7	24	58	66
65+	9	2.9	4	<1	<1	3	5	5	5	5
B. *Operated*										
0-19 YRS	166	2.6	3	<1	<1	2	4	5	6	10
20-34	384	3.2	7	<1	1	2	4	6	8	15
35-49	279	2.9	7	<1	1	2	4	6	8	14
50-64	244	3.1	10	<1	<1	2	4	6	8	17
65+	176	3.2	6	<1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.5	3	<1	<1	2	4	5	6	7
B. *Operated*	737	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	46	4.7	96	<1	<1	3	5	7	14	66
B. *Operated*	1249	3.0	7	<1	1	2	4	6	8	14
1. SINGLE DX	756	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	1295	3.1	10	<1	1	2	4	6	8	14
A. NOT OPERATED	65	4.1	70	<1	<1	3	4	7	9	59
B. OPERATED	1986	2.8	6	<1	<1	2	4	5	7	12
TOTAL 0-19 YRS	334	2.4	3	<1	<1	2	3	4	5	9
20-34	684	2.9	5	<1	<1	2	4	5	7	12
35-49	478	2.8	6	<1	1	2	3	6	7	13
50-64	332	3.2	20	<1	<1	2	4	6	8	18
65+	223	3.2	7	<1	1	2	4	6	8	14
GRAND TOTAL	**2051**	**2.9**	**8**	**<1**	**<1**	**2**	**4**	**5**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.4	4	1	1	3	4	6	8	9
20-34	34	2.8	3	1	1	2	4	5	7	8
35-49	35	3.7	4	1	1	3	5	6	8	10
50-64	27	3.9	8	1	2	3	5	6	8	16
65+	22	3.9	5	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	390	2.5	3	<1	1	2	3	4	5	10
20-34	640	2.8	3	1	1	3	4	5	6	9
35-49	244	3.2	5	<1	1	3	4	6	8	11
50-64	95	4.3	27	<1	1	3	4	10	12	30
65+	49	4.4	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	5.2	58	<1	1	3	5	9	27	42
20-34	79	4.4	13	<1	1	3	5	8	11	20
35-49	96	4.0	10	<1	1	3	6	8	9	17
50-64	104	6.9	46	1	2	4	9	15	20	35
65+	261	10.8	198	2	2	6	11	26	46	73
B. *Operated*										
0-19 YRS	333	4.6	32	1	1	3	5	8	14	32
20-34	416	3.8	18	1	1	3	4	7	9	18
35-49	293	4.9	55	1	1	3	5	9	14	35
50-64	193	5.6	43	1	1	3	7	11	16	36
65+	158	9.4	130	1	2	6	11	21	32	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.5	5	1	1	3	4	6	8	10
B. *Operated*	1418	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	645	7.5	108	1	1	4	8	16	27	57
B. *Operated*	1393	5.1	48	1	1	3	5	10	15	37
1. SINGLE DX	1603	3.0	6	1	1	3	4	5	7	12
2. MULTIPLE DX	2038	5.8	68	1	1	3	6	11	18	47
A. NOT OPERATED	830	6.6	88	1	1	4	7	12	23	51
B. OPERATED	2811	4.0	28	1	1	3	4	7	11	27
TOTAL 0-19 YRS	895	3.7	22	<1	1	3	4	6	9	30
20-34	1169	3.3	10	1	1	3	4	6	7	14
35-49	668	4.1	28	1	1	3	5	8	10	24
50-64	419	5.5	39	1	1	3	7	12	17	35
65+	490	9.4	153	1	2	5	10	21	37	66
GRAND TOTAL	**3641**	**4.6**	**43**	**1**	**1**	**3**	**5**	**8**	**13**	**37**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	5	4	4	4	7	8	8	8
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	9.0	2	8	8	9	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	3.5	3	2	2	3	4	6	7	7
35-49	6	7.5	72	2	2	4	9	22	24	24
50-64	15	7.8	30	1	2	7	10	14	20	22
65+	9	8.3	17	3	4	7	9	15	18	18
B. *Operated*										
0-19 YRS										
20-34	2	10.5	1	10	10	10	11	11	11	11
35-49	5	9.6	38	1	1	12	13	17	17	17
50-64	11	12.9	127	3	4	10	16	29	42	43
65+	4	10.0	30	6	6	8	13	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.4	4	3	3	5	7	8	8	8
B. *Operated*	4	10.0	13	7	7	9	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	39	7.1	29	2	2	7	9	14	20	24
B. *Operated*	22	11.4	74	2	4	10	16	18	29	43
1. SINGLE DX	12	6.9	11	3	3	7	8	11	14	15
2. MULTIPLE DX	61	8.7	49	2	2	7	11	17	20	41
A. NOT OPERATED	47	6.8	25	2	2	6	9	13	19	24
B. OPERATED	26	11.2	64	3	4	10	15	18	24	43
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	14	5.7	16	2	2	4	8	11	14	15
35-49	14	7.9	42	1	2	6	12	18	23	24
50-64	30	9.6	65	2	2	8	10	18	22	43
65+	14	8.5	20	3	4	7	9	18	18	18
GRAND TOTAL	**73**	**8.4**	**43**	**2**	**2**	**7**	**10**	**16**	**19**	**39**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	14	5.0	14	1	1	4	8	11	11	11
35-49	67	3.7	10	1	1	2	5	9	11	14
50-64	81	5.1	16	1	1	5	7	10	12	23
65+	70	4.7	11	1	1	4	6	9	10	16
B. *Operated*										
0-19 YRS	5	4.4	10	1	1	5	6	9	9	9
20-34	56	4.3	11	1	1	3	6	10	11	13
35-49	286	4.9	15	1	1	4	6	9	13	19
50-64	332	5.3	13	1	1	5	8	11	12	15
65+	146	6.1	32	1	1	5	8	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.6	316	2	2	7	11	44	52	52
20-34	40	6.2	52	1	2	3	7	12	24	34
35-49	141	5.1	12	1	2	4	7	9	11	19
50-64	385	5.8	16	1	2	5	8	11	14	19
65+	715	6.5	23	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	77	7.1	35	1	2	6	9	12	15	38
35-49	406	6.5	28	1	2	5	9	12	15	29
50-64	651	7.4	44	1	2	6	10	14	18	31
65+	554	9.6	64	1	2	8	12	19	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	4.6	13	1	1	4	6	9	11	17
B. *Operated*	825	5.2	17	1	1	4	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1288	6.2	23	1	2	5	8	11	14	21
B. *Operated*	1690	7.9	48	1	2	6	10	15	20	32
1. SINGLE DX	1060	5.1	16	1	1	4	7	10	13	19
2. MULTIPLE DX	2978	7.1	38	1	2	6	9	13	17	30
A. NOT OPERATED	1523	5.9	21	1	2	5	8	11	14	21
B. OPERATED	2515	7.0	39	1	1	6	9	14	18	29
TOTAL 0-19 YRS	17	7.7	142	1	1	5	9	12	38	52
20-34	187	5.9	31	1	1	5	8	11	13	34
35-49	900	5.6	21	1	1	4	7	11	13	23
50-64	1449	6.4	29	1	1	5	8	12	15	27
65+	1485	7.5	41	1	2	6	10	15	19	29
GRAND TOTAL	**4038**	**6.6**	**33**	**1**	**2**	**5**	**9**	**13**	**16**	**28**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.8	11	1	1	4	7	9	11	13
20-34	607	5.3	15	1	1	5	7	9	11	17
35-49	945	5.4	14	1	1	5	7	10	12	18
50-64	461	5.6	19	1	1	5	8	11	14	21
65+	127	6.2	21	1	1	6	8	12	14	24
B. *Operated*										
0-19 YRS	82	5.1	12	1	1	5	7	9	12	18
20-34	2837	5.8	15	1	1	5	8	11	13	18
35-49	4469	6.2	17	1	2	6	8	11	14	20
50-64	1835	6.4	18	1	1	6	8	12	14	21
65+	349	7.4	21	1	2	7	10	14	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.9	15	2	2	5	6	12	14	14
20-34	312	6.4	22	1	1	5	9	11	15	25
35-49	759	6.6	22	1	2	6	8	11	15	24
50-64	700	7.2	26	1	2	6	9	13	15	29
65+	681	7.4	18	2	3	7	9	13	15	22
B. *Operated*										
0-19 YRS	31	6.3	26	1	1	6	7	13	20	21
20-34	938	8.1	31	1	2	7	11	15	19	26
35-49	2231	8.4	37	1	2	7	11	15	19	31
50-64	1700	8.6	36	1	2	8	11	16	19	29
65+	905	10.2	49	1	2	9	14	19	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2165	5.5	15	1	1	5	7	10	12	18
B. *Operated*	9572	6.1	17	1	1	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2459	7.0	22	1	2	6	9	12	15	24
B. *Operated*	5805	8.7	38	1	2	8	11	16	20	30
1. SINGLE DX	11737	6.0	17	1	1	5	8	11	13	20
2. MULTIPLE DX	8264	8.2	34	1	2	7	11	15	18	30
A. NOT OPERATED	4624	6.3	19	1	1	6	8	11	14	22
B. OPERATED	15377	7.1	26	1	2	6	9	13	16	25
TOTAL 0-19 YRS	145	5.3	15	1	1	5	7	10	13	21
20-34	4694	6.2	20	1	1	6	8	11	14	21
35-49	8404	6.7	23	1	2	6	9	12	15	24
50-64	4696	7.2	27	1	2	6	9	13	16	25
65+	2062	8.5	35	1	2	7	11	16	19	30
GRAND TOTAL	**20001**	**6.9**	**25**	**1**	**2**	**6**	**9**	**13**	**16**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.1	57	2	2	3	7	19	24	24
20-34	81	4.1	11	1	1	3	6	8	10	17
35-49	231	4.5	13	1	1	4	6	9	11	17
50-64	98	5.3	16	1	1	5	7	9	12	22
65+	24	6.1	17	1	2	5	9	11	15	18
B. *Operated*										
0-19 YRS	4	5.0	3	3	3	5	6	7	7	7
20-34	290	4.8	12	1	1	4	7	9	12	17
35-49	824	5.6	13	1	1	5	8	10	12	18
50-64	373	6.2	16	1	2	5	8	11	14	21
65+	41	6.8	18	1	2	6	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	13.3	117	6	6	9	16	32	34	34
20-34	56	6.3	27	1	1	5	8	12	16	27
35-49	189	6.0	18	1	1	5	8	11	15	19
50-64	169	5.8	12	1	2	5	7	10	12	17
65+	137	6.2	14	1	2	5	8	11	14	18
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	121	7.3	47	1	2	5	9	15	21	35
35-49	522	7.0	34	1	2	6	9	13	17	28
50-64	453	8.1	44	2	3	7	10	14	20	36
65+	108	9.1	39	1	2	9	12	17	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	4.7	14	1	1	4	6	9	12	18
B. *Operated*	1532	5.6	14	1	1	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	557	6.1	18	1	2	5	8	11	14	19
B. *Operated*	1207	7.7	40	1	2	6	9	14	18	31
1. SINGLE DX	1974	5.4	14	1	1	5	7	10	12	18
2. MULTIPLE DX	1764	7.2	33	1	2	6	9	13	17	29
A. NOT OPERATED	999	5.5	17	1	1	5	7	11	13	19
B. OPERATED	2739	6.5	26	1	2	6	8	12	15	25
TOTAL 0-19 YRS	21	8.0	64	2	2	6	8	19	28	34
20-34	548	5.4	22	1	1	4	7	10	14	25
35-49	1766	5.9	21	1	1	5	8	11	14	22
50-64	1093	6.8	28	1	2	6	8	12	15	26
65+	310	7.3	25	1	2	6	10	14	17	26
GRAND TOTAL	**3738**	**6.2**	**24**	**1**	**1**	**5**	**8**	**11**	**15**	**24**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	45	1	1	7	13	14	14	14
20-34	34	5.0	10	1	2	5	6	8	11	17
35-49	40	4.4	13	1	1	4	5	9	14	16
50-64	19	4.2	7	1	1	5	6	8	9	9
65+	7	6.9	17	3	3	7	8	14	15	15
B. *Operated*										
0-19 YRS	5	5.6	28	<1	<1	4	10	13	13	13
20-34	63	4.3	13	1	1	2	7	10	12	13
35-49	75	4.3	13	1	1	3	6	8	13	16
50-64	14	5.3	17	1	1	4	8	12	13	13
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.5	43	3	3	6	12	18	18	18
20-34	41	5.3	16	1	2	4	6	10	12	22
35-49	58	6.1	16	1	1	5	8	11	14	19
50-64	38	5.6	9	2	2	5	7	10	12	13
65+	22	9.4	35	5	5	8	10	18	26	27
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	57	7.1	19	2	2	7	9	12	15	22
35-49	80	7.1	26	1	1	6	11	13	16	20
50-64	36	10.4	76	1	1	9	15	24	29	32
65+	13	9.7	35	2	4	8	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.8	12	1	1	4	6	8	13	17
B. *Operated*	159	4.4	13	1	1	3	7	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	163	6.3	19	1	2	5	8	11	14	25
B. *Operated*	187	7.9	35	1	1	7	12	15	19	29
1. SINGLE DX	263	4.6	13	1	1	3	7	9	12	16
2. MULTIPLE DX	350	7.1	28	1	2	6	10	14	17	27
A. NOT OPERATED	267	5.7	16	1	2	5	7	11	14	21
B. OPERATED	346	6.3	28	1	1	5	9	13	15	24
TOTAL 0-19 YRS	14	6.9	31	<1	1	5	12	14	17	18
20-34	195	5.5	16	1	1	5	7	11	13	20
35-49	253	5.6	19	1	1	4	8	12	15	19
50-64	107	6.9	38	1	1	5	9	15	18	30
65+	44	8.8	32	2	3	7	10	16	22	27
GRAND TOTAL	**613**	**6.0**	**23**	**1**	**1**	**5**	**8**	**12**	**15**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	39	5.2	9	1	2	5	8	9	10	12
35-49	48	5.9	10	2	3	5	7	9	12	17
50-64	33	6.1	15	1	2	5	7	11	16	18
65+	19	5.5	11	1	2	5	7	9	12	15
B. *Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	40	3.3	9	1	1	2	5	7	9	15
35-49	44	5.9	35	1	1	4	10	12	17	29
50-64	27	4.1	10	<1	1	4	5	7	12	15
65+	5	3.6	8	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	51	5.4	10	2	2	4	7	10	12	14
35-49	74	6.7	28	2	2	5	9	14	16	31
50-64	90	6.1	23	2	2	6	8	9	11	31
65+	115	7.0	17	2	3	6	9	12	14	25
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	24	6.5	36	1	2	5	8	13	21	28
35-49	49	7.8	87	1	1	4	10	19	26	51
50-64	30	6.3	16	1	1	6	9	11	14	15
65+	36	9.6	40	2	3	8	13	20	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	5.6	11	1	2	5	7	9	12	17
B. *Operated*	118	4.5	20	1	1	3	6	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	330	6.4	20	2	2	6	8	11	14	25
B. *Operated*	141	7.7	51	1	1	5	10	16	21	34
1. SINGLE DX	258	5.1	15	1	1	4	7	10	12	18
2. MULTIPLE DX	471	6.8	30	1	2	6	9	13	15	28
A. NOT OPERATED	470	6.2	17	2	2	5	8	11	14	18
B. OPERATED	259	6.2	39	1	1	5	8	14	19	29
TOTAL 0-19 YRS	5	3.6	23	<1	<1	1	5	12	12	12
20-34	154	5.0	14	1	1	4	7	9	12	18
35-49	215	6.6	39	1	1	5	9	14	17	33
50-64	180	5.8	19	1	1	5	8	10	12	18
65+	175	7.3	22	2	3	6	9	13	15	26
GRAND TOTAL	**729**	**6.2**	**25**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	4	<1	1	2	4	6	7	9
20-34	609	4.7	19	1	1	4	6	9	11	20
35-49	867	4.7	14	1	1	4	6	9	11	21
50-64	385	5.1	18	1	1	4	7	10	12	20
65+	125	4.4	9	1	1	4	6	9	10	13
B. *Operated*										
0-19 YRS	52	2.7	4	1	1	2	3	6	8	9
20-34	826	3.4	9	1	1	2	4	7	9	14
35-49	1271	3.9	12	1	1	3	5	8	11	18
50-64	673	4.5	15	1	1	3	6	9	12	18
65+	243	6.5	20	1	1	6	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.5	28	<1	1	3	5	9	13	33
20-34	697	5.3	19	1	1	4	7	10	13	25
35-49	1248	6.0	27	1	1	5	8	12	16	26
50-64	903	5.9	19	1	2	5	7	11	13	24
65+	794	6.6	25	1	2	6	8	12	14	24
B. *Operated*										
0-19 YRS	40	4.8	24	<1	1	3	7	11	14	23
20-34	777	4.8	18	1	1	3	7	10	13	21
35-49	1313	5.4	24	1	1	4	7	11	15	24
50-64	1056	7.0	31	1	1	6	10	14	16	27
65+	841	9.6	44	1	2	9	13	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2048	4.7	16	1	1	4	6	9	11	19
B. *Operated*	3065	4.1	13	1	1	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	3730	6.0	23	1	1	5	8	11	15	25
B. *Operated*	4027	6.6	32	1	1	5	9	14	17	27
1. SINGLE DX	5113	4.3	14	1	1	3	6	9	11	18
2. MULTIPLE DX	7757	6.3	28	1	1	5	8	12	16	25
A. NOT OPERATED	5778	5.5	21	1	1	4	7	10	13	24
B. OPERATED	7092	5.5	25	1	1	4	8	12	15	24
TOTAL 0-19 YRS	242	3.7	17	<1	1	2	5	7	11	19
20-34	2909	4.5	16	1	1	3	6	9	12	20
35-49	4699	5.0	20	1	1	4	7	10	13	23
50-64	3017	5.9	23	1	1	5	8	12	15	23
65+	2003	7.7	34	1	2	7	10	15	19	28
GRAND TOTAL	**12870**	**5.5**	**23**	**1**	**1**	**4**	**7**	**11**	**15**	**24**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.2	5	1	1	3	4	6	7	13
20-34	43	3.5	4	1	1	3	5	6	7	9
35-49	81	3.7	6	1	1	3	5	7	9	11
50-64	48	5.5	14	1	2	5	7	10	12	21
65+	15	4.7	6	1	2	4	7	8	9	10
B. *Operated*										
0-19 YRS	83	2.7	6	<1	<1	2	3	5	7	14
20-34	257	2.7	10	<1	1	2	3	5	8	13
35-49	530	2.6	4	<1	<1	2	3	5	6	10
50-64	379	2.8	5	<1	<1	2	4	5	7	9
65+	81	3.3	11	<1	<1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.1	6	1	1	4	5	7	9	12
20-34	58	4.8	12	1	2	4	6	9	12	19
35-49	93	4.9	16	1	1	4	5	9	14	23
50-64	145	5.1	17	1	2	4	6	10	15	19
65+	179	5.9	13	2	2	5	8	11	13	17
B. *Operated*										
0-19 YRS	56	3.4	7	<1	<1	3	5	7	9	11
20-34	207	3.7	13	<1	<1	3	4	8	12	22
35-49	453	3.8	16	1	1	3	4	8	10	21
50-64	444	4.4	23	1	1	3	5	9	11	22
65+	212	5.7	33	<1	1	4	7	11	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	3.9	7	1	1	3	5	7	9	13
B. *Operated*	1330	2.7	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	527	5.2	14	1	2	4	7	10	13	18
B. *Operated*	1372	4.3	20	<1	1	3	5	9	11	23
1. SINGLE DX	1619	2.9	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	1899	4.5	19	1	1	3	5	9	12	21
A. NOT OPERATED	816	4.7	12	1	2	4	6	9	11	17
B. OPERATED	2702	3.5	14	<1	1	3	4	7	10	19
TOTAL 0-19 YRS	293	3.2	6	<1	1	3	4	6	8	12
20-34	565	3.4	11	<1	1	2	4	7	10	16
35-49	1157	3.3	10	<1	1	3	4	6	9	15
50-64	1016	3.9	16	<1	1	3	5	7	10	19
65+	487	5.4	22	<1	1	4	7	11	13	24
GRAND TOTAL	**3518**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	58	2.5	1	1	1	2	3	4	5	5
20-34	131	2.5	2	1	1	2	3	4	5	7
35-49	188	2.7	2	1	1	2	4	5	5	7
50-64	185	2.8	2	1	1	3	3	5	6	7
65+	94	3.3	5	<1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	8	3.4	20	<1	<1	1	3	11	14	14
50-64	9	2.9	12	<1	<1	1	3	9	11	11
65+	7	3.7	6	1	1	3	6	7	7	7
B. *Operated*										
0-19 YRS	65	2.5	1	<1	1	2	3	4	5	5
20-34	186	2.8	2	1	1	3	3	5	5	7
35-49	393	3.1	3	1	1	3	4	5	6	10
50-64	621	3.2	3	1	1	3	4	5	6	8
65+	531	3.9	10	1	1	3	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*	656	2.7	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	26	3.1	11	<1	<1	2	4	7	12	14
B. *Operated*	1796	3.3	5	1	1	3	4	5	6	10
1. SINGLE DX	659	2.7	3	1	1	3	3	5	6	8
2. MULTIPLE DX	1822	3.3	5	1	1	3	4	5	6	10
A. NOT OPERATED	29	3.0	10	<1	<1	2	3	7	11	14
B. OPERATED	2452	3.1	4	1	1	3	4	5	6	8
TOTAL 0-19 YRS	125	2.5	1	<1	1	2	3	4	5	5
20-34	319	2.6	2	1	1	3	3	4	5	7
35-49	590	3.0	3	1	1	3	4	5	6	8
50-64	815	3.1	3	1	1	3	4	5	6	8
65+	632	3.8	10	1	1	3	5	6	8	13
GRAND TOTAL	**2481**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.3		2	2	2	3	3	3	3
50-64	4	2.0	1	<1	<1	2	3	3	3	3
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	67	1.4	1	<1	<1	1	2	2	3	4
20-34	110	1.5	2	<1	<1	1	2	2	3	9
35-49	98	1.8	2	<1	<1	1	2	3	4	7
50-64	75	2.1	2	<1	<1	2	3	4	5	7
65+	32	2.2	4	<1	<1	1	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.3	20	<1	<1	1	5	10	10	10
35-49	4	5.3	13	2	2	4	8	10	10	10
50-64	9	3.1	6	<1	<1	2	4	7	9	9
65+	6	7.8	53	1	1	6	15	18	18	18
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	41	2.2	1	<1	<1	2	3	4	5	5
35-49	69	2.9	6	<1	<1	2	3	6	8	14
50-64	77	3.0	3	<1	1	3	4	6	7	8
65+	49	3.5	4	1	1	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.8	4	<1	<1	3	3	6	8	8
B. *Operated*	382	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	24	4.7	22	<1	<1	3	7	11	16	18
B. *Operated*	250	2.9	4	<1	1	2	4	5	7	9
1. SINGLE DX	393	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	274	3.0	6	<1	1	2	4	6	8	14
A. NOT OPERATED	35	4.1	17	<1	<1	3	5	10	14	18
B. OPERATED	632	2.2	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	83	1.4	1	<1	<1	1	2	2	3	4
20-34	156	1.8	2	<1	<1	1	2	3	4	10
35-49	174	2.3	4	<1	<1	2	3	4	6	10
50-64	165	2.6	3	<1	<1	2	3	5	6	8
65+	89	3.4	9	<1	<1	3	4	7	8	17
GRAND TOTAL	**667**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	9.2	35	1	2	9	13	17	21	22
20-34	26	6.2	46	<1	1	5	9	10	15	35
35-49	21	9.3	91	1	1	7	12	18	30	44
50-64	13	6.7	7	3	4	7	9	10	10	10
65+	15	9.0	40	1	1	7	13	17	22	24
B. *Operated*										
0-19 YRS	69	12.2	110	2	2	10	15	30	37	45
20-34	59	9.4	77	1	1	7	12	21	28	41
35-49	47	9.4	125	2	2	6	9	18	36	60
50-64	37	13.8	127	1	2	12	18	28	38	52
65+	34	11.2	63	2	2	10	15	20	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	14.5	80	2	3	14	20	28	33	37
20-34	34	9.5	60	2	2	7	14	18	22	40
35-49	59	11.4	87	2	3	8	15	21	30	48
50-64	73	14.9	179	3	3	10	18	41	44	52
65+	126	13.5	135	2	4	10	16	24	40	58
B. *Operated*										
0-19 YRS	113	20.6	275	4	6	15	29	42	48	90
20-34	149	16.2	207	3	4	12	20	40	45	63
35-49	216	15.9	200	2	3	12	22	35	47	62
50-64	285	16.6	218	3	4	12	22	36	44	77
65+	325	17.8	219	4	5	13	23	38	46	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	8.3	45	1	1	7	11	16	20	37
B. *Operated*	246	11.1	102	1	2	8	15	22	35	46
2. MULTIPLE DX										
A. *Not Operated*	361	13.3	120	2	3	10	17	28	39	49
B. *Operated*	1088	17.2	220	3	4	12	23	37	46	79
1. SINGLE DX	369	10.1	84	1	2	8	14	20	30	44
2. MULTIPLE DX	1449	16.2	198	3	4	12	21	35	44	72
A. NOT OPERATED	484	12.0	106	2	3	9	15	23	35	46
B. OPERATED	1334	16.1	204	2	3	11	21	35	44	72
TOTAL 0-19 YRS	299	15.4	171	2	3	12	20	31	40	70
20-34	268	12.9	158	2	2	9	16	31	42	53
35-49	343	13.9	170	2	3	9	18	31	41	60
50-64	408	15.7	199	3	3	11	20	36	43	71
65+	500	16.0	188	3	4	12	20	35	44	81
GRAND TOTAL	**1818**	**15.0**	**181**	**2**	**3**	**11**	**19**	**33**	**42**	**66**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	5.3	22	<1	1	4	8	10	13	27
20-34	70	3.6	9	1	1	3	4	7	10	15
35-49	101	3.4	19	1	1	2	4	5	8	29
50-64	68	4.6	58	1	1	3	5	8	10	53
65+	109	5.9	22	1	2	5	7	10	12	28
B. *Operated*										
0-19 YRS	537	3.8	10	<1	1	3	5	8	9	16
20-34	439	4.0	11	1	1	3	5	8	10	16
35-49	335	5.1	16	1	1	4	7	11	12	17
50-64	236	6.0	18	1	1	5	9	12	14	19
65+	130	8.5	43	1	2	8	11	16	18	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	5.9	61	1	1	4	7	13	19	83
20-34	144	4.2	22	<1	1	3	5	7	11	25
35-49	302	4.4	38	1	1	3	5	8	10	30
50-64	474	6.1	25	1	2	4	8	12	16	27
65+	1923	8.2	31	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	298	6.2	74	1	1	4	7	12	19	46
20-34	404	6.1	36	1	1	4	8	13	18	32
35-49	456	7.6	65	1	2	5	9	15	22	39
50-64	552	9.9	78	2	2	8	12	18	24	52
65+	892	12.8	78	3	5	11	16	22	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	4.6	26	1	1	3	6	9	11	26
B. *Operated*	1677	4.8	17	1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2942	7.2	34	1	2	6	9	14	18	28
B. *Operated*	2602	9.5	76	1	2	8	12	19	24	46
1. SINGLE DX	2106	4.7	19	1	1	4	6	10	12	19
2. MULTIPLE DX	5544	8.3	55	1	2	6	11	16	21	37
A. NOT OPERATED	3371	6.9	33	1	2	5	9	14	17	28
B. OPERATED	4279	7.6	58	1	1	5	10	16	21	40
TOTAL 0-19 YRS	1015	4.8	36	<1	1	3	6	9	13	32
20-34	1057	4.8	23	1	1	3	6	10	14	28
35-49	1194	5.7	43	1	1	4	7	11	15	33
50-64	1330	7.6	51	1	2	6	10	15	19	40
65+	3054	9.5	50	2	3	8	12	17	22	37
GRAND TOTAL	**7650**	**7.3**	**47**	**1**	**2**	**5**	**9**	**15**	**19**	**35**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	108	3.6	5	1	1	3	5	6	8	13
20-34	47	3.3	6	<1	1	3	5	7	9	10
35-49	30	3.1	5	1	1	3	4	6	8	9
50-64	23	3.2	4	<1	<1	3	4	6	8	9
65+	22	7.2	25	2	3	5	9	14	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	29	<1	<1	2	4	6	16	25
20-34	7	9.4	201	<1	<1	5	8	34	41	41
35-49	3	14.3	261	5	5	5	26	33	33	33
50-64	2	11.5	221	1	1	22	80	99+	99+	99+
65+	13	23.8	314	7	8	15	39	49	60	62
B. *Operated*										
0-19 YRS	273	4.9	30	1	1	4	6	9	12	40
20-34	81	3.7	7	<1	1	3	5	7	9	14
35-49	58	5.5	25	1	1	4	6	11	17	25
50-64	93	6.6	72	1	2	5	7	11	15	55
65+	53	7.6	39	1	2	6	11	17	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	3	<1	<1	1	4	5	5	5
B. *Operated*	230	3.8	8	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	45	11.4	218	<1	1	5	15	41	49	99+
B. *Operated*	558	5.3	35	1	1	4	6	10	14	30
1. SINGLE DX	237	3.7	8	<1	1	3	5	7	9	16
2. MULTIPLE DX	603	5.8	51	1	1	4	7	11	16	45
A. NOT OPERATED	52	10.2	198	<1	1	5	12	38	46	99
B. OPERATED	788	4.9	28	1	1	4	6	9	12	27
TOTAL 0-19 YRS	406	4.5	24	1	1	4	5	8	10	33
20-34	136	3.8	17	<1	1	3	5	8	9	19
35-49	91	5.0	27	1	1	3	6	10	15	30
50-64	119	6.0	62	<1	1	4	7	11	15	83
65+	88	9.9	107	1	2	7	12	19	29	56
GRAND TOTAL	**840**	**5.2**	**40**	**1**	**1**	**4**	**6**	**10**	**14**	**40**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.4	6	2	2	3	4	7	9	9
35-49	21	3.5	10	<1	1	3	5	6	10	15
50-64	8	4.9	9	<1	1	4	8	9	9	9
65+	4	4.8	10	2	2	4	7	9	9	9
B. *Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	11	3.5	9	1	1	2	5	8	10	10
35-49	19	3.2	6	1	1	2	4	7	9	10
50-64	10	5.1	7	1	2	5	7	9	9	9
65+	7	4.3	11	1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	7.4	3	4	4	8	9	9	9	9
35-49	27	5.7	12	1	2	5	8	11	12	14
50-64	37	5.2	8	2	2	5	7	9	11	13
65+	39	4.9	6	2	2	5	6	8	11	12
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	4.3	11	1	1	3	7	9	10	10
35-49	23	7.1	55	1	1	3	11	16	26	27
50-64	11	5.7	15	1	1	4	10	11	11	11
65+	5	6.8	26	2	2	5	10	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.9	9	<1	1	3	5	8	9	15
B. *Operated*	50	3.9	8	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	114	5.4	8	2	2	5	7	9	11	13
B. *Operated*	48	6.3	34	1	1	4	9	13	16	27
1. SINGLE DX	91	3.9	8	1	1	3	5	9	9	13
2. MULTIPLE DX	162	5.6	16	1	2	5	8	10	12	25
A. NOT OPERATED	155	5.0	9	1	2	4	7	9	11	14
B. OPERATED	98	5.1	22	1	1	3	7	10	13	27
TOTAL 0-19 YRS	5	4.8	9	2	2	5	7	9	9	9
20-34	37	4.7	9	1	1	4	7	9	10	10
35-49	90	5.0	23	1	1	3	7	11	14	27
50-64	66	5.2	9	1	2	5	8	9	11	13
65+	55	5.0	9	2	2	5	6	9	11	15
GRAND TOTAL	**253**	**5.0**	**14**	**1**	**1**	**4**	**7**	**9**	**12**	**15**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH ([illegible]	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	3.0	10	<1	1	2	3	6	9	19
20-34	141	3.6	8	1	1	3	5	7	9	14
35-49	156	4.2	10	1	1	3	5	8	11	15
50-64	103	3.9	10	1	1	3	5	8	10	15
65+	37	3.9	7	1	1	4	5	8	8	15
B. *Operated*										
0-19 YRS	404	6.2	14	1	1	7	9	10	12	15
20-34	315	4.0	12	<1	1	2	6	9	11	15
35-49	354	3.9	11	1	1	3	5	9	11	14
50-64	251	3.3	10	<1	1	2	4	8	11	16
65+	134	3.6	12	<1	1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.2	8	<1	1	2	4	7	10	16
20-34	289	4.4	11	1	1	3	6	8	11	18
35-49	439	5.4	20	1	1	4	7	10	14	23
50-64	398	5.3	34	1	1	4	7	11	14	27
65+	415	6.6	43	1	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	538	7.7	97	1	1	5	10	15	22	51
20-34	510	5.5	52	1	1	3	7	11	19	49
35-49	553	5.5	47	1	1	3	6	12	16	37
50-64	466	6.1	54	1	1	4	8	13	19	37
65+	366	7.7	73	1	1	5	10	16	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	3.8	9	1	1	3	5	8	10	15
B. *Operated*	1458	4.4	13	<1	1	3	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1675	5.3	27	1	1	4	7	10	14	25
B. *Operated*	2433	6.4	65	1	1	4	8	14	20	44
1. SINGLE DX	1981	4.2	12	1	1	3	7	9	11	15
2. MULTIPLE DX	4108	6.0	50	1	1	4	8	12	17	36
A. NOT OPERATED	2198	4.9	24	1	1	4	6	10	13	23
B. OPERATED	3891	5.7	47	1	1	4	8	12	16	35
TOTAL 0-19 YRS	1162	6.3	54	1	1	5	9	12	15	35
20-34	1255	4.6	28	1	1	3	6	9	13	27
35-49	1502	4.9	27	1	1	3	6	10	14	23
50-64	1218	5.1	36	1	1	3	6	11	14	30
65+	952	6.5	51	1	1	4	8	13	19	39
GRAND TOTAL	**6089**	**5.4**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	4.3		4	4	4	5	5	5	5
35-49	6	4.7	18	<1	<1	3	4	12	13	13
50-64	4	4.8	9	2	2	4	7	9	9	9
65+	7	4.6	6	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	24.0		24	24	24	24	24	24	24
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	22	4.6	7	1	2	4	5	9	11	13
B. *Operated*	5	12.0	66	4	4	13	16	24	24	24
1. SINGLE DX	5	3.2	4	1	1	4	5	5	5	5
2. MULTIPLE DX	27	6.0	25	1	2	4	6	13	15	24
A. NOT OPERATED	23	4.6	7	1	2	4	5	9	11	13
B. OPERATED	9	7.9	58	1	1	5	13	20	24	24
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	6	4.3		4	4	4	5	5	5	5
35-49	9	5.3	23	<1	<1	4	7	14	14	14
50-64	6	8.0	67	2	2	5	9	22	24	24
65+	8	5.6	14	1	2	5	7	12	13	13
GRAND TOTAL	**32**	**5.5**	**22**	**1**	**1**	**4**	**5**	**13**	**14**	**24**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.2	2	1	1	2	3	5	5	5
20-34	3	5.7	10	2	2	7	8	8	8	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	114	5.3	11	1	2	5	6	9	10	19
20-34	9	6.6	23	2	2	6	8	15	17	17
35-49	10	9.3	36	<1	1	9	12	18	23	23
50-64	3	7.3	8	4	4	9	9	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	4.6	27	<1	1	3	5	10	17	28
20-34	9	4.6	11	2	2	3	6	10	10	10
35-49	6	5.0	5	3	3	4	6	9	9	9
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	4.0	4	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	202	9.3	85	1	2	7	11	19	28	60
20-34	19	7.9	25	1	1	8	13	14	15	15
35-49	12	8.2	78	3	3	5	8	19	33	35
50-64	8	7.8	28	3	3	5	12	16	17	17
65+	2	7.0	2	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.0	4	1	1	2	5	6	7	8
B. *Operated*	137	5.7	14	1	2	5	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	132	4.7	24	<1	1	3	5	10	12	27
B. *Operated*	243	9.0	77	2	2	7	11	17	27	59
1. SINGLE DX	164	5.3	13	1	2	5	7	9	12	21
2. MULTIPLE DX	375	7.5	63	1	2	5	9	15	22	45
A. NOT OPERATED	159	4.4	21	<1	1	3	5	9	12	26
B. OPERATED	380	7.8	57	1	2	6	9	15	22	45
TOTAL 0-19 YRS	446	6.8	53	1	1	5	8	14	20	41
20-34	40	6.7	21	1	2	6	10	14	15	17
35-49	31	7.4	45	1	2	5	9	12	22	35
50-64	15	7.3	19	3	3	5	10	14	16	17
65+	7	4.7	5	2	2	5	6	8	8	8
GRAND TOTAL	**539**	**6.8**	**49**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.8	9	<1	<1	1	1	3	7	18
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	252	1.9	2	<1	<1	1	2	4	5	7
20-34	44	1.9	2	1	1	2	2	3	4	7
35-49	23	1.7	1	<1	<1	2	2	3	4	4
50-64	17	1.6	1	1	1	1	2	3	4	4
65+	5	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	3	<1	<1	1	3	4	6	7
20-34	2	5.0	32	<1	<1	4	9	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	129	2.5	5	<1	1	2	3	6	7	11
20-34	24	1.9	1	<1	1	2	2	3	4	6
35-49	16	2.2	2	1	1	2	3	3	5	6
50-64	11	4.3	20	1	1	3	6	11	16	16
65+	11	2.1	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.0	9	<1	<1	1	1	4	8	18
B. *Operated*	341	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	25	2.4	5	<1	<1	1	3	5	7	9
B. *Operated*	191	2.5	5	<1	1	2	3	5	7	12
1. SINGLE DX	383	1.9	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX	216	2.5	5	<1	1	2	3	5	7	12
A. NOT OPERATED	67	2.2	7	<1	<1	1	2	5	8	17
B. OPERATED	532	2.1	3	<1	<1	2	2	4	6	9
TOTAL 0-19 YRS	441	2.1	4	<1	<1	1	2	4	6	9
20-34	72	2.0	3	1	1	2	2	4	6	9
35-49	42	2.0	1	<1	1	2	3	4	5	6
50-64	28	2.6	10	1	1	2	3	6	8	16
65+	16	2.0	1	<1	1	2	3	3	3	3
GRAND TOTAL	**599**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.4	4	<1	<1	2	3	5	7	8
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	544	4.5	15	1	1	3	7	9	12	20
20-34	50	4.3	13	1	1	2	8	9	10	12
35-49	32	5.7	41	1	1	3	8	11	18	32
50-64	17	3.9	16	<1	1	2	4	12	14	14
65+	4	4.8	12	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	3.6	24	<1	<1	2	4	7	11	34
20-34	31	3.4	13	1	1	3	4	5	6	21
35-49	17	3.8	10	1	1	3	4	8	12	14
50-64	17	6.0	13	<1	1	6	7	12	13	14
65+	33	6.1	16	<1	2	5	7	12	15	16
B. *Operated*										
0-19 YRS	1390	7.4	117	1	1	5	9	17	26	86
20-34	88	5.3	46	1	1	2	7	11	17	40
35-49	67	5.5	25	1	1	4	8	12	13	26
50-64	61	7.2	30	1	1	6	10	16	17	21
65+	57	10.0	128	1	2	7	12	17	30	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.6	5	<1	<1	2	3	6	8	11
B. *Operated*	647	4.5	16	1	1	3	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	306	4.0	21	<1	<1	3	5	8	12	20
B. *Operated*	1663	7.3	107	1	1	5	9	16	23	80
1. SINGLE DX	683	4.4	16	1	1	3	7	9	12	20
2. MULTIPLE DX	1969	6.8	95	1	1	4	8	15	21	74
A. NOT OPERATED	342	3.8	20	<1	<1	3	5	8	12	19
B. OPERATED	2310	6.5	83	1	1	4	8	14	20	69
TOTAL 0-19 YRS	2173	6.2	84	1	1	3	8	13	19	74
20-34	171	4.6	30	1	1	2	7	10	12	32
35-49	117	5.3	27	1	1	3	8	11	14	29
50-64	95	6.4	25	1	1	5	9	14	16	20
65+	96	8.4	85	1	2	6	11	15	20	59
GRAND TOTAL	**2652**	**6.2**	**76**	**1**	**1**	**3**	**8**	**13**	**19**	**65**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	351	3.0	2	1	1	3	4	5	5	7
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	5	<1	<1	1	1	4	5	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	370	3.5	5	1	2	3	4	5	6	10
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	5	3.0	4	1	1	2	4	6	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	19	<1	<1	1	6	10	10	10
B. *Operated*	355	3.0	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	29	1.8	5	<1	<1	1	1	4	5	12
B. *Operated*	382	3.5	5	1	2	3	4	5	6	10
1. SINGLE DX	359	3.0	3	1	1	3	4	5	5	8
2. MULTIPLE DX	411	3.4	5	1	1	3	4	5	6	10
A. NOT OPERATED	33	2.0	6	<1	<1	1	2	4	9	12
B. OPERATED	737	3.3	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	754	3.2	4	1	1	3	4	5	6	10
20-34	8	2.1	1	1	1	2	3	3	3	3
35-49	6	3.0	3	1	1	3	4	6	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
GRAND TOTAL	**770**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	417	3.0	2	1	2	3	4	5	5	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	118	4.7	33	2	2	4	5	7	8	28
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.4		1	1	1	2	2	2	2
B. *Operated*	417	3.0	2	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	13	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	118	4.7	33	2	2	4	5	7	8	28
1. SINGLE DX	424	3.0	2	1	2	3	4	4	5	8
2. MULTIPLE DX	131	4.4	30	2	2	4	5	7	8	22
A. NOT OPERATED	20	2.0	1	<1	<1	2	2	4	4	5
B. OPERATED	535	3.4	9	2	2	3	4	5	7	9
TOTAL 0-19 YRS	555	3.3	9	1	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**555**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.9	7	<1	<1	2	3	7	10	11
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	223	6.4	29	1	1	5	9	14	18	25
20-34	17	5.1	11	1	2	4	6	7	13	16
35-49	13	3.5	6	<1	1	2	5	8	8	8
50-64	7	4.3	11	1	1	4	6	9	10	10
65+	3	12.7		12	12	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	6.0	173	1	1	3	5	9	18	92
20-34	7	6.0	13	2	2	5	7	12	13	13
35-49	9	4.6	10	1	1	4	6	9	11	11
50-64	7	3.4	2	2	2	3	5	5	5	5
65+	17	5.8	20	1	2	5	6	10	17	21
B. *Operated*										
0-19 YRS	399	10.4	181	1	2	6	12	25	37	95
20-34	39	6.3	22	1	1	6	8	12	16	22
35-49	28	7.1	18	1	1	7	10	13	14	14
50-64	32	10.3	69	2	2	9	13	19	31	36
65+	30	10.7	116	1	2	7	14	24	40	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.0	7	<1	<1	2	4	7	10	11
B. *Operated*	263	6.2	27	1	1	4	8	13	18	25
2. MULTIPLE DX										
A. *Not Operated*	169	5.8	135	1	1	3	5	9	17	87
B. *Operated*	528	10.0	151	1	2	7	11	23	35	94
1. SINGLE DX	322	5.6	25	1	1	4	8	13	17	24
2. MULTIPLE DX	697	9.0	150	1	1	5	10	19	30	92
A. NOT OPERATED	228	5.1	103	<1	1	3	5	9	13	74
B. OPERATED	791	8.7	113	1	1	6	10	18	27	68
TOTAL 0-19 YRS	807	8.1	131	1	1	5	9	18	26	80
20-34	64	5.9	17	1	1	5	7	11	14	21
35-49	51	5.6	16	1	1	5	3	11	13	14
50-64	47	8.3	58	1	2	6	11	16	28	36
65+	50	9.1	81	1	2	6	11	19	28	46
GRAND TOTAL	**1019**	**7.9**	**113**	**1**	**1**	**5**	**9**	**17**	**26**	**70**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	245	1.8	1	<1	<1	1	2	3	4	8
20-34	23	1.7	1	<1	<1	2	2	3	3	3
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.4	1	<1	<1	1	2	2	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	287	1.9	1	<1	1	2	2	3	4	7
20-34	16	2.4	3	1	1	2	3	5	6	6
35-49	9	2.4	2	1	1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8	2	1	1	1	3	4	4	4
B. *Operated*	271	1.8	1	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	16	1.4	1	<1	<1	1	2	2	3	4
B. *Operated*	312	2.0	2	<1	1	2	2	4	4	7
1. SINGLE DX	275	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	328	1.9	2	<1	1	2	2	3	4	6
A. NOT OPERATED	20	1.5	1	<1	<1	1	2	3	4	4
B. OPERATED	583	1.9	1	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	551	1.8	1	<1	<1	2	2	3	4	7
20-34	40	2.0	1	<1	1	2	3	4	5	6
35-49	12	2.4	2	<1	1	2	3	4	5	5
50-64										
65+										
GRAND TOTAL	**603**	**1.9**	**1**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.2	1	<1	<1	2	3	4	4	4
20-34	6	1.7	1	<1	<1	1	3	3	3	3
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	528	4.3	12	1	1	3	6	8	11	18
20-34	65	3.3	4	<1	1	3	5	6	7	8
35-49	20	4.4	6	1	2	4	6	7	9	11
50-64	13	4.7	9	1	1	5	6	10	10	10
65+	4	6.3	7	4	4	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.3	4	<1	<1	2	3	5	7	10
20-34	17	3.4	1	2	2	3	4	5	6	6
35-49	19	3.7	6	1	1	3	5	8	10	10
50-64	11	5.9	30	<1	1	4	8	14	19	20
65+	12	3.6	5	1	1	3	5	7	9	9
B. *Operated*										
0-19 YRS	407	6.6	37	1	1	5	9	13	17	30
20-34	123	5.4	11	1	1	5	7	10	11	16
35-49	63	6.8	21	1	2	6	8	12	15	24
50-64	45	7.5	35	1	2	5	9	13	22	28
65+	31	7.0	21	1	2	6	9	15	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.3	2	<1	1	2	3	4	5	6
B. *Operated*	630	4.2	11	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	109	3.2	8	<1	1	3	4	7	9	14
B. *Operated*	669	6.5	30	1	1	5	8	12	16	28
1. SINGLE DX	653	4.2	11	1	1	3	6	8	10	17
2. MULTIPLE DX	778	6.0	28	1	1	5	8	12	16	27
A. NOT OPERATED	132	3.1	7	<1	1	2	4	6	9	12
B. OPERATED	1299	5.4	22	1	1	4	7	11	14	24
TOTAL 0-19 YRS	997	5.1	23	1	1	4	7	10	14	25
20-34	211	4.5	9	1	1	4	6	8	10	15
35-49	104	5.7	17	1	1	5	7	11	13	23
50-64	70	6.6	29	1	2	5	9	12	20	28
65+	49	6.0	17	1	2	5	8	13	15	17
GRAND TOTAL	**1431**	**5.2**	**21**	**1**	**1**	**4**	**7**	**10**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	65	1	1	1	3	19	21	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	301	3.3	6	1	1	3	4	7	9	12
20-34	11	3.6	1	2	2	3	4	5	6	6
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64	5	3.4	1	2	2	4	4	4	4	4
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.3	9	<1	<1	1	2	5	11	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	195	4.4	15	1	1	3	5	9	11	21
20-34	24	4.1	18	<1	1	3	5	7	13	22
35-49	23	3.1	4	1	1	3	3	5	7	11
50-64	13	4.0	4	<1	1	4	6	6	7	7
65+	14	3.7	5	<1	1	3	6	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.7	65	1	1	1	3	19	21	21
B. *Operated*	323	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	35	2.3	9	<1	<1	1	2	5	11	14
B. *Operated*	269	4.2	13	1	1	3	5	8	10	21
1. SINGLE DX	329	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	304	4.0	13	<1	1	3	5	8	10	19
A. NOT OPERATED	41	2.7	17	<1	<1	1	2	6	13	21
B. OPERATED	592	3.7	10	1	1	3	5	7	10	13
TOTAL 0-19 YRS	537	3.7	11	1	1	3	5	7	10	14
20-34	35	3.9	13	1	2	3	5	6	8	22
35-49	27	3.3	4	1	1	3	4	5	7	11
50-64	18	3.8	3	<1	1	4	5	6	7	7
65+	16	3.6	5	<1	1	3	5	7	8	8
GRAND TOTAL	**633**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**14**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.0	12	<1	<1	2	3	6	9	19
20-34	21	4.3	8	1	2	4	5	9	10	10
35-49	11	3.0	3	<1	1	3	4	5	7	7
50-64	12	4.7	8	<1	1	4	7	9	10	10
65+	6	3.3	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	837	4.0	17	1	1	3	5	7	9	25
20-34	159	3.9	22	1	1	2	5	8	12	24
35-49	99	3.7	12	1	1	2	5	9	11	17
50-64	57	4.2	13	1	1	3	7	10	12	13
65+	14	5.2	10	2	3	4	6	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	5.1	40	<1	1	3	6	11	16	37
20-34	29	7.7	62	1	2	6	8	14	28	39
35-49	39	5.9	11	<1	1	6	9	10	12	14
50-64	22	6.5	19	1	1	6	11	13	14	15
65+	40	6.8	26	2	2	5	8	13	21	21
B. *Operated*										
0-19 YRS	724	7.1	117	1	1	4	7	14	25	79
20-34	126	6.2	38	1	1	4	8	12	19	33
35-49	119	5.7	16	1	1	5	9	11	12	16
50-64	96	7.9	71	1	1	7	10	14	18	55
65+	46	8.1	37	2	2	7	10	17	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.3	10	<1	<1	2	4	7	10	19
B. *Operated*	1166	4.0	17	1	1	3	5	8	10	24
2. MULTIPLE DX										
A. *Not Operated*	413	5.6	37	<1	1	4	7	11	16	36
B. *Operated*	1111	7.0	90	1	1	4	8	13	22	67
1. SINGLE DX	1313	3.9	16	1	1	3	5	8	10	19
2. MULTIPLE DX	1524	6.6	76	1	1	4	8	13	20	57
A. NOT OPERATED	560	5.0	31	<1	1	3	6	10	15	32
B. OPERATED	2277	5.5	55	1	1	4	7	11	15	40
TOTAL 0-19 YRS	1941	5.3	60	1	1	3	6	10	16	45
20-34	335	5.1	32	1	1	3	7	10	14	32
35-49	268	4.9	15	1	1	4	8	11	12	17
50-64	187	6.4	46	1	1	5	9	12	15	34
65+	106	7.0	29	2	2	5	9	14	20	25
GRAND TOTAL	**2837**	**5.4**	**50**	**1**	**1**	**3**	**7**	**10**	**15**	**38**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1308	3.5	18	1	1	2	3	6	11	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	38	6.6	89	<1	<1	3	7	17	23	50
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1373	10.0	149	1	2	5	12	25	36	61
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	183	26.6	658	2	3	18	49	79	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1308	3.5	18	1	1	2	3	6	11	22
B. *Operated*	38	6.6	89	<1	<1	3	7	17	23	50
2. MULTIPLE DX										
A. *Not Operated*	1373	10.0	149	1	2	5	12	25	36	61
B. *Operated*	183	26.6	658	2	3	18	49	79	99+	99+
1. SINGLE DX	1346	3.5	20	1	1	2	3	6	12	23
2. MULTIPLE DX	1556	12.0	237	1	2	6	14	32	51	96
A. NOT OPERATED	2681	6.8	96	1	1	3	7	17	27	53
B. OPERATED	221	23.1	616	1	2	14	42	76	99+	99+
TOTAL 0-19 YRS	2902	8.1	154	1	1	3	8	21	34	74
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2902**	**8.1**	**154**	**1**	**1**	**3**	**8**	**21**	**34**	**74**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1173	2.3	2	1	1	2	3	4	5	8
20-34	363	2.7	3	1	1	2	3	5	6	8
35-49	210	2.7	4	1	1	2	4	5	6	8
50-64	112	3.4	6	1	1	3	4	6	8	14
65+	109	3.4	7	1	1	3	4	6	9	15
B. *Operated*										
0-19 YRS	9	3.3	4	1	1	2	5	6	6	6
20-34										
35-49	7	3.9	2	2	2	3	5	6	6	6
50-64	5	4.2	12	1	1	3	5	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1976	3.0	9	1	1	2	4	5	7	13
20-34	602	3.9	12	1	1	3	5	7	10	19
35-49	647	4.4	15	1	1	3	5	8	10	17
50-64	801	5.1	19	1	2	4	6	9	12	20
65+	1259	6.2	28	2	2	5	7	11	15	31
B. *Operated*										
0-19 YRS	51	7.0	56	1	1	5	8	14	22	44
20-34	46	9.6	118	1	2	6	13	21	38	50
35-49	44	8.8	49	2	2	6	11	19	23	33
50-64	72	12.7	268	2	2	7	14	25	33	97
65+	113	11.0	92	2	3	8	14	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	2.5	3	1	1	2	3	5	6	9
B. *Operated*	22	3.7	4	1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	5285	4.4	17	1	1	3	5	9	11	21
B. *Operated*	326	10.3	125	2	2	7	12	22	27	53
1. SINGLE DX	1989	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5611	4.7	25	1	1	3	6	9	12	25
A. NOT OPERATED	7252	3.9	14	1	1	3	5	8	10	18
B. OPERATED	348	9.9	120	2	2	6	12	21	27	50
TOTAL 0-19 YRS	3209	2.8	7	1	1	2	3	5	7	12
20-34	1011	3.7	16	1	1	3	4	7	9	21
35-49	908	4.2	15	1	1	3	5	8	10	21
50-64	990	5.4	39	1	2	4	6	10	14	28
65+	1482	6.3	33	2	2	5	8	12	17	31
GRAND TOTAL	**7600**	**4.1**	**21**	**1**	**1**	**3**	**5**	**9**	**11**	**22**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	2.8	3	1	1	2	3	5	6	10
20-34	69	3.6	3	2	2	3	4	6	7	11
35-49	58	4.4	8	1	2	4	6	8	9	17
50-64	47	4.4	12	1	2	3	5	8	12	18
65+	46	4.5	15	1	2	3	6	9	12	21
B. *Operated*										
0-19 YRS	13	5.2	8	1	2	4	7	9	11	11
20-34	3	11.7	58	5	5	10	17	20	20	20
35-49	4	5.3	10	3	3	4	7	10	10	10
50-64	4	10.0	35	5	5	8	14	18	18	18
65+	6	8.3	99	1	1	6	7	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1083	3.3	5	1	1	3	4	6	7	11
20-34	245	4.6	9	1	2	4	6	8	11	15
35-49	284	5.3	31	2	2	4	6	8	11	24
50-64	416	5.7	15	2	2	5	7	10	13	21
65+	798	6.7	27	2	2	5	8	13	17	25
B. *Operated*										
0-19 YRS	38	6.7	55	1	1	4	8	13	19	42
20-34	49	10.7	91	2	3	8	15	23	28	52
35-49	50	9.4	44	2	3	9	12	16	17	43
50-64	93	10.3	84	3	3	8	13	19	25	56
65+	145	13.9	126	4	4	10	16	26	42	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	3.3	5	1	1	3	4	6	8	12
B. *Operated*	30	7.1	35	1	2	5	9	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	2826	4.9	17	1	2	4	6	9	12	21
B. *Operated*	375	11.3	98	2	3	9	14	22	30	52
1. SINGLE DX	711	3.4	7	1	1	3	4	6	8	15
2. MULTIPLE DX	3201	5.7	31	1	2	4	7	11	15	27
A. NOT OPERATED	3507	4.6	15	1	2	4	6	8	11	19
B. OPERATED	405	11.0	94	2	3	8	14	21	28	52
TOTAL 0-19 YRS	1595	3.3	6	1	1	3	4	6	7	12
20-34	366	5.3	24	1	2	4	6	10	15	25
35-49	396	5.7	31	2	2	4	7	10	14	24
50-64	560	6.4	30	2	2	5	8	12	15	25
65+	995	7.6	48	2	2	6	9	15	19	37
GRAND TOTAL	**3912**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.4	3	1	1	2	3	5	6	9
20-34	315	3.0	8	1	1	2	4	5	7	14
35-49	231	3.1	4	1	1	3	4	6	7	12
50-64	68	2.8	3	1	1	3	4	5	5	10
65+	13	4.5	10	<1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	7	1.7	1	<1	<1	2	2	3	3	3
20-34	33	3.3	10	1	1	2	4	8	11	14
35-49	30	3.8	13	1	1	3	4	6	10	20
50-64	15	2.9	3	1	1	2	4	5	7	7
65+	7	3.0	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	2.8	3	1	1	2	4	5	6	10
20-34	559	4.2	9	1	1	3	5	8	11	15
35-49	576	4.5	11	1	2	3	6	8	11	19
50-64	331	4.4	8	1	2	4	6	8	10	14
65+	209	4.6	11	1	2	4	5	9	12	15
B. *Operated*										
0-19 YRS	11	3.8	5	1	1	4	6	7	7	7
20-34	59	5.5	14	1	1	5	7	11	14	18
35-49	89	5.7	16	1	2	5	7	11	16	19
50-64	49	6.3	23	2	2	5	9	13	17	19
65+	38	6.7	42	2	2	5	7	13	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	3.0	6	1	1	2	4	5	7	11
B. *Operated*	92	3.2	8	1	1	2	4	5	9	17
2. MULTIPLE DX										
A. *Not Operated*	1877	4.2	9	1	1	3	5	8	10	15
B. *Operated*	246	5.8	21	1	2	5	7	12	16	19
1. SINGLE DX	829	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX	2123	4.4	11	1	1	3	6	8	11	16
A. NOT OPERATED	2614	3.9	9	1	1	3	5	7	10	15
B. OPERATED	338	5.1	19	1	1	4	7	10	14	19
TOTAL 0-19 YRS	330	2.7	3	1	1	2	3	5	6	10
20-34	966	3.9	10	1	1	3	5	7	10	15
35-49	926	4.2	10	1	1	3	5	8	11	18
50-64	463	4.3	9	1	1	4	5	8	10	16
65+	267	4.8	15	1	2	4	6	9	12	21
GRAND TOTAL	**2952**	**4.0**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	3	1	1	2	2	4	7	8
20-34	23	2.5	2	<1	1	2	4	5	5	5
35-49	42	2.9	2	<1	1	3	4	5	6	6
50-64	66	3.0	3	1	1	3	4	5	6	9
65+	69	3.4	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	10	3.8	11	<1	<1	2	6	9	9	9
20-34	24	4.5	3	2	2	4	5	7	8	9
35-49	44	3.7	3	1	2	4	5	6	7	7
50-64	75	4.3	5	1	2	4	5	7	8	13
65+	53	4.7	7	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	4	<1	1	2	4	5	7	8
20-34	24	3.2	6	<1	1	2	5	6	8	9
35-49	56	3.6	4	1	2	3	5	7	8	8
50-64	171	3.6	8	1	1	3	4	6	8	13
65+	238	3.7	5	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	15	4.0	18	1	1	3	5	9	15	17
20-34	34	3.5	4	1	1	4	5	6	7	7
35-49	59	4.9	9	1	2	4	6	9	12	14
50-64	114	4.8	8	1	2	4	6	9	11	14
65+	173	5.1	13	1	2	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.0	3	1	1	3	4	5	6	9
B. *Operated*	206	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	522	3.6	6	1	1	3	5	6	8	11
B. *Operated*	395	4.8	11	1	2	4	6	9	11	16
1. SINGLE DX	421	3.6	5	1	1	3	5	6	7	10
2. MULTIPLE DX	917	4.1	8	1	1	4	5	8	9	14
A. NOT OPERATED	737	3.4	5	1	1	3	4	6	8	11
B. OPERATED	601	4.6	9	1	2	4	6	8	10	15
TOTAL 0-19 YRS	73	3.0	8	<1	1	2	4	7	9	15
20-34	105	3.4	4	1	1	3	5	6	7	9
35-49	201	3.8	5	1	1	3	5	7	8	13
50-64	426	3.9	7	1	1	3	5	7	8	14
65+	533	4.2	8	1	1	4	5	8	10	14
GRAND TOTAL	**1338**	**3.9**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.5	5	1	1	2	3	6	8	9
20-34	18	3.1	5	1	1	3	3	6	8	9
35-49	13	2.5	2	1	1	2	3	5	6	6
50-64	12	3.6	5	1	1	3	5	7	8	8
65+	11	2.9	6	1	1	2	4	7	9	9
B. *Operated*										
0-19 YRS	40	1.8	3	<1	<1	1	2	3	4	10
20-34	63	2.4	3	<1	<1	2	3	4	6	9
35-49	39	1.8	1	<1	<1	2	2	3	3	5
50-64	34	2.6	4	<1	1	2	3	5	8	9
65+	7	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.2	9	1	1	2	4	8	11	12
20-34	56	2.7	3	1	1	2	4	5	6	6
35-49	71	3.2	5	1	1	3	4	5	6	15
50-64	132	5.9	70	1	1	4	6	12	16	84
65+	233	7.4	41	2	2	5	10	15	20	33
B. *Operated*										
0-19 YRS	38	5.1	23	1	1	4	7	12	17	20
20-34	46	5.4	73	<1	1	3	5	8	19	54
35-49	49	4.9	28	1	1	3	5	15	17	23
50-64	66	8.0	131	1	1	4	9	15	32	63
65+	93	8.5	71	1	2	6	12	18	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.8	4	1	1	2	3	6	8	9
B. *Operated*	183	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	529	5.7	41	1	1	4	7	12	16	33
B. *Operated*	292	6.8	73	1	1	4	8	15	21	51
1. SINGLE DX	268	2.4	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	821	6.1	52	1	1	4	7	13	18	38
A. NOT OPERATED	614	5.3	37	1	1	3	6	12	15	30
B. OPERATED	475	5.0	51	<1	1	3	5	12	17	42
TOTAL 0-19 YRS	146	3.2	11	<1	1	2	4	8	11	20
20-34	183	3.3	22	<1	1	2	4	6	7	23
35-49	172	3.3	12	1	1	2	4	6	10	18
50-64	244	5.9	77	1	1	3	6	11	17	67
65+	344	7.4	48	1	2	5	10	16	20	33
GRAND TOTAL	**1089**	**5.2**	**43**	**1**	**1**	**3**	**6**	**12**	**16**	**32**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	11.5	41	7	7	11	16	16	16	16
50-64	2	16.5	41	12	12	16	21	21	21	21
65+	4	6.3	4	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	4	8.0	18	4	4	7	11	13	13	13
20-34	16	3.9	9	1	1	3	5	9	10	11
35-49	24	8.7	62	1	2	6	14	19	27	30
50-64	29	8.3	31	1	2	7	10	16	18	27
65+	59	9.0	47	1	2	7	12	19	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	6	5	5	8	10	11	11	11
20-34	1	2.0		2	2	2	2	2	2	2
35-49	11	6.0	11	2	2	6	7	11	13	13
50-64	24	6.8	18	1	2	6	10	13	14	17
65+	100	7.7	27	1	2	7	10	13	16	29
B. *Operated*										
0-19 YRS	12	11.9	144	1	1	8	15	26	43	46
20-34	24	10.2	111	1	2	8	12	22	35	46
35-49	82	14.6	204	3	4	10	17	29	41	80
50-64	195	13.7	151	2	3	10	17	29	38	54
65+	756	14.4	99	4	5	12	18	26	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	9.2	32	3	3	8	12	18	21	21
B. *Operated*	132	8.1	43	1	2	7	11	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	140	7.4	23	1	2	7	10	13	15	23
B. *Operated*	1069	14.1	117	3	4	11	18	27	35	55
1. SINGLE DX	142	8.2	42	1	2	7	11	17	21	30
2. MULTIPLE DX	1209	13.4	111	3	4	11	16	25	33	54
A. NOT OPERATED	150	7.5	24	1	2	7	10	13	16	22
B. OPERATED	1201	13.5	113	2	4	11	17	25	33	54
TOTAL 0-19 YRS	21	10.0	89	1	2	8	12	17	30	46
20-34	42	7.5	75	1	1	4	10	16	25	46
35-49	119	12.6	163	2	3	9	15	26	37	74
50-64	250	12.4	129	2	3	9	16	24	36	51
65+	919	13.3	93	3	4	11	17	24	30	52
GRAND TOTAL	**1351**	**12.8**	**106**	**2**	**4**	**10**	**16**	**24**	**32**	**53**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.0	1	1	1	2	3	3	4	5
20-34	448	2.4	2	1	1	2	3	4	5	6
35-49	1376	2.3	2	1	1	2	3	4	5	7
50-64	935	2.7	2	1	1	2	3	5	6	8
65+	322	3.1	12	1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	70	2.6	3	<1	1	2	3	4	6	10
35-49	466	2.5	10	1	1	2	3	5	6	9
50-64	479	2.6	6	1	1	2	3	5	6	10
65+	112	2.7	5	1	1	2	3	6	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	2.9	4	1	1	2	4	5	7	11
20-34	1012	3.0	4	1	1	3	4	5	7	10
35-49	3946	3.2	5	1	1	3	4	6	7	10
50-64	4829	3.5	6	1	1	3	4	6	7	11
65+	3865	4.0	7	1	2	3	5	7	9	13
B. *Operated*										
0-19 YRS	12	5.7	4	3	3	5	7	9	10	10
20-34	129	3.6	10	1	1	3	5	7	9	19
35-49	1176	3.6	9	1	1	3	5	7	9	15
50-64	1772	3.6	10	1	1	2	5	7	9	14
65+	897	4.7	20	1	1	3	6	10	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3136	2.5	3	1	1	2	3	4	5	7
B. *Operated*	1129	2.6	7	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	13755	3.5	6	1	1	3	4	6	8	12
B. *Operated*	3986	3.9	12	1	1	3	5	8	10	16
1. SINGLE DX	4265	2.5	4	1	1	2	3	4	6	8
2. MULTIPLE DX	17741	3.6	7	1	1	3	4	7	8	13
A. NOT OPERATED	16891	3.3	5	1	1	3	4	6	7	11
B. OPERATED	5115	3.6	11	1	1	2	5	7	9	15
TOTAL 0-19 YRS	172	2.8	4	1	1	2	4	5	6	10
20-34	1659	2.9	4	1	1	2	4	5	6	10
35-49	6964	3.1	5	1	1	2	4	5	7	11
50-64	8015	3.4	6	1	1	3	4	6	8	12
65+	5196	4.0	10	1	2	3	5	7	9	14
GRAND TOTAL	**22006**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	332	2.8	4	1	1	2	3	5	6	11
20-34	17	2.3	3	<1	<1	2	3	4	7	8
35-49	16	1.9	1	<1	<1	2	3	4	4	4
50-64	22	2.6	3	<1	<1	2	4	5	6	6
65+	24	3.0	4	<1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	18	3.6	20	<1	1	2	4	7	15	20
20-34	19	3.3	6	<1	1	2	4	8	9	9
35-49	39	3.0	3	<1	1	3	4	6	6	8
50-64	54	3.6	13	1	1	2	4	6	12	23
65+	41	4.0	8	<1	1	3	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	4.6	32	1	1	3	5	9	12	27
20-34	93	3.4	18	1	1	2	3	6	11	26
35-49	159	3.6	6	1	1	3	4	7	8	13
50-64	377	5.6	23	1	1	4	7	11	13	26
65+	627	6.1	29	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	111	6.0	51	1	1	3	8	15	26	60
20-34	47	4.0	10	1	1	3	6	9	10	13
35-49	110	5.1	23	1	1	3	6	11	18	23
50-64	230	5.6	33	1	2	4	7	11	18	33
65+	274	6.6	41	1	2	4	8	14	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	2.7	4	1	1	2	3	5	6	11
B. *Operated*	171	3.5	9	1	1	3	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	1799	5.2	27	1	1	4	6	10	14	25
B. *Operated*	772	5.9	36	1	1	4	7	12	19	33
1. SINGLE DX	582	3.0	6	1	1	2	4	5	7	12
2. MULTIPLE DX	2571	5.4	30	1	1	4	7	11	15	29
A. NOT OPERATED	2210	4.7	24	1	1	3	6	9	13	24
B. OPERATED	943	5.4	32	1	1	3	7	12	17	30
TOTAL 0-19 YRS	1004	4.1	26	1	1	3	5	8	12	27
20-34	176	3.4	13	1	1	2	4	8	10	15
35-49	324	3.9	12	1	1	3	5	8	10	19
50-64	683	5.4	26	1	1	4	7	11	14	29
65+	966	6.1	31	1	2	5	8	12	16	32
GRAND TOTAL	**3153**	**4.9**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.9	1	<1	<1	2	2	3	4	6
20-34	145	1.8	1	<1	<1	2	2	3	4	5
35-49	198	1.9	1	<1	1	2	2	3	5	7
50-64	98	1.8	1	<1	1	1	2	3	5	6
65+	44	2.7	2	1	1	2	4	4	5	8
B. *Operated*										
0-19 YRS	34	2.6	9	<1	<1	2	3	5	12	14
20-34	32	3.4	2	1	1	3	4	5	6	8
35-49	37	3.8	6	<1	1	3	5	8	9	9
50-64	31	3.8	5	<1	1	3	6	7	8	8
65+	26	4.5	9	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	2	1	1	2	3	5	6	6
20-34	202	2.5	3	1	1	2	3	5	6	8
35-49	217	2.6	4	1	1	2	3	5	6	10
50-64	223	3.2	7	1	1	2	4	7	8	13
65+	370	4.8	15	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	67	4.7	17	<1	<1	4	6	12	14	16
20-34	93	5.1	13	1	1	4	6	9	14	18
35-49	104	4.9	10	1	1	4	7	9	12	15
50-64	124	5.8	14	1	2	5	7	10	12	21
65+	324	7.1	29	1	2	6	9	13	15	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	1.9	1	<1	1	2	2	3	5	6
B. *Operated*	160	3.6	6	<1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	1060	3.5	9	1	1	3	4	7	9	15
B. *Operated*	712	6.1	21	1	1	5	8	12	14	21
1. SINGLE DX	672	2.3	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	1772	4.5	15	1	1	3	6	9	12	18
A. NOT OPERATED	1572	3.0	7	1	1	2	4	6	8	13
B. OPERATED	872	5.6	19	1	1	5	7	11	13	19
TOTAL 0-19 YRS	176	3.3	10	<1	<1	2	4	7	12	16
20-34	472	2.8	6	<1	1	2	4	5	7	14
35-49	556	2.9	5	1	1	2	3	6	8	12
50-64	476	3.7	9	1	1	3	5	8	9	14
65+	764	5.6	21	1	2	4	7	11	13	23
GRAND TOTAL	**2444**	**3.9**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**16**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1137	2.1	2	<1	1	2	3	4	5	7
20-34	1070	2.6	4	1	1	2	3	5	6	10
35-49	662	2.9	4	1	1	2	4	5	6	8
50-64	338	3.1	4	1	1	3	4	6	7	10
65+	206	3.8	20	1	1	3	4	6	8	25
B. *Operated*										
0-19 YRS	147	3.3	3	1	2	3	4	6	7	9
20-34	215	3.9	5	1	1	4	5	7	8	11
35-49	110	4.1	10	1	1	3	5	8	10	18
50-64	51	4.2	9	1	1	4	6	8	8	16
65+	17	4.1	12	<1	1	3	5	7	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1023	2.4	2	1	1	2	3	4	5	8
20-34	1550	3.2	5	1	1	3	4	6	7	12
35-49	1280	3.9	8	1	1	3	5	7	9	14
50-64	1132	4.2	8	1	2	3	5	7	9	14
65+	1368	4.9	17	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	176	4.2	8	1	2	4	5	8	10	14
20-34	342	5.7	16	1	2	5	8	11	13	20
35-49	342	5.9	24	1	2	5	8	11	14	21
50-64	236	7.1	29	1	2	6	9	13	18	24
65+	285	7.6	65	1	2	6	9	13	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3413	2.6	4	1	1	2	3	5	6	9
B. *Operated*	540	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	6353	3.7	9	1	1	3	5	7	9	14
B. *Operated*	1381	6.2	30	1	2	5	8	12	14	23
1. SINGLE DX	3953	2.8	5	1	1	2	3	5	6	10
2. MULTIPLE DX	7734	4.2	14	1	1	3	5	8	10	16
A. NOT OPERATED	9766	3.3	8	1	1	3	4	6	8	13
B. OPERATED	1921	5.5	25	1	2	4	7	11	13	21
TOTAL 0-19 YRS	2483	2.4	3	1	1	2	3	4	6	9
20-34	3177	3.3	7	1	1	3	4	6	8	13
35-49	2394	3.9	10	1	1	3	5	8	9	15
50-64	1757	4.4	11	1	1	3	6	8	11	16
65+	1876	5.2	25	1	2	4	6	9	12	22
GRAND TOTAL	**11687**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.6	8	1	1	2	3	4	5	17
20-34	67	3.1	7	<1	<1	2	5	7	8	12
35-49	47	2.7	4	<1	1	2	4	6	7	8
50-64	39	3.3	10	<1	1	2	4	7	9	17
65+	36	3.4	5	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	7	2.3	2	<1	<1	2	3	4	4	4
20-34	22	4.7	14	1	1	4	6	8	13	18
35-49	13	3.3	4	1	1	3	5	6	7	7
50-64	32	3.6	7	1	1	3	6	7	8	10
65+	9	4.7	17	1	1	2	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	428	2.8	4	1	1	2	3	5	7	9
20-34	291	3.8	8	1	1	3	5	7	9	15
35-49	329	4.2	10	1	1	3	5	8	11	15
50-64	476	5.0	15	1	2	4	6	10	13	19
65+	861	5.4	18	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	59	4.8	26	1	1	3	7	11	13	31
20-34	115	4.3	9	1	1	3	6	9	11	13
35-49	144	6.5	38	1	1	5	9	13	17	32
50-64	177	7.9	73	1	1	6	10	18	22	38
65+	281	8.1	61	1	2	6	10	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	2.9	7	<1	1	2	4	6	7	12
B. *Operated*	83	3.8	9	1	1	3	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2385	4.5	13	1	1	4	6	8	11	18
B. *Operated*	776	6.9	51	1	1	5	9	15	21	36
1. SINGLE DX	385	3.1	8	1	1	2	4	6	8	12
2. MULTIPLE DX	3161	5.1	24	1	1	4	6	10	14	24
A. NOT OPERATED	2687	4.3	13	1	1	3	5	8	11	18
B. OPERATED	859	6.6	48	1	1	5	8	14	20	35
TOTAL 0-19 YRS	607	3.0	7	1	1	2	4	6	7	13
20-34	495	3.8	8	1	1	3	5	7	9	14
35-49	533	4.6	19	1	1	4	6	9	13	21
50-64	724	5.5	31	1	1	4	7	11	15	28
65+	1187	6.0	29	1	2	5	7	11	15	25
GRAND TOTAL	**3546**	**4.9**	**22**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	714	3.0	16	1	1	2	4	5	8	16
20-34	371	2.6	5	<1	1	2	3	5	6	9
35-49	387	2.9	14	1	1	2	3	5	7	19
50-64	411	3.1	11	1	1	2	3	6	8	16
65+	432	4.1	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	59	2.6	6	<1	1	2	3	4	7	16
20-34	95	2.0	2	<1	1	2	3	3	6	8
35-49	122	2.7	5	1	1	2	3	6	8	12
50-64	111	2.8	10	1	1	2	3	6	8	17
65+	67	3.8	15	<1	1	2	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1501	4.3	22	1	1	3	5	8	12	27
20-34	1029	3.6	14	1	1	3	4	6	9	18
35-49	1482	4.1	17	1	1	3	5	7	10	19
50-64	2718	5.0	20	1	1	4	6	10	13	21
65+	6215	5.8	25	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	193	9.8	203	1	1	4	10	26	44	71
20-34	224	5.3	49	1	1	3	6	11	15	35
35-49	305	4.8	25	1	1	3	6	10	15	28
50-64	531	8.7	155	1	1	5	9	22	35	98
65+	987	9.2	94	1	2	6	11	19	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2315	3.2	12	1	1	2	4	6	8	17
B. *Operated*	454	2.7	8	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	12945	5.1	22	1	2	4	6	10	13	24
B. *Operated*	2240	8.1	107	1	1	5	9	18	28	62
1. SINGLE DX	2769	3.1	12	1	1	2	4	6	8	16
2. MULTIPLE DX	15185	5.5	36	1	1	4	7	11	15	31
A. NOT OPERATED	15260	4.8	21	1	1	4	6	9	13	23
B. OPERATED	2694	7.2	94	1	1	4	8	16	25	55
TOTAL 0-19 YRS	2467	4.4	37	1	1	3	5	8	12	32
20-34	1719	3.5	16	1	1	3	4	7	9	18
35-49	2296	3.9	17	1	1	3	5	7	10	22
50-64	3771	5.2	40	1	1	4	6	10	15	32
65+	7701	6.1	34	1	2	5	7	12	16	31
GRAND TOTAL	**17954**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	1.9	2	1	1	1	2	3	5	8
20-34	19	5.5	74	<1	<1	3	6	10	26	39
35-49	9	2.9	5	1	1	2	5	6	6	6
50-64	5	2.8	4	1	1	3	4	6	6	6
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	62	4.6	10	1	2	4	6	8	11	17
20-34	21	6.3	25	2	2	5	7	14	19	20
35-49	7	5.0	10	1	1	5	8	9	9	9
50-64	3	4.7	12	<1	<1	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.8	23	1	1	3	4	7	11	29
20-34	53	6.4	83	1	1	4	7	12	17	62
35-49	26	8.2	214	<1	1	4	7	15	39	73
50-64	16	6.3	23	1	1	5	11	14	14	14
65+	12	11.2	155	1	1	8	12	32	41	43
B. *Operated*										
0-19 YRS	106	13.9	274	1	2	7	17	36	46	82
20-34	87	15.6	363	2	3	9	20	60	99+	99+
35-49	35	14.3	313	2	2	8	12	43	48	82
50-64	16	15.4	276	3	4	8	28	58	87	99+
65+	13	12.2	468	1	2	4	7	45	71	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	2.2	8	1	1	1	2	4	6	10
B. *Operated*	93	5.0	13	1	2	4	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	316	5.0	56	1	1	3	6	11	14	40
B. *Operated*	257	14.5	315	2	2	8	17	43	70	99+
1. SINGLE DX	384	2.9	10	1	1	2	3	6	8	16
2. MULTIPLE DX	573	9.3	194	1	1	4	10	27	43	99+
A. NOT OPERATED	607	3.7	35	1	1	2	4	7	11	31
B. OPERATED	350	12.0	252	1	2	7	12	36	55	99+
TOTAL 0-19 YRS	632	4.8	73	1	1	2	4	10	19	44
20-34	180	10.7	231	1	2	6	11	31	64	99+
35-49	77	10.1	230	1	1	6	8	31	44	80
50-64	40	9.4	142	1	1	6	11	29	50	99+
65+	28	10.8	279	1	1	5	10	34	46	77
GRAND TOTAL	**957**	**6.7**	**130**	**1**	**1**	**3**	**7**	**14**	**31**	**81**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.7	8	<1	1	2	3	5	9	15
20-34	39	3.4	8	1	1	3	4	8	10	13
35-49	6	3.7	7	<1	<1	3	3	8	9	9
50-64	7	2.6	2	1	1	2	3	5	5	5
65+	5	19.2	1063	1	1	4	28	77	77	77
B. *Operated*										
0-19 YRS	6	6.8	17	2	2	7	9	13	13	13
20-34	13	4.6	7	1	2	5	6	9	9	9
35-49	5	4.0	10	<1	<1	4	6	8	8	8
50-64	2	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	4.2	15	1	1	3	5	9	13	20
20-34	84	4.9	29	1	1	3	6	8	16	33
35-49	33	4.9	11	1	2	4	7	9	12	16
50-64	26	6.2	18	1	2	5	9	12	14	16
65+	30	9.9	65	2	3	9	12	24	38	99+
B. *Operated*										
0-19 YRS	72	11.2	172	1	2	6	13	30	48	59
20-34	86	15.1	290	1	2	10	21	37	57	97
35-49	42	15.8	276	2	3	10	19	47	65	99+
50-64	22	15.4	394	3	3	7	18	39	70	80
65+	21	13.5	256	2	2	8	18	37	56	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.3	39	<1	1	2	3	6	10	18
B. *Operated*	26	5.0	9	1	1	5	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	343	5.1	24	1	1	4	7	10	16	28
B. *Operated*	243	13.9	258	1	2	8	17	35	57	91
1. SINGLE DX	199	3.6	36	<1	1	2	4	8	10	17
2. MULTIPLE DX	586	8.8	140	1	2	5	10	20	31	78
A. NOT OPERATED	516	4.5	30	1	1	3	5	10	13	24
B. OPERATED	269	13.1	241	1	2	8	16	31	56	89
TOTAL 0-19 YRS	364	5.2	53	1	1	3	5	10	17	47
20-34	222	8.6	151	1	1	4	9	22	31	82
35-49	86	10.1	170	1	2	6	11	26	47	91
50-64	57	9.3	181	1	2	5	10	18	26	79
65+	56	12.1	213	2	2	8	14	27	58	98
GRAND TOTAL	**785**	**7.5**	**119**	**1**	**1**	**4**	**8**	**17**	**28**	**71**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	<1	1	2	3	3	3
20-34	28	1.7	1	<1	<1	1	2	3	4	6
35-49	14	1.4		<1	<1	1	2	2	3	3
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	237	2.1	7	<1	<1	1	2	4	4	10
20-34	454	2.3	4	1	1	2	3	4	5	11
35-49	139	2.5	3	1	1	2	3	4	6	9
50-64	45	2.5	3	<1	1	2	3	5	6	9
65+	20	5.8	42	1	1	4	6	13	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	1.9	3	<1	<1	1	2	3	5	10
20-34	89	2.4	4	<1	1	2	3	5	7	11
35-49	53	2.8	4	<1	1	2	4	6	8	9
50-64	16	3.1	3	<1	1	3	4	6	6	6
65+	56	4.4	9	1	1	4	6	8	11	14
B. *Operated*										
0-19 YRS	420	3.6	12	1	1	2	4	7	10	15
20-34	820	4.6	47	1	1	3	5	9	12	32
35-49	314	5.8	53	1	1	4	6	12	17	36
50-64	126	5.4	55	1	1	4	6	8	13	43
65+	120	6.7	37	1	1	5	8	15	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	1.7	1	<1	<1	1	2	3	3	6
B. *Operated*	895	2.4	6	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	277	2.8	5	<1	1	2	4	6	8	12
B. *Operated*	1800	4.8	40	1	1	3	6	9	14	30
1. SINGLE DX	956	2.3	5	<1	1	2	3	4	5	12
2. MULTIPLE DX	2077	4.5	36	1	1	3	5	9	12	28
A. NOT OPERATED	338	2.6	5	<1	1	2	3	5	7	12
B. OPERATED	2695	4.0	30	1	1	3	4	8	11	25
TOTAL 0-19 YRS	735	2.9	10	<1	1	2	3	6	9	15
20-34	1391	3.7	30	1	1	2	4	7	10	23
35-49	520	4.5	36	1	1	3	5	9	14	26
50-64	189	4.5	39	1	1	3	6	7	10	31
65+	198	5.9	30	1	1	4	7	13	17	30
GRAND TOTAL	**3033**	**3.8**	**27**	**1**	**1**	**2**	**4**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.0	7	1	1	3	5	7	9	13
20-34	264	4.3	16	1	1	4	5	7	10	12
35-49	172	4.8	9	1	2	4	6	9	11	13
50-64	130	6.2	21	1	1	5	7	12	15	24
65+	193	6.5	17	2	2	5	9	11	14	23
B. *Operated*										
0-19 YRS	34	11.3	36	3	4	11	14	19	25	28
20-34	63	8.8	42	2	2	8	12	18	22	31
35-49	31	10.7	44	2	3	11	14	20	25	26
50-64	12	7.9	43	1	1	7	11	19	21	21
65+	8	9.6	51	2	2	8	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.7	11	1	1	4	6	9	11	19
20-34	366	5.3	18	1	2	4	7	10	12	21
35-49	244	5.8	21	1	2	5	7	11	14	20
50-64	347	7.6	24	2	3	7	10	14	16	27
65+	1383	8.7	29	2	3	8	11	16	18	28
B. *Operated*										
0-19 YRS	73	10.5	44	2	3	10	15	19	26	84
20-34	193	11.4	119	2	3	9	14	18	37	63
35-49	92	11.0	47	3	4	10	14	21	25	31
50-64	74	12.4	117	2	4	9	15	24	40	57
65+	168	13.9	117	3	4	11	18	26	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	886	5.1	15	1	2	4	6	10	12	17
B. *Operated*	148	9.8	42	2	2	9	13	19	22	28
2. MULTIPLE DX										
A. *Not Operated*	2461	7.6	27	2	2	6	10	14	17	26
B. *Operated*	600	12.1	99	2	4	10	15	23	32	59
1. SINGLE DX	1034	5.8	22	1	2	5	7	11	14	24
2. MULTIPLE DX	3061	8.5	44	2	3	7	11	16	20	35
A. NOT OPERATED	3347	6.9	25	1	2	6	9	13	16	25
B. OPERATED	748	11.6	88	2	3	9	14	21	29	55
TOTAL 0-19 YRS	355	6.3	27	1	2	5	9	14	17	28
20-34	886	6.6	48	1	2	5	8	13	16	41
35-49	539	6.7	28	1	2	5	9	13	18	26
50-64	563	7.9	39	2	2	6	10	14	18	33
65+	1752	9.0	39	2	3	8	11	16	20	32
GRAND TOTAL	**4095**	**7.8**	**40**	**2**	**2**	**6**	**10**	**15**	**18**	**32**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	7	1	1	4	6	7	7	7
20-34	9	5.8	45	1	1	4	5	17	23	23
35-49	5	7.4	27	1	1	7	10	15	15	15
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	4	14.0	100	3	3	13	21	27	27	27
20-34	14	28.4	341	4	9	23	44	54	58	59
35-49	6	21.7	161	10	10	17	26	43	45	45
50-64	3	19.7	310	1	1	22	32	36	36	36
65+	3	13.3	25	8	8	14	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	19.2	648	1	2	9	21	57	86	91
20-34	12	15.8	322	2	2	10	15	53	54	54
35-49	3	10.3	42	4	4	10	15	17	17	17
50-64	6	11.2	160	1	1	5	23	30	31	31
65+	16	9.6	41	1	2	9	13	18	24	26
B. *Operated*										
0-19 YRS	28	26.4	343	4	9	21	37	64	72	99+
20-34	61	28.0	458	6	8	23	53	99+	99+	99+
35-49	27	26.3	226	9	11	24	39	84	99+	99+
50-64	12	31.0	302	13	14	34	58	99+	99+	99+
65+	11	25.8	155	5	10	25	33	44	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.6	28	1	1	4	7	12	19	23
B. *Operated*	30	22.8	251	2	5	18	33	48	54	59
2. MULTIPLE DX										
A. *Not Operated*	49	13.7	269	1	2	10	15	29	52	91
B. *Operated*	139	27.4	346	7	9	23	43	90	99+	99+
1. SINGLE DX	50	15.9	231	1	2	11	22	41	52	59
2. MULTIPLE DX	188	23.9	361	3	6	20	38	72	99+	99+
A. NOT OPERATED	69	11.3	212	1	2	7	13	23	43	84
B. OPERATED	169	26.6	331	6	9	22	41	75	99+	99+
TOTAL 0-19 YRS	49	21.3	400	2	3	16	29	59	71	99+
20-34	96	24.5	431	2	4	19	43	76	99+	99+
35-49	41	22.1	221	5	8	18	35	57	99+	99+
50-64	22	22.8	323	1	2	22	42	99+	99+	99+
65+	30	15.9	136	2	3	13	23	33	42	47
GRAND TOTAL	**238**	**22.2**	**343**	**2**	**4**	**18**	**34**	**61**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	3	<1	1	1	2	3	6	8
20-34	33	2.1	2	<1	<1	2	3	4	6	7
35-49	73	2.8	4	1	1	2	3	5	8	11
50-64	62	3.2	5	1	1	3	4	6	7	13
65+	53	3.7	9	1	1	3	4	8	10	15
B. *Operated*										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	4	3.0	11	1	1	2	5	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.8	3	1	1	2	4	6	6	7
20-34	239	3.8	33	1	1	3	5	6	9	13
35-49	271	4.0	8	1	1	3	5	7	9	16
50-64	324	5.5	14	1	1	5	7	10	13	19
65+	720	6.9	28	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	20	7.2	64	<1	1	5	8	16	26	36
20-34	93	8.1	42	1	1	7	11	17	21	33
35-49	94	8.3	62	2	2	6	9	14	29	40
50-64	94	10.5	62	2	3	8	13	23	28	35
65+	113	12.2	135	2	3	9	15	23	29	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.9	5	1	1	2	3	6	8	12
B. *Operated*	8	3.9	10	1	1	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1598	5.5	23	1	2	4	7	11	14	22
B. *Operated*	414	9.8	80	1	2	7	12	20	27	41
1. SINGLE DX	245	3.0	6	1	1	2	3	6	8	12
2. MULTIPLE DX	2012	6.4	38	1	2	5	8	13	17	30
A. NOT OPERATED	1835	5.2	22	1	1	4	7	10	13	21
B. OPERATED	422	9.7	79	1	2	7	12	20	27	41
TOTAL 0-19 YRS	80	3.7	22	1	1	2	5	7	8	30
20-34	367	4.8	36	1	1	3	6	9	13	23
35-49	442	4.7	23	1	1	3	6	9	12	30
50-64	482	6.1	27	1	1	5	8	12	16	28
65+	886	7.3	44	2	2	6	9	14	18	31
GRAND TOTAL	**2257**	**6.0**	**36**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	5.0	17	1	2	4	6	8	11	24
20-34	66	6.1	39	1	2	5	7	10	12	44
35-49	43	6.0	23	1	2	5	7	10	14	29
50-64	30	8.2	30	1	2	7	10	14	21	25
65+	158	7.2	23	2	2	6	9	15	17	23
B. *Operated*										
0-19 YRS	4	11.5	78	2	2	11	18	22	22	22
20-34	16	18.6	162	2	4	16	24	32	47	53
35-49	5	9.4	5	7	7	9	11	13	13	13
50-64	2	20.0	392	6	6	20	34	34	34	34
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	7.3	37	2	2	6	9	14	17	35
20-34	166	9.0	59	2	3	7	11	19	25	43
35-49	88	10.9	75	3	4	9	13	21	26	51
50-64	122	11.1	94	3	4	8	13	22	31	50
65+	925	10.8	60	3	4	9	13	19	24	47
B. *Operated*										
0-19 YRS	60	13.2	117	3	3	9	19	29	38	43
20-34	112	21.2	265	4	6	15	28	46	51	74
35-49	54	22.2	395	3	5	15	30	56	61	88
50-64	56	27.8	339	8	9	23	39	58	63	82
65+	114	20.2	268	4	5	14	29	44	52	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	6.6	27	1	2	5	8	12	16	25
B. *Operated*	28	15.7	131	2	4	12	22	31	36	53
2. MULTIPLE DX										
A. *Not Operated*	1427	10.3	63	2	3	8	13	19	24	45
B. *Operated*	396	20.8	285	3	5	15	28	46	56	76
1. SINGLE DX	378	7.3	40	1	2	6	9	15	20	31
2. MULTIPLE DX	1823	12.6	130	3	4	9	15	25	37	61
A. NOT OPERATED	1777	9.6	58	2	3	8	12	18	23	44
B. OPERATED	424	20.4	276	3	5	15	28	46	55	74
TOTAL 0-19 YRS	243	8.3	61	2	2	6	10	18	25	41
20-34	360	12.7	162	2	3	8	15	29	44	64
35-49	190	13.0	189	2	3	9	14	29	46	68
50-64	210	15.2	209	3	4	10	19	36	47	64
65+	1198	11.2	85	3	4	9	14	20	29	52
GRAND TOTAL	**2201**	**11.7**	**118**	**2**	**3**	**8**	**14**	**23**	**34**	**59**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	16	<1	1	1	2	3	14	20
20-34	30	2.9	4	<1	<1	2	4	6	6	8
35-49	23	3.5	17	1	1	2	4	8	12	20
50-64	30	2.8	9	<1	1	2	3	6	12	13
65+	90	4.1	13	1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS	826	2.7	12	1	1	2	3	4	11	19
20-34	88	3.3	5	1	1	3	4	6	8	13
35-49	73	3.5	8	1	1	3	5	6	7	17
50-64	97	4.2	12	1	1	3	5	8	12	19
65+	141	5.1	44	1	1	4	6	8	11	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.8	5	<1	1	2	3	6	8	11
20-34	35	4.2	14	1	1	3	5	12	13	13
35-49	28	3.1	7	1	1	2	4	7	9	11
50-64	71	5.9	33	1	1	4	6	15	18	28
65+	379	7.3	65	1	2	5	9	14	18	48
B. *Operated*										
0-19 YRS	218	5.1	50	1	1	3	5	10	19	37
20-34	134	9.6	162	1	2	5	9	23	44	63
35-49	93	8.0	78	1	2	5	10	16	33	44
50-64	136	9.5	159	1	2	5	10	19	36	71
65+	389	9.0	82	2	2	6	11	18	23	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	253	3.2	13	1	1	2	4	7	11	20
B. *Operated*	1225	3.2	16	1	1	2	4	6	10	19
2. MULTIPLE DX										
A. *Not Operated*	550	6.4	53	1	1	5	8	13	16	43
B. *Operated*	970	8.2	99	1	2	5	9	17	26	54
1. SINGLE DX	1478	3.2	15	1	1	2	4	6	10	20
2. MULTIPLE DX	1520	7.5	83	1	1	5	9	15	22	53
A. NOT OPERATED	803	5.4	42	1	1	4	7	12	15	33
B. OPERATED	2195	5.4	58	1	1	3	6	12	18	46
TOTAL 0-19 YRS	1161	3.2	20	1	1	2	3	6	12	23
20-34	287	6.3	88	1	1	4	6	12	19	53
35-49	217	5.4	44	1	1	3	5	12	17	36
50-64	334	6.6	82	1	1	4	7	14	20	54
65+	999	7.4	67	1	2	5	9	14	19	50
GRAND TOTAL	**2998**	**5.4**	**54**	**1**	**1**	**3**	**6**	**12**	**17**	**43**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	1.4		1	1	1	2	3	3	3
20-34	21	2.1	2	<1	<1	2	3	4	5	6
35-49	13	1.8	1	<1	<1	1	2	4	4	4
50-64	14	2.1	2	1	1	2	4	4	4	4
65+	11	1.5	1	1	1	1	2	3	4	4
B. *Operated*										
0-19 YRS	1117	1.7	2	<1	1	1	2	3	4	7
20-34	399	2.5	3	1	1	2	3	5	6	9
35-49	265	2.7	4	1	1	2	3	5	6	9
50-64	258	2.7	5	<1	1	2	3	5	7	9
65+	258	2.7	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.1	3	<1	<1	2	2	4	5	10
20-34	45	2.9	5	<1	1	2	3	6	9	10
35-49	31	4.0	54	<1	1	2	4	6	10	42
50-64	33	4.3	7	1	1	4	6	8	9	10
65+	87	5.6	21	1	1	4	8	12	15	21
B. *Operated*										
0-19 YRS	305	3.8	19	1	1	2	4	8	12	21
20-34	318	5.7	42	1	1	4	6	12	18	31
35-49	232	5.6	37	1	1	4	6	11	17	34
50-64	251	5.2	18	1	1	4	7	12	15	20
65+	437	5.6	35	1	1	4	7	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	2297	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	245	4.0	18	<1	1	3	5	9	11	21
B. *Operated*	1543	5.2	31	1	1	4	6	11	16	27
1. SINGLE DX	2397	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1788	5.0	30	1	1	3	6	11	15	27
A. NOT OPERATED	345	3.4	14	<1	1	2	4	8	10	18
B. OPERATED	3840	3.4	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	1512	2.1	6	<1	1	1	2	4	5	15
20-34	783	3.8	21	1	1	3	4	7	10	23
35-49	541	4.0	23	1	1	3	5	7	11	26
50-64	556	3.9	13	1	1	3	5	8	12	16
65+	793	4.6	25	1	1	3	5	10	14	25
GRAND TOTAL	**4185**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	14	<1	<1	2	4	11	12	12
20-34	20	2.3	3	<1	<1	2	3	5	6	7
35-49	16	1.9	1	<1	<1	2	3	3	4	4
50-64	8	1.5	1	1	1	1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	189	1.5	1	<1	<1	1	2	3	4	7
20-34	274	2.0	3	<1	<1	1	2	4	4	13
35-49	137	1.8	2	<1	<1	1	2	3	4	9
50-64	68	2.5	5	<1	<1	2	3	4	6	13
65+	31	2.6	12	1	1	2	3	5	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.9	1	<1	1	1	3	4	4	5
20-34	32	2.5	3	1	1	2	3	3	7	9
35-49	16	2.9	9	1	1	2	4	4	10	13
50-64	12	2.8	2	1	1	3	4	5	5	5
65+	14	5.2	14	1	1	5	6	9	14	16
B. *Operated*										
0-19 YRS	114	3.4	18	1	1	2	4	8	12	23
20-34	274	3.6	14	1	1	3	5	7	9	17
35-49	143	3.4	16	<1	1	2	4	6	8	27
50-64	94	3.5	11	<1	1	3	4	9	10	17
65+	73	3.5	11	1	1	2	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.3	5	<1	<1	2	3	4	7	12
B. *Operated*	699	1.9	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	99	2.8	6	1	1	2	3	5	7	15
B. *Operated*	698	3.5	14	1	1	2	4	7	10	18
1. SINGLE DX	757	1.9	3	<1	<1	1	2	4	4	11
2. MULTIPLE DX	797	3.4	13	1	1	2	4	7	9	17
A. NOT OPERATED	157	2.7	5	<1	1	2	3	5	7	13
B. OPERATED	1397	2.7	9	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	341	2.3	8	<1	<1	1	2	4	7	14
20-34	600	2.8	9	<1	1	2	3	6	8	16
35-49	312	2.6	9	<1	<1	2	3	5	6	15
50-64	182	3.0	8	<1	1	2	3	6	9	14
65+	119	3.4	11	1	1	2	5	8	11	17
GRAND TOTAL	**1554**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	12.7	150	1	2	8	26	31	35	37
20-34	6	6.3	124	1	1	2	3	26	29	29
35-49	8	2.6	6	1	1	2	4	7	7	7
50-64	16	12.1	346	1	3	6	12	19	61	79
65+	81	7.7	47	1	2	6	9	15	22	35
B. *Operated*										
0-19 YRS	64	7.5	32	1	3	6	9	15	22	27
20-34	49	8.7	49	2	4	7	11	14	20	45
35-49	67	7.9	23	4	4	7	9	13	15	34
50-64	263	9.6	13	5	5	9	12	14	17	19
65+	1381	11.9	28	6	7	11	14	17	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	15.5	334	1	2	8	20	40	60	75
20-34	15	12.8	285	1	3	7	12	52	53	53
35-49	17	10.4	179	1	2	7	10	24	46	57
50-64	58	9.4	102	1	2	6	10	30	37	95
65+	439	10.7	124	2	2	8	13	21	30	72
B. *Operated*										
0-19 YRS	73	15.3	195	3	4	11	17	33	42	75
20-34	113	15.0	113	5	6	12	18	27	42	54
35-49	162	15.7	134	5	6	12	19	31	41	60
50-64	616	14.1	79	5	6	12	16	24	30	52
65+	7102	15.1	69	7	8	13	17	23	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	8.8	105	1	1	6	10	22	29	43
B. *Operated*	1824	11.2	28	5	6	11	13	17	19	30
2. MULTIPLE DX										
A. *Not Operated*	549	10.8	135	1	2	8	13	22	35	75
B. *Operated*	8066	15.1	73	6	8	13	17	24	30	52
1. SINGLE DX	1960	11.0	34	4	5	10	13	17	20	32
2. MULTIPLE DX	8615	14.8	78	6	7	13	17	24	30	53
A. NOT OPERATED	685	10.4	129	1	2	7	12	22	32	74
B. OPERATED	9890	14.3	67	6	7	13	16	22	29	50
TOTAL 0-19 YRS	182	12.2	157	2	3	8	15	28	35	75
20-34	183	12.9	117	2	4	10	15	24	37	53
35-49	254	12.9	118	3	4	9	15	25	35	58
50-64	953	12.5	71	4	5	11	14	21	29	49
65+	9003	14.3	68	6	7	13	16	22	28	50
GRAND TOTAL	**10575**	**14.1**	**72**	**5**	**7**	**12**	**16**	**22**	**29**	**51**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	16.1	154	1	1	16	24	33	38	48
20-34	11	19.2	456	1	1	8	42	51	55	55
35-49	11	23.5	332	6	6	21	33	50	62	63
50-64	7	21.4	603	2	2	5	41	59	63	63
65+	31	12.1	286	<1	1	7	12	36	57	70
B. *Operated*										
0-19 YRS	329	9.6	93	1	1	6	14	24	30	39
20-34	115	11.1	95	3	4	9	13	18	32	56
35-49	46	12.8	204	2	4	9	14	22	35	81
50-64	26	9.5	17	3	4	10	13	15	15	15
65+	74	11.6	44	3	4	10	14	20	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	16.0	168	1	1	14	24	34	39	51
20-34	29	16.5	501	1	1	6	28	47	69	92
35-49	15	27.6	710	1	2	23	44	72	81	84
50-64	37	26.4	453	2	3	27	44	51	64	85
65+	168	13.5	207	2	3	8	17	33	44	98
B. *Operated*										
0-19 YRS	376	17.2	175	2	4	14	23	35	45	66
20-34	346	18.4	267	4	5	14	21	44	56	93
35-49	110	21.0	311	2	5	14	31	48	59	71
50-64	97	22.8	276	4	7	19	31	52	61	89
65+	412	18.5	207	6	7	15	21	32	45	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	16.2	190	1	1	14	25	33	44	59
B. *Operated*	590	10.4	93	1	2	8	14	22	30	48
2. MULTIPLE DX										
A. *Not Operated*	406	16.4	267	1	2	10	24	39	50	88
B. *Operated*	1341	18.6	229	4	6	14	23	39	52	89
1. SINGLE DX	929	12.5	136	1	2	9	18	28	35	55
2. MULTIPLE DX	1747	18.1	238	2	4	14	23	39	52	89
A. NOT OPERATED	745	16.3	232	1	2	12	24	36	46	72
B. OPERATED	1931	16.1	202	2	3	12	20	32	46	80
TOTAL 0-19 YRS	1141	14.6	155	1	2	11	22	31	38	53
20-34	501	16.7	253	3	4	12	20	40	54	90
35-49	182	19.6	330	2	4	12	27	47	62	79
50-64	167	21.5	311	3	4	16	31	51	61	84
65+	685	16.3	200	3	4	13	20	32	44	92
GRAND TOTAL	**2676**	**16.2**	**210**	**2**	**3**	**12**	**22**	**34**	**46**	**77**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.1	2	<1	1	2	3	4	4	7
20-34	74	2.9	4	1	1	2	3	5	7	10
35-49	52	3.7	19	1	1	3	4	7	10	27
50-64	46	3.7	4	1	1	3	5	7	7	8
65+	56	5.6	14	1	1	5	8	10	14	15
B. *Operated*										
0-19 YRS	513	3.5	11	1	1	3	4	6	8	14
20-34	364	5.1	18	1	1	4	6	9	12	24
35-49	228	5.1	14	1	2	4	6	10	12	20
50-64	181	5.9	15	1	2	5	8	11	13	18
65+	68	6.7	16	2	2	6	9	13	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.8	13	1	1	3	5	7	11	22
20-34	57	4.5	12	<1	1	3	6	11	12	14
35-49	70	6.6	46	1	1	4	8	13	20	39
50-64	63	8.3	41	1	2	7	10	17	24	28
65+	163	8.3	53	2	3	6	10	15	21	38
B. *Operated*										
0-19 YRS	262	9.4	135	1	1	5	11	22	35	59
20-34	381	10.4	96	2	2	7	13	21	29	59
35-49	261	10.5	120	2	3	8	13	20	25	66
50-64	216	12.2	156	3	4	9	14	21	33	84
65+	231	11.5	94	3	4	9	15	21	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	3.2	8	1	1	2	4	7	8	15
B. *Operated*	1354	4.7	15	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	425	6.7	41	1	2	5	9	13	19	30
B. *Operated*	1351	10.7	118	2	3	8	13	21	28	66
1. SINGLE DX	1724	4.4	14	1	1	3	6	9	11	18
2. MULTIPLE DX	1776	9.8	102	1	2	7	12	20	27	60
A. NOT OPERATED	795	5.1	29	1	1	3	7	11	14	28
B. OPERATED	2705	7.7	76	1	2	5	9	16	22	52
TOTAL 0-19 YRS	989	4.9	50	1	1	3	5	9	15	43
20-34	876	7.2	58	1	2	5	9	15	22	46
35-49	611	7.5	71	1	2	5	9	15	20	47
50-64	506	8.7	87	2	2	6	10	17	21	66
65+	518	9.2	67	2	3	7	12	18	24	43
GRAND TOTAL	**3500**	**7.1**	**66**	**1**	**1**	**5**	**9**	**15**	**20**	**48**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.2	3	1	1	2	3	4	5	10
20-34	88	3.2	9	<1	1	2	4	6	7	19
35-49	71	2.9	4	1	1	2	4	6	8	10
50-64	69	3.2	5	1	1	3	4	6	8	12
65+	49	4.2	7	1	1	4	5	8	9	15
B. *Operated*										
0-19 YRS	593	2.9	6	1	1	2	4	5	7	12
20-34	899	3.8	7	1	1	3	5	7	8	14
35-49	688	4.3	9	1	2	4	5	7	9	18
50-64	567	4.6	7	2	2	4	6	8	9	13
65+	307	5.6	10	2	2	5	7	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.9	5	1	1	2	4	5	7	13
20-34	96	4.4	27	1	1	3	5	8	10	34
35-49	102	5.1	49	1	1	4	5	9	12	44
50-64	114	4.8	17	1	1	4	6	9	12	25
65+	189	6.2	26	1	2	5	7	12	15	24
B. *Operated*										
0-19 YRS	338	5.4	40	1	1	4	6	10	18	35
20-34	749	6.3	52	1	2	4	7	12	18	43
35-49	533	6.4	40	2	2	5	7	11	16	28
50-64	594	7.2	32	2	3	6	9	13	18	31
65+	655	8.4	57	3	3	7	10	14	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	3.1	6	1	1	2	4	6	8	12
B. *Operated*	3054	4.1	8	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	560	5.1	27	1	1	4	6	10	13	25
B. *Operated*	2869	6.9	46	2	2	5	8	12	18	36
1. SINGLE DX	3409	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	3429	6.6	43	1	2	5	8	12	17	33
A. NOT OPERATED	915	4.3	20	1	1	3	5	8	11	23
B. OPERATED	5923	5.4	28	1	2	4	6	10	13	26
TOTAL 0-19 YRS	1068	3.7	18	1	1	3	4	6	10	26
20-34	1832	4.8	28	1	1	4	5	8	12	25
35-49	1394	5.1	24	1	2	4	6	9	11	24
50-64	1344	5.7	21	1	2	5	7	10	13	24
65+	1200	7.2	40	2	3	6	9	12	16	30
GRAND TOTAL	**6838**	**5.3**	**27**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	1	<1	<1	1	3	4	4	4
20-34	14	1.2		<1	<1	1	1	2	2	2
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	8	2.5	2	1	1	2	4	5	5	5
65+	3	4.7	12	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	25	2.2	5	<1	<1	1	3	4	6	11
20-34	42	2.8	4	1	1	2	3	5	5	13
35-49	10	2.9	4	1	1	2	4	6	7	7
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.1	12	<1	1	2	3	6	9	20
20-34	89	2.9	4	1	1	2	4	6	7	8
35-49	59	4.7	16	1	2	3	6	11	13	20
50-64	44	5.5	20	1	1	4	8	11	14	19
65+	77	6.2	21	1	1	5	8	13	14	22
B. *Operated*										
0-19 YRS	18	3.6	6	<1	<1	3	5	7	9	9
20-34	64	5.6	34	1	1	3	8	14	18	30
35-49	30	8.7	124	1	2	4	9	20	39	50
50-64	18	6.9	42	<1	1	5	10	14	23	28
65+	21	7.2	44	1	2	6	9	12	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.0	2	<1	1	1	3	4	5	8
B. *Operated*	81	2.7	4	1	1	2	4	5	5	12
2. MULTIPLE DX										
A. *Not Operated*	331	4.4	15	1	1	3	6	10	13	19
B. *Operated*	151	6.4	52	1	1	4	8	13	19	39
1. SINGLE DX	137	2.4	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	482	5.0	28	1	1	3	6	11	14	27
A. NOT OPERATED	387	4.0	14	1	1	3	5	9	12	19
B. OPERATED	232	5.1	38	1	1	3	6	10	16	33
TOTAL 0-19 YRS	124	2.8	8	<1	1	2	3	6	8	17
20-34	209	3.6	15	1	1	2	4	7	10	20
35-49	111	5.4	47	1	1	3	6	11	18	43
50-64	72	5.4	24	1	1	4	8	11	15	26
65+	103	6.3	25	1	1	5	8	13	14	28
GRAND TOTAL	**619**	**4.4**	**23**	**1**	**1**	**3**	**5**	**10**	**13**	**23**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	13	1	1	3	5	10	10	10
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	4	4.5	7	<1	<1	5	6	7	7	7
50-64										
65+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
0-19 YRS	2	10.5	41	6	6	10	15	15	15	15
20-34	6	25.2	447	4	4	23	36	58	60	60
35-49	7	26.6	236	9	10	23	42	44	44	44
50-64	1	14.0		14	14	14	14	14	14	14
65+	3	18.0	511	3	3	7	35	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	3	1	1	2	4	5	5	5
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	15	4.1	7	<1	1	3	6	8	9	10
B. *Operated*	19	22.4	294	3	4	15	40	44	53	60
1. SINGLE DX	6	2.7	3	1	1	2	4	5	5	5
2. MULTIPLE DX	34	14.4	248	1	2	7	23	42	44	60
A. NOT OPERATED	20	3.8	7	<1	1	3	5	7	9	10
B. OPERATED	20	21.5	297	3	3	15	38	44	52	60
TOTAL 0-19 YRS	12	4.3	18	1	1	3	5	11	14	15
20-34	11	15.3	354	1	2	5	24	46	59	60
35-49	11	18.5	267	<1	2	13	36	43	44	44
50-64	1	14.0		14	14	14	14	14	14	14
65+	5	13.4	296	3	3	7	17	44	44	44
GRAND TOTAL	**40**	**12.6**	**228**	**1**	**1**	**6**	**15**	**41**	**44**	**60**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	11	1.9	1	<1	<1	1	3	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64										
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	85	2.4	2	1	1	2	3	4	5	8
20-34	220	2.3	2	1	1	2	3	4	5	7
35-49	79	2.2	1	<1	1	2	3	4	5	6
50-64	15	1.8	1	<1	1	2	2	3	4	4
65+	17	3.4	22	<1	<1	2	3	8	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	15	2.9	9	<1	<1	2	4	5	10	12
35-49	6	3.7	5	<1	<1	3	5	7	7	7
50-64	5	4.0	2	2	2	5	5	5	5	5
65+	18	5.7	18	1	2	4	7	13	16	16
B. *Operated*										
0-19 YRS	10	2.8	4	<1	<1	2	4	6	7	7
20-34	64	3.0	4	1	1	3	4	5	6	12
35-49	35	3.4	8	1	1	3	4	7	11	13
50-64	28	4.9	32	<1	<1	3	7	11	15	28
65+	52	3.8	11	1	1	3	5	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	416	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	49	4.1	11	<1	1	3	5	8	12	16
B. *Operated*	189	3.6	11	1	1	3	4	7	11	16
1. SINGLE DX	437	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	238	3.7	11	<1	1	3	4	7	11	16
A. NOT OPERATED	70	3.4	9	<1	1	3	4	7	9	16
B. OPERATED	605	2.7	5	1	1	2	3	5	7	12
TOTAL 0-19 YRS	104	2.4	2	1	1	2	3	4	5	8
20-34	310	2.4	3	1	1	2	3	4	5	8
35-49	123	2.6	4	<1	1	2	3	5	6	12
50-64	48	3.8	21	<1	<1	2	4	8	12	28
65+	90	4.0	14	1	1	3	5	8	12	19
GRAND TOTAL	**675**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5	2	<1	<1	1	1	4	4	4
20-34	8	1.9	1	<1	<1	2	3	3	3	3
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	210	2.0	1	<1	<1	2	3	4	4	6
20-34	387	2.2	3	<1	<1	2	3	4	5	10
35-49	222	2.2	3	<1	<1	2	3	4	5	8
50-64	92	2.2	2	<1	<1	2	3	4	6	7
65+	39	2.8	7	<1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	8	4.3	12	<1	<1	4	5	10	12	12
35-49	8	4.3	5	1	1	4	6	7	8	8
50-64	10	4.8	29	1	1	2	6	14	15	15
65+	13	3.8	13	<1	1	2	5	8	13	14
B. *Operated*										
0-19 YRS	223	2.6	4	<1	<1	2	3	5	6	10
20-34	368	3.1	6	<1	<1	2	4	6	7	12
35-49	255	2.8	5	<1	<1	2	4	5	7	11
50-64	251	3.2	19	<1	1	2	4	6	8	17
65+	155	3.8	20	1	1	2	5	8	12	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.2	5	<1	<1	2	3	4	7	11
B. *Operated*	950	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	45	3.9	13	<1	1	3	5	8	14	15
B. *Operated*	1252	3.0	10	<1	1	2	4	6	8	13
1. SINGLE DX	974	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1297	3.1	10	<1	1	2	4	6	8	14
A. NOT OPERATED	69	3.3	11	<1	<1	2	4	7	12	15
B. OPERATED	2202	2.7	7	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	445	2.3	3	<1	<1	2	3	4	5	9
20-34	771	2.6	5	<1	<1	2	4	5	6	12
35-49	487	2.5	4	<1	<1	2	3	5	6	10
50-64	358	3.0	15	<1	1	2	4	5	7	15
65+	210	3.6	17	1	1	2	4	8	11	29
GRAND TOTAL	**2271**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	4	<1	<1	2	4	6	7	7
20-34	17	3.2	6	1	1	3	4	7	9	9
35-49	15	5.0	24	1	1	3	8	11	16	18
50-64	5	4.6	4	3	3	4	6	8	8	8
65+	3	4.3	33	1	1	1	9	11	11	11
B. *Operated*										
0-19 YRS	108	2.8	10	<1	1	2	3	6	8	19
20-34	167	3.5	17	1	1	2	4	7	9	27
35-49	79	4.4	21	<1	1	3	5	11	15	23
50-64	37	3.8	20	<1	1	2	5	8	14	22
65+	17	4.4	14	<1	<1	2	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.6	75	1	1	3	7	17	29	35
20-34	27	6.1	43	1	1	4	8	10	19	33
35-49	28	6.3	26	1	1	5	8	14	17	20
50-64	26	5.2	26	1	1	4	6	15	17	18
65+	26	8.0	105	1	2	6	9	14	24	54
B. *Operated*										
0-19 YRS	86	7.2	84	1	1	4	8	16	23	50
20-34	153	9.0	149	1	1	5	11	20	32	85
35-49	116	8.4	89	1	1	5	10	20	24	52
50-64	70	10.2	204	<1	1	7	12	16	23	81
65+	60	10.7	160	<1	1	6	15	25	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.7	11	1	1	2	5	8	10	17
B. *Operated*	408	3.5	16	<1	1	2	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	124	6.4	52	1	1	4	8	14	17	40
B. *Operated*	485	8.9	133	1	1	5	11	19	27	67
1. SINGLE DX	467	3.6	16	<1	1	2	4	8	11	22
2. MULTIPLE DX	609	8.4	117	1	1	5	10	17	25	64
A. NOT OPERATED	183	5.5	40	1	1	4	7	12	17	34
B. OPERATED	893	6.5	87	1	1	3	8	14	22	55
TOTAL 0-19 YRS	230	4.7	46	<1	1	3	5	10	16	40
20-34	364	6.0	81	1	1	3	7	12	20	57
35-49	238	6.6	58	1	1	4	9	15	21	35
50-64	138	7.3	122	<1	1	4	9	15	19	79
65+	106	8.9	124	1	1	6	11	17	27	60
GRAND TOTAL	**1076**	**6.3**	**79**	**1**	**1**	**3**	**7**	**14**	**20**	**52**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4		<1	<1	1	2	2	3	3
20-34	16	2.8	4	1	1	2	4	6	7	7
35-49	11	2.0	1	1	1	2	3	4	4	4
50-64	8	3.8	9	2	2	2	5	9	10	10
65+	9	3.8	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	211	2.7	2	<1	<1	3	4	5	5	6
20-34	286	3.0	3	<1	<1	3	4	6	6	9
35-49	76	3.2	3	<1	1	3	4	5	7	8
50-64	22	4.5	14	<1	1	4	5	7	12	19
65+	13	5.8	14	<1	2	5	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	6	<1	<1	3	4	7	9	9
20-34	23	3.6	9	<1	1	3	5	7	11	12
35-49	12	5.8	11	2	3	5	7	11	14	14
50-64	22	5.8	15	1	2	5	7	12	14	16
65+	53	6.4	123	1	1	4	7	10	10	81
B. *Operated*										
0-19 YRS	231	3.6	5	<1	1	3	5	6	8	11
20-34	395	3.7	5	1	1	3	5	6	7	10
35-49	132	4.1	9	1	1	3	5	7	10	16
50-64	48	6.1	52	1	1	5	7	11	12	48
65+	32	5.8	18	1	1	5	8	12	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.6	4	1	1	2	3	6	7	10
B. *Operated*	608	3.0	4	<1	<1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	121	5.4	61	1	1	4	7	10	11	35
B. *Operated*	838	3.9	9	1	1	3	5	7	9	14
1. SINGLE DX	665	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	959	4.1	16	1	1	3	5	7	9	15
A. NOT OPERATED	178	4.5	44	1	1	3	6	9	10	15
B. OPERATED	1446	3.6	7	<1	1	3	5	6	8	12
TOTAL 0-19 YRS	466	3.1	4	<1	1	3	4	5	7	10
20-34	720	3.4	4	<1	1	3	4	6	7	10
35-49	231	3.8	7	1	1	3	5	7	8	15
50-64	100	5.5	32	1	1	4	6	10	12	35
65+	107	5.9	68	1	1	5	7	10	12	46
GRAND TOTAL	**1624**	**3.7**	**11**	**<1**	**1**	**3**	**5**	**6**	**8**	**13**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.1	3	1	1	3	4	6	7	7
20-34	591	5.0	12	1	2	4	6	9	11	14
35-49	626	5.5	15	2	2	5	7	10	12	20
50-64	189	5.7	17	2	2	5	7	9	11	22
65+	50	6.1	18	2	2	5	7	11	13	28
B. *Operated*										
0-19 YRS	4	8.0	12	3	3	9	10	11	11	11
20-34	173	4.3	12	1	1	3	6	9	10	16
35-49	134	4.9	16	1	1	4	7	10	12	23
50-64	27	3.9	9	1	1	3	5	8	10	13
65+	5	5.2	25	2	2	3	6	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	5.0	12	1	1	4	7	9	9	20
20-34	535	5.9	16	2	2	5	7	10	13	17
35-49	684	6.2	13	2	3	5	8	11	13	19
50-64	481	6.5	15	2	3	6	8	11	14	20
65+	366	6.7	16	2	3	6	9	12	14	21
B. *Operated*										
0-19 YRS	7	8.3	21	3	3	7	13	13	13	13
20-34	155	6.6	20	1	2	6	9	13	14	22
35-49	137	7.7	26	1	2	7	11	14	18	23
50-64	65	6.9	18	1	2	6	10	12	14	22
65+	28	8.1	29	3	3	8	9	17	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1496	5.3	14	1	2	5	7	9	12	20
B. *Operated*	343	4.6	13	1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	2118	6.3	15	2	2	5	8	11	13	20
B. *Operated*	392	7.2	23	1	2	6	10	13	15	23
1. SINGLE DX	1839	5.2	14	1	2	4	7	9	12	19
2. MULTIPLE DX	2510	6.4	16	2	2	5	8	11	14	21
A. NOT OPERATED	3614	5.9	15	2	2	5	7	10	13	20
B. OPERATED	735	6.0	20	1	1	5	9	12	14	22
TOTAL 0-19 YRS	103	4.6	11	1	1	4	7	9	10	16
20-34	1454	5.4	15	1	2	5	7	10	12	16
35-49	1581	6.0	16	2	2	5	8	11	13	21
50-64	762	6.3	16	2	3	5	8	11	13	21
65+	449	6.7	17	2	3	6	9	12	14	21
GRAND TOTAL	**4349**	**5.9**	**16**	**1**	**2**	**5**	**8**	**11**	**13**	**20**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.5	5	<1	<1	2	3	5	6	13
20-34	532	4.5	8	1	1	4	6	8	10	14
35-49	448	5.1	14	1	2	4	7	9	11	21
50-64	162	4.5	7	1	1	4	6	9	10	12
65+	23	4.2	7	<1	1	5	6	7	9	12
B. *Operated*										
0-19 YRS	9	2.8	3	1	1	2	4	6	6	6
20-34	175	3.9	13	1	1	3	5	9	12	17
35-49	145	4.1	12	1	1	3	6	9	12	15
50-64	22	3.1	8	1	1	2	4	8	10	11
65+	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	3.2	10	1	1	3	4	6	8	14
20-34	830	5.1	14	1	2	4	7	10	12	19
35-49	775	5.9	19	1	2	5	8	11	14	21
50-64	482	6.1	17	2	2	5	8	11	14	20
65+	347	6.1	14	1	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	12	4.1	7	1	1	4	5	7	10	11
20-34	225	6.1	24	1	1	4	8	14	16	21
35-49	219	6.9	35	1	2	5	9	13	19	32
50-64	85	6.7	25	1	2	6	9	14	16	24
65+	40	8.9	40	2	2	7	12	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1291	4.5	10	1	1	4	6	8	10	16
B. *Operated*	354	3.9	12	1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	2589	5.5	16	1	2	5	7	10	13	20
B. *Operated*	581	6.6	29	1	2	5	9	14	17	25
1. SINGLE DX	1645	4.4	11	1	1	4	6	9	10	15
2. MULTIPLE DX	3170	5.7	19	1	2	5	8	11	14	21
A. NOT OPERATED	3880	5.2	14	1	1	4	7	10	12	18
B. OPERATED	935	5.6	24	1	1	4	8	12	15	23
TOTAL 0-19 YRS	302	3.0	8	<1	1	2	4	6	8	14
20-34	1762	4.9	13	1	1	4	7	10	12	18
35-49	1587	5.7	20	1	2	5	7	10	13	22
50-64	751	5.7	16	1	2	5	8	11	13	19
65+	413	6.3	17	1	2	6	8	12	14	19
GRAND TOTAL	**4815**	**5.3**	**16**	**1**	**1**	**4**	**7**	**10**	**13**	**20**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	2	<1	1	2	3	5	6	7
20-34	55	2.5	3	<1	1	2	3	5	7	9
35-49	43	3.0	13	1	1	2	3	5	7	24
50-64	18	3.8	4	1	1	3	4	7	8	8
65+	16	2.3	3	1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	76	2.0	1	<1	1	2	3	4	4	4
20-34	221	2.3	2	<1	1	2	3	4	5	7
35-49	274	2.7	3	1	1	2	3	5	7	9
50-64	263	3.2	5	1	1	3	4	6	7	11
65+	131	4.1	5	1	2	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.0	4	<1	1	2	4	5	7	12
20-34	89	3.3	5	1	1	3	4	6	8	10
35-49	70	4.5	12	1	1	3	6	10	12	15
50-64	67	4.7	18	1	1	3	6	10	13	24
65+	125	4.7	13	1	1	4	5	10	11	17
B. *Operated*										
0-19 YRS	36	2.3	2	<1	1	2	3	4	5	6
20-34	90	3.3	11	1	1	2	3	5	10	19
35-49	116	4.0	12	1	1	3	5	7	10	21
50-64	229	4.2	8	1	2	3	5	8	10	17
65+	173	5.3	12	2	2	4	6	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.7	6	1	1	2	3	5	7	9
B. *Operated*	965	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	393	4.2	11	1	1	3	5	8	11	15
B. *Operated*	644	4.3	11	1	1	3	5	8	11	17
1. SINGLE DX	1122	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	1037	4.2	11	1	1	3	5	8	11	17
A. NOT OPERATED	550	3.8	10	1	1	3	5	8	11	15
B. OPERATED	1609	3.4	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	179	2.3	2	<1	1	2	3	4	5	8
20-34	455	2.7	5	1	1	2	3	5	6	11
35-49	503	3.3	8	1	1	3	4	6	8	14
50-64	577	3.8	8	1	1	3	5	7	9	17
65+	445	4.7	10	1	2	4	6	8	11	15
GRAND TOTAL	**2159**	**3.5**	**8**	**1**	**1**	**3**	**4**	**7**	**8**	**14**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1136	1.3	1	<1	1	1	1	2	2	4
20-34	243	1.5	1	<1	<1	1	2	3	3	4
35-49	81	1.7	2	<1	1	1	2	3	4	9
50-64	37	1.9	1	<1	<1	1	2	3	5	6
65+	33	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1261	1.9	5	<1	1	1	2	3	4	9
20-34	856	2.4	4	<1	1	2	3	5	6	10
35-49	349	3.0	9	<1	1	2	4	6	9	13
50-64	251	3.4	9	1	1	2	4	7	9	17
65+	352	4.6	26	1	1	3	6	9	13	21
B. *Operated*										
0-19 YRS	267	3.3	15	<1	1	2	4	7	11	23
20-34	282	3.3	16	1	1	2	4	7	8	31
35-49	109	4.7	20	1	1	4	6	10	12	24
50-64	67	4.1	13	<1	1	3	6	10	11	85
65+	105	5.4	39	1	1	3	6	13	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1530	1.4	1	<1	1	1	2	2	3	4
B. *Operated*	10	1.9	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	3069	2.6	8	<1	1	2	3	5	7	13
B. *Operated*	830	3.8	19	1	1	2	5	8	12	27
1. SINGLE DX	1540	1.4	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	3899	2.8	11	<1	1	2	3	6	8	17
A. NOT OPERATED	4599	2.2	6	<1	1	1	2	4	6	11
B. OPERATED	840	3.8	19	1	1	2	5	8	12	27
TOTAL 0-19 YRS	2668	1.8	4	<1	1	1	2	3	4	10
20-34	1385	2.4	6	<1	1	2	3	5	7	11
35-49	540	3.1	11	<1	1	2	4	7	9	15
50-64	355	3.4	9	1	1	2	4	7	9	18
65+	491	4.5	28	1	1	3	5	10	15	22
GRAND TOTAL	**5439**	**2.4**	**9**	**<1**	**1**	**1**	**3**	**5**	**7**	**15**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	467	2.0	10	<1	<1	1	2	3	6	14
20-34	153	2.6	16	<1	1	1	3	4	9	31
35-49	55	2.6	6	<1	<1	2	3	6	9	12
50-64	18	2.1	2	1	1	2	3	5	5	5
65+	20	3.5	15	1	1	2	3	8	13	17
B. *Operated*										
0-19 YRS	31	8.2	34	2	3	7	10	21	25	99+
20-34	21	7.5	63	1	2	5	8	15	25	38
35-49	12	6.2	20	1	2	6	10	32	87	99+
50-64	20	8.9	29	2	4	8	11	17	21	22
65+	28	9.1	75	2	2	7	10	18	21	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	743	3.9	67	<1	1	2	3	8	17	73
20-34	531	4.6	67	<1	1	2	5	10	15	48
35-49	215	4.5	38	1	1	3	5	10	13	30
50-64	152	5.9	97	1	1	3	6	13	18	72
65+	332	7.0	53	1	2	5	9	15	19	34
B. *Operated*										
0-19 YRS	275	13.7	315	1	1	6	18	45	55	96
20-34	261	16.6	451	1	1	8	28	70	97	99+
35-49	131	13.9	260	1	1	10	22	51	99+	99+
50-64	88	14.2	231	1	1	8	25	39	58	99+
65+	175	15.4	208	2	3	11	19	42	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	2.2	11	<1	1	1	2	4	7	15
B. *Operated*	112	8.2	46	2	2	7	9	17	22	99+
2. MULTIPLE DX										
A. *Not Operated*	1973	4.8	65	1	1	2	5	11	17	55
B. *Operated*	930	14.9	318	1	1	8	22	47	71	99+
1. SINGLE DX	825	3.0	20	<1	1	1	3	7	10	25
2. MULTIPLE DX	2903	8.1	168	1	1	3	9	23	42	99+
A. NOT OPERATED	2686	4.1	52	<1	1	2	4	9	15	42
B. OPERATED	1042	14.2	293	1	1	8	21	46	68	99+
TOTAL 0-19 YRS	1516	5.2	111	<1	1	2	4	13	25	68
20-34	966	7.6	193	<1	1	3	7	25	46	99+
35-49	413	7.3	124	1	1	3	9	21	37	99+
50-64	278	8.5	144	1	1	4	9	24	39	91
65+	555	9.6	118	1	2	6	12	20	33	64
GRAND TOTAL	**3728**	**7.0**	**140**	**1**	**1**	**3**	**7**	**19**	**36**	**99**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.7	5	1	1	2	3	6	8	9
20-34	33	3.1	4	1	1	3	4	5	8	10
35-49	12	3.0	4	1	1	3	5	6	6	6
50-64	5	3.0	5	1	1	3	4	6	6	6
65+	4	2.5	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	33	4.8	9	1	2	4	6	10	12	12
20-34	97	5.5	10	2	3	5	6	10	11	17
35-49	24	6.0	40	2	2	5	6	9	17	34
50-64	8	5.8	14	1	2	5	8	12	13	13
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.0	3	1	1	3	4	6	7	8
20-34	139	4.2	10	1	1	3	5	8	10	17
35-49	83	4.3	8	1	2	4	5	8	10	14
50-64	62	4.9	10	1	1	4	7	9	11	14
65+	94	7.3	27	2	2	6	9	13	18	28
B. *Operated*										
0-19 YRS	102	8.6	52	2	3	7	10	21	25	72
20-34	283	9.0	62	2	3	7	11	18	26	45
35-49	138	9.9	74	3	3	7	12	18	24	49
50-64	100	11.9	179	2	3	8	13	22	30	80
65+	115	11.0	78	3	3	9	13	23	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.9	4	1	1	2	4	5	7	10
B. *Operated*	164	5.4	14	2	3	4	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	440	4.8	14	1	1	4	6	9	12	19
B. *Operated*	738	9.8	82	2	3	7	12	19	27	50
1. SINGLE DX	248	4.6	12	1	1	4	6	9	11	17
2. MULTIPLE DX	1178	8.0	63	1	2	6	10	16	22	45
A. NOT OPERATED	524	4.5	13	1	1	4	6	9	11	18
B. OPERATED	902	9.0	73	2	3	7	11	18	25	47
TOTAL 0-19 YRS	227	5.8	33	1	1	4	7	11	19	34
20-34	552	6.8	42	1	2	5	8	13	18	33
35-49	257	7.4	53	1	2	5	9	14	19	34
50-64	175	8.9	118	1	2	6	10	16	24	68
65+	215	9.2	57	2	3	7	11	19	25	36
GRAND TOTAL	**1426**	**7.4**	**55**	**1**	**2**	**5**	**9**	**14**	**20**	**38**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.1	7	1	1	2	4	7	9	13
20-34	76	2.8	6	1	1	2	3	6	8	14
35-49	25	3.0	4	<1	1	2	4	6	7	7
50-64	6	2.3	1	1	1	2	3	4	4	4
65+	5	3.8	5	1	1	4	6	6	6	6
B. *Operated*										
0-19 YRS	69	6.3	23	1	2	6	7	10	12	34
20-34	125	6.5	16	2	4	6	8	9	12	26
35-49	45	7.0	15	1	2	6	9	11	12	23
50-64	9	6.7	10	3	3	7	8	11	12	12
65+	3	9.0	13	5	5	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	4.0	12	1	1	3	6	9	11	14
20-34	158	3.5	9	<1	1	2	5	7	10	15
35-49	66	3.8	9	1	1	3	5	8	12	14
50-64	39	5.3	23	1	1	3	7	11	15	24
65+	58	5.8	33	1	2	5	6	10	16	32
B. *Operated*										
0-19 YRS	272	11.0	97	2	4	8	12	21	32	49
20-34	508	12.1	134	4	5	9	12	22	32	73
35-49	198	13.3	177	4	5	9	14	26	45	72
50-64	106	14.4	195	2	4	10	18	34	45	94
65+	77	15.3	196	2	4	10	17	38	51	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	3.0	6	1	1	2	4	6	8	12
B. *Operated*	251	6.6	17	1	3	6	8	10	12	23
2. MULTIPLE DX										
A. *Not Operated*	501	4.1	14	1	1	3	5	8	11	18
B. *Operated*	1161	12.4	143	3	5	9	13	25	37	69
1. SINGLE DX	479	4.9	15	1	1	4	7	9	11	17
2. MULTIPLE DX	1662	9.9	119	1	2	7	11	20	31	61
A. NOT OPERATED	729	3.8	12	1	1	3	5	8	10	15
B. OPERATED	1412	11.4	126	3	4	8	12	22	34	65
TOTAL 0-19 YRS	637	7.1	61	1	1	5	9	14	21	38
20-34	867	8.9	98	1	2	7	10	17	25	62
35-49	334	9.8	128	1	2	7	10	19	31	60
50-64	160	11.3	154	1	2	7	13	27	42	85
65+	143	10.9	142	1	2	7	13	25	40	56
GRAND TOTAL	**2141**	**8.8**	**100**	**1**	**2**	**6**	**10**	**17**	**26**	**55**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	4	<1	<1	3	4	6	6	6
20-34	7	3.0	3	1	1	3	4	6	6	6
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	131	2.6	4	<1	1	2	4	5	6	9
20-34	102	2.6	2	1	1	2	3	4	5	7
35-49	49	2.4	3	1	1	2	3	5	5	10
50-64	10	2.7	2	1	1	3	4	4	4	4
65+	10	2.5	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	4	<1	1	3	5	5	7	8
20-34	10	1.7	1	<1	<1	1	2	3	3	3
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64	3	4.7		4	4	5	5	5	5	5
65+	4	3.8	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	148	3.6	10	1	1	3	4	7	9	17
20-34	154	4.8	29	1	1	4	5	10	14	31
35-49	74	4.1	10	1	1	4	5	7	8	18
50-64	37	4.0	10	1	1	4	5	8	11	14
65+	34	5.1	25	1	1	4	6	11	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	3	<1	1	3	4	5	6	6
B. *Operated*	302	2.6	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	40	2.8	3	<1	1	2	4	5	5	8
B. *Operated*	447	4.2	18	1	1	3	5	8	11	22
1. SINGLE DX	319	2.6	3	1	1	2	3	5	5	8
2. MULTIPLE DX	487	4.1	17	1	1	3	5	8	11	22
A. NOT OPERATED	57	2.8	3	<1	1	3	4	5	6	8
B. OPERATED	749	3.6	12	1	1	3	4	6	9	20
TOTAL 0-19 YRS	304	3.1	7	<1	1	2	4	6	8	14
20-34	273	3.8	19	1	1	3	4	6	11	26
35-49	131	3.4	7	1	1	3	5	6	8	17
50-64	50	3.8	8	1	1	4	5	7	10	14
65+	48	4.4	19	1	1	3	5	8	14	22
GRAND TOTAL	**806**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.0	3	<1	<1	1	3	4	5	11
20-34	53	2.0	2	<1	<1	2	2	4	5	6
35-49	10	1.4		1	1	1	2	3	3	3
50-64	6	1.7	3	<1	<1	1	1	5	5	5
65+	5	4.0	17	1	1	3	6	11	11	11
B. *Operated*										
0-19 YRS	177	1.7	4	<1	<1	1	2	3	4	12
20-34	125	2.2	3	<1	<1	2	3	4	6	10
35-49	39	2.9	6	<1	1	2	3	6	7	13
50-64	19	2.8	7	<1	1	1	4	7	9	9
65+	7	1.9	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	2.1	3	1	1	1	2	4	6	9
20-34	147	3.0	22	<1	1	2	3	6	7	13
35-49	94	3.4	14	1	1	2	4	6	8	23
50-64	50	3.9	15	<1	1	3	5	8	15	18
65+	76	3.9	10	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	436	2.6	16	<1	1	2	3	5	7	11
20-34	487	3.8	23	1	1	2	4	7	12	42
35-49	213	4.4	47	1	1	3	5	9	12	27
50-64	121	4.9	45	1	1	3	5	11	15	38
65+	150	5.2	49	1	1	4	6	10	12	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.0	3	<1	1	1	2	4	5	11
B. *Operated*	367	2.1	4	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	502	3.1	13	<1	1	2	4	6	8	15
B. *Operated*	1407	3.8	30	1	1	2	4	7	11	32
1. SINGLE DX	504	2.0	4	<1	1	1	2	4	6	11
2. MULTIPLE DX	1909	3.6	26	1	1	2	4	7	10	28
A. NOT OPERATED	639	2.8	11	<1	1	2	3	6	8	14
B. OPERATED	1774	3.4	25	<1	1	2	4	7	10	27
TOTAL 0-19 YRS	811	2.3	10	<1	1	1	3	5	6	11
20-34	812	3.3	19	<1	1	2	4	6	10	33
35-49	356	3.8	33	1	1	2	4	8	11	23
50-64	196	4.4	33	1	1	3	5	9	14	31
65+	238	4.7	35	1	1	3	6	9	11	23
GRAND TOTAL	**2413**	**3.3**	**21**	**<1**	**1**	**2**	**4**	**6**	**10**	**22**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	1.6	1	<1	1	1	2	2	3	6
20-34	174	1.8	1	<1	<1	1	2	3	4	7
35-49	55	2.2	5	<1	1	1	2	5	6	13
50-64	13	1.9	1	<1	1	2	2	3	5	5
65+	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	109	2.3	7	<1	1	1	3	5	6	14
20-34	173	3.5	10	<1	1	3	5	7	9	13
35-49	57	4.4	12	1	1	3	6	9	11	16
50-64	16	3.6	5	<1	<1	3	5	7	7	7
65+	6	2.5	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.1	12	<1	<1	2	3	7	8	21
20-34	144	2.6	7	<1	1	2	3	5	6	14
35-49	50	2.9	7	<1	<1	2	4	5	7	13
50-64	21	3.5	8	<1	1	3	4	8	10	11
65+	13	4.6	9	1	1	4	7	9	11	11
B. *Operated*										
0-19 YRS	134	5.1	29	<1	1	4	7	11	15	47
20-34	332	6.1	38	1	1	5	8	11	15	42
35-49	119	6.9	53	1	1	5	8	11	21	44
50-64	40	8.2	31	1	3	7	11	15	16	30
65+	29	5.8	18	1	1	5	7	13	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	361	3.3	9	<1	1	2	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	278	2.9	8	<1	1	2	3	6	8	13
B. *Operated*	654	6.1	38	1	1	4	8	11	16	41
1. SINGLE DX	681	2.6	6	<1	1	2	3	6	7	12
2. MULTIPLE DX	932	5.2	31	1	1	4	7	10	13	30
A. NOT OPERATED	598	2.3	5	<1	1	2	3	4	6	12
B. OPERATED	1015	5.1	30	1	1	4	7	10	13	30
TOTAL 0-19 YRS	368	3.3	16	<1	1	2	4	8	10	24
20-34	823	4.0	22	<1	1	3	5	8	10	26
35-49	281	4.8	31	1	1	3	6	9	13	31
50-64	90	5.4	23	1	1	4	7	12	15	24
65+	51	4.8	15	1	1	4	7	11	14	16
GRAND TOTAL	**1613**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**9**	**11**	**27**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	3	<1	1	2	3	5	6	8
20-34	133	2.5	2	<1	1	2	3	5	5	8
35-49	35	2.5	2	1	1	2	3	5	6	7
50-64	21	2.3	2	<1	<1	2	3	4	5	5
65+	8	4.8	20	<1	<1	3	7	12	13	13
B. *Operated*										
0-19 YRS	374	1.9	4	<1	<1	1	2	3	5	11
20-34	594	2.6	9	<1	1	2	3	5	7	14
35-49	261	2.5	7	<1	1	2	3	6	8	12
50-64	126	2.4	8	<1	1	2	3	5	6	20
65+	36	3.1	31	<1	1	2	3	4	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.7	46	<1	1	2	4	6	8	48
20-34	153	3.2	9	<1	1	2	4	6	8	17
35-49	71	3.7	7	<1	1	3	5	7	8	16
50-64	36	3.7	19	1	1	3	4	8	9	26
65+	27	4.7	18	1	1	3	6	8	11	22
B. *Operated*										
0-19 YRS	380	3.0	34	<1	1	2	3	5	8	24
20-34	689	3.3	14	1	1	2	4	7	9	21
35-49	332	4.0	24	1	1	2	5	9	15	30
50-64	187	4.2	27	1	1	2	5	10	16	35
65+	108	4.3	20	1	1	3	5	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	1391	2.4	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	363	3.6	18	<1	1	3	4	7	8	21
B. *Operated*	1696	3.5	22	1	1	2	4	8	10	24
1. SINGLE DX	1637	2.4	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	2059	3.5	21	1	1	2	4	7	10	24
A. NOT OPERATED	609	3.2	12	<1	1	2	4	6	7	17
B. OPERATED	3087	3.0	16	<1	1	2	3	6	9	20
TOTAL 0-19 YRS	879	2.6	21	<1	1	2	3	5	7	17
20-34	1569	2.9	11	<1	1	2	3	6	8	15
35-49	699	3.4	15	<1	1	2	4	7	10	19
50-64	370	3.4	19	1	1	2	4	7	12	25
65+	179	4.1	22	1	1	3	5	8	12	26
GRAND TOTAL	**3696**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.8	4	<1	1	2	3	5	7	12
20-34	146	2.6	4	<1	1	2	3	6	7	10
35-49	70	2.8	3	1	1	2	4	5	7	9
50-64	21	3.8	11	1	1	3	5	6	11	17
65+	10	4.5	4	2	2	5	5	7	8	8
B. *Operated*										
0-19 YRS	347	3.6	21	1	1	2	4	7	11	23
20-34	335	4.0	22	1	1	3	5	8	11	24
35-49	135	4.3	26	1	1	3	5	8	19	27
50-64	59	4.2	15	1	1	3	6	10	11	19
65+	37	5.3	15	1	1	5	7	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.3	21	1	1	3	5	9	11	27
20-34	101	4.5	10	1	1	4	6	9	11	14
35-49	70	4.7	11	1	1	4	6	10	12	16
50-64	48	5.4	10	1	2	5	7	10	11	16
65+	69	5.9	16	1	2	5	8	12	14	17
B. *Operated*										
0-19 YRS	236	5.8	33	1	1	4	7	13	17	29
20-34	288	7.1	69	1	1	4	8	15	24	41
35-49	146	7.9	91	1	2	5	10	17	21	45
50-64	82	8.4	61	1	2	7	10	17	28	38
65+	92	11.7	138	1	2	8	15	25	28	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.8	5	<1	1	2	4	6	7	11
B. *Operated*	913	3.9	22	1	1	3	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	376	4.9	14	1	1	4	6	10	12	17
B. *Operated*	844	7.5	72	1	1	5	9	17	24	40
1. SINGLE DX	1253	3.6	17	1	1	2	4	7	10	22
2. MULTIPLE DX	1220	6.7	55	1	1	4	8	14	20	38
A. NOT OPERATED	716	3.9	11	1	1	3	5	8	11	16
B. OPERATED	1757	5.7	49	1	1	3	7	12	19	35
TOTAL 0-19 YRS	764	4.3	24	1	1	3	5	9	13	27
20-34	870	4.8	36	1	1	3	5	10	14	34
35-49	421	5.4	46	1	1	3	6	11	17	38
50-64	210	6.1	35	1	1	4	8	12	17	33
65+	208	8.3	78	1	2	5	11	16	23	44
GRAND TOTAL	**2473**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	6.3	21	1	1	9	9	9	9	9
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	10	5.7	60	1	1	3	6	17	27	27
20-34	25	3.4	7	<1	<1	2	5	7	9	11
35-49	8	3.9	5	1	1	4	5	7	7	7
50-64	8	4.4	11	<1	<1	4	7	8	8	8
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	4	<1	<1	2	4	6	6	6
20-34	12	4.8	17	1	1	4	6	12	13	13
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	4	3.8	5	1	1	4	5	6	6	6
65+	7	3.7	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	35	7.7	69	1	1	4	11	19	24	37
20-34	100	7.6	51	1	1	5	10	17	23	35
35-49	50	9.0	75	2	2	6	11	24	32	36
50-64	15	13.3	155	1	2	11	26	38	82	99+
65+	10	5.8	98	1	1	2	5	21	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	16	1	1	2	9	9	9	9
B. *Operated*	52	4.2	18	<1	1	3	6	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	9	1	1	3	5	7	11	13
B. *Operated*	210	8.3	70	1	1	5	11	20	30	40
1. SINGLE DX	58	4.2	17	<1	1	3	6	9	10	26
2. MULTIPLE DX	243	7.7	64	1	1	5	10	18	27	39
A. NOT OPERATED	39	3.9	10	1	1	3	6	8	11	13
B. OPERATED	262	7.5	62	1	1	5	10	18	26	39
TOTAL 0-19 YRS	52	6.6	61	1	1	3	9	17	25	37
20-34	140	6.6	42	1	1	5	9	14	19	31
35-49	64	7.8	64	1	2	5	10	19	28	36
50-64	27	9.3	109	1	1	6	13	33	45	99+
65+	18	5.3	57	1	1	3	5	10	24	33
GRAND TOTAL	**301**	**7.0**	**57**	**1**	**1**	**5**	**9**	**16**	**25**	**38**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	4	4	4
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	3.0	4	<1	<1	2	3	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	36	2.7	7	1	1	2	3	5	7	16
20-34	61	2.8	7	1	1	2	3	6	9	13
35-49	42	3.0	6	1	1	2	4	7	8	13
50-64	18	4.2	14	1	2	3	5	10	14	16
65+	3	12.0	63	6	6	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	12	<1	<1	1	2	7	12	12
20-34	10	6.0	20	1	1	5	8	12	16	16
35-49	16	6.3	42	1	1	4	8	16	23	25
50-64	5	5.6	12	2	2	4	8	11	11	11
65+	8	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	29	5.1	44	<1	<1	3	6	9	16	35
20-34	52	4.6	16	1	1	3	5	9	13	21
35-49	41	6.9	118	2	2	3	7	13	51	99+
50-64	33	5.4	24	1	1	4	7	13	16	20
65+	10	12.8	111	3	3	10	15	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.2	6	<1	<1	3	4	7	9	10
B. *Operated*	160	3.2	10	1	1	2	4	6	10	16
2. MULTIPLE DX										
A. *Not Operated*	49	4.8	23	1	1	3	6	10	16	25
B. *Operated*	165	5.9	56	1	1	3	7	12	18	55
1. SINGLE DX	174	3.2	10	1	1	2	4	6	10	16
2. MULTIPLE DX	214	5.7	48	1	1	3	7	12	17	50
A. NOT OPERATED	63	4.5	20	<1	1	3	6	9	13	24
B. OPERATED	325	4.6	35	1	1	3	5	10	14	38
TOTAL 0-19 YRS	79	3.5	22	<1	1	2	4	7	11	29
20-34	125	3.8	12	1	1	3	5	8	11	18
35-49	105	5.0	58	1	1	3	6	11	15	75
50-64	57	5.1	20	1	1	3	7	12	15	20
65+	22	8.6	79	1	2	5	10	24	31	33
GRAND TOTAL	**388**	**4.5**	**32**	**1**	**1**	**3**	**5**	**10**	**14**	**34**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	3.7	3	1	2	3	5	6	6	9
20-34	47	3.4	3	1	2	3	5	5	6	10
35-49	19	3.7	3	1	1	4	5	6	7	8
50-64	6	4.8	7	2	2	4	7	9	9	9
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	8	3.3	5	1	1	3	5	7	7	7
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.8	3	1	1	4	5	6	7	7
20-34	49	3.2	3	1	1	3	5	6	6	8
35-49	29	3.8	3	1	2	4	5	5	8	8
50-64	9	3.8	4	2	2	3	5	7	8	8
65+	12	3.7	7	2	2	3	4	7	10	11
B. *Operated*										
0-19 YRS	16	4.4	10	<1	1	4	5	10	11	11
20-34	20	5.4	22	<1	1	4	6	14	16	17
35-49	5	2.6	2	1	1	2	4	4	4	4
50-64	6	16.0	730	3	3	5	8	65	71	71
65+	7	15.0	499	2	3	6	12	55	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	3.6	3	1	2	3	5	6	6	10
B. *Operated*	12	4.5	12	1	1	3	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	165	3.6	3	1	1	3	5	6	7	8
B. *Operated*	54	7.3	158	1	1	4	6	14	17	71
1. SINGLE DX	207	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX	219	4.5	44	1	1	4	5	7	8	32
A. NOT OPERATED	360	3.6	3	1	1	3	5	6	7	9
B. OPERATED	66	6.8	132	1	1	4	7	11	15	70
TOTAL 0-19 YRS	211	3.8	4	1	1	4	5	6	7	11
20-34	118	3.8	7	1	1	3	5	6	8	16
35-49	54	3.8	3	1	2	4	5	6	8	9
50-64	21	7.6	216	2	2	3	7	9	37	71
65+	22	7.0	178	1	2	3	6	12	34	65
GRAND TOTAL	**426**	**4.1**	**24**	**1**	**1**	**3**	**5**	**6**	**7**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	367	1.8	3	<1	1	1	2	3	4	7
20-34	291	2.3	3	<1	1	2	3	5	6	9
35-49	148	2.4	3	<1	1	2	3	5	6	7
50-64	88	2.8	6	1	1	2	4	6	8	13
65+	88	3.6	11	1	1	2	5	8	10	17
B. *Operated*										
0-19 YRS	59	2.2	3	<1	<1	2	3	4	5	11
20-34	60	2.5	4	<1	<1	2	3	5	7	11
35-49	33	3.4	12	<1	<1	2	4	7	12	15
50-64	25	3.2	9	<1	<1	3	4	7	9	14
65+	15	3.1	3	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	2.1	3	<1	1	1	2	4	5	9
20-34	857	2.7	5	<1	1	2	3	5	7	12
35-49	497	3.7	13	1	1	3	4	7	10	19
50-64	427	3.9	11	1	1	3	5	8	11	15
65+	928	5.1	19	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	105	4.7	78	1	1	2	5	9	17	51
20-34	151	4.1	25	1	1	2	4	9	13	26
35-49	88	5.5	36	1	1	3	7	11	19	32
50-64	81	6.2	41	1	1	4	7	13	19	35
65+	129	7.9	68	1	2	6	10	17	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	2.3	4	<1	1	2	3	5	6	10
B. *Operated*	192	2.7	6	<1	<1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	3401	3.5	12	1	1	2	4	7	10	16
B. *Operated*	554	5.6	51	1	1	3	7	13	19	35
1. SINGLE DX	1174	2.4	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	3955	3.8	18	1	1	3	5	8	11	20
A. NOT OPERATED	4383	3.3	10	1	1	2	4	7	9	16
B. OPERATED	746	4.9	41	<1	1	3	6	11	16	35
TOTAL 0-19 YRS	1223	2.2	10	<1	1	1	2	4	5	11
20-34	1359	2.8	7	<1	1	2	3	5	8	13
35-49	766	3.6	14	1	1	2	4	7	10	20
50-64	621	4.1	15	1	1	3	5	9	12	18
65+	1160	5.3	25	1	1	4	7	11	14	24
GRAND TOTAL	**5129**	**3.5**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	1	1	1	2	2	3	4	5
20-34	24	2.2	2	<1	1	2	3	4	6	7
35-49	7	2.6	3	<1	<1	2	3	5	6	6
50-64	5	2.2	3	1	1	2	3	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	15	4.1	20	<1	1	3	5	6	16	19
20-34	29	5.4	40	1	1	3	5	17	20	24
35-49	19	4.9	73	1	1	2	4	8	25	39
50-64	7	3.7	4	<1	<1	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	5	5
20-34	35	3.5	16	1	1	2	4	9	10	22
35-49	14	2.6	4	1	1	2	3	5	7	8
50-64	4	3.8	1	3	3	4	4	5	5	5
65+	5	8.6	62	2	2	7	13	21	21	21
B. *Operated*										
0-19 YRS	18	4.6	29	<1	<1	3	5	13	19	21
20-34	78	7.7	189	1	1	4	7	15	32	86
35-49	45	7.2	56	1	2	5	8	18	26	35
50-64	22	10.2	146	1	1	5	14	28	38	45
65+	4	9.5	54	1	1	10	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.2	2	1	1	2	3	4	5	7
B. *Operated*	70	4.8	40	1	1	3	5	10	19	36
2. MULTIPLE DX										
A. *Not Operated*	75	3.4	14	1	1	2	4	7	10	22
B. *Operated*	167	7.6	127	1	1	4	8	19	26	50
1. SINGLE DX	125	3.7	25	1	1	2	4	6	12	28
2. MULTIPLE DX	242	6.3	95	1	1	3	6	15	24	45
A. NOT OPERATED	130	2.9	9	1	1	2	3	5	8	21
B. OPERATED	237	6.8	102	1	1	4	7	17	25	46
TOTAL 0-19 YRS	67	3.2	14	<1	1	2	4	5	8	21
20-34	166	5.6	103	1	1	3	5	11	22	49
35-49	85	5.5	49	1	1	3	6	12	20	38
50-64	38	7.3	96	1	1	4	6	23	30	45
65+	11	7.8	48	1	1	6	13	19	21	21
GRAND TOTAL	**367**	**5.4**	**73**	**1**	**1**	**3**	**5**	**11**	**21**	**41**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.5		1	1	1	2	2	2	2
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34										
35-49										
50-64	1	14.0		14	14	14	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	8	1	1	1	5	6	6	6
B. *Operated*	4	5.0	37	<1	<1	2	8	14	14	14
1. SINGLE DX	8	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX	7	4.0	23	<1	<1	2	5	12	14	14
A. NOT OPERATED	5	2.0	5	1	1	1	3	6	6	6
B. OPERATED	10	2.9	16	<1	<1	2	2	8	14	14
TOTAL 0-19 YRS	7	2.1	3	<1	<1	1	3	5	6	6
20-34	6	1.3		1	1	1	2	2	2	2
35-49										
50-64	2	8.0	72	2	2	8	14	14	14	14
65+										
GRAND TOTAL	**15**	**2.6**	**12**	**<1**	**1**	**1**	**2**	**6**	**12**	**14**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	328	1.2		<1	<1	1	1	2	2	5
20-34	57	1.7	3	<1	<1	1	2	3	6	9
35-49	44	1.5	1	<1	<1	1	2	3	4	5
50-64	39	1.2		<1	<1	1	1	2	2	3
65+	29	3.6	59	<1	1	1	2	5	29	33
B. *Operated*										
0-19 YRS	125	2.5	7	<1	1	1	3	5	7	13
20-34	18	3.9	13	<1	1	2	8	9	11	11
35-49	9	3.1	4	<1	<1	3	5	6	6	6
50-64	14	3.7	15	<1	<1	2	5	9	14	15
65+	7	3.0	13	<1	<1	2	3	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	2.6	11	<1	<1	2	3	5	7	22
20-34	19	6.1	268	<1	1	1	3	8	45	73
35-49	50	3.0	7	<1	1	2	3	7	10	12
50-64	73	2.8	6	<1	1	2	4	6	9	12
65+	168	4.0	10	1	1	3	5	9	10	15
B. *Operated*										
0-19 YRS	67	5.2	37	1	1	2	6	17	20	86
20-34	28	8.5	91	1	1	5	10	23	34	37
35-49	38	7.7	51	1	1	5	13	19	22	24
50-64	51	6.6	98	1	1	3	8	15	18	65
65+	133	6.6	51	1	1	4	9	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	1.4	4	<1	<1	1	1	2	3	7
B. *Operated*	173	2.8	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	409	3.4	21	<1	1	2	4	8	10	15
B. *Operated*	317	6.6	59	1	1	3	9	16	20	39
1. SINGLE DX	670	1.8	6	<1	<1	1	2	3	5	11
2. MULTIPLE DX	726	4.8	40	1	1	2	6	12	16	31
A. NOT OPERATED	906	2.3	13	<1	<1	1	2	5	7	13
B. OPERATED	490	5.2	44	1	1	2	7	14	18	33
TOTAL 0-19 YRS	619	2.1	9	<1	<1	1	2	4	6	20
20-34	122	4.3	71	<1	1	2	3	10	12	47
35-49	141	3.8	22	<1	1	2	4	10	15	23
50-64	177	3.6	36	<1	1	2	4	8	12	19
65+	337	5.0	32	1	1	3	7	11	15	31
GRAND TOTAL	**1396**	**3.4**	**26**	**<1**	**<1**	**2**	**3**	**8**	**12**	**24**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.2	75	<1	<1	6	11	18	29	34
20-34	18	4.5	74	1	1	2	3	8	27	38
35-49	13	8.6	85	1	1	8	9	19	33	36
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	55	10.5	200	1	1	7	11	22	27	78
20-34	48	7.9	82	2	2	6	9	14	16	63
35-49	27	9.5	71	1	1	8	12	23	30	33
50-64	9	14.1	327	<1	<1	7	16	45	58	58
65+	10	15.0	187	2	2	9	23	37	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	8.3	51	1	2	7	12	16	19	37
20-34	55	6.8	35	1	2	5	9	13	17	96
35-49	35	8.5	50	1	2	6	11	20	25	27
50-64	24	6.3	17	2	2	5	8	14	15	15
65+	36	9.8	52	1	2	9	13	20	24	31
B. *Operated*										
0-19 YRS	144	16.6	234	1	2	12	22	41	52	99+
20-34	108	15.6	175	2	3	12	21	33	49	59
35-49	69	15.5	228	2	3	11	21	42	90	99+
50-64	45	16.4	279	2	3	11	24	41	53	99+
65+	93	20.8	220	3	4	19	29	42	54	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	7.1	76	1	1	3	9	16	34	38
B. *Operated*	149	10.0	145	1	2	7	11	22	28	66
2. MULTIPLE DX										
A. *Not Operated*	209	8.0	44	1	2	6	11	16	20	38
B. *Operated*	459	17.0	223	2	3	12	23	40	52	99+
1. SINGLE DX	198	9.3	129	1	1	7	10	21	29	65
2. MULTIPLE DX	668	14.2	184	2	2	10	19	35	44	98
A. NOT OPERATED	258	7.8	50	1	2	6	10	16	21	38
B. OPERATED	608	15.3	212	2	2	10	21	37	47	97
TOTAL 0-19 YRS	274	13.1	191	1	2	8	18	31	44	86
20-34	229	11.0	133	2	2	7	14	25	39	61
35-49	144	12.0	152	1	2	9	17	30	41	99+
50-64	79	13.0	217	1	2	8	15	37	43	96
65+	140	17.5	194	2	3	13	26	37	46	58
GRAND TOTAL	**866**	**13.1**	**176**	**1**	**2**	**9**	**18**	**31**	**42**	**89**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	4.3	15	1	1	3	6	10	12	18
20-34	113	3.7	11	1	1	3	4	8	11	16
35-49	51	3.9	14	1	1	2	5	11	13	16
50-64	25	4.9	32	1	1	3	6	10	21	23
65+	11	4.0	10	1	1	3	5	9	12	12
B. *Operated*										
0-19 YRS	43	8.5	59	1	1	6	12	19	24	34
20-34	38	7.3	32	1	1	6	10	17	19	26
35-49	25	10.1	93	1	1	6	17	25	32	33
50-64	13	7.4	57	1	2	6	8	18	27	29
65+	4	9.3	32	2	2	10	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	509	6.2	27	1	1	5	9	13	17	24
20-34	252	5.0	35	1	1	3	6	11	15	25
35-49	148	6.2	40	1	1	4	8	13	19	27
50-64	94	8.8	75	1	1	7	11	19	21	50
65+	76	9.8	89	1	2	8	11	18	29	55
B. *Operated*										
0-19 YRS	122	12.8	142	1	2	9	19	27	36	60
20-34	91	11.2	137	1	2	7	17	26	36	58
35-49	70	11.6	109	1	2	8	14	27	36	45
50-64	31	18.0	237	2	4	12	25	44	51	64
65+	35	17.2	242	3	7	12	23	40	44	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	4.1	15	1	1	3	5	10	12	19
B. *Operated*	123	8.4	56	1	1	6	10	18	25	33
2. MULTIPLE DX										
A. *Not Operated*	1079	6.4	41	1	1	5	9	14	18	29
B. *Operated*	349	13.1	156	1	2	9	18	28	39	64
1. SINGLE DX	484	5.2	29	1	1	3	7	11	17	26
2. MULTIPLE DX	1428	8.0	77	1	1	5	10	18	24	44
A. NOT OPERATED	1440	5.8	35	1	1	4	8	13	17	26
B. OPERATED	472	11.8	134	1	2	8	17	27	35	56
TOTAL 0-19 YRS	835	6.9	49	1	1	5	9	16	20	33
20-34	494	6.0	55	1	1	4	7	14	19	39
35-49	294	7.4	64	1	1	5	10	17	25	41
50-64	163	9.8	114	1	1	7	12	22	30	56
65+	126	11.3	136	2	2	9	13	24	35	65
GRAND TOTAL	**1912**	**7.3**	**66**	**1**	**1**	**5**	**10**	**16**	**22**	**41**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	<1	1	3	4	4	4
20-34	24	3.8	11	1	1	2	5	10	11	13
35-49	17	3.7	10	<1	<1	3	6	9	10	10
50-64	6	4.7	7	1	1	4	7	8	8	8
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	33	3.2	7	1	1	2	4	8	10	10
20-34	60	3.5	40	<1	1	2	4	6	9	45
35-49	30	4.8	25	1	1	2	8	11	16	22
50-64	11	4.6	36	1	1	2	3	16	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.4	33	1	1	4	6	13	18	25
20-34	35	6.4	67	1	1	5	8	10	16	48
35-49	35	7.5	33	1	2	5	10	16	18	25
50-64	24	4.4	9	<1	1	4	7	9	10	10
65+	30	7.4	38	1	2	5	9	17	18	26
B. *Operated*										
0-19 YRS	65	4.0	34	<1	1	2	4	9	16	90
20-34	132	4.4	46	<1	1	2	5	13	20	99+
35-49	50	7.4	185	1	1	3	7	17	25	91
50-64	19	8.6	136	<1	1	2	11	28	35	40
65+	17	7.4	53	1	1	4	16	21	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.5	9	<1	1	2	4	8	10	13
B. *Operated*	134	3.8	28	1	1	2	4	8	11	26
2. MULTIPLE DX										
A. *Not Operated*	153	6.3	38	1	1	5	8	15	17	26
B. *Operated*	283	5.3	76	1	1	2	5	16	24	99+
1. SINGLE DX	199	3.7	22	<1	1	2	4	8	11	21
2. MULTIPLE DX	436	5.7	63	1	1	3	7	15	20	99+
A. NOT OPERATED	218	5.5	31	1	1	4	7	12	16	25
B. OPERATED	417	4.8	61	1	1	2	5	12	20	99+
TOTAL 0-19 YRS	143	3.8	25	<1	1	2	4	9	13	43
20-34	251	4.4	45	1	1	2	5	10	16	98
35-49	132	6.3	87	1	1	4	8	16	19	38
50-64	60	5.8	55	1	1	3	7	12	23	39
65+	49	7.4	41	1	1	5	13	17	23	99+
GRAND TOTAL	**635**	**5.1**	**51**	**1**	**1**	**3**	**6**	**12**	**17**	**65**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	1.9	2	1	1	1	3	4	4	7
20-34	159	2.2	3	<1	1	2	3	4	5	10
35-49	75	3.1	7	1	1	2	4	7	9	12
50-64	31	5.7	83	1	1	3	6	12	21	49
65+	14	3.7	9	<1	<1	3	6	8	10	10
B. *Operated*										
0-19 YRS	48	4.1	13	<1	1	3	5	9	11	16
20-34	78	5.1	23	1	1	3	7	12	16	22
35-49	35	4.3	18	<1	1	3	6	10	15	16
50-64	13	7.1	113	1	1	3	5	26	34	36
65+	7	5.6	8	1	2	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	2.9	9	1	1	2	3	6	8	22
20-34	307	3.0	6	1	1	2	4	6	8	13
35-49	204	3.9	10	<1	1	3	5	9	11	15
50-64	120	5.6	49	1	1	3	6	10	18	42
65+	198	6.2	20	1	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	87	5.8	35	1	1	4	8	12	19	29
20-34	164	7.8	69	1	2	5	11	17	22	42
35-49	73	8.1	63	1	1	6	11	18	26	37
50-64	64	8.5	79	1	2	6	9	18	30	46
65+	54	11.0	220	1	1	6	14	26	34	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	2.6	10	<1	1	2	3	5	7	11
B. *Operated*	181	4.9	25	1	1	3	7	10	16	24
2. MULTIPLE DX										
A. *Not Operated*	1045	4.1	17	1	1	3	5	9	11	22
B. *Operated*	442	7.9	83	1	1	5	10	18	25	43
1. SINGLE DX	609	3.3	15	<1	1	2	4	7	9	20
2. MULTIPLE DX	1487	5.2	39	1	1	3	6	11	16	34
A. NOT OPERATED	1473	3.6	15	1	1	3	4	8	10	19
B. OPERATED	623	7.0	68	1	1	4	9	16	22	38
TOTAL 0-19 YRS	500	3.2	14	1	1	2	4	7	10	22
20-34	708	4.2	26	1	1	3	5	9	14	22
35-49	387	4.6	23	1	1	3	6	10	13	25
50-64	228	6.5	66	1	1	4	7	13	24	47
65+	273	7.0	62	1	2	5	9	13	18	35
GRAND TOTAL	**2096**	**4.7**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1099	1.6	2	<1	1	1	2	3	3	6
20-34	466	1.8	1	<1	<1	1	2	3	4	6
35-49	210	2.0	2	<1	<1	2	2	4	4	7
50-64	64	2.5	3	<1	1	2	3	5	7	9
65+	38	2.9	6	<1	<1	2	4	7	9	11
B. *Operated*										
0-19 YRS	4	4.0	29	1	1	2	7	12	12	12
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1353	3.1	21	<1	1	2	3	6	9	30
20-34	1768	3.3	15	<1	1	2	4	6	10	19
35-49	1073	4.2	33	<1	1	2	4	9	14	28
50-64	548	5.0	23	1	1	3	6	11	14	27
65+	740	6.0	25	1	2	5	7	12	15	25
B. *Operated*										
0-19 YRS	22	9.4	96	1	3	5	13	20	31	45
20-34	46	9.4	100	1	1	7	12	20	24	59
35-49	44	12.8	88	2	3	12	19	24	31	45
50-64	30	18.9	500	2	3	8	23	56	73	83
65+	48	12.1	81	2	4	9	15	27	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1877	1.7	2	<1	<1	1	2	3	4	7
B. *Operated*	10	4.9	13	1	1	4	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	5482	3.9	23	<1	1	2	4	8	12	26
B. *Operated*	190	12.4	161	2	2	8	16	26	38	67
1. SINGLE DX	1887	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	5672	4.2	30	<1	1	3	5	9	14	28
A. NOT OPERATED	7359	3.4	19	<1	1	2	4	7	11	24
B. OPERATED	200	12.0	157	1	2	8	15	25	35	66
TOTAL 0-19 YRS	2478	2.5	14	<1	1	1	3	4	7	22
20-34	2283	3.1	15	<1	1	2	3	6	9	19
35-49	1329	4.1	33	<1	1	2	4	9	14	28
50-64	643	5.4	52	1	1	3	6	11	16	34
65+	826	6.2	30	1	2	5	7	13	16	29
GRAND TOTAL	**7559**	**3.6**	**24**	**<1**	**1**	**2**	**4**	**8**	**12**	**26**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	576	1.8	2	<1	1	1	2	4	5	7
20-34	284	1.9	4	<1	1	1	2	4	4	9
35-49	158	1.9	2	1	1	1	2	4	4	9
50-64	85	2.2	12	<1	1	1	2	4	6	22
65+	26	2.7	5	<1	1	2	3	6	8	10
B. *Operated*										
0-19 YRS	9	5.0	16	<1	<1	5	7	11	13	13
20-34	13	4.0	34	1	1	2	4	10	20	22
35-49	7	4.7	9	1	1	4	7	9	9	9
50-64	8	3.9	9	1	1	3	5	9	10	10
65+	4	9.0	42	3	3	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	355	2.4	5	1	1	2	3	5	6	11
20-34	310	2.8	10	1	1	2	3	6	8	16
35-49	240	3.1	11	<1	1	2	4	5	9	19
50-64	149	3.3	7	1	1	3	4	6	9	14
65+	151	4.0	27	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	17	13.5	333	1	1	6	15	47	59	63
20-34	24	5.3	16	1	1	4	6	11	14	15
35-49	21	6.9	25	1	1	6	10	16	17	17
50-64	17	7.6	67	1	1	5	8	25	28	28
65+	16	16.3	129	2	2	15	25	32	36	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1129	1.9	3	<1	1	1	2	4	5	8
B. *Operated*	41	4.8	22	<1	1	3	7	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	1205	2.9	11	1	1	2	3	6	8	15
B. *Operated*	95	9.4	115	1	1	5	11	22	30	58
1. SINGLE DX	1170	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	1300	3.4	21	1	1	2	4	7	10	23
A. NOT OPERATED	2334	2.4	7	<1	1	2	3	5	6	12
B. OPERATED	136	8.0	91	1	1	5	10	18	28	53
TOTAL 0-19 YRS	957	2.3	11	<1	1	1	2	5	6	13
20-34	631	2.5	8	<1	1	2	3	5	7	14
35-49	426	2.8	9	1	1	2	3	5	9	16
50-64	259	3.2	14	1	1	2	4	6	9	27
65+	197	4.9	44	1	1	3	5	10	17	35
GRAND TOTAL	**2470**	**2.7**	**14**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	1.8	5	<1	1	1	2	3	4	5
20-34	197	1.9	1	<1	1	1	2	4	4	6
35-49	164	2.2	5	1	1	2	3	4	5	12
50-64	79	1.9	2	<1	1	2	2	4	4	9
65+	56	2.7	4	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	4	2.8	4	1	1	3	4	5	5	5
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	3	8.0	7	5	5	9	10	10	10	10
65+	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	2.9	11	1	1	2	3	6	8	17
20-34	275	3.3	14	1	1	2	4	6	9	16
35-49	309	3.6	26	1	1	3	4	6	9	21
50-64	410	4.6	15	1	1	3	6	9	12	22
65+	961	5.8	26	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	35	14.0	340	1	1	7	14	54	54	68
20-34	27	6.3	84	1	1	4	7	13	26	44
35-49	32	9.2	197	1	1	4	9	25	31	72
50-64	57	9.1	93	1	1	6	12	25	32	39
65+	91	12.5	260	1	1	8	12	33	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	2.0	4	<1	1	1	2	4	4	8
B. *Operated*	16	3.8	8	1	1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2251	4.6	22	1	1	3	6	9	12	22
B. *Operated*	242	10.8	207	1	1	6	11	29	44	72
1. SINGLE DX	781	2.0	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	2493	5.2	43	1	1	3	6	10	14	34
A. NOT OPERATED	3016	3.9	18	1	1	3	5	8	11	21
B. OPERATED	258	10.4	197	1	1	6	11	27	42	72
TOTAL 0-19 YRS	604	3.0	34	1	1	2	3	5	8	32
20-34	502	2.9	14	1	1	2	3	5	8	15
35-49	508	3.5	32	1	1	2	4	6	10	26
50-64	549	4.7	24	1	1	3	6	10	13	28
65+	1111	6.2	47	1	1	5	7	11	16	38
GRAND TOTAL	**3274**	**4.4**	**36**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.4	3	<1	1	2	3	4	7	8
20-34	25	4.6	21	<1	1	3	5	10	14	22
35-49	25	4.7	13	1	1	4	6	9	13	15
50-64	35	5.2	18	1	1	4	7	13	15	17
65+	56	6.5	58	<1	1	4	8	15	23	41
B. *Operated*										
0-19 YRS	316	4.0	11	1	1	3	5	8	10	18
20-34	258	4.0	14	<1	1	3	5	9	11	16
35-49	321	5.1	31	<1	1	3	7	10	14	30
50-64	385	5.7	38	<1	1	4	8	12	16	25
65+	593	7.0	52	1	1	5	10	15	18	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	5.9	43	1	1	3	8	13	17	30
20-34	117	5.5	22	1	1	4	7	12	15	26
35-49	153	5.8	34	1	1	4	8	11	13	38
50-64	196	6.0	35	1	1	5	7	11	18	30
65+	408	6.8	28	1	2	6	9	14	16	24
B. *Operated*										
0-19 YRS	744	8.6	96	1	2	5	9	21	28	58
20-34	670	7.3	73	1	1	5	9	16	21	40
35-49	986	7.5	53	1	2	5	10	16	21	40
50-64	1711	8.8	93	1	2	6	11	18	26	52
65+	2846	9.9	106	1	2	7	13	21	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	4.7	28	1	1	3	6	10	15	26
B. *Operated*	1873	5.5	35	1	1	3	7	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	1036	6.2	32	1	1	5	8	13	16	27
B. *Operated*	6957	8.9	92	1	2	6	11	19	27	51
1. SINGLE DX	2063	5.4	34	1	1	3	7	12	15	26
2. MULTIPLE DX	7993	8.5	85	1	2	6	11	18	25	49
A. NOT OPERATED	1226	6.0	31	1	1	4	8	12	16	27
B. OPERATED	8830	8.2	82	1	1	5	11	17	24	48
TOTAL 0-19 YRS	1271	6.9	69	1	2	4	8	15	25	43
20-34	1070	6.2	54	1	1	4	8	13	18	35
35-49	1485	6.8	47	1	1	5	9	14	19	39
50-64	2327	8.0	80	1	1	5	10	17	24	49
65+	3903	9.1	91	1	2	6	12	19	26	51
GRAND TOTAL	**10056**	**7.9**	**76**	**1**	**1**	**5**	**10**	**17**	**23**	**45**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.5	1	<1	<1	1	2	2	3	5
20-34	153	1.9	2	<1	<1	1	2	3	5	9
35-49	96	2.6	5	1	1	2	3	5	6	14
50-64	93	3.3	6	1	1	3	4	5	7	14
65+	137	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	135	1.5	1	<1	<1	1	2	3	3	4
20-34	146	2.4	3	<1	1	2	3	5	6	8
35-49	99	2.5	3	1	1	2	3	5	6	7
50-64	34	3.8	18	<1	1	3	4	7	9	24
65+	49	4.0	19	1	1	3	4	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.2	2	1	1	2	2	5	6	7
20-34	93	3.6	11	1	1	3	4	7	8	22
35-49	82	3.3	8	<1	1	3	4	7	9	16
50-64	113	3.9	9	1	1	3	5	7	9	16
65+	294	4.0	10	1	2	3	5	7	8	18
B. *Operated*										
0-19 YRS	43	2.4	9	1	1	1	2	5	7	19
20-34	137	4.2	21	1	1	3	6	10	15	20
35-49	112	4.1	11	1	1	3	6	9	10	16
50-64	132	6.5	118	1	1	4	7	13	22	76
65+	301	5.9	56	1	1	4	7	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	463	2.4	6	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	621	3.7	9	1	1	3	5	7	8	18
B. *Operated*	725	5.2	52	1	1	3	6	11	16	35
1. SINGLE DX	1055	2.5	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	1346	4.5	33	1	1	3	5	9	13	25
A. NOT OPERATED	1213	3.1	7	1	1	2	4	6	8	14
B. OPERATED	1188	4.1	36	1	1	2	5	8	13	25
TOTAL 0-19 YRS	330	1.7	2	<1	<1	1	2	3	4	7
20-34	529	3.0	10	<1	1	2	3	6	8	17
35-49	389	3.2	7	1	1	2	4	7	9	14
50-64	372	4.7	49	1	1	3	5	8	13	27
65+	781	4.6	28	1	1	3	5	8	13	25
GRAND TOTAL	**2401**	**3.6**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.8	12	1	1	4	6	10	12	17
20-34	110	4.5	8	1	2	4	6	8	10	14
35-49	91	5.5	19	2	2	4	7	8	9	29
50-64	68	5.2	8	2	2	4	7	9	11	13
65+	30	6.3	25	1	2	5	8	13	15	25
B. *Operated*										
0-19 YRS	44	6.6	25	<1	1	6	10	14	16	19
20-34	84	7.0	25	1	2	6	9	13	16	26
35-49	53	7.8	44	1	1	5	11	20	21	27
50-64	48	8.6	106	1	2	6	8	20	24	66
65+	44	8.3	36	2	2	7	10	16	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	6.6	24	2	2	5	9	12	17	25
20-34	139	5.6	10	2	2	4	7	10	12	16
35-49	173	6.3	12	2	3	6	8	12	14	17
50-64	156	7.8	39	2	2	6	10	15	20	29
65+	250	8.5	58	3	3	7	10	15	19	28
B. *Operated*										
0-19 YRS	67	11.9	118	2	3	7	16	25	37	51
20-34	144	12.1	132	3	3	9	15	25	41	99+
35-49	225	13.5	138	2	3	10	17	27	37	66
50-64	251	15.9	178	2	3	11	22	36	45	58
65+	283	14.9	149	3	4	12	19	30	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	5.1	13	1	2	4	6	9	11	20
B. *Operated*	273	7.6	45	1	2	6	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	783	7.2	34	2	3	6	9	13	16	27
B. *Operated*	970	14.2	151	2	3	11	18	30	40	64
1. SINGLE DX	643	6.1	28	1	2	5	8	12	16	26
2. MULTIPLE DX	1753	11.1	111	2	3	8	14	24	32	58
A. NOT OPERATED	1153	6.5	28	2	2	5	8	12	15	26
B. OPERATED	1243	12.8	135	2	3	9	17	27	37	61
TOTAL 0-19 YRS	247	7.5	53	1	2	5	10	16	21	38
20-34	477	7.6	58	2	2	6	9	15	21	56
35-49	542	9.3	82	2	3	6	11	20	26	53
50-64	523	11.4	126	2	3	7	14	26	37	56
65+	607	11.4	108	2	3	8	14	23	30	60
GRAND TOTAL	**[illegible]396**	**9.7**	**93**	**2**	**3**	**7**	**12**	**21**	**28**	**56**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.1	10	1	1	1	2	3	5	21
20-34	87	3.2	6	1	1	2	4	6	9	12
35-49	98	3.9	14	1	1	3	5	8	10	23
50-64	74	5.2	82	1	1	3	6	7	15	63
65+	48	5.8	30	1	1	4	8	12	18	25
B. *Operated*										
0-19 YRS	46	3.0	6	<1	1	2	3	6	9	12
20-34	112	4.4	20	<1	1	3	6	9	14	25
35-49	107	6.0	26	1	1	5	8	11	12	28
50-64	90	6.5	33	1	1	5	9	14	18	29
65+	73	6.8	31	1	1	5	9	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	2.9	10	<1	1	2	3	5	7	18
20-34	222	3.6	9	1	1	3	5	8	10	15
35-49	266	6.0	75	1	1	4	6	11	16	50
50-64	273	5.5	29	1	1	4	7	11	13	25
65+	408	6.0	25	1	1	5	8	12	15	25
B. *Operated*										
0-19 YRS	194	5.3	90	1	1	2	7	13	19	44
20-34	427	5.0	54	1	1	2	6	12	16	50
35-49	532	6.1	62	1	1	3	8	14	21	39
50-64	553	8.7	113	1	1	5	11	22	31	51
65+	991	8.0	93	1	1	5	10	17	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	4.0	29	1	1	3	5	8	10	23
B. *Operated*	428	5.5	26	1	1	4	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	1277	5.2	33	1	1	4	7	10	13	26
B. *Operated*	2697	7.1	86	1	1	4	9	16	25	50
1. SINGLE DX	784	4.8	28	1	1	3	6	10	13	26
2. MULTIPLE DX	3974	6.5	70	1	1	4	8	14	21	44
A. NOT OPERATED	1633	5.0	33	1	1	3	6	10	13	25
B. OPERATED	3125	6.9	78	1	1	4	9	15	24	49
TOTAL 0-19 YRS	397	4.0	50	1	1	2	4	10	15	27
20-34	848	4.3	33	1	1	2	5	10	14	35
35-49	1003	5.9	57	1	1	4	7	12	19	38
50-64	990	7.3	83	1	1	5	9	17	24	49
65+	1520	7.4	70	1	1	5	9	15	23	43
GRAND TOTAL	**4758**	**6.2**	**64**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	2	<1	1	2	2	4	6	7
20-34	6	2.2	1	1	1	2	3	4	4	4
35-49	8	3.3	5	1	1	3	5	7	7	7
50-64	4	3.3	7	1	1	3	5	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	6.0	27	3	3	3	10	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.4	11	<1	1	2	4	8	9	18
20-34	15	4.0	14	1	1	3	5	7	14	16
35-49	24	5.1	11	<1	1	5	8	10	10	11
50-64	28	7.1	66	1	2	5	7	14	21	43
65+	58	4.6	23	1	1	3	5	10	14	28
B. *Operated*										
0-19 YRS	8	4.9	20	1	1	3	6	12	15	15
20-34	9	8.3	60	2	2	5	13	21	25	25
35-49	6	7.0	25	3	3	5	6	16	17	17
50-64	8	16.0	240	2	2	11	26	41	44	44
65+	14	8.6	144	1	2	5	8	18	41	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.6	3	1	1	2	3	6	7	7
B. *Operated*	7	6.9	15	3	3	6	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	162	4.8	26	1	1	3	6	9	14	28
B. *Operated*	45	9.0	110	1	2	5	12	18	36	48
1. SINGLE DX	43	3.3	8	1	1	2	4	7	9	12
2. MULTIPLE DX	207	5.7	47	1	1	4	7	12	17	43
A. NOT OPERATED	198	4.4	22	1	1	3	6	9	11	24
B. OPERATED	52	8.7	97	2	2	5	12	17	33	48
TOTAL 0-19 YRS	63	3.4	11	<1	1	2	4	7	10	18
20-34	31	5.0	28	1	1	3	6	13	16	25
35-49	41	5.1	13	<1	1	4	7	10	11	17
50-64	41	8.4	103	1	2	5	8	18	38	44
65+	74	5.5	46	1	1	4	7	11	16	43
GRAND TOTAL	**250**	**5.3**	**41**	**1**	**1**	**3**	**6**	**11**	**16**	**43**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	598	1.5	1	<1	<1	1	2	3	3	5
35-49	206	1.3		<1	<1	1	1	2	3	4
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	2.1	4	<1	<1	1	2	6	6	6
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.1	2	<1	<1	2	2	4	5	5
20-34	445	1.8	2	<1	<1	1	2	4	4	7
35-49	222	1.9	1	<1	<1	1	2	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	816	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	14	1.8	3	<1	<1	1	1	6	6	6
B. *Operated*	677	1.8	2	<1	<1	1	2	4	5	6
1. SINGLE DX	821	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	691	1.8	2	<1	<1	1	2	4	5	6
A. NOT OPERATED	19	1.6	2	<1	<1	1	1	4	6	6
B. OPERATED	1493	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-19 YRS	19	1.7	1	<1	<1	1	2	3	5	5
20-34	1058	1.6	1	<1	<1	1	2	3	4	6
35-49	430	1.6	1	<1	<1	1	2	3	4	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	3	2.0	3	<1	<1	1	3	4	4	4
GRAND TOTAL	**1512**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	14.0	50	9	9	14	19	19	19	19
1750-2499	1620	2.8	3	1	1	2	3	5	5	8
2500+	87968	2.6	1	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	2.5	5	1	1	2	4	4	4	4
2500+	27	3.6	2	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	24	64.0	251	39	41	65	78	95	99+	99+
1000-1499	204	38.0	252	14	20	36	47	61	67	89
1500-1749	290	22.1	85	9	12	21	27	33	42	57
1750-2499	4779	6.2	30	2	2	4	7	13	17	27
2500+	46715	3.5	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	103	74.8	236	51	55	85	99+	99+	99+	99+
1000-1499	253	49.1	325	25	29	49	63	90	99+	99+
1500-1749	154	31.1	184	12	16	29	39	48	59	78
1750-2499	480	16.9	157	4	6	14	21	31	46	99+
2500+	1108	8.1	73	2	2	6	10	15	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89590	2.7	2	1	1	2	3	4	5	6
B. *Operated*	29	3.5	3	1	1	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	52012	4.0	16	2	2	3	4	6	8	21
B. *Operated*	2098	20.0	474	2	3	11	30	61	86	99+
1. SINGLE DX	89619	2.7	2	1	1	2	3	4	5	6
2. MULTIPLE DX	54110	4.6	44	2	2	3	5	7	11	40
A. NOT OPERATED	141602	3.1	7	1	2	3	4	5	6	12
B. OPERATED	2127	19.8	472	2	3	11	29	60	85	99+
TOTAL 1-999 G	127	72.8	255	49	52	81	98	99+	99+	99+
1000-1499	457	44.1	323	20	24	42	56	77	95	99+
1500-1749	446	25.2	137	11	13	23	30	42	47	66
1750-2499	6881	6.2	43	1	2	4	7	14	18	32
2500+	135818	3.0	3	1	2	3	4	5	5	8
GRAND TOTAL	**143729**	**3.4**	**18**	**1**	**2**	**3**	**4**	**5**	**6**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	226	4.2	5	2	2	4	5	6	7	15
2500+	782	3.9	2	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	72.0	200	62	62	91	99+	99+	99+	99+
1000-1499	37	33.1	204	15	17	32	38	53	57	83
1500-1749	80	21.8	86	8	9	20	27	32	38	55
1750-2499	772	8.0	39	3	3	6	10	16	19	27
2500+	621	4.7	4	2	3	5	5	7	8	12
B. *Operated*										
1-999 G	12	71.4	238	49	56	99+	99+	99+	99+	99+
1000-1499	62	49.8	321	22	27	50	64	87	99+	99+
1500-1749	39	33.3	178	16	20	30	43	52	65	99+
1750-2499	93	16.4	136	4	6	13	20	30	39	65
2500+	32	7.7	24	3	4	6	9	14	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1008	4.0	3	2	2	4	5	6	6	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1512	8.1	66	3	3	5	9	17	23	41
B. *Operated*	238	29.5	509	4	6	25	50	79	99+	99+
1. SINGLE DX	1008	4.0	3	2	2	4	5	6	6	9
2. MULTIPLE DX	1750	11.0	180	3	3	6	12	27	46	99+
A. NOT OPERATED	2520	6.4	45	2	3	5	6	13	18	34
B. OPERATED	238	29.5	509	4	6	25	50	79	99+	99+
TOTAL 1-999 G	14	71.5	217	51	58	99+	99+	99+	99+	99+
1000-1499	99	43.5	341	16	20	43	57	76	90	99+
1500-1749	119	25.6	144	8	13	23	31	43	52	80
1750-2499	1091	7.9	49	2	3	5	10	16	19	33
2500+	1435	4.3	4	2	2	4	5	6	7	11
GRAND TOTAL	**2758**	**8.4**	**127**	**2**	**3**	**5**	**7**	**19**	**32**	**82**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	17	2.2	1	1	1	2	3	4	5	5
2500+	234	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	27.8	41	21	21	27	33	35	35	35
1500-1749	5	25.6	47	16	16	28	30	34	34	34
1750-2499	53	6.8	22	2	2	5	10	14	16	21
2500+	159	4.0	62	1	1	3	4	6	7	20
B. *Operated*										
1-999 G										
1000-1499	3	32.7	80	27	27	35	71	99+	99+	99+
1500-1749	2	40.0	128	32	32	40	48	48	48	48
1750-2499	4	13.3	66	4	4	14	20	21	21	21
2500+	10	6.8	28	1	1	6	11	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	221	5.6	71	1	2	3	5	12	19	34
B. *Operated*	19	15.7	200	1	2	12	27	45	74	99+
1. SINGLE DX	251	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	240	6.4	88	1	2	3	6	15	25	52
A. NOT OPERATED	472	3.8	37	1	1	2	4	6	11	28
B. OPERATED	19	15.7	200	1	2	12	27	45	74	99+
TOTAL 1-999 G										
1000-1499	7	29.9	54	21	22	29	39	83	99+	99+
1500-1749	7	29.7	102	16	17	28	33	45	48	48
1750-2499	74	6.1	25	1	2	5	8	14	17	21
2500+	403	3.0	27	1	1	2	3	4	6	13
GRAND TOTAL	**491**	**4.3**	**48**	**1**	**1**	**3**	**4**	**7**	**15**	**35**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	12	1.6	4	<1	<1	<1	1	3	7	8
35-49	7	3.6	6	<1	<1	3	5	7	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	255	1.9	1	<1	<1	1	2	4	4	6
20-34	309	2.3	6	<1	<1	2	3	5	5	12
35-49	154	2.6	7	<1	1	2	3	5	6	15
50-64	125	2.4	2	<1	1	2	3	5	5	7
65+	81	2.7	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	6	<1	<1	2	4	7	7	7
20-34	5	2.4	10	<1	<1	<1	3	8	8	8
35-49	2	4.5	25	<1	<1	4	8	8	8	8
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
0-19 YRS	145	2.7	13	<1	<1	2	3	5	7	11
20-34	90	3.7	12	1	1	3	4	8	11	17
35-49	69	3.9	22	<1	1	3	4	7	14	29
50-64	60	4.0	15	1	1	3	5	9	11	21
65+	73	5.3	35	1	1	4	6	11	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.3	4	<1	<1	1	3	6	8	8
B. *Operated*	924	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	19	3.3	8	<1	<1	2	6	8	8	8
B. *Operated*	437	3.7	19	<1	1	3	4	8	11	23
1. SINGLE DX	952	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	456	3.7	18	<1	1	2	4	8	11	22
A. NOT OPERATED	47	2.7	6	<1	<1	1	4	7	8	8
B. OPERATED	1361	2.7	9	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	413	2.2	6	<1	<1	2	3	4	5	8
20-34	416	2.6	8	<1	<1	2	3	5	7	15
35-49	232	3.0	12	<1	1	2	3	5	8	22
50-64	188	3.0	7	<1	1	2	4	6	7	14
65+	159	3.9	19	<1	1	3	4	8	10	28
GRAND TOTAL	**1408**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	3.3	16	<1	<1	1	6	8	8	8
65+	5	3.2	8	1	1	2	4	8	8	8
B. *Operated*										
0-19 YRS										
20-34	10	6.4	17	2	2	6	8	12	16	16
35-49	18	4.0	5	<1	1	3	6	7	8	9
50-64	24	4.7	11	1	2	4	7	9	11	13
65+	38	6.7	42	<1	1	4	9	18	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	15	2.7	6	<1	1	2	3	8	8	8
B. *Operated*	90	5.6	24	1	2	4	7	11	17	26
1. SINGLE DX										
2. MULTIPLE DX	105	5.2	23	1	1	3	7	11	16	25
A. NOT OPERATED	15	2.7	6	<1	1	2	3	8	8	8
B. OPERATED	90	5.6	24	1	2	4	7	11	17	26
TOTAL 0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	11	6.0	17	2	2	5	8	12	16	16
35-49	20	3.7	6	<1	<1	3	6	7	8	9
50-64	27	4.5	11	1	1	4	7	9	10	13
65+	43	6.3	39	1	1	4	8	17	20	29
GRAND TOTAL	**105**	**5.2**	**23**	**1**	**1**	**3**	**7**	**11**	**16**	**25**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	622	2.4	18	<1	<1	1	2	4	7	15
20-34	908	2.4	9	<1	<1	2	2	4	8	13
35-49	367	2.8	43	<1	1	1	3	4	6	22
50-64	324	2.4	19	<1	1	1	3	4	6	10
65+	185	2.8	30	<1	1	1	3	5	9	27
B. *Operated*										
0-19 YRS	224	3.8	16	<1	<1	2	5	9	11	19
20-34	566	3.6	9	<1	1	3	5	8	9	15
35-49	405	4.0	14	1	1	3	5	8	10	15
50-64	244	4.8	17	<1	1	3	8	10	12	17
65+	144	5.3	16	<1	<1	4	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2026	3.8	37	1	1	3	4	6	10	31
20-34	1561	5.6	91	1	1	2	5	15	26	65
35-49	2621	4.3	47	1	1	2	4	7	19	34
50-64	5715	3.7	34	1	1	2	4	6	10	30
65+	6722	5.5	71	1	1	3	5	13	23	45
B. *Operated*										
0-19 YRS	500	5.0	56	1	1	3	6	10	17	90
20-34	1002	4.4	54	1	1	3	4	8	14	60
35-49	1164	4.9	42	1	1	3	6	10	15	58
50-64	1486	5.5	44	1	1	4	7	11	16	40
65+	1623	7.1	77	1	1	5	9	14	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2406	2.5	19	<1	<1	2	2	4	7	14
B. *Operated*	1583	4.1	13	<1	1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	18645	4.6	55	1	1	2	5	8	18	39
B. *Operated*	5775	5.6	57	1	1	3	7	11	18	47
1. SINGLE DX	3989	3.1	17	<1	1	2	4	7	10	15
2. MULTIPLE DX	24420	4.8	55	1	1	3	5	9	18	42
A. NOT OPERATED	21051	4.4	51	1	1	2	4	7	17	38
B. OPERATED	7358	5.3	48	1	1	3	6	11	15	42
TOTAL 0-19 YRS	3372	3.8	35	<1	1	2	4	7	11	32
20-34	4037	4.3	53	<1	1	2	4	8	16	43
35-49	4557	4.3	43	1	1	2	5	8	15	37
50-64	7769	4.0	36	1	1	2	4	8	12	31
65+	8674	5.8	70	1	1	3	6	13	22	45
GRAND TOTAL	**28409**	**4.6**	**50**	**1**	**1**	**3**	**5**	**9**	**16**	**39**

Operation Groups

Length of Stay Tables
Operation Groups

321 Hospitals, Southern Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	58881	3.0	13	<1	1	2	3	6	8	17
20-34	116970	3.2	7	1	1	3	4	5	7	13
35-49	51001	4.2	14	1	1	3	5	8	10	18
50-64	37852	4.8	17	1	1	4	6	9	12	19
65+	29718	5.8	25	1	1	5	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	65232	6.2	91	1	1	3	6	13	23	60
20-34	136992	5.0	30	1	2	4	5	8	12	30
35-49	109060	6.3	40	1	2	5	7	12	16	34
50-64	132859	7.6	56	1	2	6	9	15	20	40
65+	238480	9.2	69	2	2	7	11	18	24	44
TOT. SINGLE DX	294422	3.8	13	1	1	3	5	8	10	17
" MULTIPLE DX	682623	7.3	59	1	2	5	9	15	20	41
TOTAL 0-19 YRS	124113	4.7	57	1	1	3	5	9	15	45
20-34	253962	4.1	20	1	1	3	5	7	10	23
35-49	160061	5.6	33	1	1	4	7	10	14	30
50-64	170711	6.9	49	1	2	5	9	14	18	36
65+	268198	8.8	65	2	2	7	11	17	23	42
GRAND TOTAL	**977045**	**6.2**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**36**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	8.5	29	2	2	7	11	16	18	27
20-34	85	9.2	39	2	3	8	11	17	19	36
35-49	109	9.3	51	3	5	9	10	14	16	47
50-64	115	11.3	59	4	5	10	14	16	28	43
65+	111	11.5	60	4	5	10	14	19	23	49
2. MULTIPLE DX										
0-19 YRS	262	14.6	198	2	3	11	18	31	52	96
20-34	145	17.1	302	4	5	12	21	43	79	99+
35-49	213	16.8	166	4	6	13	21	34	51	99+
50-64	325	17.2	192	5	7	13	21	33	50	88
65+	492	18.9	207	5	7	15	23	37	47	89
TOT. SINGLE DX	548	10.0	49	2	4	9	12	17	20	39
" MULTIPLE DX	1437	17.2	208	4	5	13	22	35	51	99+
TOTAL 0-19 YRS	390	12.6	151	2	3	9	15	25	38	77
20-34	230	14.2	219	3	4	10	17	31	59	99+
35-49	322	14.2	140	4	5	11	17	28	38	99+
50-64	440	15.6	164	5	6	12	18	30	44	76
65+	603	17.6	188	5	6	13	21	34	46	85
GRAND TOTAL	**1985**	**15.2**	**174**	**3**	**5**	**11**	**18**	**31**	**45**	**89**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	54	7.7	22	3	4	7	9	14	17	25
20-34	23	8.4	27	2	3	7	10	18	19	20
35-49	27	8.4	16	3	4	8	9	15	29	99+
50-64	31	10.8	54	5	5	9	13	16	21	44
65+	25	12.0	160	4	5	9	12	17	31	70
2. MULTIPLE DX										
0-19 YRS	86	18.0	247	4	5	11	25	43	52	73
20-34	57	18.7	301	3	5	13	28	43	80	99+
35-49	54	17.8	241	5	7	12	23	42	56	99
50-64	69	22.1	246	6	7	17	31	40	60	76
65+	76	19.3	241	5	7	16	25	38	94	99+
TOT. SINGLE DX	160	9.2	51	3	4	8	11	16	19	67
" MULTIPLE DX	342	19.2	253	4	6	14	27	40	60	99+
TOTAL 0-19 YRS	140	14.0	185	3	4	8	18	32	46	62
20-34	80	15.8	243	2	4	11	19	39	70	99+
35-49	81	14.6	185	4	5	9	18	34	56	99+
50-64	100	18.6	213	5	6	14	26	38	49	71
65+	101	17.5	230	4	6	14	21	35	76	99+
GRAND TOTAL	**502**	**16.0**	**210**	**4**	**5**	**11**	**20**	**35**	**52**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	4.6	3	2	2	4	6	7	8	10
20-34	36	5.2	7	1	3	5	6	8	9	16
35-49	20	5.0	6	<1	1	5	7	9	9	10
50-64	6	4.5	7	1	1	4	7	8	8	8
65+	3	13.3	85	8	8	8	20	24	24	24
2. MULTIPLE DX										
0-19 YRS	132	8.6	81	2	3	6	9	15	24	47
20-34	73	12.5	259	1	3	8	14	37	71	99+
35-49	37	11.2	109	3	4	8	11	26	39	49
50-64	12	15.1	462	3	4	8	17	84	97	99+
65+	14	13.5	405	3	3	7	8	41	69	77
TOT. SINGLE DX	248	4.8	6	2	2	4	6	8	8	10
" MULTIPLE DX	268	10.6	168	2	3	7	10	25	44	96
TOTAL 0-19 YRS	315	6.3	40	2	3	5	7	9	13	44
20-34	109	10.1	187	1	3	6	9	27	54	99+
35-49	57	9.0	82	2	3	7	9	16	30	49
50-64	18	11.6	328	1	2	7	11	59	91	99+
65+	17	13.5	340	3	3	8	9	34	63	77
GRAND TOTAL	**516**	**7.8**	**98**	**2**	**3**	**5**	**8**	**13**	**27**	**78**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	6.0	17	3	3	5	7	9	12	24
20-34	12	5.7	5	3	3	5	7	9	10	10
35-49	13	7.2	9	3	3	7	9	11	13	14
50-64	13	8.5	35	3	3	7	9	17	23	25
65+	19	10.4	45	3	4	8	13	21	26	29
2. MULTIPLE DX										
0-19 YRS	236	13.7	320	3	3	7	15	43	84	99+
20-34	21	13.6	252	3	4	9	12	35	59	62
35-49	24	21.0	431	6	8	13	26	68	85	99+
50-64	28	18.5	147	5	5	15	28	41	46	99+
65+	101	18.4	200	6	7	15	24	36	59	99+
TOT. SINGLE DX	179	6.7	22	3	3	5	8	11	15	28
" MULTIPLE DX	410	15.6	286	3	4	10	20	42	78	99+
TOTAL 0-19 YRS	358	11.1	230	3	3	6	10	30	64	99+
20-34	33	10.7	175	3	4	6	11	15	51	62
35-49	37	16.1	324	3	4	9	16	51	75	99+
50-64	41	15.3	133	3	4	11	24	36	42	99+
65+	120	17.2	184	5	7	14	22	32	50	99+
GRAND TOTAL	**589**	**12.9**	**223**	**3**	**4**	**8**	**15**	**32**	**61**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	236	4.6	14	1	2	3	5	8	13	22
20-34	47	8.9	94	1	3	5	9	17	33	52
35-49	15	7.1	48	1	1	4	11	16	23	26
50-64	10	6.0	55	1	1	3	8	17	26	26
65+	9	8.0	18	4	4	6	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	511	10.6	180	2	3	6	12	27	37	89
20-34	99	17.4	350	3	4	11	24	64	96	99+
35-49	47	12.3	156	3	3	9	15	30	77	99+
50-64	49	19.1	249	3	4	15	30	47	56	99+
65+	70	17.0	217	2	3	14	22	36	54	63
TOT. SINGLE DX	317	5.5	31	1	2	4	6	11	15	29
" MULTIPLE DX	776	12.7	217	2	3	7	16	30	52	99+
TOTAL 0-19 YRS	747	8.7	136	2	2	5	8	21	29	81
20-34	146	14.6	283	2	3	9	19	40	75	99+
35-49	62	11.1	134	2	3	9	14	26	49	99+
50-64	59	16.9	240	2	3	12	24	42	56	96
65+	79	16.0	203	2	4	13	21	32	52	63
GRAND TOTAL	**1093**	**10.6**	**174**	**2**	**2**	**6**	**13**	**27**	**40**	**98**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	8.8	13	5	6	8	10	15	18	19
20-34	164	8.1	31	3	4	7	10	12	16	32
35-49	361	7.7	12	3	4	7	9	13	14	21
50-64	334	7.8	15	3	4	7	9	13	15	21
65+	185	9.1	17	4	5	8	11	15	17	25
2. MULTIPLE DX										
0-19 YRS	40	12.2	119	3	4	8	14	27	40	51
20-34	159	11.9	101	4	5	9	15	23	38	96
35-49	429	10.9	58	4	5	9	12	21	25	51
50-64	576	11.5	54	4	5	10	14	19	26	40
65+	657	13.2	70	5	6	11	16	24	28	50
TOT. SINGLE DX	1063	8.0	17	3	4	7	10	13	15	24
" MULTIPLE DX	1861	12.0	67	4	5	10	14	21	27	50
TOTAL 0-19 YRS	59	11.1	87	3	4	8	12	19	36	50
20-34	323	10.0	69	3	4	8	11	18	26	63
35-49	790	9.4	40	3	4	8	11	15	22	39
50-64	910	10.1	43	4	4	9	12	17	21	36
65+	842	12.3	62	5	6	10	15	21	26	47
GRAND TOTAL	**2924**	**10.6**	**53**	**4**	**5**	**9**	**12**	**18**	**24**	**44**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	8.9	26	3	4	8	12	15	21	24
20-34	96	5.4	32	1	1	4	7	12	14	32
35-49	134	5.6	32	1	1	3	8	13	14	28
50-64	66	4.8	25	1	1	3	6	10	15	29
65+	29	6.1	20	1	1	4	9	14	15	15
2. MULTIPLE DX										
0-19 YRS	112	13.3	96	3	5	10	17	23	34	53
20-34	136	10.2	130	1	2	8	12	19	36	78
35-49	165	8.1	69	1	1	6	10	18	24	36
50-64	173	11.9	113	1	2	9	16	24	33	57
65+	122	11.3	76	2	2	9	15	26	29	39
TOT. SINGLE DX	362	5.8	31	1	1	4	8	13	15	26
" MULTIPLE DX	708	10.8	100	1	2	8	14	22	32	58
TOTAL 0-19 YRS	149	12.2	83	3	5	10	15	22	32	50
20-34	232	8.2	96	1	1	5	11	16	22	63
35-49	299	7.0	54	1	1	5	9	15	20	36
50-64	239	9.9	99	1	1	8	13	21	31	50
65+	151	10.3	69	1	2	8	14	23	28	36
GRAND TOTAL	**1070**	**9.1**	**82**	**1**	**1**	**7**	**12**	**19**	**27**	**49**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	3.2	5	<1	1	3	4	8	9	9
20-34	73	3.7	10	<1	1	2	5	8	10	17
35-49	91	3.2	8	<1	<1	2	4	8	8	15
50-64	118	2.8	7	<1	1	2	3	6	8	14
65+	38	1.9	1	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	32	5.7	45	<1	1	4	7	10	19	36
20-34	68	4.0	10	1	1	3	5	8	11	16
35-49	79	4.8	41	1	1	3	5	8	17	40
50-64	95	6.2	58	1	1	3	8	17	22	40
65+	93	8.9	159	1	1	4	11	20	34	70
TOT. SINGLE DX	343	3.0	8	<1	<1	2	4	7	9	12
" MULTIPLE DX	367	6.1	73	1	1	3	7	14	20	42
TOTAL 0-19 YRS	55	4.6	30	<1	1	3	6	9	11	35
20-34	141	3.8	11	<1	1	3	5	8	10	17
35-49	170	4.0	24	<1	<1	3	4	8	11	31
50-64	213	4.3	33	<1	1	2	5	9	17	32
65+	131	6.8	123	<1	<1	3	8	16	30	55
GRAND TOTAL	**710**	**4.6**	**44**	**<1**	**1**	**3**	**5**	**10**	**16**	**35**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	56	3.0	8	<1	1	2	4	7	8	16
20-34	245	2.2	3	<1	<1	2	3	5	6	9
35-49	331	2.5	6	<1	<1	2	3	5	7	14
50-64	263	2.4	4	<1	<1	2	3	6	8	10
65+	164	2.1	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
0-19 YRS	103	3.1	10	<1	1	2	4	7	10	16
20-34	255	3.3	13	<1	1	2	4	6	9	23
35-49	312	3.6	15	<1	1	2	4	8	11	22
50-64	290	3.9	16	<1	1	2	5	9	12	19
65+	219	4.3	18	1	1	3	6	10	13	21
TOT. SINGLE DX	1059	2.4	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	1179	3.7	16	<1	1	2	5	8	11	21
TOTAL 0-19 YRS	159	3.1	9	<1	1	2	4	7	9	16
20-34	500	2.8	9	<1	<1	2	3	5	8	15
35-49	643	3.0	11	<1	<1	2	3	7	9	18
50-64	553	3.2	11	<1	<1	2	4	8	10	17
65+	383	3.4	13	<1	<1	2	4	8	11	19
GRAND TOTAL	**2238**	**3.1**	**11**	**<1**	**<1**	**2**	**3**	**7**	**9**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	4.8	3	2	3	4	6	8	9	9
35-49	12	6.6	20	1	2	6	8	12	18	19
50-64	12	5.9	6	1	2	6	7	9	10	10
65+	7	5.9	3	3	3	6	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	20	6.2	7	3	3	6	8	10	11	13
35-49	28	9.6	62	2	3	8	10	18	23	42
50-64	38	11.0	49	2	4	10	14	19	23	36
65+	58	12.0	114	3	4	10	14	21	24	75
TOT. SINGLE DX	48	5.7	8	2	3	5	7	8	9	19
" MULTIPLE DX	145	10.4	75	3	4	8	13	19	22	44
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	37	5.5	6	3	3	5	7	9	10	13
35-49	40	8.7	51	2	3	7	10	17	20	42
50-64	50	9.8	43	2	3	8	14	18	20	36
65+	65	11.3	106	3	4	9	13	20	23	71
GRAND TOTAL	**193**	**9.2**	**62**	**2**	**3**	**8**	**11**	**17**	**21**	**39**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	5.8	21	1	1	5	10	12	12	12
20-34	25	5.4	24	<1	<1	4	7	11	18	18
35-49	68	4.7	25	<1	<1	2	6	13	17	18
50-64	20	3.0	7	<1	<1	2	4	6	9	12
65+	5	6.6	36	2	2	5	9	17	17	17
2. MULTIPLE DX										
0-19 YRS	3	14.7	89	4	4	18	21	22	22	22
20-34	23	11.9	76	1	2	12	20	24	25	25
35-49	51	9.2	88	2	3	6	11	18	22	63
50-64	55	7.4	54	1	1	6	10	12	27	39
65+	45	10.4	46	2	3	9	13	21	24	28
TOT. SINGLE DX	123	4.7	22	<1	<1	3	6	12	17	18
" MULTIPLE DX	177	9.4	67	1	2	7	12	20	24	37
TOTAL 0-19 YRS	8	9.1	59	1	1	7	15	21	22	22
20-34	48	8.5	59	<1	1	6	14	21	24	25
35-49	119	6.6	57	<1	<1	4	10	15	18	37
50-64	75	6.3	45	<1	<1	5	8	12	18	37
65+	50	10.0	46	2	3	8	13	20	24	28
GRAND TOTAL	**300**	**7.5**	**54**	**<1**	**<1**	**5**	**11**	**18**	**22**	**29**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	2.8	1	1	1	3	3	4	5	8
20-34	433	3.2	2	1	2	3	4	5	6	9
35-49	524	3.0	1	1	2	3	4	4	5	7
50-64	370	3.2	1	1	2	3	4	5	5	7
65+	156	3.7	4	2	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	26	5.0	41	1	1	3	4	7	22	31
20-34	185	3.7	3	1	2	3	4	6	7	11
35-49	323	4.2	8	1	2	3	5	7	11	17
50-64	346	4.5	10	2	2	4	5	7	10	18
65+	323	5.7	19	2	3	4	6	10	15	24
TOT. SINGLE DX	1560	3.1	2	1	2	3	4	5	6	8
" MULTIPLE DX	1203	4.6	12	2	2	4	5	8	11	20
TOTAL 0-19 YRS	103	3.4	12	1	1	3	4	5	6	25
20-34	618	3.3	3	1	2	3	4	5	6	10
35-49	847	3.4	5	1	2	3	4	5	7	13
50-64	716	3.8	6	2	2	3	4	6	7	15
65+	479	5.0	15	2	2	4	5	9	12	21
GRAND TOTAL	**2763**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	123	1.6	1	<1	1	1	2	3	3	6
20-34	66	2.3	2	1	1	2	3	4	5	7
35-49	52	3.0	5	1	1	3	4	5	6	16
50-64	51	3.4	7	1	1	3	4	5	8	15
65+	36	4.1	1	2	3	4	5	6	7	8
2. MULTIPLE DX										
0-19 YRS	31	3.9	33	1	1	2	4	7	8	33
20-34	43	6.2	32	1	1	5	8	12	18	31
35-49	91	6.1	16	2	2	5	8	13	15	18
50-64	167	7.6	96	2	3	5	8	15	22	58
65+	199	9.4	96	2	3	6	12	21	30	67
TOT. SINGLE DX	328	2.5	4	1	1	2	3	5	5	10
" MULTIPLE DX	531	7.7	76	2	2	5	9	16	23	44
TOTAL 0-19 YRS	154	2.1	8	<1	1	1	2	3	5	8
20-34	109	3.9	18	1	1	2	5	8	10	25
35-49	143	5.0	15	1	1	4	6	11	14	17
50-64	218	6.6	79	1	2	4	7	13	20	42
65+	235	8.6	85	2	3	5	10	20	28	60
GRAND TOTAL	**859**	**5.7**	**55**	**1**	**1**	**4**	**6**	**12**	**18**	**33**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	8.2	29	2	4	7	9	15	22	23
20-34	22	6.7	4	3	4	7	8	9	10	10
35-49	23	8.8	10	5	6	7	11	13	15	18
50-64	22	11.1	37	6	6	9	13	20	25	30
65+	19	14.1	100	8	8	10	15	27	42	47
2. MULTIPLE DX										
0-19 YRS	19	15.1	183	6	7	11	16	51	79	99+
20-34	27	10.4	71	4	5	7	11	24	30	39
35-49	65	10.9	36	5	5	9	12	17	22	38
50-64	58	11.7	81	2	4	9	14	22	31	47
65+	64	13.7	117	4	5	11	16	23	28	73
TOT. SINGLE DX	97	9.8	40	5	5	8	11	15	21	41
" MULTIPLE DX	233	12.1	86	4	5	10	14	22	29	61
TOTAL 0-19 YRS	30	12.5	135	5	5	9	14	32	57	99+
20-34	49	8.7	44	4	4	7	9	13	25	39
35-49	88	10.3	30	5	5	9	11	16	21	35
50-64	80	11.5	68	3	6	9	14	21	30	46
65+	83	13.8	112	4	5	10	16	24	31	68
GRAND TOTAL	**330**	**11.5**	**74**	**4**	**5**	**9**	**13**	**21**	**28**	**49**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.3		<1	<1	1	2	2	2	2
20-34	6	1.0		<1	<1	1	1	1	1	1
35-49	6	2.0	2	1	1	2	2	5	5	5
50-64	14	1.6		<1	<1	1	2	3	4	4
65+	19	2.1	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	14	3.9	27	<1	<1	2	6	20	80	99+
20-34	5	6.6	84	2	2	3	8	23	23	23
35-49	14	4.1	32	<1	<1	2	5	23	81	99+
50-64	30	7.0	70	<1	<1	4	8	22	29	32
65+	50	5.7	29	<1	1	4	8	13	17	26
TOT. SINGLE DX	64	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	113	5.7	42	<1	1	3	8	17	25	99+
TOTAL 0-19 YRS	33	2.4	13	<1	<1	1	2	7	18	99+
20-34	11	3.5	42	<1	<1	1	3	11	22	23
35-49	20	3.5	24	<1	<1	2	4	13	58	99+
50-64	44	5.3	55	<1	<1	2	6	10	28	32
65+	69	4.7	24	<1	<1	2	6	11	15	25
GRAND TOTAL	**177**	**4.2**	**31**	**<1**	**<1**	**2**	**5**	**10**	**20**	**80**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	1.5		<1	<1	1	2	2	3	6
20-34	18	1.8	2	<1	<1	1	2	4	6	7
35-49	28	1.3		<1	1	1	2	2	2	2
50-64	29	1.9	3	<1	<1	1	2	3	4	10
65+	54	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	172	2.9	7	<1	1	2	4	6	7	14
20-34	176	3.8	36	1	1	2	4	7	11	35
35-49	109	3.1	11	1	1	2	4	6	8	57
50-64	110	4.5	45	1	1	2	4	8	17	37
65+	182	6.3	125	<1	1	3	6	14	27	79
TOT. SINGLE DX	221	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	749	4.2	51	1	1	2	4	8	13	42
TOTAL 0-19 YRS	264	2.4	6	<1	1	2	3	5	6	10
20-34	194	3.6	34	1	1	2	4	7	11	32
35-49	137	2.8	9	1	1	2	4	6	8	37
50-64	139	3.9	38	1	1	2	4	7	16	36
65+	236	5.1	101	<1	<1	2	4	12	18	78
GRAND TOTAL	**970**	**3.6**	**41**	**<1**	**1**	**2**	**3**	**7**	**11**	**38**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.6		<1	<1	1	2	2	4	4
20-34	17	1.9	4	<1	1	1	2	3	8	10
35-49	26	2.0	1	1	1	2	2	4	5	5
50-64	16	1.9	1	<1	<1	2	3	4	4	4
65+	37	1.6	1	<1	1	1	2	2	2	8
2. MULTIPLE DX										
0-19 YRS	27	2.4	3	<1	1	2	2	6	6	7
20-34	20	3.0	8	<1	<1	2	4	7	10	12
35-49	22	2.9	4	1	1	2	4	6	7	9
50-64	27	2.9	20	1	1	2	3	4	8	25
65+	60	2.7	6	1	1	2	3	4	8	14
TOT. SINGLE DX	112	1.8	2	<1	1	1	2	3	4	9
" MULTIPLE DX	156	2.7	8	1	1	2	3	6	7	14
TOTAL 0-19 YRS	43	2.1	2	<1	<1	2	2	5	6	7
20-34	37	2.5	7	<1	1	1	3	6	9	12
35-49	48	2.4	3	1	1	2	3	5	6	9
50-64	43	2.5	13	<1	1	2	3	4	5	25
65+	97	2.3	5	1	1	2	2	4	7	14
GRAND TOTAL	**268**	**2.3**	**6**	**1**	**1**	**2**	**2**	**4**	**6**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	6	3.2	4	<1	<1	3	4	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	11	6.3	70	1	1	2	5	23	24	24
20-34	8	12.4	386	1	1	4	12	47	59	59
35-49	4	3.5	13	1	1	2	6	9	9	9
50-64	5	16.2	402	<1	<1	10	23	51	51	51
65+	11	5.2	23	2	2	2	9	13	16	16
TOT. SINGLE DX	16	2.3	3	<1	<1	2	3	4	6	7
" MULTIPLE DX	39	8.2	157	1	1	3	9	21	39	59
TOTAL 0-19 YRS	18	4.4	47	<1	<1	2	3	17	23	24
20-34	9	11.4	346	1	1	4	9	43	59	59
35-49	6	3.0	9	1	1	2	3	8	9	9
50-64	11	9.1	210	<1	<1	4	9	29	49	51
65+	11	5.2	23	2	2	2	9	13	16	16
GRAND TOTAL	**55**	**6.5**	**119**	**<1**	**1**	**2**	**6**	**16**	**23**	**59**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.6	4	<1	<1	2	3	5	7	9
20-34	38	2.6	2	1	1	2	3	5	6	6
35-49	25	2.4	1	<1	1	2	3	4	4	5
50-64	30	2.5	2	1	1	2	3	4	5	10
65+	124	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	20	2.7	2	<1	<1	2	4	4	6	7
20-34	16	3.1	1	1	2	3	4	4	5	6
35-49	25	4.5	68	1	1	2	4	6	17	43
50-64	52	3.7	11	1	1	3	4	6	10	19
65+	327	2.8	3	1	1	2	3	5	6	12
TOT. SINGLE DX	244	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	440	3.0	8	1	1	2	3	5	6	13
TOTAL 0-19 YRS	47	2.6	3	<1	<1	2	4	5	7	9
20-34	54	2.7	2	1	1	3	3	5	6	6
35-49	50	3.4	35	1	1	2	3	5	6	43
50-64	82	3.2	9	1	1	3	3	5	9	18
65+	451	2.7	3	1	1	2	3	4	6	9
GRAND TOTAL	**684**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	2.9	4	<1	1	3	4	5	6	13
20-34	59	2.6	2	1	1	2	3	4	5	11
35-49	32	2.3	3	<1	<1	2	3	4	5	10
50-64	14	2.6	7	<1	<1	2	3	5	10	11
65+	16	3.0	7	<1	1	2	4	5	10	12
2. MULTIPLE DX										
0-19 YRS	57	3.7	9	<1	1	3	4	7	8	17
20-34	57	4.2	9	1	1	4	5	9	11	15
35-49	32	4.8	16	1	2	3	6	9	15	19
50-64	21	4.6	11	<1	1	4	6	11	12	12
65+	53	5.4	23	<1	1	4	7	13	17	21
TOT. SINGLE DX	195	2.7	4	<1	1	2	3	5	6	12
" MULTIPLE DX	220	4.5	14	1	1	3	5	9	13	19
TOTAL 0-19 YRS	131	3.3	7	<1	1	3	4	6	7	15
20-34	116	3.4	7	1	1	3	4	6	10	14
35-49	64	3.6	11	<1	1	2	4	7	10	19
50-64	35	3.8	11	<1	<1	3	5	10	12	12
65+	69	4.8	21	<1	1	3	6	12	14	21
GRAND TOTAL	**415**	**3.6**	**10**	**<1**	**1**	**3**	**4**	**7**	**11**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.8	1	<1	1	2	2	4	5	5
20-34	6	4.0	8	1	1	3	7	3	8	8
35-49	22	3.3	8	<1	1	2	4	7	11	12
50-64	38	2.6	2	<1	<1	2	4	5	5	7
65+	73	3.1	5	<1	<1	2	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	23	5.4	91	1	1	2	4	14	27	45
20-34	13	3.8	11	1	1	3	4	8	13	14
35-49	23	4.3	17	1	1	3	4	9	13	20
50-64	57	4.1	20	1	1	2	5	7	14	27
65-	153	4.4	34	1	1	3	5	7	13	35
TOT. SINGLE DX	158	2.9	5	<1	<1	2	4	5	8	12
" MULTIPLE DX	269	4.4	33	1	1	3	5	8	14	34
TOTAL 0-19 YRS	42	3.8	53	1	1	2	3	8	15	45
20-34	19	3.9	10	1	1	3	4	8	11	14
35-49	45	3.8	13	1	1	2	4	9	11	20
50-64	95	3.5	14	<1	1	2	4	7	9	22
65+	226	4.0	26	<1	1	3	4	7	10	24
GRAND TOTAL	**427**	**3.8**	**23**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	3.7	5	1	1	3	5	7	8	8
20-34	19	2.9	2	1	1	3	4	5	6	7
35-49	12	3.0	5	1	1	2	4	6	9	9
50-64	17	2.1	2	1	1	2	3	4	5	6
65+	23	2.5	4	1	1	2	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	26	4.2	12	<1	1	3	5	10	12	15
20-34	24	4.8	25	1	2	3	5	8	17	25
35-49	25	4.8	8	1	2	5	6	8	10	12
50-64	39	5.7	81	1	1	3	5	12	18	54
65+	94	6.3	68	1	1	4	8	12	19	48
TOT. SINGLE DX	96	2.9	4	1	1	2	4	6	8	9
" MULTIPLE DX	208	5.6	52	1	1	4	6	11	15	47
TOTAL 0-19 YRS	51	4.0	9	1	1	3	5	8	11	15
20-34	43	3.9	16	1	1	3	4	7	10	25
35-49	37	4.2	8	1	1	4	6	8	10	12
50-64	56	4.6	59	1	1	2	4	9	13	52
65+	117	5.5	58	1	1	3	7	10	18	47
GRAND TOTAL	**304**	**4.7**	**38**	**1**	**1**	**3**	**6**	**9**	**12**	**43**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	30	2.0	2	<1	<1	1	3	4	5	7
20-34	3	6.0	7	3	3	7	8	8	8	8
35-49	5	3.0	5	<1	<1	2	4	7	7	7
50-64	10	2.0	1	1	1	2	3	4	4	4
65+	42	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	22	2.3	2	1	1	2	3	4	6	6
20-34	6	7.2	29	3	3	5	7	17	18	18
35-49	11	10.2	587	1	1	2	5	37	79	83
50-64	47	4.0	23	1	1	2	4	7	16	26
65+	179	3.2	21	1	1	2	3	6	8	22
TOT. SINGLE DX	90	2.1	2	<1	<1	2	3	3	5	8
" MULTIPLE DX	265	3.7	44	1	1	2	3	6	11	26
TOTAL 0-19 YRS	52	2.2	2	<1	<1	2	3	4	6	7
20-34	9	6.8	21	3	3	5	7	14	18	18
35-49	16	7.9	405	<1	1	2	5	7	60	83
50-64	57	3.6	20	1	1	2	3	7	15	25
65+	221	3.0	18	1	1	2	3	5	7	22
GRAND TOTAL	**355**	**3.3**	**34**	**1**	**1**	**2**	**3**	**6**	**7**	**23**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	1.7		<1	1	1	2	3	4	4
20-34	13	2.2	3	<1	<1	2	3	5	7	7
35-49	34	1.6		<1	<1	1	2	3	4	4
50-64	189	1.5		<1	<1	1	2	2	3	4
65+	717	1.4		<1	<1	<1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	36	2.2	1	1	1	2	3	4	5	6
20-34	16	4.8	67	<1	1	3	4	6	26	35
35-49	54	3.2	13	1	1	2	3	6	13	20
50-64	297	2.1	2	<1	1	2	2	4	5	10
65+	1410	2.4	13	<1	<1	2	2	4	5	14
TOT. SINGLE DX	996	1.4		<1	<1	1	2	2	3	4
" MULTIPLE DX	1813	2.4	12	<1	<1	2	2	4	5	14
TOTAL 0-19 YRS	79	1.9	1	1	1	2	2	4	4	6
20-34	29	3.6	39	<1	<1	2	4	6	8	35
35-49	88	2.5	9	<1	1	2	3	4	7	18
50-64	486	1.9	2	<1	<1	2	2	3	4	8
65+	2127	2.1	10	<1	<1	2	2	3	4	12
GRAND TOTAL	**2809**	**2.1**	**8**	**<1**	**<1**	**2**	**2**	**3**	**4**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	2.5	3	<1	<1	2	4	5	5	5
35-49	5	2.0		1	1	2	2	3	3	3
50-64	21	1.4		<1	<1	1	2	2	3	3
65+	51	1.8	6	<1	<1	1	2	3	3	19
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	26	2.3	5	<1	1	2	2	3	6	13
65+	101	2.6	6	<1	1	2	3	5	10	11
TOT. SINGLE DX	83	1.8	4	<1	<1	1	2	3	3	14
" MULTIPLE DX	132	2.6	6	<1	1	2	3	4	10	12
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	6	2.7	3	<1	<1	2	5	5	5	5
35-49	7	1.9		<1	<1	2	2	3	3	3
50-64	47	1.9	3	<1	<1	2	2	3	3	13
65+	152	2.4	6	<1	<1	2	2	4	9	12
GRAND TOTAL	**215**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**4**	**7**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	3.0	2	1	1	3	4	5	6	8
20-34	42	3.4	5	1	1	3	5	6	7	13
35-49	67	3.9	7	1	2	3	5	7	9	15
50-64	163	3.3	3	1	2	3	4	6	7	9
65+	177	3.4	2	2	2	3	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	60	4.3	5	1	2	4	5	7	8	14
20-34	75	4.5	12	2	2	4	5	7	10	23
35-49	133	4.7	7	2	2	4	6	8	10	14
50-64	282	4.1	8	2	2	3	5	6	8	14
65+	398	4.0	7	2	2	3	5	7	8	14
TOT. SINGLE DX	483	3.4	4	1	2	3	4	6	7	10
" MULTIPLE DX	948	4.2	8	2	2	3	5	7	8	14
TOTAL 0-19 YRS	94	3.8	5	1	2	3	5	6	8	13
20-34	117	4.1	10	1	2	3	5	7	9	19
35-49	200	4.4	7	2	2	4	6	8	10	15
50-64	445	3.8	7	1	2	3	5	6	8	12
65+	575	3.8	6	2	2	3	4	7	7	12
GRAND TOTAL	**1431**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	3.6	8	1	1	3	4	8	10	11
20-34	6	4.0	2	2	2	4	4	7	7	7
35-49	9	5.0	35	1	1	3	5	15	20	20
50-64	30	3.2	10	1	1	2	3	6	7	18
65+	39	2.7	3	<1	1	2	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	39	6.6	248	1	1	3	4	5	41	78
20-34	69	4.0	7	1	2	3	4	7	11	15
35-49	71	4.3	9	1	2	3	5	10	13	81
50-64	121	4.2	28	1	2	3	4	6	10	31
65+	241	4.2	11	1	2	3	4	8	11	21
TOT. SINGLE DX	99	3.3	9	1	1	2	4	7	8	19
" MULTIPLE DX	541	4.3	32	1	2	3	4	8	11	22
TOTAL 0-19 YRS	54	5.7	182	1	1	3	4	7	11	78
20-34	75	4.0	7	1	2	3	4	7	11	15
35-49	80	4.4	12	1	2	3	5	10	13	75
50-64	151	4.0	25	1	2	3	4	6	10	21
65+	280	4.0	11	1	2	3	4	8	10	20
GRAND TOTAL	**640**	**4.2**	**28**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	275	1.3		<1	<1	1	2	2	2	2
20-34	22	1.3		<1	<1	1	2	2	2	2
35-49	18	1.4		<1	1	1	2	2	3	3
50-64	5	1.2		1	1	1	2	2	2	2
65+	5	1.6		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	143	1.9	10	<1	<1	1	2	2	4	33
20-34	20	6.7	269	<1	1	2	2	46	84	99+
35-49	13	2.1	2	1	1	2	2	3	6	7
50-64	5	2.5	2	1	1	2	3	5	5	5
65+	8	1.8		1	1	2	2	3	3	3
TOT. SINGLE DX	325	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	189	2.4	38	<1	<1	1	2	3	5	88
TOTAL 0-19 YRS	418	1.5	4	<1	<1	1	2	2	2	8
20-34	42	3.8	132	<1	<1	2	2	3	44	99+
35-49	31	1.7	1	1	1	2	2	2	3	7
50-64	10	1.9	2	1	1	2	2	4	5	5
65+	13	1.7		<1	<1	2	2	3	3	3
GRAND TOTAL	**514**	**1.7**	**14**	**<1**	**<1**	**1**	**2**	**2**	**2**	**26**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
TOT. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
" MULTIPLE DX	3	3.3	4	1	1	4	5	5	5	5
TOTAL 0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**2.8**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**5**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	3.2	7	<1	1	2	4	7	9	13
20-34	55	2.3	2	1	1	2	3	4	6	9
35-49	27	3.0	9	<1	1	2	3	8	10	14
50-64	22	2.6	4	1	1	2	3	5	8	9
65+	39	3.5	13	<1	1	2	4	8	12	18
2. MULTIPLE DX										
0-19 YRS	65	4.7	15	1	1	3	7	10	11	21
20-34	69	5.3	33	1	1	3	6	12	17	30
35-49	48	3.6	7	1	1	3	5	7	10	13
50-64	60	4.4	13	1	2	3	5	10	11	19
65+	126	4.5	52	1	1	3	5	8	10	30
TOT. SINGLE DX	203	2.9	7	1	1	2	3	6	9	14
" MULTIPLE DX	368	4.6	30	1	1	3	5	9	12	22
TOTAL 0-19 YRS	125	4.0	12	1	1	3	6	8	11	17
20-34	124	4.0	22	1	1	3	4	8	13	28
35-49	75	3.4	8	1	1	3	4	7	10	14
50-64	82	3.9	12	1	1	3	5	9	11	18
65+	165	4.2	44	1	1	3	5	8	11	18
GRAND TOTAL	**571**	**4.0**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	2.3	3	<1	<1	2	3	5	6	9
20-34	32	3.6	10	<1	<1	2	5	7	10	15
35-49	20	2.9	9	<1	<1	2	4	6	10	13
50-64	19	2.4	4	<1	<1	2	3	6	8	9
65+	28	2.7	8	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
0-19 YRS	175	3.6	9	1	1	3	4	8	10	15
20-34	73	6.0	107	1	1	3	5	12	27	62
35-49	41	4.8	62	1	1	3	5	8	13	50
50-64	50	5.9	30	<1	1	3	9	13	20	22
65+	126	7.3	56	1	1	4	11	16	21	40
TOT. SINGLE DX	223	2.6	6	<1	<1	2	3	6	7	13
" MULTIPLE DX	465	5.3	46	1	1	3	6	12	16	37
TOTAL 0-19 YRS	299	3.1	7	<1	1	2	4	6	8	14
20-34	105	5.2	79	<1	1	2	5	10	17	57
35-49	61	4.1	46	<1	1	2	5	8	11	46
50-64	69	4.9	26	<1	1	3	7	12	15	22
65+	154	6.5	51	<1	1	4	10	15	20	39
GRAND TOTAL	**688**	**4.4**	**35**	**<1**	**1**	**3**	**5**	**10**	**14**	**28**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.4		<1	<1	1	2	2	2	2
20-34	91	1.5		1	1	1	2	2	3	3
35-49	101	1.5		1	1	1	2	2	3	4
50-64	77	1.5		1	1	1	2	2	3	4
65+	37	1.7		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	15	1.3		<1	<1	1	2	2	2	2
20-34	57	1.4		1	1	1	2	2	2	4
35-49	66	1.5		<1	1	1	2	2	3	4
50-64	61	1.6		1	1	1	2	3	3	4
65+	38	2.3	2	1	1	2	3	4	7	8
TOT. SINGLE DX	324	1.5		1	1	1	2	2	3	4
" MULTIPLE DX	237	1.6	1	1	1	1	2	2	3	6
TOTAL 0-19 YRS	33	1.3		<1	<1	1	2	2	2	2
20-34	148	1.4		1	1	1	2	2	2	3
35-49	167	1.5		1	1	1	2	2	3	4
50-64	138	1.6	1	1	1	1	2	2	3	4
65+	75	2.0	2	1	1	2	2	3	4	8
GRAND TOTAL	**561**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	257	1.5	15	<1	<1	1	1	2	2	4
20-34	126	1.3		<1	1	1	2	2	2	3
35-49	97	1.6		<1	1	1	2	3	3	6
50-64	67	1.4		<1	1	1	2	2	3	3
65+	31	1.5		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	258	1.4	1	<1	1	1	2	2	3	7
20-34	161	1.7	12	<1	1	1	2	2	3	5
35-49	145	1.7	1	<1	1	1	2	3	4	6
50-64	133	1.6		<1	1	1	2	3	3	5
65+	63	1.7		<1	1	2	2	3	3	4
TOT. SINGLE DX	578	1.4	7	<1	1	1	2	2	3	4
" MULTIPLE DX	760	1.6	4	<1	1	1	2	2	3	5
TOTAL 0-19 YRS	515	1.4	8	<1	1	1	1	2	2	6
20-34	287	1.6	7	<1	1	1	2	2	3	4
35-49	242	1.6	1	<1	1	1	2	3	3	6
50-64	200	1.6	1	<1	1	1	2	3	3	5
65+	94	1.6	1	<1	1	1	2	3	3	4
GRAND TOTAL	**1338**	**1.5**	**5**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	432	1.3	1	<1	<1	<1	1	2	3	6
20-34	21	2.2	5	<1	<1	1	2	7	8	8
35-49	15	1.4		<1	<1	1	2	2	3	3
50-64	13	1.2		<1	<1	1	1	2	2	2
65+	8	2.0	2	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	926	2.3	16	<1	<1	1	2	5	7	15
20-34	19	7.3	159	1	1	1	6	30	39	44
35-49	28	3.9	33	1	1	2	4	7	22	25
50-64	23	8.5	185	1	1	5	10	18	36	65
65+	23	7.1	58	<1	<1	5	10	21	25	26
TOT. SINGLE DX	489	1.3	1	<1	<1	<1	1	2	3	7
" MULTIPLE DX	1019	2.7	26	<1	<1	1	2	6	9	25
TOTAL 0-19 YRS	1358	2.0	12	<1	<1	1	2	4	6	13
20-34	40	4.6	83	<1	<1	1	3	8	30	44
35-49	43	3.0	23	<1	<1	2	3	5	12	25
50-64	36	5.9	129	1	1	1	8	15	20	65
65+	31	5.8	48	<1	<1	2	6	16	25	26
GRAND TOTAL	**1508**	**2.3**	**18**	**<1**	**<1**	**1**	**2**	**5**	**7**	**18**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	2.0	5	1	1	1	2	3	6	15
20-34	89	1.7	1	1	1	1	2	3	5	5
35-49	62	2.0	6	1	1	2	2	3	3	17
50-64	65	2.1	1	1	1	2	3	4	4	9
65+	16	2.5	1	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	227	2.7	12	1	1	2	3	6	8	24
20-34	159	2.6	15	1	1	2	2	3	10	18
35-49	142	2.2	2	1	1	2	3	3	4	9
50-64	130	2.9	20	1	1	2	3	5	8	21
65+	77	4.0	48	1	1	2	3	6	12	41
TOT. SINGLE DX	346	2.0	4	1	1	1	2	3	5	13
" MULTIPLE DX	735	2.8	16	1	1	2	3	4	8	23
TOTAL 0-19 YRS	341	2.5	10	1	1	2	3	5	8	19
20-34	248	2.3	10	1	1	1	2	3	5	17
35-49	204	2.1	4	1	1	2	2	3	4	12
50-64	195	2.7	14	1	1	2	3	4	7	13
65+	93	3.7	41	1	1	2	3	6	9	40
GRAND TOTAL	**1081**	**2.5**	**12**	**1**	**1**	**2**	**3**	**4**	**7**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	2.4	15	<1	<1	1	2	6	8	24
20-34	37	1.7		<1	<1	1	2	3	4	99+
35-49	40	2.2	3	1	1	2	3	5	7	9
50-64	46	2.6	6	1	1	2	3	6	8	14
65+	13	2.1	2	<1	<1	2	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	77	4.7	113	<1	1	2	4	8	11	70
20-34	56	2.3	5	<1	1	2	3	4	5	16
35-49	46	2.6	10	<1	1	2	3	5	9	99+
50-64	46	2.2	2	1	1	2	3	4	6	7
65+	31	4.9	46	1	1	2	5	11	21	33
TOT. SINGLE DX	205	2.3	7	<1	1	1	2	4	7	21
" MULTIPLE DX	256	3.4	44	1	1	2	3	6	10	46
TOTAL 0-19 YRS	146	3.6	68	<1	1	1	2	7	10	48
20-34	93	2.1	4	<1	1	2	2	3	4	63
35-49	86	2.4	7	1	1	2	3	5	7	71
50-64	92	2.4	4	1	1	2	3	5	6	12
65+	44	4.1	35	<1	1	2	4	10	14	33
GRAND TOTAL	**461**	**2.9**	**28**	**<1**	**1**	**2**	**3**	**5**	**8**	**32**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	2.1	1	<1	<1	2	3	4	4	7
20-34	75	1.5		<1	<1	1	2	2	3	5
35-49	65	1.5		<1	<1	1	2	3	3	6
50-64	34	1.7		<1	<1	1	3	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	132	2.3	4	1	1	2	3	4	4	16
20-34	344	2.1	4	1	1	2	3	4	5	10
35-49	256	2.5	7	1	1	2	3	5	6	17
50-64	136	2.6	2	1	1	3	3	4	5	7
65+	51	3.2	20	1	1	2	3	5	9	32
TOT. SINGLE DX	211	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	919	2.4	6	1	1	2	3	4	5	10
TOTAL 0-19 YRS	164	2.2	4	1	1	2	3	3	4	15
20-34	419	2.0	3	<1	1	2	2	3	5	9
35-49	321	2.3	7	<1	1	2	3	4	5	12
50-64	170	2.4	2	1	1	2	3	4	5	7
65+	56	3.0	19	<1	1	2	3	4	8	31
GRAND TOTAL	**1130**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	1.6		1	1	1	2	3	3	4
20-34	269	1.6	1	1	1	1	2	3	3	6
35-49	190	1.6	1	1	1	1	2	3	3	6
50-64	107	1.8	1	1	1	1	2	3	4	6
65+	32	1.8	1	1	1	1	2	3	5	5
2. MULTIPLE DX										
0-19 YRS	384	2.0	6	1	1	1	2	3	4	9
20-34	852	2.0	6	1	1	1	2	3	4	16
35-49	657	2.3	14	1	1	2	2	4	5	17
50-64	340	2.2	4	1	1	2	3	4	5	11
65+	162	3.0	12	1	1	2	3	6	10	21
TOT. SINGLE DX	764	1.6	1	1	1	1	2	3	3	6
" MULTIPLE DX	2395	2.2	9	1	1	2	2	4	5	16
TOTAL 0-19 YRS	550	1.9	5	1	1	1	2	3	4	9
20-34	1121	1.9	5	1	1	1	2	3	4	9
35-49	847	2.2	12	1	1	1	2	4	5	16
50-64	447	2.1	4	1	1	2	2	3	5	9
65+	194	2.8	11	1	1	2	3	5	9	20
GRAND TOTAL	**3159**	**2.1**	**7**	**1**	**1**	**1**	**2**	**3**	**5**	**13**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	42	1.8	1	<1	<1	1	2	4	5	6
20-34	41	1.9	2	<1	<1	1	2	4	6	8
35-49	48	1.8	2	<1	1	1	2	3	5	9
50-64	58	2.1	3	<1	<1	1	2	4	6	10
65+	48	2.4	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	96	3.5	23	<1	1	2	4	8	10	32
20-34	116	1.8	2	<1	1	1	2	3	5	8
35-49	154	2.5	8	1	1	2	3	5	6	12
50-64	153	3.7	38	1	1	2	4	7	10	40
65+	180	5.0	57	1	1	3	5	10	15	44
TOT. SINGLE DX	237	2.0	3	<1	<1	1	2	4	6	10
" MULTIPLE DX	699	3.4	30	1	1	2	4	7	10	33
TOTAL 0-19 YRS	138	3.0	18	<1	1	2	3	6	9	29
20-34	157	1.8	2	<1	1	1	2	3	5	8
35-49	202	2.3	7	1	1	2	3	5	6	11
50-64	211	3.3	30	<1	1	2	3	6	10	35
65+	228	4.5	47	<1	1	3	5	9	14	42
GRAND TOTAL	**936**	**3.1**	**23**	**<1**	**1**	**2**	**3**	**6**	**9**	**28**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	97	1.9	10	<1	<1	1	2	3	4	21
20-34	117	2.3	2	<1	1	1	3	5	5	8
35-49	63	3.1	3	1	1	3	4	6	6	7
50-64	84	4.0	5	1	1	4	5	6	8	13
65+	50	4.6	6	1	2	4	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	133	3.7	79	1	1	2	3	6	10	53
20-34	216	3.1	29	1	1	2	4	6	8	16
35-49	105	4.0	9	1	1	3	6	9	11	52
50-64	142	4.9	23	1	2	4	6	10	13	22
65+	219	5.8	21	1	2	4	7	12	15	23
TOT. SINGLE DX	411	2.9	7	<1	1	2	4	6	7	10
" MULTIPLE DX	815	4.4	33	1	1	3	5	9	12	21
TOTAL 0-19 YRS	230	2.9	51	<1	<1	1	2	5	7	34
20-34	333	2.8	20	1	1	2	4	5	7	13
35-49	168	3.7	7	1	1	3	5	7	10	14
50-64	226	4.6	17	1	1	4	6	8	12	17
65+	269	5.6	19	1	2	4	7	11	15	21
GRAND TOTAL	**1226**	**3.9**	**24**	**1**	**1**	**3**	**5**	**7**	**11**	**18**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	2.4	5	1	1	2	3	4	7	11
20-34	75	2.1	4	1	1	2	2	3	7	13
35-49	87	1.9	2	1	1	2	2	4	5	9
50-64	74	2.2	1	1	1	2	3	4	5	7
65+	39	2.4	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	47	3.5	13	<1	1	2	4	9	12	18
20-34	139	2.8	10	1	1	2	3	6	8	20
35-49	201	3.3	10	1	1	2	4	7	10	18
50-64	183	3.4	20	1	1	2	3	7	11	18
65+	160	4.2	16	1	1	3	5	9	13	22
TOT. SINGLE DX	299	2.1	3	1	1	2	2	4	5	10
" MULTIPLE DX	730	3.4	15	1	1	2	4	8	11	19
TOTAL 0-19 YRS	71	3.1	11	1	1	2	4	8	11	17
20-34	214	2.5	8	1	1	2	3	5	7	18
35-49	288	2.9	8	1	1	2	3	6	9	16
50-64	257	3.1	16	1	1	2	3	6	10	15
65+	199	3.8	15	1	1	3	4	9	12	21
GRAND TOTAL	**1029**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**10**	**18**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.8	7	<1	1	2	3	8	9	10
20-34	75	3.2	7	<1	1	2	4	7	10	14
35-49	60	2.4	5	1	1	1	3	5	8	13
50-64	43	3.2	6	<1	1	2	4	7	9	10
65+	33	2.9	2	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	117	6.3	64	1	1	4	8	14	20	47
20-34	181	4.3	18	1	1	3	6	9	15	21
35-49	223	4.6	64	1	1	2	5	10	14	44
50-64	196	5.0	28	1	1	3	6	12	17	32
65+	145	6.1	36	1	1	4	8	14	18	29
TOT. SINGLE DX	244	2.9	6	<1	1	2	3	6	9	11
" MULTIPLE DX	862	5.1	43	1	1	3	7	11	16	32
TOTAL 0-19 YRS	150	5.5	54	1	1	3	7	12	18	42
20-34	256	4.0	16	1	1	3	5	9	13	18
35-49	283	4.1	53	1	1	2	4	9	12	31
50-64	239	4.7	25	1	1	3	6	11	16	32
65+	178	5.5	32	1	1	3	7	12	16	27
GRAND TOTAL	**1106**	**4.6**	**35**	**1**	**1**	**3**	**6**	**10**	**15**	**27**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.4		<1	<1	1	2	2	2	65
20-34	60	2.1	6	<1	1	1	2	3	5	17
35-49	29	2.4	2	1	1	2	3	4	7	8
50-64	18	2.2	1	1	1	2	2	4	6	6
65+	13	2.1	1	1	1	2	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	197	3.9	73	<1	1	2	3	6	10	55
20-34	226	5.9	77	1	1	2	6	16	28	45
35-49	189	6.2	89	1	1	3	7	14	21	49
50-64	217	5.2	37	1	1	3	6	11	17	29
65+	240	6.5	89	1	1	3	8	14	23	74
TOT. SINGLE DX	207	1.9	3	<1	1	1	2	3	4	15
" MULTIPLE DX	1069	5.6	74	1	1	2	6	13	21	48
TOTAL 0-19 YRS	284	3.2	52	<1	1	2	2	4	8	56
20-34	286	5.1	65	1	1	2	4	12	25	43
35-49	218	5.7	80	1	1	2	6	13	20	48
50-64	235	5.0	35	1	1	3	6	10	17	28
65+	253	6.3	86	1	1	3	8	13	22	72
GRAND TOTAL	**1276**	**5.0**	**64**	**1**	**1**	**2**	**5**	**11**	**18**	**47**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	1.1		<1	<1	<1	1	1	2	2
20-34	4	4.8	9	1	1	5	7	8	8	8
35-49	4	2.3	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	141	2.0	47	<1	<1	<1	1	2	3	15
20-34	19	1.7		<1	<1	2	2	3	3	3
35-49	11	12.3	767	1	1	2	7	46	91	95
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	110	1.4	2	<1	<1	<1	1	2	3	10
" MULTIPLE DX	175	2.6	89	<1	<1	1	2	3	4	65
TOTAL 0-19 YRS	240	1.6	28	<1	<1	<1	1	2	2	8
20-34	23	2.2	3	<1	<1	2	3	4	7	8
35-49	15	9.6	570	1	1	2	4	14	75	95
50-64	3	2.7		2	2	3	3	3	3	3
65+	4	5.3	34	2	2	3	8	14	14	14
GRAND TOTAL	**285**	**2.1**	**56**	**<1**	**<1**	**<1**	**2**	**2**	**4**	**14**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.4	1	1	1	2	3	4	5	6
20-34	12	2.3	2	1	1	2	3	4	6	6
35-49	44	2.3	1	1	1	2	3	4	4	4
50-64	53	2.6		1	1	3	3	4	4	5
65+	20	3.0	1	1	1	3	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	77	2.6	8	<1	<1	2	3	5	9	78
20-34	53	2.8	4	1	1	2	3	5	7	12
35-49	75	4.6	50	1	1	3	3	9	15	38
50-64	91	4.4	24	1	1	3	4	12	18	24
65+	81	4.5	64	1	1	3	4	6	12	55
TOT. SINGLE DX	162	2.5	1	1	1	2	3	4	4	6
" MULTIPLE DX	377	3.9	33	1	1	3	4	7	13	36
TOTAL 0-19 YRS	110	2.6	7	<1	1	2	3	4	9	52
20-34	65	2.7	4	1	1	2	3	5	7	12
35-49	119	3.7	33	1	1	2	3	6	11	38
50-64	144	3.7	17	1	1	3	4	6	13	24
65+	101	4.2	52	1	1	3	4	6	9	48
GRAND TOTAL	**539**	**3.5**	**24**	**1**	**1**	**2**	**3**	**5**	**9**	**30**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	2.5	4	1	1	2	3	4	5	12
20-34	137	2.3	1	1	1	2	3	4	4	8
35-49	168	2.5	2	1	1	2	3	4	5	8
50-64	187	2.6	1	1	1	2	3	4	5	6
65+	153	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	29	3.5	11	1	1	3	4	6	10	18
20-34	65	3.1	5	1	1	2	3	6	8	13
35-49	105	3.2	18	1	1	2	3	5	8	26
50-64	181	3.5	7	1	1	3	4	7	9	16
65+	267	4.4	12	1	1	3	5	9	13	18
TOT. SINGLE DX	698	2.6	2	1	1	2	3	4	5	8
" MULTIPLE DX	647	3.8	11	1	1	3	4	7	10	17
TOTAL 0-19 YRS	82	2.9	7	1	1	2	4	5	7	16
20-34	202	2.6	3	1	1	2	3	4	5	10
35-49	273	2.8	9	1	1	2	3	4	6	12
50-64	368	3.1	5	1	1	3	4	5	7	13
65+	420	3.8	9	1	1	3	4	7	10	17
GRAND TOTAL	**1345**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**8**	**15**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	219	3.1	1	1	1	3	4	5	5	7
20-34	4	1.8		1	1	2	2	2	2	2
35-49	11	1.9	1	1	1	1	3	4	4	4
50-64	5	1.4		1	1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	248	3.8	6	2	2	3	4	5	6	11
20-34	13	3.9	9	1	2	3	4	7	12	13
35-49	27	3.8	6	1	1	3	5	8	9	10
50-64	15	2.8	3	1	1	2	4	4	7	8
65+	2	4.0	2	3	3	4	5	5	5	5
TOT. SINGLE DX	239	3.0	2	1	1	3	4	5	5	7
" MULTIPLE DX	305	3.7	6	1	2	3	4	5	6	11
TOTAL 0-19 YRS	467	3.4	4	1	2	3	4	5	6	9
20-34	17	3.4	8	1	1	3	4	6	11	13
35-49	38	3.2	6	1	1	3	5	7	9	10
50-64	20	2.5	3	1	1	2	3	4	6	8
65+	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**544**	**3.4**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	2.7	3	1	1	2	3	5	6	9
20-34	70	2.5	2	<1	1	2	4	5	5	8
35-49	65	3.5	11	<1	1	2	4	7	9	21
50-64	92	4.1	17	<1	1	2	5	9	13	20
65+	88	4.2	41	<1	1	2	4	9	11	38
2. MULTIPLE DX										
0-19 YRS	306	4.0	34	1	1	3	4	7	9	30
20-34	198	4.1	13	1	1	3	5	8	9	21
35-49	150	5.6	31	1	1	4	7	13	19	26
50-64	238	7.2	72	1	1	4	10	16	26	46
65+	340	6.6	45	1	1	4	9	15	19	33
TOT. SINGLE DX	584	3.2	13	<1	1	2	4	6	8	19
" MULTIPLE DX	1232	5.5	43	1	1	3	7	12	17	33
TOTAL 0-19 YRS	575	3.4	20	1	1	2	4	6	8	19
20-34	268	3.7	11	1	1	3	5	7	8	20
35-49	215	4.9	26	1	1	3	6	11	17	25
50-64	330	6.3	59	1	1	3	8	14	22	37
65+	428	6.1	45	1	1	4	8	14	18	35
GRAND TOTAL	**1816**	**4.8**	**34**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2034	1.3		1	1	1	1	2	2	4
20-34	1250	1.5	7	1	1	1	2	2	3	5
35-49	211	1.4		1	1	1	2	2	3	5
50-64	34	2.2	2	1	1	2	3	4	7	8
65+	11	1.9	2	<1	<1	1	2	5	5	5
2. MULTIPLE DX										
0-19 YRS	709	1.5	1	1	1	1	2	2	3	8
20-34	426	1.9	4	1	1	1	2	4	6	10
35-49	116	3.0	18	1	1	2	3	5	10	29
50-64	37	3.2	16	1	1	2	3	9	13	20
65+	14	3.2	11	<1	1	2	5	10	11	11
TOT. SINGLE DX	3540	1.4	3	1	1	1	2	2	3	4
" MULTIPLE DX	1302	1.8	5	1	1	1	2	3	5	12
TOTAL 0-19 YRS	2743	1.4	1	1	1	1	2	2	2	5
20-34	1676	1.6	7	1	1	1	2	2	3	7
35-49	327	2.0	7	1	1	1	2	3	5	14
50-64	71	2.7	10	1	1	2	3	5	10	19
65+	25	2.6	8	<1	<1	1	3	5	10	11
GRAND TOTAL	**4842**	**1.5**	**4**	**1**	**1**	**1**	**2**	**2**	**3**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4150	1.3	2	1	1	1	2	2	2	3
20-34	209	1.4		1	1	1	2	2	3	4
35-49	18	1.6	1	<1	1	1	2	3	4	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3658	1.5	1	1	1	1	2	2	3	8
20-34	75	2.1	2	1	1	2	3	4	5	8
35-49	18	2.6	4	1	1	2	3	6	7	8
50-64	6	2.3	2	1	1	2	2	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	4381	1.3	2	1	1	1	2	2	2	3
" MULTIPLE DX	3759	1.5	2	1	1	1	2	2	3	8
TOTAL 0-19 YRS	7808	1.4	2	1	1	1	2	2	2	5
20-34	284	1.6	1	1	1	1	2	3	3	6
35-49	36	2.1	3	1	1	1	2	5	6	8
50-64	9	2.3	2	1	1	2	3	5	5	5
65+	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**8140**	**1.4**	**2**	**1**	**1**	**1**	**2**	**2**	**2**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	1.1		<1	<1	1	1	2	2	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	431	1.4	3	<1	<1	1	1	2	2	8
20-34	7	1.3		1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
TOT. SINGLE DX	91	1.1		<1	<1	1	1	2	2	3
" MULTIPLE DX	440	1.4	3	<1	<1	1	1	2	2	8
TOTAL 0-19 YRS	518	1.4	3	<1	<1	1	1	2	2	8
20-34	10	1.3		1	1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+										
GRAND TOTAL	**531**	**1.4**	**3**	**<1**	**<1**	**1**	**1**	**2**	**2**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	293	2.1	2	<1	1	2	2	4	5	9
20-34	177	2.1	1	1	1	2	3	3	4	7
35-49	79	2.2	1	1	1	2	3	4	5	8
50-64	58	2.8	6	1	1	2	3	7	9	11
65+	30	4.2	19	<1	<1	2	7	9	12	21
2. MULTIPLE DX										
0-19 YRS	107	3.4	29	1	1	2	4	6	9	32
20-34	100	3.6	6	1	1	3	4	6	8	14
35-49	108	3.6	8	1	1	3	4	8	10	13
50-64	122	6.1	65	1	1	3	7	16	22	45
65+	92	8.2	70	1	1	5	12	20	27	38
TOT. SINGLE DX	637	2.3	4	<1	1	2	3	4	6	10
" MULTIPLE DX	529	4.9	39	1	1	3	5	11	17	36
TOTAL 0-19 YRS	400	2.4	10	<1	1	2	3	4	6	12
20-34	277	2.6	4	1	1	2	3	5	6	11
35-49	187	3.0	6	1	1	2	4	6	9	11
50-64	180	5.0	48	1	1	3	5	11	19	42
65+	122	7.2	61	1	1	4	10	19	25	37
GRAND TOTAL	**1166**	**3.5**	**22**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	1.4		<1	<1	1	2	2	3	3
20-34	13	2.6	4	1	1	2	3	6	8	8
35-49	18	2.9	2	1	1	3	4	5	5	5
50-64	28	3.6	5	<1	1	3	5	6	9	11
65+	20	3.7	4	1	2	3	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	52	4.6	28	1	1	3	5	7	17	33
20-34	16	4.8	22	<1	1	3	6	12	16	18
35-49	18	3.4	7	1	1	3	5	7	9	11
50-64	46	5.8	34	1	2	4	7	8	22	28
65+	94	6.7	87	1	1	4	8	13	20	57
TOT. SINGLE DX	97	2.9	4	<1	1	2	4	5	7	10
" MULTIPLE DX	226	5.6	53	1	1	4	6	12	18	31
TOTAL 0-19 YRS	70	3.8	23	<1	<1	3	4	6	9	30
20-34	29	3.8	15	1	1	2	4	9	12	18
35-49	36	3.2	5	1	1	3	4	5	7	11
50-64	74	5.0	25	1	1	4	6	8	12	28
65+	114	6.1	74	1	1	4	7	12	17	48
GRAND TOTAL	**323**	**4.8**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	1.3		<1	<1	1	2	2	2	4
20-34	39	1.3		<1	<1	1	1	2	2	4
35-49	71	2.0	13	<1	<1	1	2	2	3	26
50-64	112	1.5		<1	<1	1	2	2	3	6
65+	60	1.6	1	<1	<1	1	2	2	3	9
2. MULTIPLE DX										
0-19 YRS	75	3.2	26	<1	1	1	3	7	15	30
20-34	19	2.5	10	<1	<1	1	3	6	11	14
35-49	71	3.9	44	1	1	2	4	8	11	43
50-64	157	4.4	32	<1	1	2	5	11	16	28
65+	141	5.7	95	<1	1	2	6	13	34	48
TOT. SINGLE DX	426	1.5	3	<1	<1	1	2	2	3	7
" MULTIPLE DX	463	4.5	52	<1	1	2	4	10	16	43
TOTAL 0-19 YRS	219	2.0	10	<1	<1	1	2	3	5	19
20-34	58	1.7	4	<1	<1	1	2	3	4	13
35-49	142	2.9	30	<1	1	1	2	6	9	32
50-64	269	3.2	21	<1	<1	2	3	8	11	27
65+	201	4.5	71	<1	1	2	3	9	17	46
GRAND TOTAL	**889**	**3.0**	**31**	**<1**	**<1**	**1**	**2**	**7**	**11**	**34**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.1	2	1	1	2	2	4	6	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	6.8	43	<1	<1	5	12	16	19	19
50-64	26	9.3	48	1	1	8	14	20	21	25
65+	10	8.9	29	1	1	10	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	46	5.7	125	1	1	2	4	14	40	99+
20-34	1	6.0		6	6	6	6	6	6	6
35-49	16	14.1	232	<1	1	9	24	30	48	56
50-64	33	11.0	79	2	2	10	14	19	21	50
65+	37	11.8	143	1	2	9	15	24	37	61
TOT. SINGLE DX	76	6.2	38	1	1	3	10	15	19	24
" MULTIPLE DX	133	9.7	137	1	1	6	13	21	34	73
TOTAL 0-19 YRS	73	4.4	82	1	1	2	3	11	17	92
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	28	10.9	160	<1	1	6	15	28	33	56
50-64	59	10.3	65	1	2	9	14	19	21	48
65+	47	11.2	120	1	2	9	14	21	29	61
GRAND TOTAL	**209**	**8.4**	**104**	**1**	**1**	**5**	**12**	**19**	**26**	**64**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	8	10.8	6	8	8	11	12	14	15	15
50-64	26	13.3	63	7	8	11	13	23	32	42
65+	17	11.1	13	7	7	11	11	18	20	20
2. MULTIPLE DX										
0-19 YRS										
20-34	2	28.5	685	10	10	28	47	47	47	47
35-49	19	17.3	51	7	9	16	25	28	28	28
50-64	100	19.5	165	9	10	15	22	44	57	99+
65+	82	19.9	181	9	10	16	23	35	45	86
TOT. SINGLE DX	51	12.1	38	7	8	11	13	19	24	42
" MULTIPLE DX	203	19.5	163	9	10	15	23	36	49	99+
TOTAL 0-19 YRS										
20-34	2	28.5	685	10	10	28	47	47	47	47
35-49	27	15.3	47	7	8	13	19	27	28	28
50-64	126	18.2	150	8	9	14	20	39	55	99+
65+	99	18.4	163	8	10	14	20	30	40	81
GRAND TOTAL	**254**	**18.0**	**147**	**8**	**9**	**14**	**20**	**34**	**47**	**99**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	4	4.3	14	1	1	4	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	16	30.5	589	3	4	31	55	93	99+	99+
20-34	11	24.5	342	5	7	17	42	75	96	99+
35-49	29	23.8	508	3	4	14	31	59	61	96
50-64	57	28.8	564	4	5	26	49	88	99+	99+
65+	103	27.1	350	5	6	25	44	59	71	99+
TOT. SINGLE DX	10	5.5	9	1	1	6	8	9	9	9
" MULTIPLE DX	216	27.2	440	4	5	23	45	67	97	99+
TOTAL 0-19 YRS	16	30.5	590	3	4	31	55	93	99+	99+
20-34	12	22.7	350	3	5	17	40	71	95	99+
35-49	31	22.7	493	3	4	14	30	58	59	96
50-64	60	27.7	559	4	5	24	47	85	99+	99+
65+	107	26.2	356	4	6	24	43	58	71	99+
GRAND TOTAL	**226**	**26.2**	**441**	**4**	**5**	**22**	**44**	**65**	**95**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	43	3.3	14	<1	1	2	3	7	10	22
20-34	11	4.6	7	<1	1	4	6	8	10	10
35-49	17	4.2	23	<1	1	2	6	11	17	19
50-64	20	6.9	87	<1	<1	3	8	21	31	35
65+	16	2.3	3	<1	1	2	3	4	7	8
2. MULTIPLE DX										
0-19 YRS	174	14.3	313	1	2	8	23	54	99+	99+
20-34	41	22.2	432	2	3	16	41	71	99+	99+
35-49	49	18.9	468	1	2	10	25	42	71	93
50-64	138	24.8	526	1	2	20	40	68	92	99+
65+	179	32.3	586	2	4	31	48	72	86	99+
TOT. SINGLE DX	107	4.1	28	<1	1	2	5	8	13	31
" MULTIPLE DX	581	23.3	518	1	2	17	39	70	90	99+
TOTAL 0-19 YRS	217	12.1	273	1	1	5	20	46	79	99+
20-34	52	18.5	393	2	3	13	31	71	99+	99+
35-49	66	15.1	393	1	1	7	21	35	68	92
50-64	158	22.5	505	1	1	15	35	64	85	99+
65+	195	29.8	607	1	2	25	47	71	84	99+
GRAND TOTAL	**688**	**20.3**	**490**	**1**	**2**	**13**	**33**	**65**	**83**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.5	10	1	2	4	5	8	12	14
20-34	81	4.7	13	1	1	4	7	9	12	16
35-49	82	5.6	18	1	1	4	8	10	14	21
50-64	212	6.4	29	1	1	5	9	12	15	28
65+	171	6.0	22	1	1	5	8	12	16	25
2. MULTIPLE DX										
0-19 YRS	27	10.4	99	2	2	7	12	31	34	37
20-34	189	10.3	68	2	2	8	14	23	26	32
35-49	419	9.3	71	2	2	7	12	19	28	42
50-64	1307	9.2	57	2	2	7	12	18	23	40
65+	2392	10.6	71	2	3	9	14	21	26	42
TOT. SINGLE DX	561	5.9	23	1	1	4	8	12	14	25
" MULTIPLE DX	4334	10.0	67	2	3	8	13	20	25	41
TOTAL 0-19 YRS	42	8.3	75	1	2	5	9	20	33	37
20-34	270	8.6	59	1	1	7	12	20	24	31
35-49	501	8.7	64	1	2	7	11	18	25	38
50-64	1519	8.8	54	1	2	7	11	17	22	38
65+	2563	10.3	69	2	3	8	13	20	25	41
GRAND TOTAL	**4895**	**9.5**	**64**	**2**	**2**	**8**	**12**	**19**	**25**	**39**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.6	27	1	1	2	8	13	14	14
20-34	2	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	49.5	4705	1	1	49	98	98	98	98
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
TOT. SINGLE DX	9	5.3	23	1	1	2	9	12	14	14
" MULTIPLE DX	9	14.6	998	1	1	3	7	65	98	98
TOTAL 0-19 YRS	9	14.6	1001	1	1	2	11	64	98	98
20-34	4	4.8	14	1	1	5	8	8	8	8
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
GRAND TOTAL	**18**	**9.9**	**503**	**1**	**1**	**3**	**8**	**15**	**65**	**98**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	14.3	101	6	6	11	18	28	39	41
20-34	40	8.1	23	2	3	7	10	15	20	21
35-49	71	7.0	16	1	2	7	8	13	14	22
50-64	149	8.2	28	1	3	8	10	14	17	33
65+	115	7.4	26	1	1	8	9	14	17	25
2. MULTIPLE DX										
0-19 YRS	50	14.9	258	3	4	10	16	28	57	80
20-34	112	11.5	59	3	4	10	16	21	26	38
35-49	202	11.2	68	2	3	9	15	22	27	41
50-64	623	12.1	91	2	3	9	15	23	30	47
65+	925	11.5	83	2	3	9	15	22	28	44
TOT. SINGLE DX	387	7.9	29	1	2	7	10	14	17	29
" MULTIPLE DX	1912	11.8	88	2	3	9	15	23	29	46
TOTAL 0-19 YRS	62	14.8	226	3	5	10	17	28	47	79
20-34	152	10.6	52	3	4	8	14	21	23	32
35-49	273	10.1	58	1	3	8	13	20	26	39
50-64	772	11.4	82	2	3	9	14	22	29	45
65+	1040	11.1	79	1	2	9	14	22	27	44
GRAND TOTAL	**2299**	**11.1**	**80**	**2**	**3**	**9**	**14**	**22**	**28**	**44**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	10.6	36	3	4	8	16	19	21	21
20-34	6	10.0	18	5	5	9	13	17	17	17
35-49	23	8.8	4	6	7	8	10	13	13	13
50-64	91	11.4	16	7	8	10	14	17	20	23
65+	56	13.0	30	7	8	11	15	21	24	30
2. MULTIPLE DX										
0-19 YRS	18	14.1	49	6	7	13	17	26	30	30
20-34	7	16.0	25	9	10	16	21	23	23	23
35-49	100	13.2	75	6	7	11	16	20	27	55
50-64	397	13.8	60	7	8	12	16	22	28	51
65+	473	16.1	92	7	8	14	19	27	33	57
TOT. SINGLE DX	186	11.4	21	6	7	10	14	18	21	28
" MULTIPLE DX	995	14.8	78	7	8	12	17	25	30	55
TOTAL 0-19 YRS	28	12.8	46	5	6	12	17	21	29	30
20-34	13	13.2	30	5	7	13	16	22	23	23
35-49	123	12.4	65	6	7	10	14	19	26	50
50-64	488	13.3	53	7	8	11	16	21	26	48
65+	529	15.8	87	7	8	13	18	26	33	56
GRAND TOTAL	**1181**	**14.3**	**71**	**7**	**8**	**12**	**16**	**23**	**29**	**51**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	187	2.8	9	<1	1	2	3	7	10	19
20-34	82	4.2	20	<1	<1	3	4	12	16	20
35-49	121	5.4	26	1	1	4	7	10	18	27
50-64	164	6.0	31	1	1	5	8	12	14	20
65+	130	6.6	27	1	1	5	9	13	17	25
2. MULTIPLE DX										
0-19 YRS	266	10.5	197	1	1	6	14	27	37	94
20-34	238	11.2	170	1	2	8	14	22	30	82
35-49	467	9.0	68	2	2	7	11	18	26	43
50-64	1045	9.6	69	2	2	7	12	19	25	46
65+	1740	11.7	102	2	3	9	15	23	29	57
TOT. SINGLE DX	684	4.9	24	<1	1	3	6	11	15	22
" MULTIPLE DX	3756	10.6	101	2	2	8	13	21	29	56
TOTAL 0-19 YRS	453	7.3	134	<1	1	3	8	19	30	93
20-34	320	9.4	141	1	1	6	12	20	25	81
35-49	588	8.3	62	1	2	6	10	17	23	39
50-64	1209	9.1	66	2	2	7	11	18	24	46
65+	1870	11.3	99	2	3	9	14	22	29	56
GRAND TOTAL	**4440**	**9.8**	**94**	**1**	**2**	**7**	**12**	**20**	**27**	**51**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	5.4	24	2	2	4	6	11	19	20
20-34	39	4.7	7	1	2	4	6	9	11	13
35-49	10	5.2	7	<1	1	5	7	9	10	10
50-64	5	11.4	54	3	3	10	17	22	22	22
65+	8	9.3	22	3	4	9	10	17	19	19
2. MULTIPLE DX										
0-19 YRS	15	9.7	64	3	5	7	11	23	30	33
20-34	29	8.3	33	3	3	8	9	15	21	29
35-49	32	11.8	61	3	4	10	15	22	30	35
50-64	57	13.8	123	2	4	10	19	30	37	49
65+	55	10.0	91	2	3	8	11	19	30	56
TOT. SINGLE DX	74	5.9	18	1	2	5	7	10	15	22
" MULTIPLE DX	188	11.2	87	3	3	8	13	26	32	47
TOTAL 0-19 YRS	27	7.8	50	2	2	6	8	18	24	33
20-34	68	6.3	21	2	3	5	8	11	14	28
35-49	42	10.2	56	2	3	8	13	19	29	35
50-64	62	13.6	117	2	4	10	19	29	37	49
65+	63	9.9	82	2	3	8	11	19	28	54
GRAND TOTAL	**262**	**9.7**	**73**	**2**	**3**	**7**	**11**	**20**	**29**	**41**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	95	5.5	16	1	2	4	7	10	13	23
20-34	416	5.3	8	2	3	5	6	9	11	17
35-49	110	6.4	23	2	3	5	8	10	14	30
50-64	78	7.4	40	3	3	6	9	12	20	41
65+	66	7.9	24	3	3	7	9	14	16	28
2. MULTIPLE DX										
0-19 YRS	264	17.2	398	3	4	10	19	50	72	99
20-34	410	9.2	83	3	3	6	10	19	28	61
35-49	392	10.5	69	3	3	8	13	20	27	45
50-64	551	11.0	79	3	4	8	14	21	27	58
65+	880	13.3	117	3	4	11	16	26	35	60
TOT. SINGLE DX	765	5.9	17	2	3	5	7	10	12	23
" MULTIPLE DX	2497	12.1	131	3	4	9	15	24	34	71
TOTAL 0-19 YRS	359	14.1	324	2	3	7	14	36	64	98
20-34	826	7.2	50	2	3	5	8	13	19	40
35-49	502	9.6	63	2	3	7	12	19	26	42
50-64	629	10.6	76	3	4	8	13	20	25	57
65+	946	12.9	113	3	4	10	16	25	34	60
GRAND TOTAL	**3262**	**10.7**	**111**	**3**	**3**	**7**	**13**	**21**	**30**	**64**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	153	5.8	11	1	2	6	7	8	9	25
20-34	74	5.1	18	1	1	3	7	11	14	20
35-49	67	6.4	29	1	1	5	8	12	17	32
50-64	64	7.5	56	1	1	7	9	13	17	51
65+	60	5.9	31	1	1	4	8	11	18	29
2. MULTIPLE DX										
0-19 YRS	62	12.9	123	3	5	9	15	26	39	52
20-34	110	10.5	68	1	2	8	14	24	28	34
35-49	189	11.8	103	2	3	10	15	22	30	61
50-64	369	10.5	86	2	2	8	14	21	27	53
65+	510	11.9	103	2	3	9	15	25	32	49
TOT. SINGLE DX	418	6.0	26	1	1	6	8	10	13	26
" MULTIPLE DX	1240	11.4	97	2	3	9	15	23	30	52
TOTAL 0-19 YRS	215	7.8	54	1	3	6	8	13	23	48
20-34	184	8.3	55	1	1	7	11	19	26	33
35-49	256	10.4	90	2	2	8	13	20	27	49
50-64	433	10.0	83	1	2	8	13	19	26	54
65+	570	11.3	100	2	2	8	14	24	31	47
GRAND TOTAL	**1658**	**10.1**	**84**	**1**	**2**	**8**	**13**	**21**	**28**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	137	7.8	16	3	4	7	9	13	16	24
20-34	28	9.4	7	7	7	9	10	13	15	20
35-49	37	11.1	22	7	7	9	12	17	19	31
50-64	44	12.9	51	7	8	10	14	20	32	38
65+	15	13.4	37	3	8	12	18	23	23	23
2. MULTIPLE DX										
0-19 YRS	429	13.6	144	5	5	9	15	28	39	93
20-34	64	17.7	148	6	7	13	22	35	44	65
35-49	154	17.5	157	7	8	12	19	37	48	62
50-64	351	18.1	189	8	9	14	20	33	51	92
65+	413	18.2	129	8	9	15	22	29	40	67
TOT. SINGLE DX	261	9.6	28	4	5	8	11	16	20	31
" MULTIPLE DX	1411	16.7	157	6	7	13	20	32	43	80
TOTAL 0-19 YRS	566	12.2	120	4	5	9	14	24	36	79
20-34	92	15.2	119	6	7	11	17	31	37	59
35-49	191	16.2	137	7	8	11	18	33	45	62
50-64	395	17.5	176	8	9	13	20	32	47	90
65+	428	18.0	127	8	9	15	22	29	39	67
GRAND TOTAL	**1672**	**15.6**	**143**	**5**	**7**	**12**	**18**	**29**	**40**	**72**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	9.0		9	9	9	9	9	9	9
35-49	70	9.6	6	7	7	9	11	13	14	18
50-64	228	10.4	11	7	7	9	11	15	17	22
65+	99	11.5	11	8	8	11	14	16	17	24
2. MULTIPLE DX										
0-19 YRS	3	13.0	4	11	11	13	14	15	15	15
20-34	30	11.9	33	6	7	10	14	17	27	33
35-49	789	11.4	28	7	7	10	13	16	21	33
50-64	2788	12.6	37	7	8	11	14	19	23	36
65+	2313	15.2	65	8	9	13	17	24	30	51
TOT. SINGLE DX	400	10.5	11	7	7	10	12	15	17	22
" MULTIPLE DX	5923	13.4	49	7	8	12	15	21	26	43
TOTAL 0-19 YRS	4	13.0	3	11	11	13	14	15	15	15
20-34	32	11.7	32	6	7	10	14	16	26	33
35-49	859	11.2	27	7	7	10	12	16	20	32
50-64	3016	12.4	36	7	8	11	14	19	23	35
65+	2412	15.0	64	8	9	13	17	24	30	50
GRAND TOTAL	**6323**	**13.2**	**47**	**7**	**8**	**11**	**15**	**21**	**26**	**42**

573: Cardiac catheterization (37.21-37.23)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	316	1.9	2	<1	1	2	2	3	4	14
20-34	142	3.0	8	1	1	2	3	6	9	14
35-49	1015	3.0	10	1	1	2	3	6	9	13
50-64	1509	2.9	8	1	1	2	3	6	9	13
65+	486	3.1	9	1	1	2	3	7	9	15
2. MULTIPLE DX										
0-19 YRS	844	2.9	21	1	1	2	2	5	9	25
20-34	438	4.8	20	1	1	3	7	10	14	21
35-49	4157	4.2	15	1	1	3	6	9	11	18
50-64	9305	4.5	17	1	1	3	6	10	13	20
65+	6542	5.8	30	1	2	4	8	12	16	27
TOT. SINGLE DX	3468	2.9	9	1	1	2	3	6	9	13
" MULTIPLE DX	21286	4.8	22	1	1	3	7	10	14	23
TOTAL 0-19 YRS	1160	2.6	16	1	1	2	2	5	7	20
20-34	580	4.3	18	1	1	3	6	9	12	21
35-49	5172	4.0	15	1	1	2	5	9	11	17
50-64	10814	4.3	17	1	1	2	6	10	12	19
65+	7028	5.6	30	1	1	4	8	12	15	26
GRAND TOTAL	**24754**	**4.5**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**21**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	4.5	4	2	2	4	5	9	9	9
20-34	11	3.9	4	2	2	3	5	7	9	9
35-49	23	4.3	13	<1	1	3	6	9	13	15
50-64	72	4.4	9	1	1	4	6	7	9	17
65+	333	4.2	12	1	1	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	51	6.1	25	2	2	5	7	14	15	26
20-34	35	6.5	28	2	3	5	7	12	19	25
35-49	128	8.5	55	1	2	6	12	18	21	39
50-64	645	9.2	55	2	3	7	12	17	21	38
65+	4002	9.2	51	2	3	7	12	17	22	38
TOT. SINGLE DX	453	4.2	12	1	1	3	5	8	10	16
" MULTIPLE DX	4861	9.1	52	2	3	7	12	17	22	38
TOTAL 0-19 YRS	65	5.8	21	2	2	4	6	11	15	26
20-34	46	5.9	24	2	2	4	6	12	18	25
35-49	151	7.9	51	1	2	6	11	17	21	35
50-64	717	8.7	53	2	3	7	11	16	21	37
65+	4335	8.8	51	2	3	7	11	16	21	36
GRAND TOTAL	**5314**	**8.7**	**51**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	5.3	16	2	2	3	7	11	12	19
20-34	16	6.6	20	2	2	6	9	12	16	17
35-49	110	5.0	9	2	2	4	7	9	12	14
50-64	136	4.7	8	1	2	4	6	9	10	14
65+	66	5.3	15	2	2	4	7	10	12	23
2. MULTIPLE DX										
0-19 YRS	72	7.2	88	1	1	4	9	15	36	88
20-34	84	9.5	55	2	3	8	11	14	29	42
35-49	709	6.5	30	2	2	5	8	12	15	26
50-64	1563	6.8	35	2	2	5	9	12	16	26
65+	893	8.4	40	2	3	7	10	17	21	29
TOT. SINGLE DX	356	5.0	11	2	2	4	7	10	12	16
" MULTIPLE DX	3321	7.3	38	2	2	6	9	13	18	29
TOTAL 0-19 YRS	100	6.6	69	1	1	3	8	14	23	74
20-34	100	9.0	50	2	3	8	11	14	23	41
35-49	819	6.3	28	2	2	5	8	12	14	25
50-64	1699	6.6	34	2	2	5	8	12	16	26
65+	959	8.2	39	2	3	6	10	16	21	29
GRAND TOTAL	**3677**	**7.0**	**36**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	3.1	22	<1	<1	2	3	6	11	18
20-34	55	4.1	18	1	1	2	6	9	14	20
35-49	80	4.2	24	1	1	2	6	11	13	25
50-64	105	3.5	13	<1	1	2	4	9	11	17
65+	86	4.4	20	<1	1	2	6	11	14	21
2. MULTIPLE DX										
0-19 YRS	376	7.8	106	1	1	4	9	19	27	52
20-34	177	8.5	100	1	1	6	11	17	22	82
35-49	374	8.4	69	1	2	6	11	17	24	46
50-64	804	8.9	70	1	2	7	12	19	24	39
65+	1948	11.1	79	2	3	9	14	22	28	43
TOT. SINGLE DX	536	3.6	20	<1	1	2	4	9	12	20
" MULTIPLE DX	3679	9.9	82	1	2	8	13	20	26	45
TOTAL 0-19 YRS	586	6.1	82	<1	1	3	7	14	21	51
20-34	232	7.5	85	1	1	5	10	15	20	73
35-49	454	7.6	64	1	1	5	10	16	22	42
50-64	909	8.3	67	1	1	6	11	18	22	38
65+	2034	10.8	78	1	2	9	14	21	27	43
GRAND TOTAL	**4215**	**9.1**	**78**	**1**	**1**	**7**	**12**	**20**	**25**	**43**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.1	1	2	2	3	4	5	5	5
20-34	187	2.9	7	1	1	2	3	5	6	12
35-49	319	2.8	3	1	1	2	3	5	6	10
50-64	204	3.5	4	1	1	3	4	6	7	13
65+	68	4.5	15	1	1	4	5	8	10	27
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	55	4.3	38	1	1	3	4	8	10	42
35-49	135	3.5	4	1	1	3	4	5	7	15
50-64	146	5.1	16	2	2	4	6	10	14	22
65+	107	7.3	60	2	2	4	9	18	22	41
TOT. SINGLE DX	786	3.2	6	1	1	3	4	5	6	12
" MULTIPLE DX	444	5.0	28	1	2	4	5	10	15	29
TOTAL 0-19 YRS	9	2.9	1	1	1	3	4	5	5	5
20-34	242	3.2	15	1	1	3	4	5	6	22
35-49	454	3.0	4	1	1	3	4	5	6	10
50-64	350	4.2	10	1	2	3	5	7	10	19
65+	175	6.2	45	1	2	4	7	12	20	32
GRAND TOTAL	**1230**	**3.9**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	29	8.6	16	4	5	8	9	13	14	24
20-34	12	8.8	199	1	1	3	9	23	48	52
35-49	59	7.3	39	1	2	6	9	14	20	34
50-64	152	7.8	17	2	2	8	10	12	15	23
65+	164	8.4	23	2	2	8	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	116	12.5	168	4	5	8	13	25	48	89
20-34	175	9.4	88	2	2	7	12	18	30	49
35-49	447	11.4	102	2	3	9	13	22	32	55
50-64	1411	12.0	95	3	4	9	14	23	30	59
65+	2169	14.1	102	4	6	11	17	26	34	59
TOT. SINGLE DX	416	8.1	28	2	2	8	10	13	16	27
" MULTIPLE DX	4318	12.9	103	3	4	10	15	24	32	59
TOTAL 0-19 YRS	145	11.7	140	4	5	8	13	23	36	85
20-34	187	9.4	95	2	2	7	12	18	30	52
35-49	506	10.9	97	2	3	9	13	21	31	53
50-64	1563	11.6	90	2	4	9	14	22	29	56
65+	2333	13.7	99	4	5	11	16	25	33	57
GRAND TOTAL	**4734**	**12.5**	**98**	**3**	**4**	**10**	**15**	**23**	**31**	**57**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	1	58.0		58	58	58	58	58	58	58
65+	2	18.0	50	13	13	18	23	23	23	23
TOT. SINGLE DX										
" MULTIPLE DX	5	23.8	389	10	10	15	32	58	58	58
TOTAL 0-19 YRS										
20-34										
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	1	58.0		58	58	58	58	58	58	58
65+	2	18.0	50	13	13	18	23	23	23	23
GRAND TOTAL	**5**	**23.8**	**389**	**10**	**10**	**15**	**32**	**58**	**58**	**58**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	3.6	4	2	2	3	5	7	7	7
50-64	4	8.8	27	4	4	7	12	16	16	16
65+	7	6.0	42	1	1	3	12	16	16	16
2. MULTIPLE DX										
0-19 YRS	47	6.9	84	1	1	4	6	18	22	56
20-34	263	5.3	24	1	1	4	7	11	14	28
35-49	492	5.9	33	1	2	4	7	12	17	32
50-64	830	6.2	34	1	2	5	8	12	17	30
65+	906	7.1	55	1	2	5	8	14	19	35
TOT. SINGLE DX	19	5.9	25	1	1	4	8	15	16	16
" MULTIPLE DX	2538	6.4	42	1	2	5	8	13	18	32
TOTAL 0-19 YRS	49	6.8	81	1	1	4	6	17	22	56
20-34	264	5.3	25	1	1	4	7	11	14	28
35-49	497	5.9	33	1	2	4	7	12	17	32
50-64	834	6.2	34	1	2	5	8	12	17	30
65+	913	7.0	55	1	2	5	8	14	19	35
GRAND TOTAL	**2557**	**6.4**	**42**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	241	5.7	17	1	1	5	7	10	13	27
20-34	142	5.8	42	<1	1	4	7	12	16	37
35-49	225	5.7	31	1	1	4	7	11	18	28
50-64	514	6.7	26	1	2	5	9	12	16	25
65+	673	7.1	22	2	3	6	9	12	15	26
2. MULTIPLE DX										
0-19 YRS	2018	19.3	404	2	4	11	27	55	75	99+
20-34	571	8.7	71	1	2	6	11	20	27	40
35-49	1024	9.6	112	1	2	6	11	21	31	59
50-64	3123	9.7	91	2	2	7	12	19	28	56
65+	5854	10.9	93	2	3	9	13	21	28	57
TOT. SINGLE DX	1795	6.5	26	1	2	5	8	12	15	26
" MULTIPLE DX	12590	11.8	155	2	3	8	14	25	38	79
TOTAL 0-19 YRS	2259	17.9	380	2	3	10	24	52	71	99+
20-34	713	8.1	67	1	1	5	10	18	26	39
35-49	1249	8.9	100	1	2	6	11	20	28	55
50-64	3637	9.3	83	2	2	7	11	18	26	53
65+	6527	10.5	88	2	3	8	13	20	27	55
GRAND TOTAL	**14385**	**11.1**	**142**	**2**	**2**	**8**	**13**	**23**	**36**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	166	4.0	20	<1	1	2	5	9	12	28
20-34	171	3.1	6	<1	1	2	4	7	9	12
35-49	121	2.9	6	<1	1	2	4	5	7	16
50-64	140	4.5	10	1	1	3	7	9	11	15
65+	110	5.5	20	1	1	5	8	11	15	58
2. MULTIPLE DX										
0-19 YRS	118	6.7	49	1	1	5	8	11	24	59
20-34	152	7.2	92	1	1	5	8	13	19	52
35-49	197	7.2	66	1	2	5	9	15	21	35
50-64	413	7.0	33	1	2	5	9	14	17	28
65+	562	8.8	75	1	2	7	11	18	25	52
TOT. SINGLE DX	708	3.9	14	<1	1	3	5	9	10	19
" MULTIPLE DX	1442	7.7	62	1	2	6	10	16	22	42
TOTAL 0-19 YRS	284	5.1	34	<1	1	3	7	11	15	35
20-34	323	5.0	51	<1	1	3	6	10	13	35
35-49	318	5.5	48	1	1	4	7	11	17	28
50-64	553	6.4	29	1	2	5	9	13	16	25
65+	672	8.3	68	1	2	6	10	18	24	52
GRAND TOTAL	**2150**	**6.5**	**49**	**1**	**1**	**5**	**8**	**14**	**18**	**39**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	3.8	6	<1	1	3	6	8	8	8
20-34	17	5.9	18	1	1	6	8	13	14	14
35-49	32	5.4	35	1	2	4	6	13	14	32
50-64	82	6.7	31	1	2	5	7	15	18	29
65+	49	6.1	12	2	2	6	7	10	15	18
2. MULTIPLE DX										
0-19 YRS	12	7.0	16	1	2	7	9	12	16	17
20-34	30	6.8	17	2	2	6	9	12	17	18
35-49	47	7.0	17	2	2	6	9	11	14	24
50-64	182	7.9	39	2	3	6	9	15	20	29
65+	262	10.2	116	3	4	7	10	20	31	55
TOT. SINGLE DX	193	6.1	25	1	2	5	7	13	16	28
" MULTIPLE DX	533	8.8	75	2	3	7	9	17	24	48
TOTAL 0-19 YRS	25	5.4	14	<1	1	6	8	9	11	17
20-34	47	6.4	18	1	2	6	9	13	15	18
35-49	79	6.3	25	2	2	5	8	12	14	30
50-64	264	7.5	37	2	3	6	9	15	19	29
65+	311	9.5	102	3	4	7	9	18	28	52
GRAND TOTAL	**726**	**8.1**	**63**	**2**	**2**	**6**	**9**	**15**	**21**	**43**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	18.5	613	1	1	18	36	36	36	36
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	2	18.5	613	1	1	18	36	36	36	36
" MULTIPLE DX	4	6.3	8	4	4	6	8	10	10	10
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	18.5	613	1	1	18	36	36	36	36
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**6**	**10.3**	**167**	**1**	**1**	**6**	**10**	**33**	**36**	**36**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	31.3	511	3	3	32	46	58	58	58
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	49.2	412	26	29	42	58	80	90	95
20-34	5	42.2	134	28	28	42	50	58	58	58
35-49	2	47.5	221	37	37	47	58	58	58	58
50-64										
65+										
TOT. SINGLE DX	5	32.4	390	3	3	35	42	58	58	58
" MULTIPLE DX	24	47.6	328	27	29	42	57	79	84	95
TOTAL 0-19 YRS	21	45.8	459	15	27	38	57	79	87	95
20-34	6	41.3	112	28	29	39	48	57	58	58
35-49	2	47.5	221	37	37	47	58	58	58	58
50-64										
65+										
GRAND TOTAL	**29**	**45.0**	**359**	**23**	**28**	**38**	**57**	**72**	**81**	**95**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	269	5.8	34	1	2	5	7	11	15	32
20-34	156	7.2	25	2	2	6	8	12	19	30
35-49	94	7.7	47	1	2	6	9	15	23	36
50-64	110	6.8	30	2	2	5	8	13	17	31
65+	105	6.5	43	2	2	5	8	11	13	44
2. MULTIPLE DX										
0-19 YRS	432	9.8	78	2	3	7	12	21	29	46
20-34	438	11.7	130	2	3	8	14	28	33	62
35-49	511	10.6	77	2	3	8	13	22	29	46
50-64	927	11.0	99	2	3	8	13	22	32	54
65+	2534	10.9	69	3	4	9	13	20	26	45
TOT. SINGLE DX	734	6.6	35	1	2	5	8	12	17	32
" MULTIPLE DX	4842	10.9	83	3	3	8	13	21	29	48
TOTAL 0-19 YRS	701	8.2	65	1	2	6	10	17	24	44
20-34	594	10.5	107	2	3	7	11	24	31	55
35-49	605	10.2	74	2	3	8	12	21	28	44
50-64	1037	10.5	93	2	3	8	13	21	31	53
65+	2639	10.7	69	3	4	9	13	20	25	45
GRAND TOTAL	**5576**	**10.3**	**78**	**2**	**3**	**8**	**12**	**20**	**28**	**46**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	83	7.2	51	<1	1	4	11	16	23	33
20-34	49	7.3	48	1	2	6	9	13	20	40
35-49	49	7.0	39	1	1	6	8	14	23	29
50-64	56	6.9	135	1	1	4	7	12	20	81
65+	35	7.9	77	1	2	4	11	17	29	42
2. MULTIPLE DX										
0-19 YRS	382	18.4	367	2	3	11	25	47	64	99
20-34	253	12.9	157	1	2	9	17	29	34	84
35-49	480	12.4	147	2	2	8	16	28	36	58
50-64	830	12.1	146	1	2	8	16	26	35	60
65+	1187	13.9	155	2	3	11	18	29	36	76
TOT. SINGLE DX	272	7.2	69	1	1	5	9	15	23	39
" MULTIPLE DX	3132	13.7	181	2	2	10	18	30	40	83
TOTAL 0-19 YRS	465	16.4	329	1	2	10	21	41	60	98
20-34	302	12.0	144	1	2	8	16	28	34	73
35-49	529	11.9	140	1	2	8	15	27	36	57
50-64	886	11.7	148	1	2	8	15	25	34	61
65+	1222	13.8	154	2	3	11	18	29	36	76
GRAND TOTAL	**3404**	**13.1**	**175**	**2**	**2**	**9**	**17**	**29**	**39**	**78**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	7.7	127	1	1	2	10	19	35	54
20-34	21	5.4	13	<1	1	5	8	9	12	15
35-49	60	5.2	27	1	1	3	8	10	15	27
50-64	68	4.7	17	1	1	4	6	11	13	19
65+	58	6.1	31	1	1	4	9	16	19	20
2. MULTIPLE DX										
0-19 YRS	116	9.1	159	1	1	4	11	24	53	99+
20-34	125	9.5	140	2	2	6	9	22	35	64
35-49	330	7.0	45	1	2	5	9	14	20	27
50-64	593	8.5	68	1	2	6	11	19	25	42
65+	1053	9.4	77	2	2	7	12	20	26	47
TOT. SINGLE DX	245	5.7	40	1	1	4	8	12	18	31
" MULTIPLE DX	2217	8.8	79	1	2	6	11	19	26	49
TOTAL 0-19 YRS	154	8.8	151	1	1	4	11	24	47	98
20-34	146	8.9	124	1	2	6	9	20	35	61
35-49	390	6.8	43	1	1	5	9	14	18	28
50-64	661	8.1	65	1	2	6	10	18	24	41
65+	1111	9.2	75	2	2	7	12	19	25	46
GRAND TOTAL	**2462**	**8.5**	**76**	**1**	**2**	**6**	**10**	**18**	**25**	**49**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	466	3.1	1	1	2	3	4	5	5	7
20-34	5	7.0	13	2	2	7	9	12	12	12
35-49										
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	4	8.5	13	4	4	9	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	138	4.7	30	2	2	4	5	7	8	25
20-34	7	8.1	10	4	4	9	10	12	13	13
35-49	9	14.8	55	7	7	13	18	27	28	28
50-64	13	25.0	556	8	8	14	36	72	74	74
65+	32	17.0	59	7	9	18	21	33	89	99+
TOT. SINGLE DX	477	3.2	2	1	2	3	4	5	6	9
" MULTIPLE DX	199	8.6	108	2	2	5	9	19	27	87
TOTAL 0-19 YRS	604	3.5	9	2	2	3	4	5	7	9
20-34	12	7.7	11	2	3	7	10	12	13	13
35-49	9	14.8	55	7	7	13	18	27	28	28
50-64	15	22.6	518	6	8	13	31	72	73	74
65+	36	16.1	61	7	8	17	21	30	77	99+
GRAND TOTAL	**676**	**4.8**	**39**	**2**	**2**	**3**	**5**	**8**	**15**	**39**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	12.5	69	5	5	11	19	22	22	22
20-34										
35-49	4	12.3	25	8	8	11	16	19	19	19
50-64	6	12.0	117	4	4	7	17	30	32	32
65+	22	9.7	74	1	2	7	14	25	27	29
2. MULTIPLE DX										
0-19 YRS	67	20.7	466	2	3	12	33	56	66	99
20-34	34	19.1	370	2	3	14	51	99+	99+	99+
35-49	42	19.4	245	2	4	15	33	95	99+	99+
50-64	146	19.1	293	2	4	15	30	49	80	99+
65+	916	18.9	258	3	4	15	25	39	56	99+
TOT. SINGLE DX	36	10.7	71	1	2	8	16	24	28	32
" MULTIPLE DX	1205	19.0	276	3	4	15	26	44	67	99+
TOTAL 0-19 YRS	71	20.3	446	2	3	12	30	55	64	99
20-34	34	19.1	371	2	3	14	51	99+	99+	99+
35-49	46	18.7	230	2	4	15	32	85	99+	99+
50-64	152	18.8	288	2	4	15	29	48	77	99+
65+	938	18.7	256	3	4	15	24	38	56	99+
GRAND TOTAL	**1241**	**18.8**	**272**	**3**	**4**	**14**	**26**	**43**	**66**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	4.6	4	2	2	4	6	8	8	8
20-34	29	4.3	6	1	1	4	6	8	10	10
35-49	67	4.3	5	1	2	4	5	8	9	13
50-64	68	4.6	6	1	2	4	6	7	9	16
65+	75	5.7	16	<1	2	5	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	41	5.8	13	1	2	5	7	11	14	17
20-34	189	7.4	45	2	2	5	8	15	23	32
35-49	425	7.0	46	2	2	5	8	13	17	31
50-64	776	7.3	30	2	3	6	9	13	17	31
65+	1626	8.9	43	3	3	7	11	16	21	35
TOT. SINGLE DX	247	4.8	9	1	2	4	6	8	10	18
" MULTIPLE DX	3057	8.1	41	2	3	6	10	15	20	33
TOTAL 0-19 YRS	49	5.6	12	2	2	5	7	10	13	17
20-34	218	7.0	42	2	2	5	7	14	22	32
35-49	492	6.6	42	2	2	5	8	12	16	30
50-64	844	7.1	29	2	3	6	9	13	17	31
65+	1701	8.7	43	2	3	7	11	16	21	35
GRAND TOTAL	**3304**	**7.8**	**40**	**2**	**3**	**6**	**9**	**15**	**20**	**33**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	32	8.8	18	6	6	8	9	14	17	26
35-49	60	9.2	9	5	6	9	10	12	16	20
50-64	49	9.7	9	7	7	9	11	13	13	25
65+	44	12.7	28	7	8	11	15	20	23	31
2. MULTIPLE DX										
0-19 YRS	3	13.0	7	11	11	12	15	16	16	16
20-34	56	13.8	131	4	5	11	17	25	31	76
35-49	182	13.7	72	7	7	11	15	24	30	51
50-64	257	15.6	114	7	8	12	18	29	35	62
65+	451	18.0	120	8	9	15	21	30	39	64
TOT. SINGLE DX	185	10.1	17	6	6	9	11	16	19	26
" MULTIPLE DX	949	16.2	113	7	8	13	19	29	35	60
TOTAL 0-19 YRS	3	13.0	7	11	11	12	15	16	16	16
20-34	88	12.0	95	5	6	9	15	20	27	62
35-49	242	12.6	61	6	7	10	14	21	29	48
50-64	306	14.6	102	7	7	11	16	26	34	55
65+	495	17.5	114	8	9	14	20	30	37	62
GRAND TOTAL	**1134**	**15.2**	**102**	**7**	**7**	**12**	**18**	**26**	**33**	**57**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	13.0	19	10	10	11	16	18	18	18
50-64	9	24.8	337	10	10	19	34	55	67	67
65+	9	18.8	70	12	13	15	20	34	38	38
2. MULTIPLE DX										
0-19 YRS										
20-34	6	24.7	382	7	7	17	36	57	59	59
35-49	17	24.3	282	8	8	19	36	57	83	99+
50-64	52	23.4	214	10	12	19	26	46	57	83
65+	75	21.3	133	10	11	19	26	34	42	72
TOT. SINGLE DX	22	20.0	182	9	10	15	20	37	50	67
" MULTIPLE DX	150	22.5	184	10	11	19	27	40	57	84
TOTAL 0-19 YRS										
20-34	7	22.3	358	7	7	17	31	54	59	59
35-49	20	22.6	257	8	9	16	33	56	77	99+
50-64	61	23.6	227	10	11	19	26	46	58	82
65+	84	21.1	126	10	11	18	26	34	40	70
GRAND TOTAL	**172**	**22.2**	**184**	**10**	**10**	**18**	**27**	**38**	**57**	**82**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	36	7.9	9	4	5	7	10	12	13	19
35-49	40	8.5	4	5	6	8	10	11	13	14
50-64	29	9.3	7	6	6	8	10	14	14	15
65+	13	13.5	30	8	9	14	15	19	27	29
2. MULTIPLE DX										
0-19 YRS	4	16.3	14	12	12	16	19	21	21	21
20-34	36	10.6	22	5	5	9	13	17	21	22
35-49	96	11.5	34	5	6	10	13	17	24	37
50-64	111	12.4	52	6	7	10	14	20	25	43
65+	99	17.1	98	8	9	13	20	30	37	57
TOT. SINGLE DX	120	9.0	12	5	6	8	10	14	15	22
" MULTIPLE DX	346	13.4	63	6	7	11	15	23	28	42
TOTAL 0-19 YRS	6	13.5	27	8	8	13	17	21	21	21
20-34	72	9.2	18	5	5	8	11	15	19	22
35-49	136	10.6	28	5	6	9	12	16	21	33
50-64	140	11.8	45	6	7	10	14	18	23	33
65+	112	16.7	92	8	9	13	20	29	34	56
GRAND TOTAL	**466**	**12.2**	**54**	**6**	**6**	**10**	**14**	**20**	**27**	**40**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	6.8	42	2	2	6	8	10	13	44
20-34	301	5.3	8	2	2	5	7	9	10	14
35-49	330	5.9	16	2	2	6	7	9	11	16
50-64	104	7.7	15	2	3	7	9	12	14	23
65+	40	10.3	23	6	6	8	11	17	21	29
2. MULTIPLE DX										
0-19 YRS	295	17.9	316	3	5	12	23	46	80	99+
20-34	523	7.4	46	2	3	6	8	11	16	44
35-49	791	8.4	61	3	3	7	9	14	20	49
50-64	454	12.2	105	4	5	9	14	24	32	66
65+	576	17.3	165	6	7	13	20	33	46	69
TOT. SINGLE DX	859	6.2	18	2	2	6	8	10	12	21
" MULTIPLE DX	2639	11.9	135	3	4	8	13	25	36	76
TOTAL 0-19 YRS	379	15.4	276	2	4	9	20	42	70	99+
20-34	824	6.6	34	2	3	6	7	10	13	36
35-49	1121	7.7	49	2	3	6	8	12	16	45
50-64	558	11.3	91	3	5	9	12	21	30	60
65+	616	16.8	160	6	7	13	20	32	42	69
GRAND TOTAL	**3498**	**10.5**	**112**	**2**	**3**	**7**	**11**	**21**	**31**	**68**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	79	3.8	8	1	1	3	5	8	10	16
20-34	88	5.0	10	2	2	4	6	9	14	68
35-49	84	4.8	9	1	1	4	6	9	11	15
50-64	124	4.1	9	1	1	3	5	8	11	14
65+	128	4.7	21	<1	<1	3	7	12	13	21
2. MULTIPLE DX										
0-19 YRS	145	7.0	80	1	2	5	8	13	19	54
20-34	333	7.1	46	2	2	5	8	13	19	34
35-49	509	6.6	46	1	2	5	8	12	18	43
50-64	1030	7.1	39	1	2	6	9	14	18	31
65+	2446	8.2	56	1	2	6	10	16	21	40
TOT. SINGLE DX	503	4.5	13	1	1	3	6	9	12	18
" MULTIPLE DX	4463	7.7	52	1	2	6	9	15	20	37
TOTAL 0-19 YRS	224	5.8	57	1	1	4	7	11	16	37
20-34	421	6.7	39	2	2	5	8	12	17	35
35-49	593	6.3	42	1	2	5	8	12	16	36
50-64	1154	6.7	37	1	2	5	8	13	17	30
65+	2574	8.1	55	1	2	6	10	16	21	38
GRAND TOTAL	**4966**	**7.3**	**49**	**1**	**2**	**6**	**9**	**14**	**19**	**35**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	9.5	69	4	5	7	9	14	29	43
20-34	28	10.1	28	6	6	8	12	16	25	27
35-49	21	9.6	17	4	5	8	12	14	18	22
50-64	32	9.7	13	5	6	9	12	14	18	19
65+	36	11.8	38	6	6	10	13	24	27	29
2. MULTIPLE DX										
0-19 YRS	77	21.3	401	6	6	13	33	67	99+	99+
20-34	115	14.2	114	6	6	11	16	26	36	65
35-49	155	14.5	114	6	7	12	16	26	34	54
50-64	228	17.8	195	6	7	14	20	35	45	75
65+	568	18.6	161	7	8	15	23	35	42	76
TOT. SINGLE DX	137	10.3	32	5	6	9	12	15	23	31
" MULTIPLE DX	1143	17.6	176	7	7	13	21	35	45	88
TOTAL 0-19 YRS	97	18.8	355	5	6	11	27	62	97	99+
20-34	143	13.4	100	6	6	10	15	25	33	60
35-49	176	13.9	105	6	7	11	15	24	32	53
50-64	260	16.8	180	6	7	13	19	31	43	69
65+	604	18.2	156	7	8	14	23	34	42	76
GRAND TOTAL	**1280**	**16.8**	**166**	**6**	**7**	**12**	**20**	**32**	**42**	**84**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	9.7	23	4	5	8	12	16	20	26
20-34	79	11.5	41	5	6	10	14	19	26	38
35-49	167	10.2	23	6	6	9	11	15	20	34
50-64	335	10.0	10	6	7	9	11	14	16	22
65+	407	11.3	25	7	7	10	12	16	18	34
2. MULTIPLE DX										
0-19 YRS	85	21.1	342	6	7	15	28	56	76	99+
20-34	202	14.4	130	6	7	10	15	26	33	67
35-49	508	13.5	99	6	7	11	14	22	33	72
50-64	1390	13.5	68	7	8	11	15	22	31	55
65+	3666	15.7	88	8	8	13	18	26	34	57
TOT. SINGLE DX	1027	10.6	21	6	7	10	12	15	18	30
" MULTIPLE DX	5851	15.0	91	7	8	12	17	25	34	59
TOTAL 0-19 YRS	124	17.5	269	5	6	12	19	47	65	99+
20-34	281	13.6	107	6	7	10	15	25	30	65
35-49	675	12.7	82	6	7	10	14	20	30	57
50-64	1725	12.9	59	7	7	11	14	20	27	50
65+	4073	15.3	84	8	8	12	17	25	33	56
GRAND TOTAL	**6878**	**14.4**	**83**	**7**	**8**	**12**	**16**	**24**	**32**	**56**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	6.6	13	1	2	6	9	12	13	13
20-34	18	5.8	14	2	2	4	8	12	13	13
35-49	13	8.3	75	2	2	5	11	18	31	34
50-64	20	10.2	33	5	6	8	12	16	23	30
65+	15	10.7	26	5	5	10	14	19	21	22
2. MULTIPLE DX										
0-19 YRS	26	15.2	159	3	5	9	26	34	60	99+
20-34	33	9.8	56	1	3	8	12	22	33	99+
35-49	54	12.1	44	2	2	12	16	21	25	28
50-64	84	15.7	89	6	7	14	19	30	33	50
65+	220	17.3	137	7	8	14	20	30	45	62
TOT. SINGLE DX	86	8.2	32	2	2	7	11	14	17	33
" MULTIPLE DX	417	15.6	116	5	6	13	19	29	36	62
TOTAL 0-19 YRS	46	11.4	113	2	3	8	13	29	38	99+
20-34	51	8.4	45	2	2	7	11	20	26	99
35-49	67	11.4	52	2	2	11	16	21	25	33
50-64	104	14.7	83	6	7	12	18	30	33	49
65+	235	16.8	133	6	8	13	20	29	41	61
GRAND TOTAL	**503**	**14.3**	**109**	**3**	**5**	**12**	**18**	**27**	**34**	**59**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	7.0	24	2	2	6	9	12	15	24
20-34	105	7.8	9	4	5	7	9	11	12	21
35-49	99	8.5	12	4	5	8	10	12	16	24
50-64	97	9.6	22	4	5	9	11	14	16	31
65+	97	8.7	8	5	5	9	10	13	14	17
2. MULTIPLE DX										
0-19 YRS	233	12.2	161	4	5	8	13	27	49	99+
20-34	195	12.3	158	4	5	9	12	21	31	75
35-49	241	13.8	122	5	6	10	15	24	36	68
50-64	340	12.8	74	5	6	10	14	24	33	52
65+	664	13.7	113	5	6	11	15	24	34	69
TOT. SINGLE DX	525	8.3	16	3	4	8	10	12	14	25
" MULTIPLE DX	1673	13.1	119	5	6	10	14	24	35	76
TOTAL 0-19 YRS	360	10.4	119	3	4	8	11	19	38	99+
20-34	300	10.7	111	4	5	8	10	17	27	65
35-49	340	12.2	96	5	6	9	14	20	28	67
50-64	437	12.1	64	5	6	10	13	22	31	47
65+	761	13.0	103	5	6	10	14	22	32	67
GRAND TOTAL	**2198**	**12.0**	**99**	**4**	**5**	**9**	**13**	**21**	**31**	**67**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	11.2	62	4	5	9	13	24	30	30
20-34	6	8.0	10	3	3	8	8	13	13	13
35-49	7	9.9	19	3	4	9	13	15	16	16
50-64	6	11.8	98	1	1	9	17	28	29	29
65+	16	13.0	60	4	4	12	16	23	30	33
2. MULTIPLE DX										
0-19 YRS	29	17.6	201	7	7	11	22	30	43	76
20-34	43	17.7	182	6	7	12	23	38	41	70
35-49	57	17.8	211	3	5	15	21	34	43	99+
50-64	134	16.2	117	5	7	13	19	26	34	66
65+	316	19.1	153	7	8	16	24	37	46	90
TOT. SINGLE DX	44	11.3	51	3	4	9	14	19	29	33
" MULTIPLE DX	579	18.1	156	6	7	15	23	33	44	82
TOTAL 0-19 YRS	38	16.1	174	6	7	11	20	29	37	76
20-34	49	16.5	171	6	7	11	21	37	40	70
35-49	64	17.0	196	3	4	14	20	32	40	99+
50-64	140	16.0	117	5	7	13	18	26	33	66
65+	332	18.8	150	7	8	16	23	37	45	87
GRAND TOTAL	**623**	**17.7**	**151**	**6**	**7**	**14**	**22**	**32**	**43**	**78**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3908	3.5	4	2	2	3	4	6	8	12
20-34	2719	3.6	3	2	2	3	4	6	7	10
35-49	998	4.3	6	2	2	4	5	8	9	14
50-64	415	5.3	7	2	2	5	7	9	11	13
65+	153	6.4	15	2	3	6	8	11	12	21
2. MULTIPLE DX										
0-19 YRS	1233	5.8	22	2	2	4	7	11	14	26
20-34	997	5.8	16	2	3	5	7	10	12	23
35-49	532	6.9	18	2	3	6	9	12	16	20
50-64	428	8.9	37	3	4	8	11	15	19	31
65+	393	10.4	65	3	4	9	12	17	26	42
TOT. SINGLE DX	8193	3.8	5	2	2	3	4	6	8	12
" MULTIPLE DX	3583	6.8	29	2	3	5	8	12	16	28
TOTAL 0-19 YRS	5141	4.1	10	2	2	3	5	7	9	16
20-34	3716	4.1	8	2	2	3	5	7	9	15
35-49	1530	5.2	12	2	2	4	7	9	12	18
50-64	843	7.1	26	2	3	6	9	12	15	27
65+	546	9.3	55	3	3	8	11	15	21	37
GRAND TOTAL	**11776**	**4.7**	**14**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.7	3	2	2	3	4	6	8	10
20-34	26	3.9	2	2	2	4	5	6	6	7
35-49	8	3.3		2	2	3	4	5	5	5
50-64	3	5.3	17	2	2	4	8	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	18	5.8	11	2	2	5	9	10	12	14
20-34	34	6.1	49	3	3	5	6	7	16	43
35-49	6	7.2	15	4	4	6	11	13	13	13
50-64	5	8.8	39	1	1	7	14	17	17	17
65+	2	20.0	128	12	12	20	28	28	28	28
TOT. SINGLE DX	94	3.8	3	2	2	3	5	6	7	10
" MULTIPLE DX	65	6.8	41	2	3	5	7	13	17	41
TOTAL 0-19 YRS	75	4.2	6	2	2	4	5	8	10	13
20-34	60	5.2	30	2	3	4	5	6	8	40
35-49	14	4.9	11	2	3	4	5	11	13	13
50-64	8	7.5	31	1	1	6	11	16	17	17
65+	2	20.0	128	12	12	20	28	28	28	28
GRAND TOTAL	**159**	**5.0**	**20**	**2**	**2**	**4**	**5**	**8**	**12**	**27**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	7.0	7	3	3	7	9	10	11	11
20-34	8	8.4	9	5	5	8	11	13	13	13
35-49	2	10.0		10	10	10	10	10	10	10
50-64	3	12.3	49	5	5	13	17	19	19	19
65+	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	12	11.5	30	5	6	9	14	22	22	22
20-34	8	12.5	56	3	4	13	17	23	25	25
35-49	10	9.5	22	5	5	8	11	17	20	20
50-64	8	12.1	69	2	3	10	14	26	30	30
65+	7	12.3	11	8	8	12	16	16	16	16
TOT. SINGLE DX	23	8.5	13	4	5	9	10	13	15	19
" MULTIPLE DX	45	11.5	35	4	5	9	15	20	23	30
TOTAL 0-19 YRS	20	9.7	26	3	4	9	10	18	22	22
20-34	16	10.4	35	3	5	9	13	18	23	25
35-49	12	9.6	18	5	6	9	11	16	19	20
50-64	11	12.2	58	2	4	11	15	23	29	30
65+	9	11.3	13	7	7	10	15	16	16	16
GRAND TOTAL	**68**	**10.5**	**29**	**4**	**5**	**9**	**13**	**18**	**22**	**29**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	3.3	5	1	1	2	5	6	8	11
20-34	37	3.0	4	<1	<1	2	4	7	8	8
35-49	37	3.1	4	<1	1	3	4	6	8	10
50-64	50	3.8	9	1	1	3	5	8	9	17
65+	91	4.0	23	1	1	3	4	7	11	31
2. MULTIPLE DX										
0-19 YRS	65	6.8	94	1	1	4	6	21	34	92
20-34	47	5.8	22	1	2	4	7	11	18	23
35-49	78	5.2	16	1	1	4	7	10	13	24
50-64	167	6.2	30	1	2	5	8	13	17	35
65+	444	7.4	55	1	2	6	9	13	18	33
TOT. SINGLE DX	261	3.6	12	<1	1	3	4	7	9	17
" MULTIPLE DX	801	6.8	48	1	2	5	9	13	18	37
TOTAL 0-19 YRS	111	5.3	60	1	1	3	5	11	22	68
20-34	84	4.6	17	<1	1	4	6	8	12	22
35-49	115	4.5	14	1	1	4	6	8	12	19
50-64	217	5.7	26	1	1	4	8	11	17	31
65+	535	6.8	52	1	2	5	9	12	17	34
GRAND TOTAL	**1062**	**6.0**	**41**	**1**	**1**	**4**	**8**	**12**	**16**	**33**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	2.6	5	<1	1	2	3	6	9	12
20-34	203	2.7	3	1	1	2	3	6	7	9
35-49	164	2.8	3	1	1	2	4	5	6	11
50-64	68	3.0	3	<1	1	3	4	5	8	9
65+	21	3.3	3	<1	<1	4	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	22	3.7	25	<1	1	2	3	9	18	21
20-34	155	4.4	16	1	1	3	5	8	11	25
35-49	180	4.5	20	1	1	3	5	8	11	29
50-64	148	7.6	121	1	2	4	8	16	28	60
65+	111	8.0	57	2	2	6	9	16	24	42
TOT. SINGLE DX	503	2.8	4	1	1	2	4	5	7	10
" MULTIPLE DX	616	5.8	53	1	1	4	6	11	18	39
TOTAL 0-19 YRS	69	3.0	12	<1	1	2	3	6	10	20
20-34	358	3.4	10	1	1	3	4	7	8	15
35-49	344	3.7	13	1	1	3	4	6	8	21
50-64	216	6.2	89	1	1	3	6	11	22	51
65+	132	7.3	52	1	2	5	8	15	23	39
GRAND TOTAL	**1119**	**4.5**	**33**	**1**	**1**	**3**	**5**	**8**	**12**	**32**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	11.9	24	5	7	10	15	19	20	23
20-34	10	11.1	7	7	7	11	14	15	16	16
35-49	35	11.0	14	5	7	10	13	16	19	19
50-64	83	11.5	22	6	7	10	14	17	18	33
65+	74	12.5	39	7	8	11	14	18	19	43
2. MULTIPLE DX										
0-19 YRS	41	13.5	236	3	5	9	15	24	38	94
20-34	24	16.2	123	7	8	12	20	26	44	55
35-49	89	13.6	42	5	7	12	16	23	30	36
50-64	276	14.2	42	7	8	12	16	24	28	39
65+	612	17.4	97	8	9	15	21	28	39	51
TOT. SINGLE DX	229	11.8	26	7	7	10	14	18	19	38
" MULTIPLE DX	1042	16.1	87	7	8	14	19	26	34	50
TOTAL 0-19 YRS	68	12.9	151	4	5	10	15	20	26	86
20-34	34	14.7	94	7	8	11	16	23	37	55
35-49	124	12.9	36	5	7	11	15	19	24	34
50-64	359	13.6	39	7	8	12	16	21	26	39
65+	686	16.9	94	8	9	14	19	27	38	51
GRAND TOTAL	**1271**	**15.3**	**79**	**7**	**8**	**13**	**18**	**25**	**31**	**49**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	284	3.3	5	1	1	3	4	6	7	15
20-34	676	4.4	11	1	2	4	5	8	10	18
35-49	759	4.5	10	1	2	4	6	8	10	18
50-64	562	4.7	12	1	2	4	6	9	11	18
65+	450	5.2	15	1	1	4	6	10	12	16
2. MULTIPLE DX										
0-19 YRS	673	6.4	60	1	2	4	7	13	20	49
20-34	2438	5.7	26	1	2	4	7	10	15	29
35-49	3966	6.2	28	2	2	5	7	11	15	28
50-64	5414	6.7	33	2	2	5	8	12	17	31
65+	10007	8.2	46	2	3	6	10	15	20	36
TOT. SINGLE DX	2731	4.5	12	1	1	4	6	8	11	18
" MULTIPLE DX	22498	7.1	40	2	2	6	9	13	18	33
TOTAL 0-19 YRS	957	5.5	46	1	1	4	6	10	17	44
20-34	3114	5.4	23	1	2	4	6	10	14	25
35-49	4725	5.9	26	2	2	5	7	11	14	27
50-64	5976	6.6	32	2	2	5	8	12	16	31
65+	10457	8.0	46	2	3	6	10	15	20	36
GRAND TOTAL	**25229**	**6.9**	**37**	**2**	**2**	**5**	**8**	**13**	**17**	**32**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.4		<1	1	1	2	2	4	4
20-34	170	2.6	2	1	1	2	3	4	5	9
35-49	185	2.3	1	1	1	2	3	4	4	6
50-64	96	2.6	2	1	1	2	3	4	6	9
65+	29	2.5	1	<1	1	3	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	14	3.1	7	<1	<1	2	4	6	10	11
20-34	141	3.8	13	1	1	3	4	6	10	17
35-49	225	3.2	3	1	1	3	4	5	6	10
50-64	180	3.5	6	1	1	3	4	6	8	17
65+	108	4.3	11	1	1	3	5	8	10	20
TOT. SINGLE DX	496	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	668	3.6	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	30	2.2	4	<1	<1	2	2	4	6	11
20-34	311	3.1	8	1	1	3	4	5	7	13
35-49	410	2.8	3	1	1	3	4	5	6	9
50-64	276	3.2	5	1	1	3	4	5	7	13
65+	137	3.9	10	1	1	3	4	7	10	17
GRAND TOTAL	**1164**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.6	3	1	1	2	3	5	7	8
20-34	138	2.4	1	1	1	2	3	4	5	6
35-49	124	2.5	1	1	1	2	3	4	5	7
50-64	58	2.5	3	1	1	2	3	4	5	12
65+	23	2.7	2	1	1	2	4	4	6	8
2. MULTIPLE DX										
0-19 YRS	18	2.2	1	1	1	2	3	5	5	5
20-34	185	3.9	15	1	1	3	4	6	7	22
35-49	276	3.7	6	1	1	3	4	6	8	14
50-64	197	4.3	19	1	2	3	5	7	9	24
65+	151	5.0	39	1	1	4	5	8	13	32
TOT. SINGLE DX	360	2.4	2	1	1	2	3	4	5	8
" MULTIPLE DX	827	4.1	18	1	1	3	5	6	9	18
TOTAL 0-19 YRS	35	2.4	3	1	1	2	3	5	5	8
20-34	323	3.2	10	1	1	3	4	5	6	11
35-49	400	3.3	5	1	1	3	4	5	6	12
50-64	255	3.9	16	1	1	3	4	6	9	16
65+	174	4.7	35	1	1	3	5	8	12	29
GRAND TOTAL	**1187**	**3.6**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.5	1	<1	<1	2	3	4	5	5
20-34	222	3.4	3	1	1	3	4	6	7	8
35-49	319	3.3	2	1	2	3	4	5	6	7
50-64	165	3.7	3	1	2	3	5	6	7	11
65+	36	3.9	3	1	2	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	31	4.3	6	2	2	4	5	7	9	15
20-34	973	4.0	5	1	2	4	5	6	7	12
35-49	1773	4.2	5	1	2	4	5	7	8	14
50-64	1283	4.4	7	2	2	4	5	7	9	15
65+	758	5.2	12	2	2	4	6	9	12	17
TOT. SINGLE DX	759	3.4	3	1	2	3	4	6	6	8
" MULTIPLE DX	4818	4.4	7	1	2	4	5	7	9	15
TOTAL 0-19 YRS	48	3.7	6	<1	1	3	4	6	7	15
20-34	1195	3.9	5	1	2	4	5	6	7	11
35-49	2092	4.0	5	1	2	4	5	6	8	12
50-64	1443	4.3	7	1	2	4	5	7	9	15
65+	794	5.1	13	2	2	4	6	9	12	17
GRAND TOTAL	**5577**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	2.6	3	<1	1	2	3	5	7	9
20-34	169	2.7	2	1	1	2	3	5	6	8
35-49	134	2.5	1	1	1	2	3	4	5	7
50-64	82	2.9	3	1	1	3	4	5	7	9
65+	39	3.3	3	1	1	3	4	5	8	10
2. MULTIPLE DX										
0-19 YRS	54	4.8	17	1	1	4	7	9	12	25
20-34	173	3.8	11	1	1	3	4	7	10	16
35-49	242	3.9	23	1	1	3	4	7	11	25
50-64	217	4.8	29	1	2	3	5	9	13	33
65+	204	6.3	81	1	2	4	6	10	19	50
TOT. SINGLE DX	471	2.7	3	1	1	2	3	5	6	9
" MULTIPLE DX	890	4.7	36	1	1	3	5	9	13	32
TOTAL 0-19 YRS	101	3.8	12	1	1	3	5	8	9	19
20-34	342	3.2	7	1	1	2	4	6	8	14
35-49	376	3.4	16	1	1	3	4	6	8	19
50-64	299	4.3	23	1	1	3	4	8	11	30
65+	243	5.8	70	1	2	4	6	10	16	47
GRAND TOTAL	**1361**	**4.0**	**25**	**1**	**1**	**3**	**4**	**7**	**10**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	3	9.0	21	5	5	8	12	14	14	14
35-49	9	12.0	31	4	4	14	16	18	19	19
50-64	2	10.5	181	1	1	10	20	20	20	20
65+	4	3.8	18	<1	<1	2	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	8	13.9	78	7	7	11	15	29	34	34
20-34	16	15.1	427	4	4	10	14	21	69	90
35-49	17	16.3	236	3	5	13	17	25	55	71
50-64	29	19.5	306	2	3	14	24	50	62	65
65+	47	16.8	203	2	3	13	19	36	50	59
TOT. SINGLE DX	20	9.3	39	<1	1	9	15	18	19	20
" MULTIPLE DX	117	16.9	250	2	4	13	20	36	54	77
TOTAL 0-19 YRS	10	12.6	69	5	6	10	14	25	34	34
20-34	19	14.2	364	4	4	9	14	21	59	90
35-49	26	14.8	166	4	5	13	17	22	35	71
50-64	31	18.9	297	1	2	14	23	47	62	65
65+	51	15.7	201	2	3	12	18	36	50	59
GRAND TOTAL	**137**	**15.8**	**226**	**2**	**3**	**12**	**19**	**34**	**52**	**73**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	4.5	16	1	1	3	8	9	13	18
20-34	100	3.4	9	1	1	2	5	8	10	13
35-49	95	3.0	12	1	1	2	3	8	12	16
50-64	110	3.8	17	1	1	2	6	8	11	21
65+	77	5.1	29	<1	1	2	8	12	17	24
2. MULTIPLE DX										
0-19 YRS	128	11.9	178	1	2	8	16	30	53	99+
20-34	221	9.0	94	1	1	7	11	18	27	66
35-49	333	8.1	78	1	1	5	11	18	25	46
50-64	541	8.5	78	1	1	6	12	19	24	42
65+	702	9.8	81	1	2	8	13	19	26	46
TOT. SINGLE DX	439	3.9	17	1	1	2	5	9	12	19
" MULTIPLE DX	1925	9.2	89	1	1	7	12	19	26	49
TOTAL 0-19 YRS	185	9.7	140	1	1	7	12	24	38	89
20-34	321	7.3	75	1	1	5	10	16	23	54
35-49	428	7.0	68	1	1	4	9	17	22	43
50-64	651	7.7	71	1	1	5	11	17	23	42
65+	779	9.3	78	1	1	7	12	18	25	44
GRAND TOTAL	**2364**	**8.2**	**80**	**1**	**1**	**6**	**11**	**18**	**25**	**47**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	245	5.3	6	3	3	5	6	8	10	14
20-34	2555	5.1	4	3	3	5	6	7	9	11
35-49	2403	5.4	5	3	3	5	6	8	9	13
50-64	1775	5.8	5	3	3	5	7	9	10	14
65+	927	7.1	8	4	4	6	8	10	12	17
2. MULTIPLE DX										
0-19 YRS	260	7.7	38	3	4	7	9	12	15	37
20-34	2511	6.7	16	3	4	6	8	11	13	22
35-49	3227	7.2	19	3	4	6	8	12	15	25
50-64	3897	8.6	34	4	4	7	10	14	18	33
65+	5613	10.9	47	5	5	9	13	18	22	38
TOT. SINGLE DX	7905	5.6	6	3	3	5	7	8	10	14
" MULTIPLE DX	15508	8.8	36	4	4	7	10	15	19	32
TOTAL 0-19 YRS	505	6.5	24	3	3	5	8	11	13	23
20-34	5066	5.9	11	3	3	5	7	9	11	17
35-49	5630	6.5	14	3	3	6	7	10	12	21
50-64	5672	7.7	27	3	4	7	9	12	16	29
65+	6540	10.4	44	4	5	9	12	17	21	36
GRAND TOTAL	**23413**	**7.7**	**28**	**3**	**4**	**6**	**9**	**13**	**16**	**29**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	12.9	52	4	5	10	17	26	27	27
20-34	31	7.3	66	2	2	5	7	16	31	36
35-49	33	5.3	19	<1	1	3	7	11	16	17
50-64	44	9.1	73	1	1	7	10	19	31	38
65+	68	8.0	42	1	1	8	11	15	19	34
2. MULTIPLE DX										
0-19 YRS	21	19.2	262	3	5	16	23	46	60	62
20-34	55	9.1	37	1	2	8	13	16	18	31
35-49	117	10.8	73	2	3	9	13	20	28	63
50-64	228	13.2	124	2	3	11	16	24	33	69
65+	669	14.5	92	3	5	13	18	25	31	55
TOT. SINGLE DX	195	8.2	53	1	1	7	10	17	25	36
" MULTIPLE DX	1090	13.6	100	2	4	12	17	25	31	61
TOTAL 0-19 YRS	40	16.3	169	3	5	11	20	28	48	62
20-34	86	8.5	48	1	2	7	11	16	23	34
35-49	150	9.6	67	1	2	8	13	19	25	45
50-64	272	12.5	118	1	3	10	15	23	33	68
65+	737	13.9	91	2	4	13	17	25	31	55
GRAND TOTAL	**1285**	**12.8**	**97**	**2**	**3**	**11**	**16**	**24**	**30**	**59**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	10.9	118	1	2	9	12	32	37	38
20-34	53	6.7	40	1	1	5	8	13	18	31
35-49	69	6.9	111	1	1	4	8	13	19	72
50-64	67	7.9	82	1	1	5	11	16	19	55
65+	47	6.8	114	1	1	4	8	15	21	68
2. MULTIPLE DX										
0-19 YRS	18	17.8	319	2	3	13	32	59	86	99+
20-34	149	11.3	135	1	2	8	13	27	38	62
35-49	244	11.9	142	1	2	8	16	30	39	68
50-64	388	11.7	166	1	2	8	14	25	39	66
65+	555	11.0	123	1	2	8	14	23	31	59
TOT. SINGLE DX	250	7.3	89	1	1	5	9	16	19	58
" MULTIPLE DX	1354	11.5	143	1	2	8	14	25	37	66
TOTAL 0-19 YRS	32	14.8	237	2	2	9	21	39	65	99+
20-34	202	10.1	114	1	1	7	12	25	34	60
35-49	313	10.8	140	1	2	7	13	27	38	72
50-64	455	11.2	156	1	2	7	14	23	36	65
65+	602	10.7	124	1	2	8	13	23	31	63
GRAND TOTAL	**1604**	**10.8**	**137**	**1**	**2**	**8**	**13**	**24**	**36**	**66**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	161	3.3	5	1	1	2	5	7	8	11
20-34	299	4.2	9	1	1	4	5	7	10	16
35-49	313	4.4	13	1	1	3	6	8	11	18
50-64	324	4.4	13	1	1	3	6	8	10	18
65+	284	4.7	17	<1	<1	4	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	283	6.2	66	1	1	4	7	12	18	57
20-34	727	6.0	36	1	2	4	7	11	16	29
35-49	1245	6.1	31	1	2	5	7	11	15	29
50-64	2063	6.6	40	2	2	5	8	12	16	34
65+	4677	7.8	50	2	2	6	9	14	19	35
TOT. SINGLE DX	1381	4.3	13	1	1	3	6	8	10	17
" MULTIPLE DX	8995	7.1	45	2	2	5	8	13	18	34
TOTAL 0-19 YRS	444	5.2	46	1	1	3	6	9	14	53
20-34	1026	5.5	29	1	2	4	6	10	14	27
35-49	1558	5.8	28	1	2	4	7	11	14	29
50-64	2387	6.3	37	1	2	5	7	12	16	32
65+	4961	7.6	49	2	2	6	9	14	19	34
GRAND TOTAL	**10376**	**6.7**	**42**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	913	1.6		<1	<1	1	2	3	3	5
20-34	1429	2.2	1	1	1	2	3	4	4	6
35-49	1527	2.4	1	1	1	2	3	4	5	7
50-64	1871	2.5	1	1	1	2	3	4	5	6
65+	1332	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	602	2.5	28	<1	<1	2	3	4	6	28
20-34	494	2.8	4	1	1	2	3	5	6	13
35-49	836	3.1	4	1	1	3	4	5	7	12
50-64	1719	3.6	8	1	1	3	4	6	8	13
65+	2871	4.4	13	1	2	4	5	8	11	19
TOT. SINGLE DX	7072	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	6522	3.7	12	1	1	3	4	7	9	16
TOTAL 0-19 YRS	1515	2.0	12	<1	<1	1	2	3	4	9
20-34	1923	2.4	2	1	1	2	3	4	5	8
35-49	2363	2.7	3	1	1	2	3	4	5	9
50-64	3590	3.1	5	1	1	3	4	5	6	11
65+	4203	4.0	11	1	1	3	5	7	9	16
GRAND TOTAL	**13594**	**3.0**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	430	1.4		<1	<1	1	2	2	3	4
20-34	178	2.7	1	1	1	3	4	4	5	8
35-49	241	2.9	1	1	1	3	4	5	5	6
50-64	281	3.2	4	1	1	3	4	5	6	8
65+	205	3.7	3	1	1	3	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	479	3.1	63	<1	1	2	2	4	8	79
20-34	73	3.1	4	1	1	3	4	5	6	14
35-49	179	3.6	5	1	1	3	4	6	8	13
50-64	286	3.9	8	1	2	3	5	6	8	12
65+	456	5.0	10	1	2	4	6	9	11	16
TOT. SINGLE DX	1335	2.6	3	1	1	2	3	5	6	8
" MULTIPLE DX	1473	3.9	27	1	1	3	5	7	10	27
TOTAL 0-19 YRS	909	2.3	34	<1	1	1	2	3	4	36
20-34	251	2.8	3	1	1	3	4	4	5	8
35-49	420	3.2	3	1	1	3	4	5	6	11
50-64	567	3.6	6	1	1	3	4	6	7	12
65+	661	4.6	9	1	2	4	6	8	10	15
GRAND TOTAL	**2808**	**3.3**	**16**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	33	2.7	2	1	1	2	3	5	7	8
35-49	61	3.2	3	1	1	3	4	6	7	11
50-64	64	3.3	3	1	1	3	4	5	7	10
65+	88	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	15	3.3	4	1	1	3	4	7	8	8
35-49	36	3.0	2	1	1	3	4	5	6	7
50-64	71	4.9	10	1	2	4	6	9	12	15
65+	207	7.3	35	2	2	5	9	14	19	29
TOT. SINGLE DX	249	3.4	4	1	1	3	4	6	8	11
" MULTIPLE DX	333	6.1	28	1	2	4	8	12	17	27
TOTAL 0-19 YRS	7	2.1		1	1	2	3	3	3	3
20-34	48	2.9	4	1	1	2	3	6	7	8
35-49	97	3.1	3	1	1	3	4	6	6	10
50-64	135	4.1	8	1	1	3	5	8	10	13
65+	295	6.3	29	2	2	5	8	12	17	28
GRAND TOTAL	**582**	**4.9**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**23**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	1.6		<1	<1	1	2	3	3	5
20-34	90	2.2	1	<1	1	2	3	4	5	6
35-49	164	2.5	2	1	1	2	3	5	5	7
50-64	124	2.8	3	1	1	2	4	5	7	9
65+	57	3.2	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	115	3.8	50	<1	<1	2	3	6	17	40
20-34	83	4.2	12	1	1	3	5	7	10	21
35-49	177	4.3	11	1	1	3	6	8	11	17
50-64	200	5.0	16	1	2	4	6	10	13	20
65+	185	6.2	27	1	2	5	8	12	15	30
TOT. SINGLE DX	656	2.3	2	<1	1	2	3	4	5	8
" MULTIPLE DX	760	4.9	23	1	1	4	6	9	13	27
TOTAL 0-19 YRS	336	2.4	19	<1	<1	1	2	4	6	29
20-34	173	3.2	8	1	1	3	4	6	7	17
35-49	341	3.4	8	1	1	3	4	7	9	13
50-64	324	4.2	13	1	1	3	5	8	11	18
65+	242	5.5	24	1	2	4	7	10	14	27
GRAND TOTAL	**1416**	**3.7**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	2.2	2	1	1	2	2	4	5	8
20-34	229	3.3	3	1	1	3	4	6	7	9
35-49	413	4.1	4	1	2	4	5	7	8	10
50-64	446	4.3	4	1	2	4	6	8	8	10
65+	335	4.9	5	2	2	5	6	8	9	11
2. MULTIPLE DX										
0-19 YRS	40	6.2	155	<1	1	3	6	8	23	76
20-34	174	5.0	8	2	2	4	6	8	11	15
35-49	492	6.0	15	2	2	5	7	10	12	20
50-64	688	6.4	17	2	3	5	8	11	14	21
65+	905	7.6	34	2	3	6	9	14	18	32
TOT. SINGLE DX	1483	4.1	5	1	2	4	5	7	8	10
" MULTIPLE DX	2299	6.6	26	2	2	5	8	11	15	26
TOTAL 0-19 YRS	100	3.8	66	1	1	2	4	6	8	54
20-34	403	4.0	6	1	1	4	5	7	8	11
35-49	905	5.1	11	1	2	4	6	9	10	16
50-64	1134	5.5	14	2	2	5	7	10	11	18
65+	1240	6.8	28	2	3	6	8	12	15	27
GRAND TOTAL	**3782**	**5.7**	**19**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	5.9	12	2	3	5	6	12	14	14
20-34	9	6.9	39	2	2	5	8	17	22	22
35-49	11	5.5	5	2	2	6	7	8	10	10
50-64	18	6.1	8	2	2	6	9	10	11	12
65+	16	7.3	9	3	3	7	9	12	13	14
2. MULTIPLE DX										
0-19 YRS	25	12.1	297	1	2	8	13	76	99+	99+
20-34	24	8.2	9	4	5	8	9	12	15	17
35-49	66	9.2	38	5	5	7	9	16	22	40
50-64	85	10.2	56	4	6	8	10	16	24	51
65+	127	12.2	72	5	6	10	13	24	30	73
TOT. SINGLE DX	62	6.4	13	2	2	6	8	11	13	21
" MULTIPLE DX	327	10.8	75	4	5	9	12	18	27	89
TOTAL 0-19 YRS	33	10.6	234	1	2	6	12	35	96	99+
20-34	33	7.8	17	2	4	7	9	12	17	22
35-49	77	8.7	35	4	5	7	9	15	20	39
50-64	103	9.4	51	3	4	8	10	14	20	46
65+	143	11.7	68	4	5	10	13	22	30	68
GRAND TOTAL	**389**	**10.1**	**68**	**3**	**4**	**8**	**11**	**17**	**25**	**78**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	3.8	14	<1	<1	2	5	9	11	20
20-34	162	4.2	9	1	1	3	5	9	11	14
35-49	122	4.2	14	1	1	3	5	8	10	21
50-64	104	6.7	38	1	1	5	8	15	20	29
65+	57	4.9	13	1	1	4	8	11	12	15
2. MULTIPLE DX										
0-19 YRS	129	8.3	73	1	2	6	10	20	32	99+
20-34	272	7.6	71	1	1	5	9	15	19	50
35-49	420	9.9	108	2	3	7	12	19	31	59
50-64	635	9.8	64	2	2	8	13	20	24	41
65+	986	11.3	81	2	3	9	14	23	30	49
TOT. SINGLE DX	556	4.6	18	1	1	3	6	10	12	24
" MULTIPLE DX	2442	10.1	81	2	3	8	13	21	27	50
TOTAL 0-19 YRS	240	6.2	51	1	1	4	8	13	24	57
20-34	434	6.3	51	1	1	5	7	12	17	38
35-49	542	8.7	93	1	2	6	10	17	28	51
50-64	739	9.4	62	1	2	8	12	19	24	38
65+	1043	10.9	80	2	3	8	13	22	29	47
GRAND TOTAL	**2998**	**9.1**	**74**	**1**	**2**	**7**	**11**	**19**	**26**	**45**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	5.1	9	2	2	4	7	9	12	18
20-34	317	5.1	10	2	2	4	6	8	10	19
35-49	136	7.2	17	2	3	6	9	13	16	22
50-64	85	8.2	19	3	4	7	10	15	18	24
65+	51	9.7	20	4	6	10	12	13	15	33
2. MULTIPLE DX										
0-19 YRS	235	8.9	97	2	3	6	10	16	24	53
20-34	615	8.3	66	2	3	6	9	16	24	48
35-49	406	12.2	144	3	4	8	13	25	39	65
50-64	405	14.4	153	4	5	10	17	29	42	64
65+	527	16.3	134	5	6	14	20	29	40	65
TOT. SINGLE DX	725	6.2	16	2	3	5	8	11	13	21
" MULTIPLE DX	2188	12.2	127	3	4	9	15	25	35	62
TOTAL 0-19 YRS	371	7.5	69	2	3	5	9	13	19	48
20-34	932	7.2	50	2	3	5	8	13	19	44
35-49	542	11.0	117	3	4	8	12	21	33	59
50-64	490	13.3	135	4	5	10	15	26	38	64
65+	578	15.8	128	5	6	13	20	28	40	63
GRAND TOTAL	**2913**	**10.7**	**106**	**2**	**3**	**7**	**12**	**21**	**31**	**56**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	179	3.0	4	<1	1	2	4	6	7	12
20-34	622	2.8	4	<1	<1	2	4	5	7	11
35-49	116	3.0	5	<1	<1	2	4	6	7	13
50-64	15	2.5	4	1	1	2	2	7	8	8
65+	7	2.6	11	<1	<1	1	2	8	10	10
2. MULTIPLE DX										
0-19 YRS	193	3.5	5	1	1	3	5	6	8	12
20-34	990	3.6	14	<1	1	3	5	7	9	14
35-49	247	4.5	16	<1	1	3	6	9	11	21
50-64	61	6.3	57	1	1	3	8	15	24	37
65+	43	8.0	45	1	2	6	10	17	22	33
TOT. SINGLE DX	939	2.8	5	<1	<1	2	4	6	7	12
" MULTIPLE DX	1534	4.0	17	<1	1	3	5	8	10	21
TOTAL 0-19 YRS	372	3.3	5	<1	1	3	5	6	7	12
20-34	1612	3.3	11	<1	1	2	4	6	8	13
35-49	363	4.0	14	<1	1	3	5	8	10	20
50-64	76	5.6	49	1	1	2	7	13	21	36
65+	50	7.2	44	1	1	5	10	16	21	33
GRAND TOTAL	**2473**	**3.5**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	7.1	45	1	3	6	8	10	11	50
20-34	218	6.0	14	1	2	6	8	10	14	20
35-49	221	7.8	25	2	3	7	9	13	20	25
50-64	169	8.1	18	3	4	7	10	14	15	24
65+	104	10.7	38	5	6	9	12	18	24	35
2. MULTIPLE DX										
0-19 YRS	218	12.0	135	2	3	9	14	24	37	65
20-34	786	6.5	34	1	2	5	8	12	16	25
35-49	741	9.0	56	2	3	7	11	17	25	44
50-64	684	11.9	98	2	4	9	14	24	33	61
65+	1003	14.8	127	3	5	12	17	27	36	67
TOT. SINGLE DX	777	7.7	26	2	3	7	9	13	17	25
" MULTIPLE DX	3432	10.9	95	2	3	8	13	22	29	57
TOTAL 0-19 YRS	283	10.9	119	2	3	8	13	22	37	65
20-34	1004	6.4	30	1	2	5	8	11	15	25
35-49	962	8.7	50	2	3	7	10	16	23	40
50-64	853	11.2	85	2	4	9	13	22	31	51
65+	1107	14.4	120	3	5	12	17	25	35	65
GRAND TOTAL	**4209**	**10.3**	**84**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	7.6	15	3	4	7	10	13	15	20
20-34	50	7.3	2	5	6	7	8	9	10	12
35-49	56	8.0	5	5	5	8	9	11	13	15
50-64	77	8.8	7	5	6	8	10	13	14	19
65+	56	9.4	16	4	5	9	11	12	18	26
2. MULTIPLE DX										
0-19 YRS	99	10.5	51	3	4	8	13	22	28	33
20-34	86	10.9	98	4	5	8	12	16	36	59
35-49	146	11.3	72	4	6	9	12	17	25	65
50-64	309	12.0	63	6	6	10	13	20	27	47
65+	515	13.6	55	7	7	11	16	23	28	41
TOT. SINGLE DX	266	8.4	9	5	5	8	9	12	13	20
" MULTIPLE DX	1155	12.4	64	5	6	10	14	21	28	43
TOTAL 0-19 YRS	126	9.9	45	3	4	8	12	20	25	32
20-34	136	9.6	66	4	5	8	10	15	18	54
35-49	202	10.4	56	5	5	9	11	15	22	51
50-64	386	11.3	54	6	6	9	12	18	24	42
65+	571	13.2	53	6	7	11	15	22	28	41
GRAND TOTAL	**1421**	**11.6**	**56**	**5**	**6**	**10**	**13**	**20**	**26**	**42**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	235	4.3	11	1	2	3	6	8	11	17
20-34	156	5.6	11	1	2	5	7	11	12	16
35-49	158	6.7	24	1	2	6	9	12	14	31
50-64	106	6.5	19	2	2	6	8	11	14	26
65+	71	6.5	16	1	2	7	9	11	13	23
2. MULTIPLE DX										
0-19 YRS	348	9.8	78	2	2	7	13	21	30	43
20-34	356	10.5	71	2	2	8	14	22	29	41
35-49	427	10.7	84	2	2	8	14	22	28	43
50-64	405	9.9	70	1	2	8	13	19	27	42
65+	545	11.0	85	2	3	9	14	21	28	48
TOT. SINGLE DX	726	5.6	17	1	2	5	8	11	13	19
" MULTIPLE DX	2081	10.4	79	2	2	8	14	21	28	43
TOTAL 0-19 YRS	583	7.6	59	1	2	5	9	17	24	40
20-34	512	9.0	59	2	2	7	11	19	26	38
35-49	585	9.6	71	2	2	8	12	19	25	41
50-64	511	9.2	62	1	2	7	12	18	24	37
65+	616	10.5	79	2	2	9	13	21	26	45
GRAND TOTAL	**2807**	**9.2**	**67**	**2**	**2**	**7**	**12**	**19**	**25**	**40**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	5.9	2	3	4	6	7	7	8	8
20-34	106	5.3	9	1	2	5	7	9	11	14
35-49	159	4.9	8	1	1	4	7	9	10	12
50-64	133	5.8	12	1	2	5	7	10	12	19
65+	54	6.6	4	3	4	7	8	9	10	11
2. MULTIPLE DX										
0-19 YRS	21	6.8	8	2	3	7	8	11	12	13
20-34	107	7.0	16	2	2	6	9	12	14	21
35-49	166	7.6	26	1	2	7	10	14	18	24
50-64	229	8.3	46	2	2	7	10	15	18	38
65+	219	10.9	73	2	3	9	13	21	25	47
TOT. SINGLE DX	466	5.5	10	1	2	5	7	9	11	15
" MULTIPLE DX	742	8.7	47	2	2	7	11	16	21	34
TOTAL 0-19 YRS	35	6.4	6	3	3	6	8	9	12	13
20-34	213	6.1	14	1	2	6	8	11	12	17
35-49	325	6.3	20	1	2	6	8	11	14	22
50-64	362	7.3	35	2	2	6	9	13	17	32
65+	273	10.1	63	2	3	8	12	19	24	41
GRAND TOTAL	**1208**	**7.4**	**35**	**1**	**2**	**6**	**9**	**13**	**18**	**29**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	6.5	5	4	4	6	8	9	10	15
20-34	12	7.2	9	2	3	7	9	11	12	12
35-49	12	9.4	10	6	7	8	10	14	17	18
50-64	7	11.4	49	7	7	9	11	24	27	27
65+	8	11.6	90	3	4	10	12	27	34	34
2. MULTIPLE DX										
0-19 YRS	193	8.9	44	4	5	7	9	14	17	50
20-34	22	12.1	36	2	5	11	17	21	22	23
35-49	28	10.9	22	5	7	10	13	15	18	28
50-64	29	17.0	232	6	7	12	17	35	50	78
65+	76	15.7	78	7	8	13	20	27	31	53
TOT. SINGLE DX	167	7.2	13	4	4	7	8	10	12	25
" MULTIPLE DX	348	11.4	75	4	5	9	13	20	26	55
TOTAL 0-19 YRS	321	7.9	30	4	4	7	9	12	16	34
20-34	34	10.4	32	2	3	9	14	19	22	23
35-49	40	10.5	19	5	7	9	12	15	17	28
50-64	36	15.9	199	6	7	11	16	33	45	78
65+	84	15.3	80	6	7	13	20	28	32	52
GRAND TOTAL	**515**	**10.1**	**59**	**4**	**5**	**8**	**11**	**17**	**23**	**45**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	81	4.1	6	1	1	4	5	7	9	15
20-34	701	3.3	3	1	1	3	4	6	7	10
35-49	985	3.3	4	1	1	3	4	6	7	11
50-64	541	3.5	4	1	1	3	4	6	8	10
65+	171	3.9	7	1	1	3	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	62	5.9	15	2	2	5	8	12	13	20
20-34	304	4.4	9	1	2	4	5	8	10	16
35-49	469	4.5	10	1	2	4	6	8	11	16
50-64	439	5.0	16	1	2	4	6	10	12	22
65+	456	6.3	33	2	2	5	8	12	14	22
TOT. SINGLE DX	2479	3.4	4	1	1	3	4	6	7	11
" MULTIPLE DX	1730	5.1	19	1	2	4	6	10	12	20
TOTAL 0-19 YRS	143	4.9	11	1	2	4	6	9	12	17
20-34	1005	3.6	6	1	1	3	5	6	8	13
35-49	1454	3.7	7	1	1	3	5	7	8	13
50-64	980	4.1	10	1	1	3	5	7	10	16
65+	627	5.7	28	1	2	4	7	11	14	20
GRAND TOTAL	**4209**	**4.1**	**11**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	208	2.4	3	<1	<1	2	3	5	7	9
20-34	492	3.4	7	<1	1	3	4	6	8	17
35-49	678	3.3	6	<1	1	3	4	6	8	12
50-64	566	3.5	8	<1	1	3	5	7	8	16
65+	366	3.4	9	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	354	4.5	28	<1	1	3	5	10	14	49
20-34	902	5.6	38	1	1	4	7	10	13	29
35-49	1203	5.9	31	1	2	5	7	11	16	27
50-64	1648	6.7	49	1	1	5	8	13	18	35
65+	3505	8.2	59	1	2	6	10	16	22	38
TOT. SINGLE DX	2310	3.3	8	<1	1	3	4	6	8	14
" MULTIPLE DX	7612	7.0	50	1	2	5	9	14	19	36
TOTAL 0-19 YRS	562	3.7	21	<1	1	2	5	8	11	39
20-34	1394	4.8	29	1	1	4	6	9	12	23
35-49	1881	4.9	24	<1	1	4	6	10	13	25
50-64	2214	5.9	41	1	1	4	7	12	16	33
65+	3871	7.8	57	1	2	6	10	15	21	37
GRAND TOTAL	**9922**	**6.2**	**43**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.2		2	2	3	4	4	4	4
20-34	31	2.5	2	1	1	2	3	5	6	7
35-49	92	2.3	2	1	1	2	3	4	5	8
50-64	299	2.8	4	1	1	2	3	5	6	8
65+	624	3.3	6	1	1	3	4	5	7	14
2. MULTIPLE DX										
0-19 YRS	17	5.4	14	1	1	5	8	11	12	13
20-34	60	4.5	11	1	1	3	6	10	11	14
35-49	174	4.4	16	1	1	3	5	10	12	23
50-64	586	4.7	21	1	1	3	5	9	13	26
65+	2177	5.9	32	1	2	4	7	11	16	31
TOT. SINGLE DX	1051	3.0	6	1	1	2	4	5	7	13
" MULTIPLE DX	3014	5.5	29	1	2	4	7	11	14	29
TOTAL 0-19 YRS	22	4.9	12	1	2	4	7	11	12	13
20-34	91	3.8	9	1	1	3	5	8	10	13
35-49	266	3.7	12	1	1	3	4	8	10	20
50-64	885	4.0	16	1	1	3	5	7	10	21
65+	2801	5.3	28	1	2	4	6	10	14	28
GRAND TOTAL	**4065**	**4.9**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**27**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	6.4	23	1	2	4	10	13	14	22
20-34	43	3.9	6	1	2	3	5	7	10	12
35-49	78	5.0	10	1	1	4	7	9	10	16
50-64	110	6.0	28	1	1	4	8	14	16	26
65+	104	6.8	48	1	1	4	9	17	20	68
2. MULTIPLE DX										
0-19 YRS	181	8.7	102	2	2	6	10	16	26	85
20-34	127	9.0	82	1	2	7	11	21	31	65
35-49	154	7.6	33	1	2	6	10	14	17	30
50-64	339	8.6	47	2	2	7	11	16	21	35
65+	926	9.3	67	2	2	7	12	19	25	40
TOT. SINGLE DX	376	5.8	28	1	1	4	8	13	16	27
" MULTIPLE DX	1727	8.9	65	2	2	7	12	17	24	42
TOTAL 0-19 YRS	222	8.3	88	1	2	6	10	15	23	74
20-34	170	7.7	68	1	2	5	9	16	27	54
35-49	232	6.8	27	1	2	6	9	13	16	29
50-64	449	8.0	44	1	2	6	11	15	21	34
65+	1030	9.0	66	2	2	7	12	19	25	41
GRAND TOTAL	**2103**	**8.4**	**60**	**1**	**2**	**6**	**11**	**16**	**23**	**41**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	1.1		<1	<1	<1	1	2	2	3
20-34	4	2.5	1	1	1	2	3	4	4	4
35-49	4	2.3	1	1	1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	2.7	5	<1	<1	2	4	7	8	8
20-34	6	4.8	12	<1	<1	4	8	10	10	10
35-49	8	4.8	22	<1	<1	4	6	13	15	15
50-64	12	5.6	26	<1	<1	5	7	13	17	18
65+	19	8.8	59	1	2	7	10	19	28	33
TOT. SINGLE DX	33	1.5	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	71	5.3	30	<1	<1	4	7	11	17	30
TOTAL 0-19 YRS	49	2.0	3	<1	<1	1	2	5	7	8
20-34	10	3.9	9	<1	<1	3	4	9	10	10
35-49	12	3.9	16	<1	<1	3	5	9	14	15
50-64	13	5.2	26	<1	<1	5	7	12	17	18
65+	20	8.7	57	1	2	7	10	19	27	33
GRAND TOTAL	**104**	**4.1**	**24**	**<1**	**<1**	**2**	**5**	**9**	**13**	**27**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	407	4.2	11	1	1	3	6	8	10	18
20-34	50	3.2	6	1	1	3	4	6	8	14
35-49	43	3.8	5	1	1	3	5	7	9	12
50-64	48	3.5	6	1	1	3	5	7	8	13
65+	42	3.7	6	<1	1	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	242	6.2	34	1	1	5	8	12	16	34
20-34	44	3.9	11	1	1	3	5	7	11	17
35-49	59	5.6	25	1	2	4	7	10	14	31
50-64	73	4.6	10	1	1	4	6	8	11	17
65+	146	5.6	24	1	1	4	8	11	14	27
TOT. SINGLE DX	590	4.0	10	1	1	3	6	8	9	16
" MULTIPLE DX	564	5.6	26	1	1	4	7	11	15	26
TOTAL 0-19 YRS	649	4.9	21	1	1	4	7	10	12	20
20-34	94	3.5	9	1	1	3	5	6	9	16
35-49	102	4.9	18	1	1	4	6	8	12	26
50-64	121	4.1	9	1	1	3	6	8	10	15
65+	188	5.2	21	1	1	4	7	10	12	25
GRAND TOTAL	**1154**	**4.8**	**18**	**1**	**1**	**4**	**7**	**9**	**12**	**20**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.8	1	<1	<1	1	3	3	5	5
20-34	30	3.2	3	<1	<1	3	4	5	7	7
35-49	25	3.0	4	<1	<1	2	4	8	8	8
50-64	33	3.8	17	<1	1	3	4	8	16	18
65+	26	3.2	6	<1	<1	2	5	8	8	9
2. MULTIPLE DX										
0-19 YRS	79	4.3	59	<1	<1	2	5	7	14	51
20-34	92	5.3	15	1	1	4	7	10	12	21
35-49	174	8.2	94	1	2	6	10	16	25	79
50-64	202	7.0	37	1	2	5	9	14	20	31
65+	516	7.9	42	1	2	6	10	15	20	37
TOT. SINGLE DX	148	3.0	7	<1	<1	2	4	6	8	18
" MULTIPLE DX	1063	7.3	50	1	2	6	9	14	20	35
TOTAL 0-19 YRS	113	3.6	43	<1	<1	2	4	6	8	43
20-34	122	4.8	13	<1	1	4	6	9	11	19
35-49	199	7.5	86	1	1	5	9	15	24	77
50-64	235	6.5	36	1	1	5	8	13	18	29
65+	542	7.7	42	1	2	6	10	15	19	35
GRAND TOTAL	**1211**	**6.8**	**47**	**1**	**1**	**5**	**8**	**13**	**18**	**35**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	1.4		<1	<1	1	2	3	3	4
20-34	66	2.5	4	1	1	2	3	4	7	12
35-49	59	2.7	6	1	1	2	3	5	10	12
50-64	44	3.0	6	<1	1	2	4	6	8	13
65+	65	2.8	4	<1	1	2	3	4	7	13
2. MULTIPLE DX										
0-19 YRS	57	2.4	4	<1	<1	2	2	5	7	11
20-34	83	3.1	8	1	1	2	4	7	9	16
35-49	94	4.7	66	1	1	2	5	10	12	51
50-64	144	4.7	31	1	1	3	6	9	12	37
65+	408	5.8	30	1	1	4	7	11	15	32
TOT. SINGLE DX	282	2.5	5	<1	1	2	3	4	7	13
" MULTIPLE DX	786	4.9	32	1	1	3	6	10	13	33
TOTAL 0-19 YRS	105	2.0	3	<1	<1	1	2	4	5	10
20-34	149	2.8	7	1	1	2	3	6	8	13
35-49	153	3.9	44	1	1	2	4	8	12	38
50-64	188	4.3	26	1	1	3	5	9	12	31
65+	473	5.4	28	1	1	4	7	11	14	31
GRAND TOTAL	**1068**	**4.3**	**26**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	30	6.2	3	4	4	6	7	8	9	12
35-49	162	5.9	2	3	4	6	7	8	9	11
50-64	166	6.6	4	4	4	6	8	9	10	14
65+	59	7.1	3	4	5	7	8	9	10	12
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	56	6.4	3	4	5	6	7	8	9	14
35-49	231	6.9	25	3	5	6	7	9	10	21
50-64	271	7.4	6	4	5	7	8	10	12	16
65+	196	8.5	15	5	5	8	9	13	17	22
TOT. SINGLE DX	417	6.3	4	4	4	6	8	8	9	12
" MULTIPLE DX	756	7.5	15	4	5	7	8	10	13	20
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	86	6.3	3	4	4	6	7	8	9	13
35-49	393	6.5	17	3	4	6	7	9	10	17
50-64	437	7.1	6	4	4	7	8	10	11	16
65+	255	8.2	13	5	5	8	9	11	14	21
GRAND TOTAL	**1173**	**7.1**	**11**	**4**	**5**	**7**	**8**	**10**	**11**	**19**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	21	5.0	3	2	3	5	6	8	8	9
35-49	94	5.2	2	3	3	5	7	7	8	8
50-64	87	5.4	3	3	3	5	7	8	9	9
65+	52	5.8	6	3	3	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	3	10.0	12	6	6	12	12	12	12	12
20-34	25	5.7	9	2	3	5	8	9	11	15
35-49	135	6.3	5	3	4	6	8	9	11	14
50-64	170	6.7	7	3	4	6	8	10	11	15
65+	159	7.8	17	3	4	7	9	11	17	23
TOT. SINGLE DX	254	5.4	4	3	3	5	7	8	8	10
" MULTIPLE DX	492	6.9	11	3	4	6	8	10	12	21
TOTAL 0-19 YRS	3	10.0	12	6	6	12	12	12	12	12
20-34	46	5.4	7	2	3	5	7	8	9	15
35-49	229	5.9	5	3	3	6	7	8	10	13
50-64	257	6.3	7	3	4	6	8	9	11	14
65+	211	7.3	15	3	4	7	8	11	14	23
GRAND TOTAL	**746**	**6.4**	**9**	**3**	**4**	**6**	**8**	**9**	**11**	**19**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.4	5	1	1	4	4	7	8	8
20-34	44	4.0	10	1	1	3	5	8	12	14
35-49	54	3.1	5	1	1	2	4	6	9	12
50-64	36	3.3	5	1	1	3	5	6	8	11
65+	17	4.4	9	1	1	3	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	12	3.9	2	1	2	4	5	6	7	7
20-34	63	5.5	11	2	2	5	6	9	12	19
35-49	73	5.6	21	1	1	4	7	10	15	26
50-64	82	7.4	37	2	2	6	9	15	20	31
65+	139	8.5	44	2	2	6	12	18	20	34
TOT. SINGLE DX	160	3.6	7	1	1	3	5	8	10	13
" MULTIPLE DX	369	7.0	33	1	2	6	9	15	18	30
TOTAL 0-19 YRS	21	3.7	3	1	1	4	5	6	7	8
20-34	107	4.9	11	1	2	4	6	9	12	17
35-49	127	4.5	16	1	1	3	6	9	12	22
50-64	118	6.2	31	1	1	4	8	12	17	31
65+	156	8.1	42	1	2	6	11	17	19	34
GRAND TOTAL	**529**	**6.0**	**28**	**1**	**1**	**4**	**8**	**12**	**16**	**30**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.4	1	1	1	2	3	5	5	5
20-34	252	2.3	1	1	1	2	2	4	5	8
35-49	500	2.3	2	1	1	2	2	3	4	9
50-64	405	2.3	1	1	1	2	2	4	4	8
65+	196	3.1	6	1	2	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	14	3.3	6	1	1	2	3	8	8	8
20-34	120	4.4	17	2	2	2	5	11	14	20
35-49	225	3.1	6	1	2	2	3	6	8	12
50-64	294	3.4	10	1	2	2	4	6	9	18
65+	256	4.2	16	2	2	3	4	8	12	23
TOT. SINGLE DX	1376	2.4	2	1	1	2	2	4	5	9
" MULTIPLE DX	909	3.7	12	2	2	2	4	7	11	19
TOTAL 0-19 YRS	37	2.8	3	1	1	2	3	5	7	8
20-34	372	3.0	8	1	1	2	3	5	8	16
35-49	725	2.6	4	1	1	2	3	4	6	11
50-64	699	2.8	5	1	2	2	3	5	7	13
65+	452	3.7	13	2	2	2	4	7	11	21
GRAND TOTAL	**2285**	**2.9**	**7**	**1**	**2**	**2**	**3**	**5**	**7**	**15**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	43	4.2	3	2	2	4	5	6	8	12
50-64	900	4.6	2	2	3	4	5	6	8	10
65+	1691	5.1	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	17	4.6	7	1	2	4	6	9	10	11
20-34	8	4.3	7	2	2	3	5	9	10	10
35-49	112	5.6	12	2	2	5	7	10	11	20
50-64	2444	6.0	18	3	3	5	7	10	13	22
65+	9851	7.3	33	3	4	6	8	13	16	31
TOT. SINGLE DX	2641	4.9	4	3	3	5	6	7	8	11
" MULTIPLE DX	12432	7.0	30	3	3	5	8	12	16	30
TOTAL 0-19 YRS	21	4.2	7	1	2	3	5	8	10	11
20-34	11	4.3	6	2	2	4	6	8	10	10
35-49	155	5.2	11	2	2	4	6	9	11	19
50-64	3344	5.6	14	3	3	5	6	9	11	19
65+	11542	7.0	30	3	4	5	8	12	15	29
GRAND TOTAL	**15073**	**6.6**	**26**	**3**	**3**	**5**	**7**	**11**	**15**	**27**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	9.2	43	4	4	7	9	21	22	22
50-64	122	9.4	9	6	7	9	10	14	16	19
65+	134	9.3	9	5	6	8	11	14	16	18
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	16.5	61	11	11	16	22	22	22	22
35-49	8	13.8	87	5	5	12	19	29	31	31
50-64	175	9.9	18	5	5	9	11	15	18	25
65+	684	11.5	35	5	6	10	13	18	23	36
TOT. SINGLE DX	264	9.3	10	5	6	9	11	14	16	20
" MULTIPLE DX	871	11.2	33	5	6	10	13	18	23	33
TOTAL 0-19 YRS	3	6.3	44	2	2	3	11	14	14	14
20-34	3	11.3	110	1	1	11	19	22	22	22
35-49	14	11.8	70	4	5	9	15	24	29	31
50-64	297	9.7	15	5	6	9	11	15	17	23
65+	818	11.1	32	5	6	9	13	17	22	33
GRAND TOTAL	**1135**	**10.7**	**28**	**5**	**6**	**9**	**13**	**17**	**21**	**31**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	19	2.6	5	<1	1	2	3	7	9	9
50-64	172	2.0	2	<1	1	2	2	3	5	12
65+	263	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49	24	4.5	7	1	2	4	6	8	10	11
50-64	238	4.4	32	1	1	3	5	10	13	22
65+	615	5.5	27	1	1	4	7	12	16	23
TOT. SINGLE DX	456	2.2	3	<1	1	2	2	4	6	9
" MULTIPLE DX	882	5.1	28	1	1	3	7	11	15	22
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	5	3.2	3	2	2	2	5	5	5	5
35-49	43	3.7	8	1	1	3	5	8	9	11
50-64	410	3.4	21	1	1	2	3	7	11	19
65+	878	4.5	23	1	1	3	6	10	14	21
GRAND TOTAL	**1338**	**4.1**	**22**	**1**	**1**	**2**	**5**	**9**	**13**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	80	2.0	2	<1	<1	1	2	4	5	9
20-34	65	2.5	3	<1	1	2	3	5	6	8
35-49	43	2.8	5	<1	1	2	3	7	8	12
50-64	40	2.6	5	<1	1	2	3	5	7	13
65+	33	2.9	4	1	1	2	3	7	7	8
2. MULTIPLE DX										
0-19 YRS	52	3.9	22	1	1	3	5	7	11	32
20-34	44	5.5	25	1	1	4	8	11	12	29
35-49	58	4.0	15	1	1	3	4	7	14	21
50-64	63	5.0	34	1	1	3	5	13	18	32
65+	82	6.7	30	1	2	5	9	15	19	25
TOT. SINGLE DX	261	2.4	4	<1	1	2	3	5	7	10
" MULTIPLE DX	299	5.2	27	1	1	3	7	11	16	28
TOTAL 0-19 YRS	132	2.7	11	<1	1	2	3	5	7	16
20-34	109	3.7	14	1	1	2	5	8	11	20
35-49	101	3.5	12	1	1	3	4	7	10	18
50-64	103	4.1	24	1	1	2	4	9	14	28
65+	115	5.6	26	1	1	4	8	11	17	25
GRAND TOTAL	**560**	**3.9**	**18**	**1**	**1**	**2**	**5**	**8**	**12**	**23**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	2.1	2	<1	<1	2	3	4	6	8
20-34	131	2.7	5	1	1	2	3	5	6	14
35-49	52	3.0	7	1	1	2	3	7	10	13
50-64	48	2.5	4	1	1	2	3	5	5	13
65+	127	3.0	5	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	94	2.3	4	1	1	2	3	4	7	12
20-34	54	4.4	24	1	1	3	5	10	12	29
35-49	50	4.6	20	1	2	3	5	8	12	30
50-64	105	5.1	21	1	1	4	7	9	15	24
65+	610	6.4	35	1	1	4	8	15	18	29
TOT. SINGLE DX	468	2.7	5	1	1	2	3	5	7	13
" MULTIPLE DX	913	5.6	31	1	1	3	7	13	16	29
TOTAL 0-19 YRS	204	2.2	3	<1	1	2	3	4	6	10
20-34	185	3.2	12	1	1	2	3	6	10	18
35-49	102	3.8	14	1	1	3	4	7	11	21
50-64	153	4.3	18	1	1	3	5	9	13	20
65+	737	5.8	32	1	1	3	8	14	17	25
GRAND TOTAL	**1381**	**4.6**	**24**	**1**	**1**	**3**	**5**	**11**	**15**	**24**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	370	1.6	1	<1	<1	1	2	3	3	7
20-34	71	1.5		<1	1	1	2	3	3	5
35-49	6	2.0		1	1	2	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	274	2.0	3	<1	1	2	2	3	5	8
20-34	18	3.2	5	1	1	3	4	5	9	11
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64										
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	448	1.6	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	296	2.1	3	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	644	1.8	2	<1	1	1	2	3	4	7
20-34	89	1.8	2	<1	1	1	2	3	4	9
35-49	9	2.2	1	1	1	2	3	4	4	4
50-64										
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**744**	**1.8**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	89	1.6	2	<1	<1	1	2	3	3	10
20-34	42	2.4	4	<1	<1	2	3	5	7	10
35-49	16	1.7		1	1	2	2	3	3	3
50-64	3	3.7	21	1	1	1	7	9	9	9
65+	7	2.3	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	59	2.6	29	<1	1	1	2	4	7	39
20-34	23	3.0	4	1	1	3	4	6	7	8
35-49	19	3.0	3	<1	1	3	4	6	6	6
50-64	14	3.9	7	1	1	3	5	8	10	11
65+	6	3.8	3	2	2	3	5	7	7	7
TOT. SINGLE DX	157	1.9	3	<1	<1	1	2	3	4	10
" MULTIPLE DX	121	3.0	17	1	1	2	4	6	7	20
TOTAL 0-19 YRS	148	2.0	13	<1	<1	1	2	3	4	15
20-34	65	2.6	4	<1	1	2	3	6	7	10
35-49	35	2.4	2	1	1	2	3	5	6	6
50-64	17	3.9	9	1	1	3	5	9	10	11
65+	13	3.0	3	1	1	3	4	5	7	7
GRAND TOTAL	**278**	**2.4**	**9**	**<1**	**1**	**2**	**3**	**4**	**7**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	19	1.2		<1	<1	<1	<1	1	3	5
35-49	17	1.1		<1	<1	<1	1	2	2	2
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS										
20-34	13	5.0	58	<1	<1	2	6	14	25	28
35-49	14	2.7	5	<1	<1	2	3	6	8	9
50-64	3	7.3	9	4	4	8	9	10	10	10
65+	2	11.0	2	10	10	11	12	12	12	12
TOT. SINGLE DX	39	1.3	1	<1	<1	<1	<1	2	3	5
" MULTIPLE DX	32	4.6	31	<1	<1	2	7	10	12	28
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	32	2.8	27	<1	<1	<1	2	6	11	28
35-49	31	1.8	3	<1	<1	1	2	3	6	9
50-64	3	7.3	9	4	4	8	9	10	10	10
65+	3	8.7	17	4	4	10	11	12	12	12
GRAND TOTAL	**71**	**2.8**	**17**	**<1**	**<1**	**1**	**2**	**8**	**10**	**25**

656: Miscellaneous operations on spormatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	156	1.5		<1	<1	1	2	2	3	5
20-34	139	1.9	7	<1	1	1	2	3	4	11
35-49	160	1.9	1	1	1	1	2	4	4	6
50-64	132	2.0	1	1	1	2	2	4	4	7
65+	65	2.6	2	1	1	2	4	4	5	9
2. MULTIPLE DX										
0-19 YRS	77	2.4	22	<1	<1	1	2	4	5	33
20-34	105	2.4	8	<1	1	2	2	4	7	18
35-49	128	2.6	9	1	1	2	3	5	7	17
50-64	131	3.6	18	1	1	2	4	7	9	25
65+	102	4.4	22	1	1	3	5	10	10	28
TOT. SINGLE DX	652	1.9	3	<1	1	1	2	3	4	7
" MULTIPLE DX	543	3.1	16	1	1	2	3	6	9	22
TOTAL 0-19 YRS	233	1.8	8	<1	<1	1	2	3	4	7
20-34	244	2.1	8	<1	1	1	2	3	5	15
35-49	288	2.2	5	1	1	2	3	4	5	13
50-64	263	2.8	10	1	1	2	3	5	7	21
65+	167	3.7	16	1	1	3	4	7	10	17
GRAND TOTAL	**1195**	**2.5**	**9**	**<1**	**1**	**2**	**3**	**4**	**6**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	213	1.2		<1	<1	<1	1	2	2	6
20-34	45	1.7	2	<1	<1	1	2	3	5	8
35-49	25	1.4		<1	<1	1	2	2	3	4
50-64	27	1.3		<1	<1	1	2	2	3	3
65+	11	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	96	3.9	36	<1	<1	1	3	12	18	29
20-34	48	2.1	2	<1	<1	1	3	5	5	7
35-49	85	3.1	13	<1	1	2	3	7	8	23
50-64	79	3.2	12	<1	1	2	4	6	10	21
65+	90	4.4	21	<1	1	3	5	10	13	23
TOT. SINGLE DX	321	1.3	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	398	3.5	20	<1	1	2	4	7	12	25
TOTAL 0-19 YRS	309	2.0	13	<1	<1	1	1	3	6	22
20-34	93	1.9	2	<1	<1	1	2	4	5	8
35-49	110	2.7	11	<1	1	2	3	6	7	22
50-64	106	2.7	10	<1	<1	2	3	6	8	17
65+	101	4.1	20	<1	1	2	5	9	13	23
GRAND TOTAL	**719**	**2.5**	**12**	**<1**	**<1**	**1**	**2**	**5**	**8**	**21**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	2.3	3	<1	<1	2	3	5	7	9
20-34	36	2.9	5	<1	1	2	4	7	8	8
35-49	87	3.6	13	1	1	3	4	6	8	25
50-64	198	3.2	3	1	1	3	4	5	6	11
65+	94	3.2	5	1	1	3	4	6	6	15
2. MULTIPLE DX										
0-19 YRS	59	4.3	13	<1	1	4	6	8	10	20
20-34	76	5.9	50	1	2	4	7	11	14	48
35-49	185	4.5	15	1	1	3	5	8	11	23
50-64	332	4.3	10	1	2	4	5	8	10	17
65+	261	4.6	28	1	2	3	5	8	11	21
TOT. SINGLE DX	484	3.1	6	1	1	3	4	5	6	10
" MULTIPLE DX	913	4.5	20	1	2	3	5	8	11	21
TOTAL 0-19 YRS	128	3.2	9	<1	<1	2	4	7	9	16
20-34	112	4.9	38	1	1	3	6	9	13	38
35-49	272	4.2	15	1	1	3	5	7	11	25
50-64	530	3.9	8	1	1	3	4	6	9	16
65+	355	4.2	23	1	1	3	4	7	10	20
GRAND TOTAL	**1397**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	142	4.4	2	2	3	4	5	6	7	9
20-34	427	4.3	2	2	2	4	5	6	7	9
35-49	57	4.7	1	2	3	5	5	6	7	9
50-64	9	5.6	9	1	2	5	7	10	12	12
65+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	181	4.7	3	2	3	4	5	7	8	11
20-34	912	4.9	5	1	3	5	6	7	9	13
35-49	189	5.8	18	1	2	5	7	9	11	23
50-64	37	9.8	69	4	4	6	12	16	23	49
65+	44	11.1	48	4	6	9	13	19	28	37
TOT. SINGLE DX	637	4.4	3	2	3	4	5	6	7	9
" MULTIPLE DX	1363	5.3	12	2	3	5	6	8	10	19
TOTAL 0-19 YRS	323	4.6	3	2	3	4	5	7	8	10
20-34	1339	4.7	5	2	3	4	5	7	8	12
35-49	246	5.5	15	2	3	5	6	8	10	23
50-64	46	9.0	60	3	4	6	12	15	19	49
65+	46	11.0	47	4	6	9	13	19	27	37
GRAND TOTAL	**2000**	**5.0**	**9**	**2**	**3**	**5**	**6**	**8**	**9**	**16**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1..SINGLE DX										
0-19 YRS	89	4.9	2	3	3	5	5	7	8	10
20-34	422	4.8	3	3	3	5	5	7	8	12
35-49	187	5.2	5	3	3	5	6	7	9	16
50-64	22	6.0	4	3	4	6	6	9	11	13
65+	16	6.1	3	3	3	6	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	112	5.7	9	3	3	5	6	8	11	20
20-34	1317	5.5	6	3	3	5	6	8	10	15
35-49	685	5.9	7	3	3	5	6	9	11	17
50-64	92	9.0	27	4	5	8	11	17	18	32
65+	92	11.1	45	5	5	9	14	20	23	42
TOT. SINGLE DX	736	5.0	4	3	3	5	6	7	8	13
" MULTIPLE DX	2298	6.0	11	3	3	5	7	9	12	19
TOTAL 0-19 YRS	201	5.3	6	3	3	5	6	7	10	16
20-34	1739	5.3	6	3	3	5	6	8	9	14
35-49	872	5.7	7	3	3	5	6	8	11	17
50-64	114	8.5	24	4	5	7	10	14	18	28
65+	108	10.4	42	4	5	9	13	19	22	39
GRAND TOTAL	**3034**	**5.8**	**9**	**3**	**3**	**5**	**6**	**9**	**11**	**18**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	58	4.9	2	2	3	5	6	6	8	10
35-49	118	5.7	3	3	4	5	6	8	9	12
50-64	57	6.6	9	3	4	6	7	9	10	23
65+	19	7.6	13	4	4	7	8	11	16	20
2. MULTIPLE DX										
0-19 YRS	6	5.2	1	4	4	5	6	7	7	7
20-34	413	5.7	5	3	4	5	6	8	10	16
35-49	854	6.1	6	4	4	6	7	8	10	17
50-64	240	8.4	42	4	5	7	9	13	16	32
65+	147	12.1	101	5	6	9	14	22	26	69
TOT. SINGLE DX	253	5.9	6	3	4	6	6	8	10	15
" MULTIPLE DX	1660	6.9	23	4	4	6	7	10	14	24
TOTAL 0-19 YRS	7	5.3	1	4	4	5	6	7	7	7
20-34	471	5.6	5	3	4	5	6	8	9	16
35-49	972	6.1	6	4	4	6	7	8	10	17
50-64	297	8.1	36	4	5	7	9	12	16	29
65+	166	11.6	93	5	6	8	13	21	25	64
GRAND TOTAL	**1913**	**6.7**	**21**	**4**	**4**	**6**	**7**	**10**	**13**	**24**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	3.6	3	1	2	3	4	6	8	10
20-34	101	3.0	3	<1	1	2	4	5	7	9
35-49	14	3.4	5	<1	1	3	5	7	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	44	3.4	4	1	1	3	4	5	6	14
20-34	364	4.0	11	1	1	4	5	7	8	14
35-49	84	5.7	39	1	1	4	7	10	14	40
50-64	4	5.8	7	3	3	5	8	9	9	9
65+	2	14.0	2	13	13	14	15	15	15	15
TOT. SINGLE DX	148	3.2	4	<1	1	3	5	5	7	9
" MULTIPLE DX	498	4.3	17	1	1	4	5	7	9	18
TOTAL 0-19 YRS	76	3.5	4	1	1	3	4	5	7	13
20-34	465	3.8	10	1	1	4	5	6	8	12
35-49	98	5.4	35	1	1	4	7	9	12	39
50-64	5	5.6	6	3	3	5	7	9	9	9
65+	2	14.0	2	13	13	14	15	15	15	15
GRAND TOTAL	**646**	**4.0**	**14**	**1**	**1**	**4**	**5**	**7**	**8**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	269	1.2		<1	<1	<1	1	2	2	5
35-49	92	1.1		<1	<1	<1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	323	2.2	14	<1	<1	1	2	4	5	24
35-49	138	2.1	13	<1	<1	1	2	4	5	13
50-64										
65+										
TOT. SINGLE DX	364	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	462	2.2	14	<1	<1	1	2	4	5	22
TOTAL 0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	592	1.8	8	<1	<1	1	2	3	4	11
35-49	230	1.7	9	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**826**	**1.8**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	468	2.2	1	<1	<1	2	3	4	4	6
35-49	132	2.0	1	<1	<1	2	3	4	4	8
50-64	3	2.0	3	1	1	1	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	21	3.3	6	<1	1	3	4	6	9	12
20-34	1580	2.8	2	1	1	3	3	4	5	8
35-49	334	2.9	9	1	1	3	4	5	6	11
50-64	3	10.7	30	7	7	8	15	17	17	17
65+										
TOT. SINGLE DX	607	2.1	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	1938	2.9	4	1	1	3	3	4	5	9
TOTAL 0-19 YRS	25	3.1	5	<1	1	2	4	5	7	12
20-34	2048	2.7	3	1	1	3	3	4	5	7
35-49	466	2.7	7	<1	1	2	3	5	5	10
50-64	6	6.3	36	1	1	5	8	16	17	17
65+										
GRAND TOTAL	**2545**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	3.9	1	3	3	4	5	5	6	7
20-34	1123	4.0	1	2	3	4	5	5	6	7
35-49	162	4.1	1	2	3	4	5	6	6	8
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	105	4.7	9	2	3	4	5	6	8	22
20-34	1514	4.4	3	2	3	4	5	6	7	11
35-49	265	4.7	5	2	3	4	5	7	8	14
50-64	10	8.7	66	<1	1	7	10	20	30	30
65+	2	14.0	128	6	6	14	22	22	22	22
TOT. SINGLE DX	1356	4.0	2	2	3	4	5	5	6	8
" MULTIPLE DX	1896	4.5	5	2	3	4	5	6	7	12
TOTAL 0-19 YRS	174	4.4	6	2	3	4	5	6	7	14
20-34	2637	4.2	3	2	3	4	5	6	6	9
35-49	427	4.5	4	2	3	4	5	6	7	12
50-64	12	7.6	61	<1	<1	6	10	16	28	30
65+	2	14.0	128	6	6	14	22	22	22	22
GRAND TOTAL	**3252**	**4.3**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.9	2	1	1	1	2	4	6	6
20-34	264	1.6	1	<1	<1	1	2	3	4	7
35-49	85	1.7	1	<1	<1	1	2	3	4	8
50-64	29	2.2	2	1	1	2	3	4	6	7
65+	20	1.5		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	7	2.9	10	<1	<1	2	3	9	10	10
20-34	195	2.2	2	<1	<1	2	3	5	5	8
35-49	101	2.7	4	<1	1	2	4	6	7	9
50-64	59	2.5	5	<1	1	2	3	5	6	15
65+	41	3.9	16	1	1	2	4	10	13	19
TOT. SINGLE DX	412	1.7	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	403	2.5	5	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	21	2.2	5	<1	<1	1	2	5	8	10
20-34	459	1.9	2	<1	<1	1	2	4	5	8
35-49	186	2.2	3	<1	1	1	3	5	6	9
50-64	88	2.4	4	<1	1	2	3	4	6	13
65+	61	3.1	12	<1	1	2	3	7	11	19
GRAND TOTAL	**815**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**6**	**10**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.5	10	<1	<1	1	2	8	9	9
20-34	62	1.7		<1	<1	1	2	3	4	5
35-49	30	2.5	4	<1	<1	2	2	6	7	9
50-64	22	2.9	3	<1	<1	3	4	6	7	8
65+	29	4.1	5	1	1	4	6	8	8	9
2. MULTIPLE DX										
0-19 YRS	6	1.8	2	<1	<1	1	2	5	5	5
20-34	101	3.0	10	<1	1	2	3	7	10	17
35-49	98	3.7	12	1	1	3	5	9	9	19
50-64	98	4.5	16	1	1	3	5	10	14	22
65+	145	6.3	36	1	1	4	8	12	20	32
TOT. SINGLE DX	149	2.5	4	<1	<1	2	3	6	7	9
" MULTIPLE DX	448	4.5	22	1	1	3	6	9	13	24
TOTAL 0-19 YRS	12	2.2	6	<1	<1	1	2	6	9	9
20-34	163	2.5	8	<1	<1	2	3	5	8	13
35-49	128	3.5	10	<1	1	2	5	8	9	17
50-64	120	4.2	15	1	1	3	5	9	11	21
65+	174	5.9	32	1	1	4	8	11	17	31
GRAND TOTAL	**597**	**4.0**	**19**	**<1**	**1**	**3**	**5**	**9**	**11**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	2.9	2	1	1	2	3	6	7	7
20-34	414	2.4	5	1	1	2	3	4	6	10
35-49	53	2.5	14	1	1	2	3	4	5	27
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	4.3	5	1	1	4	6	7	7	7
20-34	131	3.3	7	1	1	3	4	6	9	15
35-49	17	7.8	234	<1	1	2	6	23	50	62
50-64										
65+	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	495	2.4	6	1	1	2	3	4	6	10
" MULTIPLE DX	160	3.8	32	1	1	3	4	7	10	26
TOTAL 0-19 YRS	39	3.3	4	1	1	3	4	7	7	7
20-34	545	2.6	6	1	1	2	3	5	6	14
35-49	70	3.8	71	1	1	2	3	5	9	55
50-64										
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**655**	**2.8**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	3.7	3	<1	<1	4	5	6	6	6
20-34	173	4.9	3	2	3	5	6	6	8	13
35-49	32	3.7	3	1	1	4	5	6	6	7
50-64	2	2.0		2	2	2	2	2	2	2
65+	5	4.2	25	<1	<1	3	6	13	13	13
2. MULTIPLE DX										
0-19 YRS	11	4.6	3	2	2	4	6	7	8	8
20-34	417	4.9	5	1	2	5	6	7	8	12
35-49	147	5.3	12	1	2	5	6	9	12	15
50-64	27	5.3	39	<1	1	4	7	12	17	31
65+	54	7.2	34	1	2	5	11	15	17	28
TOT. SINGLE DX	221	4.7	4	1	2	5	6	6	7	13
" MULTIPLE DX	656	5.2	11	1	2	5	6	8	11	17
TOTAL 0-19 YRS	20	4.2	4	<1	1	4	5	7	7	8
20-34	590	4.9	5	1	2	5	6	7	8	12
35-49	179	5.0	11	1	1	5	6	8	10	14
50-64	29	5.0	38	<1	1	3	6	12	15	31
65+	59	7.0	34	1	1	5	11	15	17	28
GRAND TOTAL	**877**	**5.0**	**9**	**1**	**2**	**5**	**6**	**7**	**10**	**16**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	5.5	3	4	4	5	6	8	9	9
20-34	831	5.6	2	4	4	5	6	7	8	11
35-49	1112	5.8	6	4	4	6	6	7	8	11
50-64	299	6.3	4	4	5	6	7	8	10	16
65+	162	7.5	9	5	5	7	8	11	12	22
2. MULTIPLE DX										
0-19 YRS	44	6.8	12	4	4	6	7	12	16	17
20-34	6582	5.9	5	4	4	6	6	8	9	14
35-49	13066	6.1	3	4	4	6	7	8	9	14
50-64	2671	6.9	9	4	5	6	7	9	12	21
65+	1302	8.9	25	5	5	7	9	14	18	29
TOT. SINGLE DX	2414	5.9	5	4	4	6	6	8	9	12
" MULTIPLE DX	23665	6.3	7	4	4	6	7	8	10	17
TOTAL 0-19 YRS	54	6.6	11	4	4	6	7	11	15	17
20-34	7413	5.9	5	4	4	6	6	8	9	14
35-49	14178	6.0	4	4	4	6	7	8	9	14
50-64	2970	6.9	9	4	5	6	7	9	11	20
65+	1464	8.7	24	5	5	7	9	14	18	29
GRAND TOTAL	**26079**	**6.2**	**6**	**4**	**4**	**6**	**7**	**8**	**10**	**16**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	4.8	1	3	3	5	6	6	6	6
20-34	573	4.7	1	3	3	5	5	6	7	9
35-49	461	4.8	2	3	3	5	6	7	7	9
50-64	200	6.0	6	4	4	6	7	8	9	15
65+	160	6.7	3	4	5	6	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	13	5.6	3	2	3	6	7	8	8	8
20-34	2560	5.0	2	3	3	5	6	7	8	10
35-49	3847	5.2	2	3	4	5	6	7	8	11
50-64	984	6.3	4	4	4	6	7	9	10	14
65+	848	7.3	7	4	5	7	8	10	13	18
TOT. SINGLE DX	1398	5.1	3	3	3	5	6	7	8	10
" MULTIPLE DX	8252	5.5	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	17	5.4	3	2	3	5	6	8	8	8
20-34	3133	4.9	3	3	3	5	6	7	7	10
35-49	4308	5.2	3	3	3	5	6	7	8	11
50-64	1184	6.2	5	4	4	6	7	8	10	14
65+	1008	7.2	7	4	5	7	8	10	12	17
GRAND TOTAL	**9650**	**5.4**	**4**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	8.5	2	6	7	8	10	10	11	11
35-49	19	8.8	5	5	6	9	10	12	14	14
50-64	4	7.0	6	4	4	7	9	10	10	10
65+	2	11.0	32	7	7	11	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	22	11.3	30	6	7	10	14	16	23	30
35-49	36	10.3	29	4	6	9	12	14	20	33
50-64	29	14.7	73	7	7	11	19	31	33	35
65+	18	15.9	106	6	7	10	23	33	36	38
TOT. SINGLE DX	39	8.6	5	5	6	9	10	11	14	15
" MULTIPLE DX	107	12.6	58	6	6	10	14	25	32	36
TOTAL 0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	36	10.2	21	6	7	9	12	15	18	30
35-49	55	9.8	22	5	6	9	11	14	16	32
50-64	33	13.8	71	6	7	10	17	30	33	35
65+	20	15.5	99	6	7	10	21	32	36	38
GRAND TOTAL	**146**	**11.6**	**47**	**6**	**6**	**9**	**13**	**19**	**30**	**35**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.8	1	<1	<1	1	2	3	4	5
20-34	74	1.7	2	<1	<1	1	2	3	5	11
35-49	14	1.4		<1	<1	1	1	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	7.8	198	1	1	3	5	37	45	45
20-34	78	3.7	25	<1	1	2	4	8	11	27
35-49	12	4.2	68	<1	<1	1	3	13	28	30
50-64										
65+										
TOT. SINGLE DX	104	1.7	2	<1	<1	1	2	3	4	9
" MULTIPLE DX	107	4.4	58	<1	<1	2	4	8	23	45
TOTAL 0-19 YRS	33	4.9	110	<1	1	2	3	6	39	45
20-34	152	2.7	15	<1	<1	1	2	6	8	26
35-49	26	2.7	33	<1	<1	1	2	4	11	30
50-64										
65+										
GRAND TOTAL	**211**	**3.0**	**32**	**<1**	**<1**	**1**	**3**	**6**	**8**	**36**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	900	1.6	6	<1	<1	1	2	3	3	6
20-34	4050	1.5	1	<1	<1	1	2	2	3	5
35-49	876	1.5	1	<1	<1	1	2	2	3	6
50-64	198	1.6	1	<1	<1	1	2	2	4	6
65+	116	2.2	4	<1	<1	2	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	307	2.7	10	<1	1	2	3	5	7	13
20-34	2010	2.7	6	<1	1	2	3	5	7	12
35-49	1269	2.9	14	<1	1	2	3	6	8	16
50-64	468	3.7	37	<1	1	2	4	8	12	29
65+	528	4.6	52	1	1	2	5	9	15	35
TOT. SINGLE DX	6140	1.5	2	<1	<1	1	2	2	3	6
" MULTIPLE DX	4582	3.1	18	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	1207	1.9	8	<1	<1	1	2	3	4	9
20-34	6060	1.9	3	<1	<1	1	2	4	5	9
35-49	2145	2.3	9	<1	<1	1	2	5	7	14
50-64	666	3.1	27	<1	<1	2	3	6	10	21
65+	644	4.1	45	<1	1	2	4	8	14	33
GRAND TOTAL	**10722**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	4.0	43	<1	<1	1	4	15	21	21
20-34	38	1.6		<1	<1	1	2	3	4	4
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	4.5	13	1	1	4	6	10	12	13
20-34	60	5.4	69	<1	<1	2	6	13	23	42
35-49	10	1.4		1	1	1	2	3	3	3
50-64										
65+										
TOT. SINGLE DX	51	2.0	9	<1	<1	1	2	3	4	21
" MULTIPLE DX	83	4.8	53	<1	1	2	6	11	16	41
TOTAL 0-19 YRS	22	4.3	24	<1	1	2	6	10	16	21
20-34	98	3.9	46	<1	<1	2	4	9	15	41
35-49	14	1.4		1	1	1	2	2	3	3
50-64										
65+										
GRAND TOTAL	**134**	**3.7**	**38**	**<1**	**<1**	**1**	**4**	**8**	**14**	**39**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	171	1.4		<1	<1	1	1	2	3	6
20-34	734	1.3		<1	<1	1	1	2	3	5
35-49	90	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	46	1.9	3	<1	<1	1	2	3	5	12
20-34	211	2.3	4	<1	1	1	3	5	7	10
35-49	54	1.9	1	1	1	1	2	4	5	7
50-64	2	10.5	41	6	6	10	15	15	15	15
65+	10	6.1	15	2	2	6	8	12	15	15
TOT. SINGLE DX	995	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	323	2.3	5	<1	1	1	3	5	7	13
TOTAL 0-19 YRS	217	1.5	1	<1	<1	1	2	2	3	6
20-34	945	1.5	2	<1	<1	1	2	3	4	7
35-49	144	1.5	1	<1	<1	1	1	3	4	6
50-64	2	10.5	41	6	6	10	15	15	15	15
65+	10	6.1	15	2	2	6	8	12	15	15
GRAND TOTAL	**1318**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	19	3.3	1	1	2	3	4	5	5	5
35-49	3	4.3		4	4	4	5	5	5	5
50-64	3	5.3		5	5	5	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	7	4.0	1	2	2	4	5	6	6	6
20-34	96	4.4	4	1	1	4	5	6	8	13
35-49	14	4.6	2	1	3	5	6	6	6	6
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	6.8	2	6	6	6	8	9	9	9
TOT. SINGLE DX	28	3.9	2	2	2	4	5	5	6	6
" MULTIPLE DX	122	4.5	5	1	2	4	6	6	8	12
TOTAL 0-19 YRS	9	4.3	2	2	2	4	5	6	6	6
20-34	115	4.2	4	1	1	4	5	6	8	12
35-49	17	4.6	2	2	3	5	6	6	6	6
50-64	4	6.0	2	5	5	6	7	8	8	8
65+	5	6.4	2	5	5	6	7	9	9	9
GRAND TOTAL	**150**	**4.4**	**4**	**1**	**2**	**4**	**5**	**6**	**8**	**10**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	46	2.7	7	<1	<1	2	4	5	6	17
35-49	13	4.8	33	1	1	3	5	12	20	22
50-64	9	3.1	2	1	1	3	5	5	5	5
65+	8	3.4	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	14	4.3	5	1	1	4	6	7	9	9
20-34	109	3.4	4	<1	1	3	4	6	7	11
35-49	40	3.7	4	1	1	3	5	6	8	12
50-64	14	3.6	5	<1	1	3	5	7	9	9
65+	34	4.2	10	2	2	3	4	8	11	17
TOT. SINGLE DX	82	3.1	10	<1	<1	2	4	5	8	20
" MULTIPLE DX	211	3.7	5	1	1	3	5	6	8	12
TOTAL 0-19 YRS	20	3.7	5	<1	1	3	5	7	8	9
20-34	155	3.2	5	<1	1	3	4	5	7	13
35-49	53	4.0	12	1	1	3	5	7	10	22
50-64	23	3.4	4	<1	1	3	5	6	8	9
65+	42	4.0	9	1	2	3	4	7	11	17
GRAND TOTAL	**293**	**3.5**	**7**	**<1**	**1**	**3**	**4**	**6**	**8**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	38	4.7	4	1	2	5	6	7	9	10
35-49	168	5.1	5	1	2	5	7	8	9	12
50-64	284	5.3	3	3	3	5	6	8	8	11
65+	205	5.6	4	2	3	5	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	90	5.9	48	2	3	5	6	8	9	47
35-49	369	6.2	10	3	4	6	7	9	11	18
50-64	540	6.3	6	3	4	6	7	9	10	13
65+	577	6.9	10	4	4	6	8	10	13	21
TOT. SINGLE DX	696	5.3	4	2	3	5	7	8	9	11
" MULTIPLE DX	1577	6.5	11	3	4	6	7	9	11	18
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	128	5.5	36	1	2	5	6	8	9	27
35-49	537	5.9	9	2	3	5	7	9	10	15
50-64	824	5.9	6	3	3	6	7	8	10	12
65+	782	6.6	9	3	4	6	8	9	12	19
GRAND TOTAL	**2273**	**6.1**	**9**	**3**	**3**	**6**	**7**	**9**	**10**	**15**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	2.3	2	<1	<1	2	3	4	5	9
20-34	110	3.4	4	1	1	3	4	6	7	10
35-49	32	2.7	1	1	1	3	4	4	4	5
50-64	17	5.7	12	<1	1	6	7	9	13	15
65+	18	5.6	4	2	4	5	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	46	5.5	40	<1	<1	3	8	12	20	30
20-34	57	4.7	9	1	2	4	6	9	11	16
35-49	36	6.3	38	1	2	5	8	9	13	38
50-64	44	6.0	10	1	1	6	8	10	12	14
65+	49	9.3	69	4	4	7	10	18	24	54
TOT. SINGLE DX	214	3.5	5	1	1	3	5	7	7	11
" MULTIPLE DX	232	6.3	35	1	1	5	8	11	15	31
TOTAL 0-19 YRS	83	4.1	26	<1	<1	2	5	9	13	29
20-34	167	3.8	7	1	1	3	5	7	9	12
35-49	68	4.6	24	1	1	4	5	9	10	34
50-64	61	5.9	10	1	1	6	7	10	13	15
65+	67	8.3	55	3	4	6	8	14	22	49
GRAND TOTAL	**446**	**5.0**	**23**	**1**	**1**	**4**	**6**	**9**	**12**	**26**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	3.4	12	<1	<1	2	4	9	10	17
20-34	96	3.4	6	<1	1	3	5	6	8	13
35-49	35	3.9	16	<1	<1	3	6	8	10	22
50-64	39	4.5	7	1	2	4	6	8	10	12
65+	45	3.9	4	<1	<1	4	5	6	8	9
2. MULTIPLE DX										
0-19 YRS	59	5.0	19	1	1	3	8	11	14	17
20-34	228	3.9	15	1	1	3	5	9	13	18
35-49	135	5.4	17	1	1	5	8	9	14	22
50-64	105	6.0	28	1	2	5	7	10	17	65
65+	182	7.9	74	2	2	5	8	16	28	48
TOT. SINGLE DX	256	3.7	8	<1	1	3	5	7	9	13
" MULTIPLE DX	709	5.6	36	1	1	4	7	11	16	34
TOTAL 0-19 YRS	100	4.4	17	<1	1	3	7	10	13	17
20-34	324	3.8	13	1	1	3	5	7	11	17
35-49	170	5.1	17	1	1	4	7	9	13	22
50-64	144	5.6	23	1	2	5	6	10	15	40
65+	227	7.1	63	1	2	5	8	14	22	46
GRAND TOTAL	**965**	**5.1**	**29**	**1**	**1**	**4**	**6**	**10**	**14**	**30**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.1	2	<1	<1	2	3	4	5	7
20-34	169	2.1	2	<1	<1	2	3	4	5	7
35-49	85	1.9	2	<1	<1	1	2	3	4	9
50-64	35	2.5	2	<1	1	2	3	4	5	8
65+	32	2.4	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	37	4.9	51	1	1	3	5	8	10	45
20-34	116	3.6	12	<1	1	2	4	8	12	18
35-49	82	4.2	18	1	1	3	5	11	14	21
50-64	67	7.3	78	1	1	4	8	18	32	40
65+	85	7.1	72	1	1	4	8	19	20	50
TOT. SINGLE DX	382	2.1	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	387	5.3	44	1	1	3	6	12	18	35
TOTAL 0-19 YRS	98	3.2	22	<1	1	2	4	5	7	29
20-34	285	2.7	7	<1	1	2	3	5	7	15
35-49	167	3.0	11	<1	1	2	3	7	11	16
50-64	102	5.6	58	1	1	3	5	11	25	38
65+	117	5.8	58	1	1	3	6	14	20	41
GRAND TOTAL	**769**	**3.7**	**26**	**<1**	**1**	**2**	**4**	**7**	**12**	**28**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	6.1	20	1	1	5	10	12	13	13
35-49	9	3.6	2	<1	1	4	4	6	6	6
50-64	11	6.4	40	1	1	5	7	18	19	19
65+	19	5.8	12	2	2	5	8	10	14	16
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	8.6	46	2	2	6	11	20	22	22
35-49	15	8.7	54	1	1	8	13	21	22	23
50-64	27	13.4	171	2	2	7	15	38	40	43
65+	58	11.4	84	2	4	8	15	26	30	41
TOT. SINGLE DX	48	5.5	18	1	1	4	7	11	16	19
" MULTIPLE DX	108	11.3	99	1	2	7	15	26	33	42
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	15	7.3	32	1	2	6	11	13	20	22
35-49	24	6.8	40	<1	1	4	9	17	22	23
50-64	38	11.4	142	1	2	6	14	33	40	43
65+	77	10.0	72	2	3	7	13	24	27	39
GRAND TOTAL	**156**	**9.5**	**81**	**1**	**2**	**6**	**12**	**22**	**31**	**41**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.8	1	<1	1	1	3	3	4	6
20-34	34	2.9	2	1	1	3	4	5	6	7
35-49	8	3.0	6	1	1	2	4	7	8	8
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	4	6.0	29	2	2	4	9	14	14	14
2. MULTIPLE DX										
0-19 YRS	24	3.3	3	<1	1	3	5	6	6	6
20-34	30	3.2	2	1	1	3	4	6	6	7
35-49	9	5.6	52	<1	<1	2	6	18	23	23
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	7	5.3	6	3	3	5	6	9	10	10
TOT. SINGLE DX	77	2.6	4	<1	1	2	3	5	7	12
" MULTIPLE DX	73	3.8	10	1	1	3	5	6	9	20
TOTAL 0-19 YRS	51	2.5	3	<1	1	2	4	5	6	6
20-34	64	3.0	3	1	1	3	4	5	6	7
35-49	17	4.4	31	<1	1	2	5	10	19	23
50-64	7	3.6	9	<1	<1	3	5	8	9	9
65+	11	5.5	12	2	2	4	6	12	14	14
GRAND TOTAL	**150**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.3	3	1	1	2	3	5	5	5
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	10	2.8	5	<1	<1	2	4	6	8	8
20-34	8	3.0	5	<1	<1	2	5	7	7	7
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64										
65+	9	4.9	16	1	1	3	7	12	13	13
TOT. SINGLE DX	9	2.4	2	1	1	2	3	5	5	5
" MULTIPLE DX	30	3.5	9	<1	1	2	5	8	10	13
TOTAL 0-19 YRS	14	2.6	5	<1	1	2	4	6	7	8
20-34	12	2.8	4	<1	<1	2	4	6	7	7
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	9	4.9	17	1	1	3	7	12	13	13
GRAND TOTAL	**39**	**3.3**	**8**	**<1**	**1**	**2**	**4**	**7**	**9**	**13**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1572	2.6		1	2	3	3	4	4	5
20-34	7776	2.8	1	1	2	3	3	4	4	6
35-49	386	2.9	1	2	2	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1294	3.1	4	2	2	3	3	4	5	10
20-34	7360	3.1	2	2	2	3	3	4	5	8
35-49	559	3.4	11	2	2	3	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	9734	2.7	1	1	2	3	3	4	4	6
" MULTIPLE DX	9213	3.1	3	2	2	3	3	4	5	8
TOTAL 0-19 YRS	2866	2.8	2	1	2	3	3	4	5	7
20-34	15136	2.9	2	2	2	3	3	4	5	7
35-49	945	3.2	7	2	2	3	4	4	5	11
50-64										
65+										
GRAND TOTAL	**18947**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	71	2.5	1	1	1	2	3	4	4	9
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	38	2.4	2	1	1	2	3	3	6	8
20-34	189	3.1	14	1	1	3	3	4	6	10
35-49	31	3.3	7	1	1	3	4	5	6	16
50-64										
65+										
TOT. SINGLE DX	83	2.5	1	1	1	2	3	4	4	8
" MULTIPLE DX	258	3.1	12	1	1	3	3	4	6	10
TOTAL 0-19 YRS	46	2.4	2	1	1	2	3	3	5	8
20-34	260	3.0	11	1	1	3	3	4	6	10
35-49	35	3.2	7	1	1	3	4	5	6	16
50-64										
65+										
GRAND TOTAL	**341**	**2.9**	**9**	**1**	**1**	**3**	**3**	**4**	**6**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	364	2.4	1	1	1	2	3	3	4	6
20-34	2001	2.5		1	2	2	3	4	4	5
35-49	109	2.6		1	2	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	567	2.9	2	1	2	3	3	4	5	8
20-34	2707	3.0	3	1	2	3	3	4	5	8
35-49	171	3.0	1	2	2	3	4	4	5	6
50-64										
65+										
TOT. SINGLE DX	2474	2.5	1	1	2	2	3	3	4	5
" MULTIPLE DX	3445	3.0	3	1	2	3	3	4	5	8
TOTAL 0-19 YRS	931	2.7	2	1	2	3	3	4	5	7
20-34	4708	2.8	3	1	2	3	3	4	4	7
35-49	280	2.9	1	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**5919**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8501	2.3		1	1	2	3	3	4	5
20-34	36905	2.4	1	1	1	2	3	3	4	5
35-49	2012	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3680	3.0	5	1	2	3	3	4	6	12
20-34	19413	2.9	4	1	2	3	3	4	5	10
35-49	1726	3.1	4	1	2	3	3	5	5	9
50-64										
65+										
TOT. SINGLE DX	47418	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	24819	2.9	5	1	2	3	3	4	5	10
TOTAL 0-19 YRS	12181	2.5	2	1	1	2	3	4	4	7
20-34	56318	2.6	2	1	1	2	3	4	4	7
35-49	3738	2.8	3	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**72237**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1193	4.6	1	3	3	4	5	6	7	10
20-34	8411	4.5	1	3	3	4	5	6	6	8
35-49	477	4.8	3	3	3	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3056	5.4	7	3	4	5	6	8	10	17
20-34	21871	5.1	9	3	3	5	5	7	8	15
35-49	2101	5.5	17	3	4	5	6	7	9	22
50-64										
65+										
TOT. SINGLE DX	10081	4.5	2	3	3	4	5	6	6	8
" MULTIPLE DX	27028	5.2	10	3	4	5	6	7	8	16
TOTAL 0-19 YRS	4249	5.2	6	3	3	5	6	7	9	15
20-34	30282	5.0	8	3	3	5	5	6	7	14
35-49	2578	5.4	15	3	4	5	6	7	8	20
50-64										
65+										
GRAND TOTAL	**37109**	**5.0**	**8**	**3**	**3**	**5**	**5**	**6**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	139	4.6	3	3	3	4	5	6	7	12
20-34	552	4.5	3	3	3	4	5	6	6	7
35-49	32	5.1	3	3	3	5	6	7	7	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	189	5.2	6	3	3	5	6	7	9	16
20-34	1130	5.2	10	3	3	5	5	7	8	19
35-49	147	5.9	11	3	4	5	6	9	11	22
50-64										
65+										
TOT. SINGLE DX	723	4.6	4	3	3	4	5	6	6	8
" MULTIPLE DX	1466	5.3	10	3	3	5	6	7	9	20
TOTAL 0-19 YRS	328	5.0	6	3	3	5	5	7	8	15
20-34	1682	5.0	8	3	3	5	5	7	8	17
35-49	179	5.7	10	3	4	5	6	9	11	21
50-64										
65+										
GRAND TOTAL	**2189**	**5.1**	**8**	**3**	**3**	**5**	**5**	**7**	**8**	**17**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.5	2	1	1	4	5	5	5	5
20-34	80	3.6	2	1	2	3	4	6	6	8
35-49	7	3.1	2	1	1	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	4.0	1	2	2	4	5	6	6	6
20-34	79	4.3	3	2	2	4	5	7	8	12
35-49	8	3.8	2	1	2	4	5	6	6	6
50-64										
65+										
TOT. SINGLE DX	101	3.6	2	1	2	4	4	5	6	8
" MULTIPLE DX	96	4.3	3	2	2	4	5	6	7	12
TOTAL 0-19 YRS	23	3.7	2	1	2	4	5	5	6	6
20-34	159	4.0	3	2	2	4	5	6	7	10
35-49	15	3.5	2	1	1	4	4	5	6	6
50-64										
65+										
GRAND TOTAL	**197**	**3.9**	**3**	**1**	**2**	**4**	**5**	**6**	**7**	**10**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	76	1.5		1	1	1	2	2	3	5
20-34	136	1.5		1	1	1	2	2	3	5
35-49	14	1.2		1	1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	11	1.8	1	1	1	1	2	4	4	4
20-34	30	2.0	1	1	1	2	2	3	5	6
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64										
65+										
TOT. SINGLE DX	226	1.5	1	1	1	1	2	2	3	4
" MULTIPLE DX	48	2.0	1	1	1	2	2	4	5	6
TOTAL 0-19 YRS	87	1.5	1	1	1	1	2	2	3	5
20-34	166	1.6	1	1	1	1	2	2	3	6
35-49	21	1.5	1	1	1	1	2	3	4	5
50-64										
65+										
GRAND TOTAL	**274**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.0	12	1	1	3	5	10	12	13
20-34	77	5.6	42	1	1	4	6	12	19	37
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	29	6.7	133	1	2	3	5	13	30	60
20-34	118	6.7	56	1	1	5	7	13	25	44
35-49	19	13.1	243	3	4	6	11	40	51	60
50-64										
65+										
TOT. SINGLE DX	97	5.2	37	1	1	3	6	11	18	34
" MULTIPLE DX	166	7.5	93	1	1	4	8	14	27	58
TOTAL 0-19 YRS	44	5.8	93	1	1	3	5	11	19	60
20-34	195	6.3	51	1	1	4	7	13	21	43
35-49	24	10.8	211	1	2	5	10	38	47	60
50-64										
65+										
GRAND TOTAL	**263**	**6.6**	**73**	**1**	**1**	**4**	**7**	**13**	**24**	**46**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	162	2.3	4	<1	<1	2	3	4	5	14
20-34	750	2.3	5	<1	1	2	3	4	5	9
35-49	41	1.9		<1	<1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	78	3.2	38	1	1	2	3	5	6	43
20-34	443	2.6	3	<1	1	2	3	4	6	9
35-49	32	2.5	1	<1	1	2	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	953	2.3	5	<1	<1	2	3	4	5	10
" MULTIPLE DX	553	2.6	9	<1	1	2	3	4	6	9
TOTAL 0-19 YRS	240	2.6	16	<1	<1	2	3	4	5	15
20-34	1193	2.4	5	<1	1	2	3	4	5	9
35-49	73	2.2	1	<1	1	2	3	3	4	7
50-64										
65+										
GRAND TOTAL	**1506**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	792	2.2		1	1	2	3	3	3	4
20-34	3388	2.3		1	1	2	3	3	4	5
35-49	257	2.3		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	986	2.9	4	1	2	3	3	4	5	11
20-34	4530	2.7	4	1	2	2	3	4	5	8
35-49	341	2.8	2	1	2	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	4437	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	5857	2.7	4	1	2	2	3	4	5	8
TOTAL 0-19 YRS	1778	2.6	3	1	1	2	3	4	4	7
20-34	7918	2.5	3	1	1	2	3	4	4	7
35-49	598	2.6	2	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**10294**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	3.8	8	1	1	3	6	9	10	10
20-34	25	3.2	13	1	1	3	3	4	9	20
35-49	16	3.5	5	1	1	3	5	7	8	8
50-64	21	5.0	22	1	1	3	7	14	16	17
65+	15	8.3	27	1	2	9	12	14	17	18
2. MULTIPLE DX										
0-19 YRS	17	4.4	15	1	2	3	4	10	14	16
20-34	23	6.4	58	1	2	4	7	13	26	35
35-49	27	5.7	49	1	1	3	7	14	18	35
50-64	43	9.8	135	1	2	6	11	27	33	57
65+	66	10.1	133	1	2	7	13	20	44	54
TOT. SINGLE DX	92	4.6	18	1	1	3	6	11	14	19
" MULTIPLE DX	176	8.3	103	1	2	4	10	19	30	54
TOTAL 0-19 YRS	32	4.1	11	1	1	3	5	9	11	16
20-34	48	4.8	37	1	1	3	5	10	20	35
35-49	43	4.9	33	1	1	3	6	9	14	35
50-64	64	8.3	103	1	1	4	10	23	30	54
65+	81	9.8	114	1	2	7	13	19	32	54
GRAND TOTAL	**268**	**7.1**	**77**	**1**	**1**	**4**	**8**	**15**	**23**	**52**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	283	3.2	1	1	2	3	4	5	5	6
20-34	535	3.1	1	1	2	3	4	4	5	8
35-49	296	3.2	1	1	2	3	4	5	5	8
50-64	65	3.1	2	1	2	3	4	4	5	12
65+	16	3.8	3	1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	307	3.7	8	2	2	3	4	5	6	11
20-34	396	3.5	2	2	2	3	4	5	6	8
35-49	234	4.0	14	1	2	3	4	6	8	19
50-64	72	3.7	5	1	2	3	5	7	8	14
65+	23	11.6	161	1	2	5	20	32	40	43
TOT. SINGLE DX	1195	3.2	2	1	2	3	4	4	5	8
" MULTIPLE DX	1032	3.9	12	1	2	3	4	6	7	22
TOTAL 0-19 YRS	590	3.4	5	2	2	3	4	5	6	8
20-34	931	3.3	2	2	2	3	4	5	6	8
35-49	530	3.6	8	1	2	3	4	5	6	12
50-64	137	3.4	4	1	2	3	4	6	8	13
65+	39	8.4	110	1	2	4	8	25	35	43
GRAND TOTAL	**2227**	**3.5**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.1	1	<1	1	2	3	4	5	7
20-34	93	2.4	5	1	1	2	3	4	4	16
35-49	28	2.6	3	<1	1	2	3	4	6	10
50-64	6	1.5		1	1	1	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	120	3.8	16	1	1	3	5	7	10	25
20-34	184	4.2	26	1	1	3	5	8	11	27
35-49	59	5.7	29	1	1	4	7	15	16	25
50-64	19	7.6	295	1	1	3	6	7	46	78
65+	17	9.5	71	1	2	6	13	17	29	36
TOT. SINGLE DX	200	2.3	4	<1	1	2	3	4	5	8
" MULTIPLE DX	399	4.7	40	1	1	3	5	9	14	31
TOTAL 0-19 YRS	191	3.2	11	1	1	2	4	6	8	20
20-34	277	3.6	20	1	1	2	4	7	9	22
35-49	87	4.7	23	1	1	3	6	11	16	25
50-64	25	6.2	229	1	1	2	5	7	25	78
65+	19	8.8	69	1	2	6	13	17	27	36
GRAND TOTAL	**599**	**3.9**	**29**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	2.3	1	1	1	2	3	4	5	6
20-34	231	2.6	4	1	1	2	3	5	6	12
35-49	81	2.8	4	1	1	2	4	5	7	11
50-64	35	2.9	3	<1	1	2	4	5	6	9
65+	13	5.1	15	1	2	4	6	12	14	14
2. MULTIPLE DX										
0-19 YRS	184	6.1	55	1	1	4	7	13	16	48
20-34	424	5.7	51	1	1	4	7	11	14	38
35-49	171	5.9	26	1	2	4	8	12	17	28
50-64	76	8.6	90	1	2	6	8	18	29	53
65+	64	7.9	40	1	2	6	11	18	19	29
TOT. SINGLE DX	422	2.7	4	1	1	2	3	5	6	12
" MULTIPLE DX	919	6.2	51	1	1	4	8	13	17	37
TOTAL 0-19 YRS	246	5.2	45	1	1	3	6	11	15	40
20-34	655	4.6	37	1	1	3	5	9	13	30
35-49	252	4.9	21	1	1	3	6	10	14	25
50-64	111	6.8	70	1	1	5	7	14	26	47
65+	77	7.4	37	1	2	5	11	17	18	28
GRAND TOTAL	**1341**	**5.1**	**39**	**1**	**1**	**3**	**6**	**10**	**14**	**30**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	2.4	1	<1	1	2	3	4	4	4
20-34	11	3.1	1	1	1	3	4	5	5	5
35-49	17	2.8	3	1	1	2	3	6	7	8
50-64	18	3.2	2	1	2	3	4	6	7	7
65+	7	3.0	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	26	2.7	2	1	1	2	3	5	6	6
20-34	28	4.0	7	1	1	3	5	9	9	11
35-49	29	5.7	36	1	2	3	6	15	23	24
50-64	21	6.4	65	1	2	3	7	12	26	38
65+	27	7.4	50	1	2	4	9	17	22	33
TOT. SINGLE DX	70	2.9	2	1	1	3	3	5	6	8
" MULTIPLE DX	131	5.2	33	1	1	3	6	10	18	34
TOTAL 0-19 YRS	43	2.6	2	<1	1	2	3	4	5	6
20-34	39	3.7	6	1	1	3	5	8	9	11
35-49	46	4.6	26	1	1	3	5	9	19	24
50-64	39	4.9	38	1	2	3	5	9	13	38
65+	34	6.5	44	1	1	4	8	14	20	33
GRAND TOTAL	**201**	**4.4**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**28**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	210	4.6	20	1	1	4	5	9	12	21
20-34	141	3.9	15	1	1	3	5	7	9	21
35-49	110	5.4	27	1	1	4	6	10	12	32
50-64	107	5.8	27	1	2	5	7	10	14	32
65+	39	5.5	12	1	2	5	7	9	10	21
2. MULTIPLE DX										
0-19 YRS	331	7.0	62	1	2	5	7	13	21	43
20-34	140	6.1	46	1	1	4	7	14	21	30
35-49	101	7.0	72	1	2	4	7	15	19	52
50-64	177	7.9	56	1	2	6	9	18	24	46
65+	109	11.1	106	1	2	9	14	20	35	52
TOT. SINGLE DX	607	4.9	22	1	1	4	6	9	12	26
" MULTIPLE DX	858	7.5	67	1	2	5	9	16	23	47
TOTAL 0-19 YRS	541	6.1	48	1	2	4	6	11	16	42
20-34	281	5.0	32	1	1	3	6	10	16	27
35-49	211	6.1	49	1	1	4	7	11	18	44
50-64	284	7.1	46	1	2	5	8	14	22	41
65+	148	9.6	88	1	2	7	12	18	29	47
GRAND TOTAL	**1465**	**6.4**	**50**	**1**	**1**	**4**	**7**	**13**	**19**	**42**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	2.5	1	1	1	2	3	4	5	5
20-34	117	2.5	1	1	1	2	3	4	5	6
35-49	160	2.7	2	1	1	2	3	5	6	8
50-64	156	2.9	3	1	1	3	4	5	6	8
65+	66	3.6	5	1	1	3	5	6	8	14
2. MULTIPLE DX										
0-19 YRS	87	2.8	1	1	1	3	4	5	5	8
20-34	181	2.6	1	1	1	3	3	4	5	6
35-49	364	3.3	12	1	1	3	4	5	6	12
50-64	575	3.5	7	1	1	3	4	6	7	16
65+	459	4.2	10	1	1	3	5	7	9	18
TOT. SINGLE DX	556	2.8	3	1	1	3	4	5	5	8
" MULTIPLE DX	1666	3.5	9	1	1	3	4	6	7	16
TOTAL 0-19 YRS	144	2.7	2	1	1	3	4	4	5	7
20-34	298	2.6	2	1	1	3	3	4	5	6
35-49	524	3.1	10	1	1	3	4	5	6	10
50-64	731	3.4	6	1	1	3	4	5	6	16
65+	525	4.1	10	1	1	3	5	7	9	18
GRAND TOTAL	**2222**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**15**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	637	3.6	18	1	1	3	4	7	10	19
20-34	616	3.8	20	1	1	3	4	7	10	21
35-49	531	3.6	15	1	1	3	4	7	9	22
50-64	342	3.8	13	<1	1	3	5	8	10	19
65+	168	6.3	53	1	1	4	7	15	17	42
2. MULTIPLE DX										
0-19 YRS	423	9.6	186	1	1	4	11	24	33	76
20-34	693	8.8	159	1	1	4	9	23	39	78
35-49	698	7.6	100	1	1	4	8	17	29	53
50-64	769	8.2	101	1	1	4	10	20	27	52
65+	685	11.3	129	1	2	8	15	27	38	54
TOT. SINGLE DX	2294	3.9	20	1	1	3	4	8	11	22
" MULTIPLE DX	3268	9.0	132	1	1	5	11	22	33	63
TOTAL 0-19 YRS	1060	6.0	94	1	1	3	6	13	22	52
20-34	1309	6.5	100	1	1	3	6	16	25	59
35-49	1229	5.9	67	1	1	3	6	13	20	46
50-64	1111	6.8	78	1	1	4	8	17	24	47
65+	853	10.3	119	1	2	7	14	25	36	50
GRAND TOTAL	**5562**	**6.9**	**92**	**1**	**1**	**4**	**7**	**16**	**25**	**51**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	300	4.6	24	1	1	4	5	8	11	29
20-34	171	4.0	7	1	1	3	5	8	10	13
35-49	97	4.3	12	1	1	4	6	8	9	21
50-64	83	6.9	46	1	2	5	8	12	17	43
65+	96	8.9	20	2	4	9	11	15	16	25
2. MULTIPLE DX										
0-19 YRS	236	9.8	256	1	1	4	8	28	51	96
20-34	178	10.7	177	1	2	6	12	26	46	66
35-49	129	8.9	106	1	2	5	10	20	23	60
50-64	142	11.9	165	2	4	7	12	25	42	69
65+	435	13.3	79	4	6	11	16	22	29	52
TOT. SINGLE DX	747	5.2	24	1	1	4	7	10	13	26
" MULTIPLE DX	1120	11.5	149	1	2	8	14	23	38	67
TOTAL 0-19 YRS	536	6.9	133	1	1	4	6	12	28	78
20-34	349	7.4	105	1	1	4	8	14	27	59
35-49	226	6.9	71	1	1	5	8	14	22	49
50-64	225	10.0	127	2	3	7	11	18	37	67
65+	531	12.6	72	4	5	11	15	21	27	52
GRAND TOTAL	**1867**	**9.0**	**108**	**1**	**2**	**6**	**11**	**18**	**27**	**62**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	314	2.6	14	<1	<1	2	3	4	6	21
20-34	428	2.5	6	<1	<1	2	3	5	6	12
35-49	232	2.9	7	<1	1	2	3	5	9	13
50-64	198	2.8	5	<1	1	2	4	5	6	14
65+	154	4.0	23	<1	<1	3	5	8	11	17
2. MULTIPLE DX										
0-19 YRS	286	4.6	45	<1	1	3	5	9	15	43
20-34	261	5.9	71	1	1	3	7	13	18	45
35-49	199	7.1	115	1	1	4	8	16	28	78
50-64	203	8.1	82	1	1	5	10	18	24	50
65+	323	10.3	159	1	2	7	14	21	31	72
TOT. SINGLE DX	1326	2.8	10	<1	<1	2	3	5	7	15
" MULTIPLE DX	1272	7.3	101	1	1	4	8	16	24	55
TOTAL 0-19 YRS	600	3.5	30	<1	<1	2	4	6	11	29
20-34	689	3.8	34	<1	1	2	4	8	11	32
35-49	431	4.8	61	<1	1	3	5	10	15	42
50-64	401	5.5	51	1	1	3	6	12	18	39
65+	477	8.3	124	1	1	4	10	17	26	67
GRAND TOTAL	**2598**	**5.0**	**60**	**<1**	**1**	**3**	**5**	**11**	**16**	**43**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	11.9	97	2	2	8	20	24	27	47
20-34	35	8.3	21	3	4	7	11	13	19	23
35-49	22	8.0	27	2	3	7	10	16	21	22
50-64	34	8.2	5	5	5	8	10	11	13	14
65+	102	12.2	60	5	6	10	14	18	27	49
2. MULTIPLE DX										
0-19 YRS	95	16.7	97	4	6	15	22	29	36	49
20-34	83	15.3	152	5	6	13	17	24	47	69
35-49	38	20.4	250	6	7	14	29	47	55	68
50-64	62	14.7	152	4	5	12	18	28	35	99
65+	442	15.5	78	6	8	14	18	24	30	63
TOT. SINGLE DX	264	10.7	58	3	4	9	13	21	24	47
" MULTIPLE DX	720	15.9	105	5	7	14	19	26	34	69
TOTAL 0-19 YRS	166	14.7	103	2	4	12	21	27	33	48
20-34	118	13.2	123	4	5	10	16	22	29	68
35-49	60	15.9	202	3	4	10	19	36	49	67
50-64	96	12.4	110	4	5	10	15	24	29	95
65+	544	14.9	77	6	8	13	17	24	29	51
GRAND TOTAL	**984**	**14.5**	**98**	**4**	**6**	**12**	**17**	**24**	**31**	**61**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	7.3	29	2	3	6	9	13	16	35
20-34	99	9.7	30	3	4	9	12	17	21	30
35-49	82	10.4	101	4	5	8	10	18	24	68
50-64	157	9.6	13	4	5	9	12	14	16	18
65+	751	11.9	30	6	7	11	14	18	20	28
2. MULTIPLE DX										
0-19 YRS	180	14.8	117	4	5	11	19	30	40	60
20-34	282	16.6	171	5	6	13	19	28	45	78
35-49	199	16.6	156	5	6	13	19	34	43	63
50-64	455	15.7	119	5	7	13	19	27	37	61
65+	4109	15.4	77	7	8	14	18	25	31	56
TOT. SINGLE DX	1203	10.9	35	4	5	10	13	17	20	30
" MULTIPLE DX	5225	15.5	91	6	8	13	18	25	33	58
TOTAL 0-19 YRS	294	11.9	97	3	4	9	14	25	34	56
20-34	381	14.8	144	4	5	12	17	26	40	73
35-49	281	14.8	148	5	5	11	18	30	40	63
50-64	612	14.2	99	5	6	12	16	24	32	55
65+	4860	14.9	72	7	8	13	17	23	30	51
GRAND TOTAL	**6428**	**14.7**	**83**	**6**	**7**	**13**	**17**	**24**	**30**	**56**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	197	7.6	67	1	1	4	9	21	26	34
20-34	17	16.1	355	2	3	6	20	47	54	58
35-49	3	9.7	12	6	6	10	12	13	13	13
50-64	3	5.3	2	4	4	5	6	7	7	7
65+	29	6.0	30	1	1	4	10	15	16	21
2. MULTIPLE DX										
0-19 YRS	103	14.0	182	1	2	10	21	31	43	62
20-34	30	21.8	522	1	2	15	34	51	65	99
35-49	26	19.2	358	2	3	10	34	52	58	60
50-64	18	15.2	265	1	2	10	16	38	55	65
65+	89	17.4	348	3	4	11	20	35	63	98
TOT. SINGLE DX	249	8.0	85	1	1	4	10	21	27	45
" MULTIPLE DX	266	16.6	300	1	2	11	21	40	53	94
TOTAL 0-19 YRS	300	9.8	116	1	1	6	15	24	30	48
20-34	47	19.7	461	1	2	11	32	49	59	99
35-49	29	18.2	330	2	3	10	24	50	58	60
50-64	21	13.8	238	1	2	9	15	35	52	65
65+	118	14.6	293	2	2	10	15	32	48	97
GRAND TOTAL	**515**	**12.5**	**215**	**1**	**1**	**7**	**17**	**30**	**44**	**67**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	247	3.1	16	<1	1	2	3	6	13	20
20-34	127	3.4	13	<1	<1	3	5	7	10	47
35-49	107	3.3	5	<1	1	3	4	6	9	13
50-64	90	3.5	12	1	1	3	4	6	9	22
65+	84	2.9	7	<1	1	2	3	7	8	15
2. MULTIPLE DX										
0-19 YRS	93	5.8	68	1	1	3	6	15	24	45
20-34	94	5.1	15	1	1	4	7	12	14	17
35-49	69	7.4	68	1	1	4	9	20	26	41
50-64	84	8.0	128	1	1	5	9	14	30	94
65+	126	6.5	39	1	1	5	9	12	18	38
TOT. SINGLE DX	655	3.2	12	<1	1	2	4	6	10	20
" MULTIPLE DX	466	6.5	61	1	1	4	8	13	19	46
TOTAL 0-19 YRS	340	3.8	32	<1	1	2	4	9	15	26
20-34	221	4.1	15	<1	1	3	5	9	12	21
35-49	176	4.9	34	<1	1	3	5	10	17	28
50-64	174	5.6	73	1	1	4	6	11	17	75
65+	210	5.1	30	1	1	3	7	10	13	27
GRAND TOTAL	**1121**	**4.6**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**33**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1117	2.7	4	1	1	2	3	5	6	11
20-34	1394	3.6	8	1	1	3	4	6	8	13
35-49	909	4.1	8	1	1	4	5	7	9	16
50-64	703	4.7	9	1	2	4	6	8	10	15
65+	431	5.8	23	2	2	5	7	10	13	18
2. MULTIPLE DX										
0-19 YRS	548	6.1	77	1	1	4	6	12	22	46
20-34	1159	7.3	63	1	2	5	9	15	22	46
35-49	809	7.2	70	1	2	5	8	13	20	48
50-64	829	8.2	77	2	3	6	9	15	20	54
65+	950	9.3	74	2	3	7	11	17	24	56
TOT. SINGLE DX	4554	3.9	10	1	1	3	5	7	9	15
" MULTIPLE DX	4295	7.7	73	1	2	5	9	15	22	49
TOTAL 0-19 YRS	1665	3.8	31	1	1	3	4	7	10	26
20-34	2553	5.3	37	1	1	4	6	10	15	32
35-49	1718	5.6	40	1	2	4	6	10	14	31
50-64	1532	6.6	49	2	2	5	8	12	16	34
65+	1381	8.2	61	2	3	6	10	15	20	49
GRAND TOTAL	**8849**	**5.7**	**44**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1746	2.0	4	<1	1	1	2	4	5	11
20-34	379	2.9	7	<1	1	2	4	6	7	15
35-49	309	3.3	19	1	1	2	4	6	9	15
50-64	297	3.3	8	<1	1	2	4	7	10	14
65+	238	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	472	4.5	48	1	1	2	5	9	16	37
20-34	402	6.3	63	1	1	4	7	14	21	47
35-49	275	6.4	46	1	1	4	8	15	19	42
50-64	331	7.8	112	1	1	5	9	15	24	64
65+	681	7.0	59	1	1	5	9	14	18	42
TOT. SINGLE DX	2969	2.5	8	<1	1	2	3	5	7	13
" MULTIPLE DX	2161	6.4	65	1	1	4	7	14	19	48
TOTAL 0-19 YRS	2218	2.5	15	<1	1	1	3	5	7	20
20-34	781	4.6	39	1	1	3	5	9	15	39
35-49	584	4.8	34	1	1	3	5	10	15	25
50-64	628	5.7	68	1	1	3	6	11	16	59
65+	919	6.0	49	1	1	4	7	13	17	34
GRAND TOTAL	**5130**	**4.1**	**36**	**1**	**1**	**2**	**5**	**9**	**14**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	3.8	25	<1	1	2	4	9	15	26
20-34	103	2.5	4	<1	<1	2	4	5	7	12
35-49	44	2.3	4	<1	<1	2	3	4	7	11
50-64	46	2.7	7	<1	<1	2	3	6	8	16
65+	77	4.9	24	<1	1	3	7	11	16	22
2. MULTIPLE DX										
0-19 YRS	74	8.1	85	<1	1	5	9	21	31	88
20-34	108	7.4	60	1	1	5	10	18	23	40
35-49	60	8.0	145	<1	1	4	10	15	21	77
50-64	54	7.4	143	<1	<1	4	8	15	23	79
65+	166	8.1	94	1	1	4	10	18	30	51
TOT. SINGLE DX	400	3.4	16	<1	1	2	4	8	11	22
" MULTIPLE DX	462	7.8	97	1	1	5	10	19	25	52
TOTAL 0-19 YRS	204	5.4	51	<1	1	2	6	14	22	43
20-34	211	5.0	39	<1	1	3	6	12	19	30
35-49	104	5.6	93	<1	1	3	6	12	16	62
50-64	100	5.2	86	<1	<1	2	6	12	17	54
65+	243	7.1	74	1	1	4	9	16	23	45
GRAND TOTAL	**862**	**5.8**	**64**	**<1**	**1**	**3**	**7**	**14**	**21**	**44**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	114	3.6	22	1	1	3	4	6	9	30
20-34	136	2.7	3	1	1	2	3	5	6	9
35-49	50	3.2	11	<1	1	2	4	6	7	23
50-64	26	3.7	11	<1	1	3	4	8	12	16
65+	14	6.9	17	2	3	6	8	14	15	15
2. MULTIPLE DX										
0-19 YRS	62	6.6	37	1	2	4	7	15	19	30
20-34	73	6.5	60	1	1	4	7	14	22	47
35-49	26	6.7	164	1	2	3	5	11	29	67
50-64	32	8.5	39	2	3	6	13	19	22	22
65+	28	14.4	244	2	3	9	18	33	40	78
TOT. SINGLE DX	340	3.3	12	1	1	3	4	6	8	23
" MULTIPLE DX	221	7.9	91	1	2	5	8	18	22	56
TOTAL 0-19 YRS	176	4.7	29	1	1	3	5	9	15	30
20-34	209	4.0	26	1	1	3	4	7	11	26
35-49	76	4.4	65	1	1	3	4	7	10	56
50-64	58	6.3	32	1	1	4	8	16	20	22
65+	42	11.9	180	2	3	8	14	24	35	78
GRAND TOTAL	**561**	**5.1**	**48**	**1**	**1**	**3**	**5**	**11**	**18**	**33**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	280	4.3	18	1	1	3	6	10	12	20
20-34	230	3.4	11	<1	1	2	4	8	11	17
35-49	135	4.5	30	<1	1	3	5	10	16	28
50-64	80	4.7	35	<1	1	3	5	13	16	34
65+	51	8.1	43	<1	1	7	11	16	23	29
2. MULTIPLE DX										
0-19 YRS	284	8.3	97	1	1	5	11	21	26	56
20-34	260	5.0	47	<1	1	3	6	11	19	57
35-49	199	7.2	89	1	1	4	8	17	25	45
50-64	162	8.5	95	1	1	5	10	22	34	50
65+	220	15.3	203	2	2	11	21	37	44	92
TOT. SINGLE DX	776	4.4	23	<1	1	3	5	10	13	23
" MULTIPLE DX	1125	8.7	116	1	1	5	11	22	32	65
TOTAL 0-19 YRS	564	6.3	62	1	1	4	8	14	21	42
20-34	490	4.3	31	<1	1	3	5	9	13	36
35-49	334	6.1	67	1	1	3	7	14	23	37
50-64	242	7.3	78	1	1	4	9	17	28	45
65+	271	13.9	181	1	2	10	18	34	43	86
GRAND TOTAL	**1901**	**7.0**	**83**	**1**	**1**	**4**	**8**	**17**	**25**	**46**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	6.8	14	3	3	6	8	12	15	19
20-34	2082	6.8	13	3	3	6	8	11	14	19
35-49	3706	7.1	13	3	3	6	9	12	14	21
50-64	1581	7.5	15	3	4	7	9	12	15	22
65+	317	8.8	19	4	4	8	11	15	17	24
2. MULTIPLE DX										
0-19 YRS	28	10.7	72	4	4	7	12	25	30	37
20-34	736	9.2	32	3	4	8	11	16	19	29
35-49	1962	9.2	36	3	4	8	11	15	20	32
50-64	1616	9.8	36	4	4	8	12	16	20	31
65+	798	12.4	55	4	6	11	15	21	26	42
TOT. SINGLE DX	7755	7.2	14	3	3	6	9	12	14	21
" MULTIPLE DX	5140	9.9	41	4	4	8	12	17	21	33
TOTAL 0-19 YRS	97	8.0	34	3	3	6	9	15	20	33
20-34	2818	7.4	19	3	3	6	9	13	15	22
35-49	5668	7.8	23	3	4	7	9	13	16	26
50-64	3197	8.7	27	3	4	8	11	14	18	28
65+	1115	11.4	48	4	5	10	14	19	23	35
GRAND TOTAL	**12895**	**8.2**	**27**	**3**	**4**	**7**	**10**	**14**	**17**	**28**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.8	1	<1	<1	1	2	3	4	6
20-34	333	2.1	2	<1	<1	1	3	4	4	7
35-49	240	2.1	2	<1	<1	2	3	4	5	8
50-64	102	2.2	2	<1	<1	2	3	4	6	8
65+	68	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	214	2.4	5	<1	<1	2	3	4	5	9
20-34	443	3.0	14	<1	<1	2	4	5	7	15
35-49	331	2.8	8	<1	1	2	3	5	7	15
50-64	388	3.0	9	<1	1	2	4	6	7	18
65+	315	3.1	7	<1	1	2	4	7	8	13
TOT. SINGLE DX	881	2.1	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	1691	2.9	10	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	352	2.2	4	<1	<1	2	3	4	5	8
20-34	776	2.6	10	<1	<1	2	3	5	6	12
35-49	571	2.5	6	<1	<1	2	3	5	6	13
50-64	490	2.8	8	<1	1	2	3	6	7	16
65+	383	2.9	7	<1	1	2	3	6	8	12
GRAND TOTAL	**2572**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	296	2.1	5	<1	<1	1	2	4	6	15
20-34	456	2.4	7	<1	<1	2	3	5	6	13
35-49	354	2.7	7	<1	<1	2	3	5	7	14
50-64	199	2.8	4	<1	1	2	4	6	7	10
65+	67	4.1	38	<1	1	2	5	8	11	42
2. MULTIPLE DX										
0-19 YRS	236	4.0	48	<1	<1	2	4	8	14	39
20-34	481	3.6	20	<1	<1	2	4	7	12	20
35-49	444	4.3	35	<1	1	2	4	9	15	28
50-64	423	5.6	60	1	1	3	6	13	22	44
65+	329	8.3	112	1	1	4	10	22	32	59
TOT. SINGLE DX	1372	2.5	8	<1	<1	2	3	5	7	14
" MULTIPLE DX	1913	5.0	55	<1	1	2	5	12	19	42
TOTAL 0-19 YRS	532	2.9	25	<1	<1	1	3	5	9	26
20-34	937	3.0	14	<1	<1	2	3	6	9	18
35-49	798	3.6	24	<1	1	2	4	7	11	26
50-64	622	4.7	44	<1	1	3	5	10	16	42
65+	396	7.6	103	1	1	3	9	20	29	56
GRAND TOTAL	**3285**	**4.0**	**37**	**<1**	**<1**	**2**	**4**	**8**	**14**	**34**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	325	8.8	11	5	6	8	10	12	15	26
20-34	210	8.9	25	4	5	8	10	13	15	24
35-49	269	8.3	18	4	4	8	10	13	15	23
50-64	106	8.7	26	3	4	7	11	16	20	28
65+	19	10.7	23	4	5	10	15	18	18	18
2. MULTIPLE DX										
0-19 YRS	342	14.4	152	6	7	11	15	26	38	90
20-34	256	12.8	105	4	5	10	15	24	45	99+
35-49	382	10.8	38	4	5	9	13	18	22	31
50-64	250	11.7	51	4	5	10	14	21	26	49
65+	92	14.5	105	5	6	12	18	25	28	64
TOT. SINGLE DX	929	8.7	19	4	5	8	10	13	16	25
" MULTIPLE DX	1322	12.5	90	5	6	10	14	22	30	71
TOTAL 0-19 YRS	667	11.7	92	6	6	9	12	19	27	69
20-34	466	11.1	73	4	5	9	12	18	31	94
35-49	651	9.8	32	4	5	8	12	16	19	30
50-64	356	10.8	46	4	5	9	13	20	24	38
65+	111	13.8	93	4	6	11	17	24	26	63
GRAND TOTAL	**2251**	**11.0**	**64**	**4**	**5**	**9**	**12**	**18**	**25**	**53**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	4.5	23	1	1	4	5	7	8	32
20-34	125	4.3	8	1	1	4	6	8	9	14
35-49	119	4.4	8	1	1	4	6	8	11	13
50-64	101	4.1	10	1	1	4	5	7	9	20
65+	56	4.4	14	<1	1	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	98	5.3	12	1	2	4	6	10	11	19
20-34	137	5.6	30	1	2	4	7	10	13	38
35-49	137	5.2	33	1	1	4	6	9	15	30
50-64	167	6.0	29	1	2	4	7	11	15	34
65+	123	6.3	41	1	1	5	8	12	16	44
TOT. SINGLE DX	441	4.3	11	1	1	4	6	8	9	18
" MULTIPLE DX	662	5.7	30	1	2	4	7	10	15	34
TOTAL 0-19 YRS	138	5.0	16	1	1	4	6	9	11	22
20-34	262	5.0	20	1	1	4	6	9	12	19
35-49	256	4.8	22	1	1	4	6	9	11	27
50-64	268	5.3	24	1	1	4	7	9	14	30
65+	179	5.7	34	1	1	4	7	11	15	57
GRAND TOTAL	**1103**	**5.1**	**23**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	8.0	2	6	6	8	9	10	10	10
20-34	64	10.2	12	6	7	10	11	14	15	26
35-49	149	9.5	8	5	6	9	11	14	15	18
50-64	418	10.5	11	6	7	10	12	15	17	22
65+	721	11.6	12	7	8	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	4	7.5	3	6	6	7	9	10	10	10
20-34	79	12.7	147	7	7	10	13	17	20	88
35-49	201	13.0	62	6	7	11	15	21	27	43
50-64	660	13.8	76	7	8	12	15	21	28	60
65+	2172	14.9	60	8	9	13	16	23	29	52
TOT. SINGLE DX	1356	11.0	12	6	7	10	13	15	17	24
" MULTIPLE DX	3116	14.5	66	7	8	13	16	22	28	52
TOTAL 0-19 YRS	8	7.8	3	6	6	7	9	10	10	10
20-34	143	11.6	88	6	7	10	13	15	18	74
35-49	350	11.5	42	6	7	10	13	17	23	36
50-64	1078	12.5	54	7	8	11	14	18	24	49
65+	2893	14.1	50	8	8	13	16	21	26	48
GRAND TOTAL	**4472**	**13.4**	**53**	**7**	**8**	**12**	**15**	**20**	**26**	**47**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	6.1	13	2	3	5	7	10	15	17
20-34	8	8.3	8	2	4	8	10	11	12	12
35-49	24	8.8	10	3	5	9	11	12	14	17
50-64	90	10.5	12	6	7	10	12	15	17	24
65+	455	12.3	22	6	7	12	14	18	21	32
2. MULTIPLE DX										
0-19 YRS	10	16.2	147	6	7	12	15	38	44	44
20-34	22	12.5	44	1	4	12	16	20	25	29
35-49	39	15.8	126	4	6	12	19	33	39	48
50-64	220	14.3	67	6	7	13	16	25	30	85
65+	2444	15.3	68	7	8	14	17	23	30	49
TOT. SINGLE DX	591	11.7	22	6	7	11	14	17	20	31
" MULTIPLE DX	2735	15.2	70	7	8	13	17	23	30	49
TOTAL 0-19 YRS	24	10.3	91	3	4	8	12	18	36	44
20-34	30	11.3	38	1	3	11	15	19	22	29
35-49	63	13.1	93	4	5	10	14	31	34	47
50-64	310	13.2	55	6	7	12	15	21	28	60
65+	2899	14.9	63	7	8	13	17	22	29	47
GRAND TOTAL	**3326**	**14.6**	**63**	**7**	**8**	**13**	**16**	**22**	**29**	**47**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	282	3.1	3	1	1	3	4	5	5	8
20-34	379	3.6	5	<1	1	3	4	6	8	12
35-49	179	5.6	22	1	1	4	8	11	15	21
50-64	381	10.4	19	3	5	10	13	16	18	25
65+	733	11.3	14	6	7	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	277	3.9	6	1	1	4	5	7	8	14
20-34	492	4.6	13	1	2	4	5	8	11	18
35-49	276	6.5	30	1	1	5	9	13	17	27
50-64	628	12.0	49	2	4	11	14	19	24	40
65+	1878	14.1	62	7	8	13	16	21	25	46
TOT. SINGLE DX	1954	7.9	26	1	2	8	11	15	16	22
" MULTIPLE DX	3551	11.0	63	2	3	11	14	19	23	40
TOTAL 0-19 YRS	559	3.5	5	1	1	3	4	6	7	13
20-34	871	4.2	11	1	1	4	5	7	9	16
35-49	455	6.1	27	1	1	4	8	13	16	25
50-64	1009	11.4	39	2	4	11	13	18	22	36
65+	2611	13.3	50	7	8	12	15	19	23	42
GRAND TOTAL	**5505**	**9.9**	**52**	**2**	**2**	**10**	**13**	**17**	**21**	**34**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	314	2.4	1	1	1	2	3	4	4	8
20-34	615	2.8	3	1	1	2	3	5	6	9
35-49	324	3.0	3	1	1	3	4	5	7	10
50-64	259	3.5	6	1	1	3	4	7	9	14
65+	107	4.1	7	1	1	4	5	8	9	12
2. MULTIPLE DX										
0-19 YRS	89	3.2	4	<1	1	3	4	5	8	10
20-34	239	3.3	4	1	1	3	4	6	8	10
35-49	269	4.3	10	1	1	4	5	8	11	17
50-64	388	4.1	9	1	1	3	5	8	10	18
65+	321	5.6	22	1	2	4	7	11	14	23
TOT. SINGLE DX	1619	3.0	4	1	1	3	4	5	7	11
" MULTIPLE DX	1306	4.3	13	1	1	3	5	8	11	18
TOTAL 0-19 YRS	403	2.6	2	1	1	2	3	4	5	9
20-34	854	2.9	4	1	1	3	4	5	6	9
35-49	593	3.6	7	1	1	3	4	6	9	14
50-64	647	3.9	9	1	1	3	5	7	9	17
65+	428	5.2	19	1	2	4	7	10	13	21
GRAND TOTAL	**2925**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**9**	**14**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	3.2	14	<1	<1	2	4	6	9	23
20-34	134	3.3	10	<1	1	2	4	7	9	18
35-49	145	3.2	14	<1	1	2	4	6	9	19
50-64	86	3.2	14	<1	<1	2	4	7	8	23
65+	37	4.1	19	<1	<1	2	7	9	9	23
2. MULTIPLE DX										
0-19 YRS	334	6.4	76	1	1	4	6	11	24	49
20-34	154	7.5	55	1	2	5	9	19	23	41
35-49	184	6.1	44	1	1	4	8	13	20	29
50-64	113	8.9	132	<1	1	5	11	19	28	60
65+	112	9.9	75	1	2	7	14	22	26	40
TOT. SINGLE DX	579	3.3	14	<1	<1	2	4	7	9	19
" MULTIPLE DX	897	7.3	75	1	1	4	8	17	24	44
TOTAL 0-19 YRS	511	5.3	57	<1	1	3	5	9	14	46
20-34	288	5.5	39	<1	1	4	7	12	20	38
35-49	329	4.9	33	<1	1	3	6	11	16	27
50-64	199	6.5	89	<1	<1	3	7	16	27	41
65+	149	8.5	68	<1	<1	6	12	19	23	39
GRAND TOTAL	**1476**	**5.7**	**55**	**<1**	**1**	**3**	**7**	**12**	**19**	**41**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	181	2.4	6	<1	<1	2	3	4	7	14
20-34	176	2.0	4	<1	<1	1	2	4	7	9
35-49	160	2.5	5	<1	<1	2	3	5	8	14
50-64	156	2.6	8	<1	<1	2	3	5	7	21
65+	84	3.9	58	<1	<1	2	4	7	10	50
2. MULTIPLE DX										
0-19 YRS	88	7.5	235	<1	1	3	6	14	26	88
20-34	106	5.0	42	<1	1	3	6	12	17	36
35-49	143	4.3	19	<1	1	3	6	9	13	35
50-64	189	7.4	84	<1	1	4	9	17	22	60
65+	207	9.5	102	1	2	6	12	24	28	80
TOT. SINGLE DX	757	2.5	12	<1	<1	2	3	5	8	16
" MULTIPLE DX	733	7.1	92	<1	1	4	8	17	25	65
TOTAL 0-19 YRS	269	4.1	87	<1	<1	2	4	7	11	65
20-34	282	3.1	21	<1	<1	2	3	7	9	26
35-49	303	3.3	13	<1	<1	2	4	8	10	19
50-64	345	5.3	56	<1	<1	3	6	13	18	32
65+	291	7.9	96	<1	<1	5	10	20	27	66
GRAND TOTAL	**1490**	**4.8**	**57**	**<1**	**<1**	**2**	**5**	**10**	**17**	**41**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	1.3		1	1	1	1	3	3	3
20-34	12	3.5	7	<1	1	3	5	8	10	10
35-49	33	2.1	2	<1	<1	1	3	4	5	8
50-64	81	1.9	1	<1	<1	1	2	3	4	8
65+	60	1.9	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	11	4.7	12	1	1	4	7	10	10	10
20-34	24	4.3	21	<1	1	2	5	9	14	22
35-49	20	5.5	44	<1	1	2	7	15	21	27
50-64	54	2.1	1	1	1	2	3	5	5	6
65+	70	3.1	10	1	1	2	4	7	9	20
TOT. SINGLE DX	192	2.0	2	<1	<1	2	3	4	5	9
" MULTIPLE DX	179	3.3	14	1	1	2	4	7	10	22
TOTAL 0-19 YRS	17	3.5	11	1	1	2	7	9	10	10
20-34	36	4.0	17	<1	1	2	5	9	10	22
35-49	53	3.4	21	<1	<1	2	3	8	14	27
50-64	135	2.0	2	<1	1	2	2	4	5	7
65+	130	2.6	6	<1	1	2	3	5	7	13
GRAND TOTAL	**371**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	1.6		<1	<1	1	2	3	3	4
20-34	216	1.9	1	<1	1	1	2	4	5	7
35-49	100	2.0	3	<1	<1	1	2	3	4	12
50-64	48	1.8	1	<1	<1	1	2	3	4	6
65+	8	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	150	2.5	6	1	1	2	3	4	7	19
20-34	233	2.9	10	1	1	2	3	6	9	15
35-49	115	2.7	7	<1	1	2	3	5	8	15
50-64	68	2.6	6	1	1	2	3	4	8	15
65+	33	3.9	31	1	1	2	4	7	9	33
TOT. SINGLE DX	524	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	599	2.8	10	1	1	2	3	5	8	17
TOTAL 0-19 YRS	302	2.0	4	<1	1	2	2	3	5	9
20-34	449	2.4	6	<1	1	2	3	5	6	12
35-49	215	2.4	6	<1	1	2	3	4	7	12
50-64	116	2.3	4	<1	1	2	3	4	6	14
65+	41	3.4	27	1	1	2	3	6	9	33
GRAND TOTAL	**1123**	**2.3**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	102	2.1	2	<1	1	2	3	4	5	10
20-34	215	2.6	3	<1	1	2	3	4	7	11
35-49	251	2.9	4	1	1	3	3	5	7	10
50-64	274	3.3	8	1	1	3	4	6	7	11
65+	134	4.8	16	1	2	4	5	7	10	31
2. MULTIPLE DX										
0-19 YRS	111	3.4	14	1	1	3	4	6	9	27
20-34	178	3.6	14	1	1	3	5	7	9	27
35-49	222	4.5	36	1	1	3	5	8	11	23
50-64	244	5.1	34	1	2	4	6	9	13	38
65+	220	6.5	45	1	2	5	7	13	21	35
TOT. SINGLE DX	976	3.1	7	1	1	3	4	6	7	12
" MULTIPLE DX	975	4.8	33	1	1	3	5	9	12	31
TOTAL 0-19 YRS	213	2.8	9	1	1	2	3	5	7	17
20-34	393	3.0	9	<1	1	2	4	6	8	14
35-49	473	3.6	20	1	1	3	4	6	9	16
50-64	518	4.2	21	1	1	3	5	7	10	23
65+	354	5.9	35	1	2	4	6	11	16	32
GRAND TOTAL	**1951**	**4.0**	**21**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	296	2.6	3	1	1	2	3	5	6	10
20-34	181	3.0	4	1	1	3	4	6	7	11
35-49	154	3.2	12	1	1	2	4	6	7	18
50-64	61	4.2	9	1	2	3	5	7	10	18
65+	31	4.8	12	1	1	4	7	11	12	14
2. MULTIPLE DX										
0-19 YRS	418	3.3	11	1	1	3	4	6	8	18
20-34	119	6.9	148	1	1	3	6	14	35	87
35-49	86	8.2	92	1	2	4	8	25	29	43
50-64	56	6.1	113	1	1	4	6	10	15	73
65+	68	9.9	154	2	2	6	10	20	43	61
TOT. SINGLE DX	723	3.1	7	1	1	2	4	6	8	13
" MULTIPLE DX	747	5.2	68	1	1	3	5	9	20	47
TOTAL 0-19 YRS	714	3.0	9	1	1	2	4	5	7	12
20-34	300	4.6	65	1	1	3	4	8	12	62
35-49	240	5.0	46	1	1	3	5	9	21	35
50-64	117	5.1	60	1	2	3	6	9	10	46
65+	99	8.3	115	1	2	5	8	18	29	60
GRAND TOTAL	**1470**	**4.2**	**39**	**1**	**1**	**3**	**4**	**7**	**11**	**36**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	34	1.7	1	<1	1	1	2	4	4	5
20-34	68	2.9	19	1	1	2	3	5	9	30
35-49	49	2.0	4	<1	1	1	2	4	6	14
50-64	28	3.0	11	<1	1	2	4	6	10	17
65+	17	2.3	10	<1	<1	1	2	5	11	14
2. MULTIPLE DX										
0-19 YRS	19	2.9	10	1	1	2	3	7	11	14
20-34	69	4.1	35	1	1	2	5	8	11	39
35-49	62	5.2	35	1	1	3	6	12	17	34
50-64	54	7.4	87	1	1	3	8	20	34	38
65+	60	6.6	45	1	1	4	9	20	22	26
TOT. SINGLE DX	196	2.4	11	<1	1	1	2	5	7	16
" MULTIPLE DX	264	5.5	48	1	1	3	6	14	21	36
TOTAL 0-19 YRS	53	2.2	5	1	1	1	3	4	5	14
20-34	137	3.5	28	1	1	2	3	8	10	36
35-49	111	3.8	24	1	1	2	4	9	14	28
50-64	82	5.9	66	1	1	3	6	17	25	37
65+	77	5.6	40	<1	1	3	8	17	21	25
GRAND TOTAL	**460**	**4.2**	**34**	**1**	**1**	**2**	**4**	**9**	**16**	**35**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	8.7	2	7	7	9	10	10	10	10
20-34	5	3.0	3	2	2	2	4	6	6	6
35-49	7	3.9	10	1	1	4	5	9	10	10
50-64	3	4.3	24	1	1	2	8	10	10	10
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	2	21.5	25	18	18	21	25	25	25	25
20-34	4	13.8	336	2	2	6	24	41	41	41
35-49	8	6.8	52	1	1	3	11	19	21	21
50-64	6	22.2	1039	1	1	7	31	79	84	84
65+	19	14.2	307	3	3	9	14	24	57	82
TOT. SINGLE DX	20	4.2	11	1	1	3	6	10	10	10
" MULTIPLE DX	39	14.2	344	1	2	9	15	29	64	84
TOTAL 0-19 YRS	5	13.8	57	7	7	10	20	25	25	25
20-34	9	7.8	160	2	2	3	6	28	41	41
35-49	15	5.4	33	1	1	3	7	14	19	21
50-64	9	16.2	735	1	1	4	15	63	84	84
65+	21	13.0	291	2	2	9	14	23	52	82
GRAND TOTAL	**59**	**10.8**	**252**	**1**	**1**	**6**	**12**	**23**	**36**	**84**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	3.4	7	<1	1	2	5	6	8	13
20-34	20	5.9	30	1	2	4	8	12	18	24
35-49	22	6.8	59	<1	1	4	7	18	28	30
50-64	15	5.4	27	1	1	4	7	16	17	18
65+	32	6.7	75	<1	1	4	7	17	27	42
2. MULTIPLE DX										
0-19 YRS	21	5.0	17	<1	1	3	7	12	14	14
20-34	50	12.5	158	1	1	11	15	27	34	75
35-49	139	14.3	189	2	3	11	17	27	40	82
50-64	369	13.2	133	3	3	10	17	25	33	68
65+	556	13.0	123	2	3	10	16	25	35	60
TOT. SINGLE DX	114	5.7	43	1	1	4	7	12	19	34
" MULTIPLE DX	1135	13.1	135	2	3	10	16	25	35	63
TOTAL 0-19 YRS	46	4.1	13	1	1	3	6	10	13	14
20-34	70	10.6	130	1	1	8	15	23	30	67
35-49	161	13.3	178	2	3	9	17	26	37	79
50-64	384	12.9	131	2	3	10	17	25	33	66
65+	588	12.7	123	2	3	9	16	25	35	60
GRAND TOTAL	**1249**	**12.4**	**131**	**2**	**3**	**9**	**16**	**25**	**34**	**60**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	9	13.0	357	4	4	6	10	42	63	63
35-49	8	11.3	83	4	4	7	14	27	31	31
50-64	11	11.8	126	6	6	8	11	26	43	45
65+	18	12.7	69	4	5	9	17	24	32	36
2. MULTIPLE DX										
0-19 YRS	13	20.0	182	6	6	17	23	46	48	49
20-34	25	18.2	235	4	5	12	25	43	47	57
35-49	90	19.6	314	6	6	14	24	35	57	95
50-64	284	18.8	213	6	7	14	23	37	51	88
65+	751	17.8	148	6	7	14	22	32	42	66
TOT. SINGLE DX	48	12.1	127	4	5	8	12	24	37	63
" MULTIPLE DX	1163	18.2	179	6	7	14	22	34	45	77
TOTAL 0-19 YRS	15	18.3	176	5	6	17	22	45	48	49
20-34	34	16.9	264	4	5	10	20	43	54	63
35-49	98	18.9	299	5	6	14	23	34	55	95
50-64	295	18.5	211	6	7	14	22	37	50	88
65+	769	17.7	148	6	7	14	22	32	42	65
GRAND TOTAL	**1211**	**18.0**	**179**	**6**	**7**	**14**	**22**	**34**	**45**	**77**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	6.8	5	3	3	7	9	9	9	9
20-34	3	5.7		5	5	6	6	6	6	6
35-49	3	9.0	7	7	7	8	11	12	12	12
50-64	7	16.6	657	1	2	7	12	62	74	74
65+	23	10.1	19	4	5	9	14	16	18	20
2. MULTIPLE DX										
0-19 YRS	10	15.1	58	7	7	13	18	27	32	32
20-34	8	24.1	323	4	6	22	43	84	99+	99+
35-49	35	19.6	296	6	7	13	22	41	51	87
50-64	167	18.4	228	5	7	14	25	38	56	99+
65+	1053	16.6	163	5	6	13	20	32	44	80
TOT. SINGLE DX	42	10.3	118	3	4	8	11	15	18	74
" MULTIPLE DX	1273	16.9	176	5	7	13	20	33	45	88
TOTAL 0-19 YRS	16	12.0	54	4	6	10	15	22	29	32
20-34	11	19.1	301	4	5	16	33	72	96	99+
35-49	38	18.7	281	6	7	13	21	41	51	87
50-64	174	18.4	242	5	7	14	24	39	57	99+
65+	1076	16.4	161	5	6	13	20	31	43	80
GRAND TOTAL	**1315**	**16.7**	**175**	**5**	**6**	**13**	**20**	**32**	**45**	**88**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.8	17	1	1	4	6	12	12	12
20-34	4	11.3	21	8	8	9	14	18	18	18
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64	5	19.0	32	11	11	19	22	27	27	27
65+	5	9.4	21	4	4	12	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	7	9.6	39	4	4	7	15	19	19	19
20-34	12	27.8	442	3	6	24	34	57	78	82
35-49	29	22.8	403	4	5	18	34	55	90	99+
50-64	99	18.4	200	4	7	14	23	38	50	70
65+	154	20.0	253	4	5	15	26	42	56	82
TOT. SINGLE DX	22	10.2	47	2	3	9	14	19	23	27
" MULTIPLE DX	301	19.8	256	4	5	15	26	42	56	86
TOTAL 0-19 YRS	12	7.6	34	1	2	5	11	18	19	19
20-34	16	23.7	383	4	7	19	32	45	71	82
35-49	32	21.1	394	3	4	17	33	48	87	99+
50-64	104	18.4	192	5	7	14	22	37	48	70
65+	159	19.6	249	4	5	14	26	42	55	82
GRAND TOTAL	**323**	**19.1**	**247**	**4**	**5**	**14**	**25**	**40**	**55**	**84**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	3.4	13	1	1	2	4	9	12	13
20-34	8	10.3	168	1	1	4	14	33	39	39
35-49	6	4.0	16	1	1	3	4	11	12	12
50-64	3	2.3		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	6	2.0		1	1	2	3	3	3	3
20-34	7	10.6	48	3	3	10	13	22	24	24
35-49	8	7.6	31	3	3	5	11	17	18	18
50-64	2	9.5	85	3	3	9	16	16	16	16
65+	4	10.8	23	8	8	9	13	18	18	18
TOT. SINGLE DX	29	5.3	60	1	1	3	5	13	20	39
" MULTIPLE DX	27	7.7	37	1	2	6	11	17	19	24
TOTAL 0-19 YRS	18	2.9	10	1	1	2	3	7	11	13
20-34	15	10.4	105	1	2	7	13	24	35	39
35-49	14	6.1	27	1	2	4	6	15	17	18
50-64	5	5.2	37	2	2	3	6	16	16	16
65+	4	10.8	24	8	8	9	13	18	18	18
GRAND TOTAL	**56**	**6.5**	**50**	**1**	**1**	**4**	**9**	**16**	**19**	**38**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	2.5	3	<1	<1	2	3	5	7	8
20-34	24	3.5	7	1	1	3	5	7	9	10
35-49	24	5.5	138	<1	1	3	5	6	23	60
50-64	16	4.6	19	1	1	3	7	8	15	18
65+	21	6.7	23	2	2	6	8	13	18	22
2. MULTIPLE DX										
0-19 YRS	15	3.8	15	1	1	3	4	12	13	14
20-34	28	7.5	150	<1	<1	5	7	14	24	66
35-49	29	7.9	63	<1	1	5	11	14	31	33
50-64	75	11.7	84	2	2	10	16	26	30	41
65+	133	11.4	104	3	4	8	14	24	32	66
TOT. SINGLE DX	100	4.7	44	1	1	3	6	8	11	41
" MULTIPLE DX	280	10.3	98	1	2	7	13	22	31	59
TOTAL 0-19 YRS	30	3.1	10	<1	1	2	3	6	12	14
20-34	52	5.6	87	<1	1	4	6	10	15	65
35-49	53	6.8	97	<1	1	3	7	13	29	59
50-64	91	10.4	80	1	2	8	15	23	29	39
65+	154	10.8	96	2	3	8	14	21	31	60
GRAND TOTAL	**380**	**8.8**	**90**	**1**	**1**	**6**	**11**	**20**	**29**	**59**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	5.0	1	4	4	5	6	6	6	6
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	11.0	21	7	7	10	14	16	16	16
65+	4	12.0	23	5	5	13	15	16	16	16
TOT. SINGLE DX	6	6.2	14	2	2	5	7	12	13	13
" MULTIPLE DX	8	10.3	30	1	2	11	15	16	16	16
TOTAL 0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	6	8.0	20	4	4	6	10	15	16	16
65+	5	12.2	18	5	5	13	14	16	16	16
GRAND TOTAL	**14**	**8.5**	**26**	**1**	**2**	**7**	**13**	**16**	**16**	**16**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	84	1.5	1	<1	<1	1	2	2	3	7
20-34	229	1.9	2	<1	<1	1	2	3	5	9
35-49	653	2.1	2	<1	<1	2	2	4	5	9
50-64	663	2.2	2	<1	<1	2	2	4	5	9
65+	337	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	20	2.3	5	<1	1	2	2	3	8	12
20-34	195	3.0	10	<1	<1	2	4	6	9	18
35-49	675	3.4	17	<1	1	2	4	7	9	18
50-64	859	4.1	25	1	1	2	5	9	13	29
65+	833	5.2	39	1	1	3	7	11	15	32
TOT. SINGLE DX	1966	2.1	2	<1	<1	2	2	4	5	9
" MULTIPLE DX	2582	4.2	27	1	1	2	5	9	13	27
TOTAL 0-19 YRS	104	1.7	2	<1	<1	1	2	2	4	10
20-34	424	2.4	6	<1	<1	2	3	5	7	12
35-49	1328	2.7	10	<1	<1	2	3	5	8	15
50-64	1522	3.3	16	<1	1	2	3	7	10	20
65+	1170	4.4	30	<1	1	2	5	9	13	27
GRAND TOTAL	**4548**	**3.3**	**18**	**<1**	**<1**	**2**	**3**	**7**	**10**	**19**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	1.9		<1	1	2	2	3	4	4
20-34	18	2.4	2	1	1	2	3	5	6	6
35-49	49	4.0	4	1	2	4	5	6	8	14
50-64	57	4.3	5	1	1	4	6	7	8	12
65+	81	4.9	8	1	2	5	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
20-34	21	4.2	8	1	1	4	5	8	11	13
35-49	73	4.6	3	2	2	5	5	7	9	9
50-64	110	6.9	72	2	2	5	7	10	14	53
65+	233	7.4	38	2	3	6	9	14	20	32
TOT. SINGLE DX	219	4.2	6	1	1	4	5	7	9	13
" MULTIPLE DX	442	6.6	41	2	2	5	7	12	15	31
TOTAL 0-19 YRS	19	1.8	1	<1	<1	2	2	3	4	4
20-34	39	3.4	7	1	1	3	5	6	9	13
35-49	122	4.3	4	1	2	4	5	7	8	11
50-64	167	6.0	51	1	2	5	7	9	12	34
65+	314	6.7	32	2	2	5	8	13	16	30
GRAND TOTAL	**661**	**5.8**	**31**	**1**	**2**	**5**	**7**	**10**	**14**	**28**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	61	5.3	4	3	3	5	6	8	8	13
35-49	416	5.1	4	2	3	5	6	8	9	12
50-64	627	5.4	4	3	3	5	7	8	9	11
65+	657	5.7	5	3	3	5	7	8	10	13
2. MULTIPLE DX										
0-19 YRS	3	6.3	1	5	5	7	7	7	7	7
20-34	85	6.6	13	3	3	6	8	11	14	20
35-49	515	5.8	9	3	3	5	7	9	10	16
50-64	954	6.4	12	3	3	6	8	10	12	24
65+	1686	7.2	14	3	4	6	8	12	14	22
TOT. SINGLE DX	1763	5.5	5	2	3	5	6	8	9	12
" MULTIPLE DX	3243	6.7	13	3	3	6	8	11	13	22
TOTAL 0-19 YRS	5	4.8	6	<1	<1	5	7	7	7	7
20-34	146	6.0	10	3	3	5	7	10	13	16
35-49	931	5.5	8	2	3	5	6	8	9	15
50-64	1581	6.0	9	3	3	5	7	9	11	20
65+	2343	6.8	13	3	4	6	8	11	13	20
GRAND TOTAL	**5006**	**6.3**	**11**	**3**	**3**	**6**	**7**	**10**	**12**	**20**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	193	2.3	1	1	1	2	3	4	4	6
20-34	425	2.8	3	1	1	3	4	5	6	9
35-49	402	3.2	6	1	1	3	4	6	6	9
50-64	176	3.0	2	1	1	3	4	5	6	7
65+	43	3.5	6	1	1	3	4	5	6	17
2. MULTIPLE DX										
0-19 YRS	69	3.5	11	1	1	3	4	6	9	23
20-34	287	3.4	5	1	1	3	4	5	7	11
35-49	717	3.7	6	1	1	3	5	6	8	13
50-64	401	4.5	14	1	1	4	6	8	9	16
65+	103	4.4	12	1	1	4	5	8	11	19
TOT. SINGLE DX	1239	2.9	4	1	1	3	4	5	6	8
" MULTIPLE DX	1577	3.9	9	1	1	3	5	7	8	14
TOTAL 0-19 YRS	262	2.6	4	1	1	2	3	4	5	9
20-34	712	3.1	4	1	1	3	4	5	6	11
35-49	1119	3.5	7	1	1	3	5	6	7	11
50-64	577	4.0	11	1	1	3	5	7	8	12
65+	146	4.2	11	1	1	3	5	7	10	17
GRAND TOTAL	**2816**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	375	2.6	2	1	1	2	3	5	5	7
20-34	572	2.4	2	1	1	2	3	4	5	7
35-49	103	2.8	2	1	1	2	3	5	7	8
50-64	25	3.4	5	1	2	2	4	6	8	12
65+	5	3.6	7	1	1	3	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	55	4.4	53	1	1	3	4	6	12	46
20-34	133	3.7	19	1	1	3	4	6	8	22
35-49	44	3.6	5	1	1	3	5	7	9	10
50-64	25	4.8	42	1	1	3	5	7	17	34
65+	15	5.8	18	1	1	5	9	13	13	13
TOT. SINGLE DX	1080	2.5	2	1	1	2	3	5	5	8
" MULTIPLE DX	272	4.0	26	1	1	3	4	7	10	34
TOTAL 0-19 YRS	430	2.8	9	1	1	2	4	5	6	10
20-34	705	2.7	6	1	1	2	3	5	6	9
35-49	147	3.0	4	1	1	3	4	6	7	10
50-64	50	4.1	24	1	2	3	5	6	12	34
65+	20	5.3	16	1	1	4	8	12	13	13
GRAND TOTAL	**1352**	**2.8**	**8**	**1**	**1**	**2**	**4**	**5**	**6**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	2.5	7	<1	<1	2	3	5	7	13
20-34	271	3.1	11	<1	<1	2	4	7	9	21
35-49	285	2.9	11	<1	<1	2	3	5	8	21
50-64	212	3.1	11	<1	<1	2	3	6	8	17
65+	151	3.8	22	<1	<1	2	4	9	10	24
2. MULTIPLE DX										
0-19 YRS	256	6.9	132	<1	1	3	6	16	31	69
20-34	396	7.0	90	<1	1	4	7	17	29	57
35-49	544	7.2	54	1	1	5	9	17	23	41
50-64	659	7.9	94	1	1	5	10	16	25	46
65+	1089	9.1	96	1	2	7	11	18	26	61
TOT. SINGLE DX	1228	3.0	12	<1	<1	2	3	6	9	18
" MULTIPLE DX	2944	8.0	91	1	1	5	10	17	25	57
TOTAL 0-19 YRS	565	4.5	69	<1	<1	2	4	9	16	56
20-34	667	5.5	62	<1	1	3	6	12	21	50
35-49	829	5.7	44	<1	1	3	7	14	20	36
50-64	871	6.7	79	<1	1	4	8	14	21	44
65+	1240	8.4	91	<1	1	6	10	17	24	57
GRAND TOTAL	**4172**	**6.5**	**73**	**<1**	**1**	**4**	**8**	**14**	**21**	**47**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	862	3.8	30	<1	1	2	4	8	11	25
20-34	1053	4.5	25	<1	1	3	5	10	14	27
35-49	611	5.0	28	1	1	3	6	11	15	28
50-64	384	5.6	39	1	1	4	7	11	19	30
65+	375	6.7	55	<1	1	5	8	14	21	32
2. MULTIPLE DX										
0-19 YRS	1827	6.1	77	1	1	3	7	14	22	49
20-34	2560	7.2	97	1	1	4	8	17	27	55
35-49	1877	9.6	129	1	1	6	11	23	34	63
50-64	1982	11.5	147	1	2	8	14	26	36	71
65+	3538	13.0	155	2	3	9	17	28	40	78
TOT. SINGLE DX	3285	4.8	33	<1	1	3	6	10	15	28
" MULTIPLE DX	11784	9.9	133	1	1	6	12	23	34	67
TOTAL 0-19 YRS	2689	5.4	64	1	1	3	6	11	19	45
20-34	3613	6.4	78	1	1	4	7	14	23	49
35-49	2488	8.5	109	1	1	5	10	20	30	58
50-64	2366	10.5	135	1	2	7	13	24	34	63
65+	3913	12.4	149	1	2	9	16	27	38	74
GRAND TOTAL	**15069**	**8.8**	**115**	**1**	**1**	**5**	**11**	**21**	**31**	**61**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	6.5	54	1	1	4	8	18	22	38
20-34	151	5.2	19	1	1	4	8	11	15	19
35-49	110	7.6	50	1	1	6	11	19	24	59
50-64	86	7.6	108	<1	1	5	10	15	21	67
65+	86	9.7	59	1	2	9	13	17	24	42
2. MULTIPLE DX										
0-19 YRS	217	14.9	201	1	2	11	22	34	44	77
20-34	198	14.5	259	1	2	10	18	35	48	99
35-49	190	12.9	121	1	2	10	17	30	40	99+
50-64	218	14.2	146	1	2	11	19	31	38	59
65+	420	17.8	222	2	4	13	23	36	48	87
TOT. SINGLE DX	559	7.0	55	1	1	5	10	15	20	36
" MULTIPLE DX	1243	15.4	199	1	2	12	21	34	43	87
TOTAL 0-19 YRS	343	11.8	163	1	1	7	17	30	37	66
20-34	349	10.5	177	1	1	6	13	25	39	87
35-49	300	10.9	101	1	2	8	15	27	33	99+
50-64	304	12.3	144	1	2	9	16	29	35	59
65+	506	16.4	204	2	3	12	22	34	43	83
GRAND TOTAL	**1802**	**12.8**	**169**	**1**	**2**	**9**	**17**	**30**	**38**	**78**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	2.0	1	<1	1	2	2	4	5	6
20-34	40	5.4	88	<1	<1	1	5	18	29	42
35-49	30	5.3	102	<1	<1	2	3	10	26	52
50-64	13	3.8	9	<1	1	2	7	8	10	10
65+	7	6.9	88	1	1	3	8	24	27	27
2. MULTIPLE DX										
0-19 YRS	38	6.5	62	<1	1	3	8	17	25	34
20-34	80	15.5	449	<1	<1	6	17	52	69	85
35-49	57	11.2	132	<1	1	7	17	27	34	53
50-64	48	11.4	276	1	1	5	13	31	48	86
65+	73	13.7	300	1	1	9	16	31	50	88
TOT. SINGLE DX	128	4.3	59	<1	<1	2	3	9	21	44
" MULTIPLE DX	296	12.4	279	<1	1	7	15	30	50	83
TOTAL 0-19 YRS	76	4.2	37	<1	1	2	4	13	17	32
20-34	120	12.1	350	<1	<1	4	15	37	63	81
35-49	87	9.2	129	<1	1	4	11	26	32	53
50-64	61	9.8	228	1	1	4	10	19	42	83
65+	80	13.1	284	1	1	8	16	29	46	88
GRAND TOTAL	**424**	**10.0**	**226**	**<1**	**1**	**4**	**12**	**26**	**39**	**79**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	177	2.4	11	<1	<1	1	2	4	7	20
20-34	99	2.6	4	<1	<1	2	3	5	8	12
35-49	104	2.1	3	<1	1	2	3	4	5	10
50-64	106	2.1	2	1	1	2	3	4	5	8
65+	50	2.2	3	<1	<1	1	3	4	7	9
2. MULTIPLE DX										
0-19 YRS	158	4.9	101	<1	1	2	4	8	25	98
20-34	132	4.3	37	<1	1	3	5	7	14	34
35-49	220	4.0	17	1	1	3	5	8	10	29
50-64	312	4.3	35	1	1	2	5	10	14	33
65+	241	9.2	134	1	1	6	11	19	38	88
TOT. SINGLE DX	536	2.3	6	<1	<1	2	3	4	6	13
" MULTIPLE DX	1063	5.4	68	1	1	3	6	12	18	57
TOTAL 0-19 YRS	335	3.6	55	<1	<1	2	3	7	12	62
20-34	231	3.6	24	<1	1	2	4	7	10	31
35-49	324	3.4	13	1	1	2	4	7	9	17
50-64	418	3.7	28	1	1	2	4	8	13	27
65+	291	8.0	119	1	1	5	9	18	32	87
GRAND TOTAL	**1599**	**4.4**	**50**	**<1**	**1**	**2**	**5**	**9**	**15**	**43**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	4.5	73	<1	1	2	4	6	28	35
20-34	8	2.4	2	1	1	2	2	5	6	6
35-49	6	3.2	3	1	1	3	4	6	6	6
50-64	5	4.0	21	1	1	3	5	12	12	12
65+	7	4.0	6	2	2	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	26	4.7	20	1	1	2	6	12	15	17
20-34	26	8.3	217	1	2	3	10	27	78	99+
35-49	15	5.1	29	1	2	4	5	6	20	24
50-64	41	11.5	228	2	2	7	16	25	62	99+
65+	115	10.2	113	2	2	7	12	21	32	55
TOT. SINGLE DX	41	3.8	30	1	1	2	4	6	10	35
" MULTIPLE DX	223	9.2	133	2	2	5	11	20	32	92
TOTAL 0-19 YRS	41	4.6	39	1	1	2	5	11	16	35
20-34	34	6.9	172	1	2	3	7	15	63	99+
35-49	21	4.5	22	1	1	3	5	6	14	24
50-64	46	10.7	211	1	2	6	14	20	51	99+
65+	122	9.9	109	2	2	6	12	20	31	54
GRAND TOTAL	**264**	**8.4**	**121**	**1**	**2**	**5**	**10**	**18**	**31**	**87**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	2.2	3	1	1	2	3	4	5	9
20-34	2264	3.1	8	1	1	2	4	7	9	14
35-49	3070	3.2	10	1	1	2	4	7	9	15
50-64	1390	3.1	8	1	1	2	4	7	9	14
65+	331	3.2	11	1	1	2	4	7	9	17
2. MULTIPLE DX										
0-19 YRS	160	4.2	20	1	1	2	5	11	13	26
20-34	1547	4.8	22	1	1	3	7	10	14	26
35-49	2508	4.7	28	1	1	3	6	10	13	27
50-64	1832	5.1	29	1	1	3	7	11	14	28
65+	1153	6.5	44	1	1	4	9	14	18	36
TOT. SINGLE DX	7215	3.1	9	1	1	2	4	7	9	15
" MULTIPLE DX	7200	5.1	30	1	1	3	7	11	14	28
TOTAL 0-19 YRS	320	3.2	13	1	1	2	3	7	11	17
20-34	3811	3.8	15	1	1	2	5	9	11	18
35-49	5578	3.9	19	1	1	2	5	9	11	20
50-64	3222	4.2	22	1	1	3	5	9	12	22
65+	1484	5.8	39	1	1	4	8	13	17	32
GRAND TOTAL	**14415**	**4.1**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	62	3.2	8	1	1	2	3	6	9	15
20-34	161	3.6	25	1	1	2	4	7	12	24
35-49	199	3.9	18	1	1	2	4	9	12	24
50-64	287	3.6	10	1	1	2	4	8	9	16
65+	281	2.9	6	1	1	2	3	6	8	15
2. MULTIPLE DX										
0-19 YRS	88	6.0	45	1	1	4	7	12	18	39
20-34	230	6.7	66	1	2	4	7	16	22	47
35-49	438	5.9	27	1	2	4	7	13	17	25
50-64	1230	6.2	47	1	2	4	8	12	16	39
65+	2144	6.0	30	1	2	5	8	12	15	28
TOT. SINGLE DX	990	3.4	13	1	1	2	4	7	10	19
" MULTIPLE DX	4130	6.1	38	1	2	4	8	12	16	32
TOTAL 0-19 YRS	150	4.8	32	1	1	3	6	10	14	30
20-34	391	5.4	52	1	1	3	6	12	19	41
35-49	637	5.3	26	1	1	3	7	12	16	24
50-64	1517	5.7	42	1	2	4	7	12	15	34
65+	2425	5.7	29	1	2	4	7	11	15	26
GRAND TOTAL	**5120**	**5.6**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	14	4.7	7	1	2	5	6	8	10	10
50-64	18	3.3	3	1	1	3	5	6	7	7
65+	11	2.9	5	<1	1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS										
20-34	6	5.2	7	2	2	5	6	10	10	10
35-49	52	5.9	29	1	2	4	9	11	12	34
50-64	86	6.3	17	1	2	6	9	11	12	23
65+	79	7.3	29	2	2	7	10	14	18	23
TOT. SINGLE DX	44	3.8	7	1	1	3	6	7	9	11
" MULTIPLE DX	223	6.5	25	1	2	6	9	12	15	24
TOTAL 0-19 YRS										
20-34	7	6.0	11	2	2	5	9	11	11	11
35-49	66	5.7	25	1	2	4	8	10	12	31
50-64	104	5.8	16	1	2	5	8	10	12	23
65+	90	6.8	29	2	2	6	9	14	17	23
GRAND TOTAL	**267**	**6.1**	**23**	**1**	**2**	**5**	**9**	**12**	**14**	**23**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	3.9	16	1	1	2	5	9	10	24
20-34	334	4.6	25	1	1	3	6	10	13	24
35-49	348	4.5	12	1	1	3	7	9	11	15
50-64	436	4.3	15	1	1	3	6	9	12	18
65+	431	4.5	14	1	1	3	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	113	6.3	45	1	1	4	8	13	16	38
20-34	421	6.0	31	1	1	5	8	12	17	32
35-49	880	6.2	31	1	2	5	8	12	15	33
50-64	1764	6.3	31	1	2	5	9	12	16	27
65+	3086	7.2	43	1	2	6	9	14	18	34
TOT. SINGLE DX	1626	4.5	17	1	1	3	6	10	12	19
" MULTIPLE DX	6264	6.7	38	1	2	5	9	13	17	31
TOTAL 0-19 YRS	190	5.3	35	1	1	3	7	11	14	32
20-34	755	5.4	30	1	1	4	7	11	15	30
35-49	1228	5.7	27	1	1	4	8	12	14	27
50-64	2200	5.9	29	1	1	4	8	12	15	25
65+	3517	6.6	41	1	2	5	9	13	18	31
GRAND TOTAL	**7890**	**6.2**	**34**	**1**	**1**	**5**	**8**	**12**	**16**	**29**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5294	3.4	18	1	1	2	4	6	8	20
20-34	7051	3.6	14	1	1	3	4	7	9	16
35-49	5537	4.0	14	1	1	3	5	8	10	18
50-64	3707	4.5	16	1	1	3	6	9	11	19
65+	2961	5.9	27	1	2	5	7	11	14	26
2. MULTIPLE DX										
0-19 YRS	9591	5.5	61	1	1	3	6	10	17	46
20-34	12348	5.2	30	1	1	4	6	9	14	30
35-49	15021	5.6	27	1	2	4	7	10	14	28
50-64	22236	6.5	31	2	2	5	8	12	16	29
65+	49902	7.8	40	2	3	6	10	14	18	33
TOT. SINGLE DX	24550	4.1	18	1	1	3	5	8	10	20
" MULTIPLE DX	109098	6.8	39	1	2	5	8	13	17	32
TOTAL 0-19 YRS	14885	4.8	48	1	1	3	5	9	14	40
20-34	19399	4.6	25	1	1	3	5	8	12	27
35-49	20558	5.2	24	1	1	4	6	10	13	25
50-64	25943	6.2	30	1	2	5	8	12	15	28
65+	52863	7.7	40	2	3	6	9	14	18	32
GRAND TOTAL	**133648**	**6.3**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2087	6.1	76	1	1	3	6	15	25	43
20-34	1032	6.1	52	1	1	4	7	12	17	41
35-49	1092	6.0	32	1	2	5	7	11	16	29
50-64	718	6.2	42	1	2	4	7	12	18	28
65+	588	6.9	41	1	2	5	8	13	16	32
2. MULTIPLE DX										
0-19 YRS	3317	7.7	123	1	2	4	7	17	30	66
20-34	1762	8.2	108	1	2	5	9	17	27	56
35-49	2320	8.0	67	2	2	6	9	16	23	47
50-64	3742	8.3	64	2	2	6	10	15	22	46
65+	8781	9.5	67	2	3	7	11	18	24	48
TOT. SINGLE DX	5517	6.2	55	1	1	4	7	13	20	39
" MULTIPLE DX	19922	8.7	81	2	2	6	10	17	24	52
TOTAL 0-19 YRS	5404	7.1	106	1	1	4	7	17	28	59
20-34	2794	7.5	89	1	2	5	8	15	23	52
35-49	3412	7.3	57	1	2	5	9	15	21	42
50-64	4460	8.0	61	2	2	6	10	15	21	43
65+	9369	9.4	66	2	3	7	11	18	24	47
GRAND TOTAL	**25439**	**8.2**	**76**	**1**	**2**	**6**	**10**	**16**	**24**	**49**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2842	3.7	28	1	1	3	4	6	10	24
20-34	1679	4.0	26	1	1	3	4	7	12	28
35-49	1462	4.3	26	1	1	3	5	8	12	26
50-64	1349	4.7	22	1	1	3	6	9	12	25
65+	1295	5.3	20	1	2	4	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	6348	6.2	86	1	1	4	6	12	22	58
20-34	3736	5.4	43	1	1	3	6	11	16	37
35-49	5891	5.4	33	1	1	4	6	10	15	31
50-64	11297	6.2	31	1	2	5	8	11	15	29
65+	26626	7.4	39	2	2	6	9	14	18	32
TOT. SINGLE DX	8627	4.3	26	1	1	3	5	8	12	25
" MULTIPLE DX	53898	6.7	44	1	2	5	8	13	18	35
TOTAL 0-19 YRS	9190	5.5	70	1	1	3	5	10	18	51
20-34	5415	4.9	39	1	1	3	5	10	15	34
35-49	7353	5.2	32	1	1	4	6	10	14	30
50-64	12646	6.0	31	1	2	5	7	11	15	28
65+	27921	7.3	39	2	2	6	9	14	18	32
GRAND TOTAL	**62525**	**6.3**	**42**	**1**	**2**	**5**	**8**	**12**	**17**	**34**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671 4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No.	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic and threatened
255	Elective
256	Illegal
258	Missed
256	Self-induced
257	Spontaneous
255	Therapeutic
259	Threatened
	Abscess
210	Anal
312	Bone
292	Digit
188	Mouth
188	Salivary gland
291	Skin and subcutaneous tissue, except digit
188	Tongue
81	Acidosis, except diabetic
72	Diabetic
12	Acquired immunodeficiency syndrome (AIDS)
	Addiction — *see Dependence*
	Adenocarcinoma — *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus
12	AIDS, including AIDS-related complex or condition
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Aplastic
	Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
82	Iron deficiency
267	of pregnancy
269	of pregnancy, with delivery
83	Sickle cell
166	Aneurysm, except aorta
165	Aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Acute, without peritonitis
198	Acute, with peritonitis
199	Recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Cerebral
143	Coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

DIAGNOSIS INDEX (continued)

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

DIAGNOSIS INDEX (continued)

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No. Title
287 Elderly primigravida, with delivery
255 Elective abortion
392 Elective sterilization
81 Electrolyte imbalance or disorder
Embolism
  167 Arterial, except cerebral and precerebral
  Cerebral
    158 without paralysis
    159 with paralysis
  Precerebral
    156 without paralysis
    157 with paralysis
  144 Pulmonary, except postoperative
  390 Pulmonary, postoperative
  172 Vein
182 Emphysema
113 Encephalitis, except viral
  12 Viral
  18 Viral, late effect
145 Endocarditis, acute and subacute bacterial
75 Endocrine disease, except ovary, thyroid, and diabetes mellitus
245 Endometriosis
247 Endometritis, except puerperal
  288 Puerperal
69 Enlarged thyroid
208 Enteritis, except bacterial, regional, and viral
  1 Bacterial
  208 Noninfectious
  211 Regional
  1 Viral
238 Epididymitis
116 Epilepsy
332 Epistaxis
6 Erysipelas
67 Erythroplasia
172 Esophageal varices
189 Esophagitis
189 Esophagospasm
137 Essential benign hypertension
Examination
  398 Follow-up
  298 Medical

Failure
  149 Heart
  390 Heart, postoperative
  225 Renal, except chronic
  224 Renal, chronic
  186 Respiratory (acute)
340 Fainting
263 False labor
Fever
  135 Active rheumatic
  330 NOS (FUO)

Group No. Title
Fever (continued)
  1 Paratyphoid
  288 Puerperal
  4 Scarlet
  1 Typhoid
  12 Yellow
Fibrillation or flutter
  147 Atrial
  148 Ventricular
241 Fibrocystic breast
77 Fibrocystic disease, pancreas
56 Fibroma, uterus
16 Filariasis
210 Fissure, anal
210 Fistula, anal
128 Flat anterior chamber
1 Food poisoning
379 Foreign body in body orifice, except eye
378 Foreign body in eye
Fracture
  354 Ankle
  349 Arm, lower
  348 Arm, upper
  354 Bimalleolar
  350 Carpal
  355 Clavicle
  349 Colles
  343 Face bone
  352 Femur, except upper end
  351 Femur, upper end
  353 Fibula, except lateral malleolus
  350 Finger
  354 Foot
  350 Hand
  398 Healed, aftercare, except removal of fixation device
  396 Healed, aftercare, removal of fixation device
  351 Hip
  348 Humerus
  354 Knee
  354 Lateral malleolus
  353 Leg, lower, except ankle
  352 Leg, upper, except hip
  343 Mandible
  354 Medial malleolus
  350 Metacarpal
  354 Metatarsal
  356 Multiple bones
  343 Nose
  354 Patella
  347 Pelvis
  349 Radius
  346 Rib
  355 Scapula
  342 Skull, base
  341 Skull, vault

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe

Group No.	Title
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
301	Internal derangement of joint, except knee
300	Knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	First and second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago

Group No.	Title
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Acute
87	Mesenteric
333	Lymphadenopathy
12	in HIV infection (disease) (syndrome)
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Puerperal
8	Measles
18	Late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Tuberculous
7	Viral
18	Late effect
251	Menopause
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
	Multiparity
268	without delivery
392	without pregnancy
268	Multiple pregnancy
275	with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No. Title

- 176 Nasal polyp
- 339 Nausea
- Neoplasm, benign
  - 61 Bladder
  - 53 Bone
  - 63 Brain
  - 55 Breast
  - 52 Bronchus
  - 50 Buccal cavity
  - 57 Cervix
  - 53 Connective tissue
  - 51 Digestive
  - 65 Endocrine, except thyroid
  - 62 Eye
  - Genitalia
    - 59 Female, except uterus and ovary
    - 60 Male
  - 61 Kidney
  - 52 Larynx
  - 52 Lung
  - 53 Muscle
  - 63 Nervous system
  - 58 Ovary
  - 50 Pharynx
  - 60 Prostate
  - 52 Respiratory
  - 60 Scrotum
  - 54 Skin
  - 52 Thymus
  - 64 Thyroid
  - 61 Ureter
  - 61 Urethra
  - 61 Urinary
  - 57 Uterus, except fibroma
    - 56 Fibroma
  - 59 Vagina
  - 59 Vulva
- Neoplasm, malignant
  - 44 Adrenal gland
  - 39 Bladder
  - 29 Bone
  - 42 Brain
  - 32 Breast
  - 27 Bronchus
  - 19 Buccal cavity
  - 43 Cerebral meninges
  - 33 Cervix uteri
  - 23 Colon
  - 29 Connective tissue
  - 44 Endocrine glands
  - 20 Esophagus
  - 41 Eye
  - 36 Fallopian tube
  - Genitalia
    - 36 Female, except uterus and ovary

Group No. Title

- Neoplasm, malignant (continued)
    - 38 Male, except prostate
  - 45 Ill-defined sites
  - 25 Intestine, except colon and rectum
    - 23 Large, except rectum
    - 22 Small
  - 40 Kidney
  - 23 Large intestine, except rectum
  - 27 Lung
  - 49 Lymphatic, except Hodgkin's disease
  - 45 Metastatic
  - 19 Mouth
  - 43 Nervous system, except brain
  - 35 Ovary
  - 26 Pancreas
  - 19 Pharynx
  - 44 Pituitary gland
  - 36 Placenta
  - 37 Prostate
  - 24 Rectum
  - 28 Respiratory system, except bronchus and lung
  - 38 Scrotum
  - 45 Secondary
  - 31 Skin, except genitalia
  - 22 Small intestine
  - 43 Spinal cord and meninges
  - 21 Stomach
  - 44 Thyroid gland
  - 40 Ureter
  - 40 Urethra
  - 40 Urinary tract, except bladder
  - 34 Uterus, except cervix
  - 36 Vagina
  - 36 Vulva
- 49 Neoplasm, lymphatic, except leukemia and Hodgkin's disease
- 68 Neoplasm, unspecified type, any site
- 222 Nephritis, except acute
  - 223 Acute
- 222 Nephrosis, except tubular
  - 225 Tubular
- 222 Nephropathy, except diabetic
  - 73 Diabetic
- 109 Nervous gastritis
- 315 Neuralgia, except sciatic and trigeminal
  - 307 Sciatic
  - 120 Trigeminal
- 315 Neuritis, except median and sciatic
  - 119 Median
  - 307 Sciatic
- 120 Neuroma, except amputation stump
  - 390 Amputation stump
- 103 Neurosis, except anxiety, cardiac, and depressive
  - 101 Anxiety
  - 109 Cardiac

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy

Group No.	Title
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

DIAGNOSIS INDEX (continued)

Group No.	Title
268	Polyhydramnios
287	with delivery
	Polyp
211	Anal
68	Bladder
252	Cervix
211	Intestinal
178	Laryngeal
176	Nasal
211	Rectal
176	Sinus
178	Vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmastectomy lymphedema
390	Postoperative wound, dehiscence
389	Postoperative wound, infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
	Precerebral occlusion
156	without paralysis
157	with paralysis
340	Prediabetes
261	Pre-eclampsia
287	with delivery
123	Preglaucoma
398	Pregnancy
254	Ectopic
254	Ovarian
268	Post-term
287	Post-term, with delivery
254	Tubal
398	Undelivered
268	Premature rupture of membranes
282	with delivery
253	Premenstrual tension
	Prenatal hemorrhage
265	except threatened abortion
272	with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
	Prolapse
128	Iris
248	Uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Hypertrophy
	Proteinuria
340	except postural
223	Postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
	Psychogenic (continued)
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Alcoholic
91	Arteriosclerotic
98	Depressive
93	Drug-induced
99	Manic-depressive
89	Organic, acute or transient
90	Organic, chronic, except arteriosclerotic
90	Senile
98	Psychotic depression
290	Puerperal complication
287	with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*
227	Pyelitis, except acute
226	Acute
227	Pyelonephritis, except acute
226	Acute
332	Pyloric stenosis, congential
330	Pyrexia of unknown origin
288	Puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
	Reaction
101	Anxiety
102	Depressive
386	Drug, NEC
391	Transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Chronic
139	Renal hypertension
139	Renovascular hypertension
186	Respiratory distress, acute
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
	Retinal
121	Cyst
121	Detachment

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic

Group No.	Title
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

DIAGNOSIS INDEX (continued)

Group No. Title
Syndrome, organic brain — *see Organic brain syndrome*
308 Syndrome, vertebrogenic pain
309 Synovitis
14 Syphilis
296 Systemic lupus erythematosus (SLE)

333 Tachycardia, except paroxysmal
  148 Paroxysmal, except atrial
  146 Paroxysmal atrial or supraventricular
314 Talipes deformity, acquired
16 Tapeworm infestation
Tear
  358 Medial meniscus, current injury
  300 Media meniscus, old
  121 Retinal
Tenosynovitis
  309 except spine
  308 Spine
111 Tension headache
255 Termination of pregnancy
6 Tetanus
165 Thoracic aortic aneurysm
259 Threatened abortion
86 Thrombocytopenia
169 Thrombophlebitis
172 Thrombophlebitis migrans
Thrombosis
  167 Arterial, except cerebral and precerebral
  158 Cerebral, without paralysis
  159 Cerebral, with paralysis
  172 Portal vein
  156 Precerebral, without paralysis
  157 Precerebral, with paralysis
  172 Vein
70 Thyroid disease, except nodule or goiter
69 Thyroid nodule or goiter
70 Thyrotoxicosis
160 TIA
120 Tic douloureux
177 Tonsillitis, chronic
261 Toxemia of pregnancy
  287 with delivery
261 Toxemia of the puerperium
  287 with delivery
174 Tracheobronchitis, acute
391 Transfusion reaction
160 Transient ischemic attack (TIA)
125 Traumatic cataract
Treatment
  398 Chemotherapy
  397 Dialysis
  398 Physical therapy
  398 Radiotherapy
16 Trichinosis

Group No. Title
17 Trichomoniasis
Tricuspid valve disease — *see Valvular disease*
120 Trigeminal neuralgia
232 Trigonitis
254 Tubal pregnancy
Tuberculosis
  3 Bone
  18 Late effect
  2 Lung
  3 Nonrespiratory
  2 Respiratory
3 Tuberculous meningitis
363 Twisted ankle
13 Typhus

Ulcer
  295 Decubitus
  192 Duodenal
  193 Duodenal, with hemorrhage or perforation
  190 Gastric
  191 Gastric, with hemorrhage or perforation
  192 Gastrojejunal
  193 Gastrojejunal, with hemorrhage or perforation
  192 Peptic, except gastric
  193 Peptic, except gastric, with hemorrhage or perforation
  194 Peptic, any site, with obstruction
  295 Skin
  170 Varicose, lower extremity
211 Ulcerative colitis
73 Uncontrolled diabetes mellitus
324 Undescended testis
340 Undiagnosed disease
306 Unstable low back
173 Upper respiratory infection, acute, except streptococcal
225 Uremia, except chronic
  224 Chronic
229 Ureteral calculus
230 Ureteral disease, except calculus
231 Urethral calculus
234 Urethral disease, except calculus and stricture
233 Urethral stenosis, except congenital
  325 Congenital
233 Urethral stricuture, except congenital
  325 Congenital
234 Urethitis
  266 in pregnancy
173 URI
234 Urinary tract infection
  266 in pregnancy
57 Uterine fibroma
248 Uterine prolapse
128 Uveitis

DIAGNOSIS INDEX (continued)

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

OPERATION INDEX (continued)

Group No. Title

- Biopsy (continued)
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix
  - 597 Colon
  - 597 Duodenum
  - 668 Endocervical
  - 588 Esophagus
  - 532 Eyeball
  - 517 Eyelid
  - 666 Fallopian tubes
  - 597 Intestine (large) (small)
  - 719 Joint structure
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 615 Liver
  - 565 Lung
  - 582 Lymph nodes
  - 570 Mediastinum
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - 543 Nose
  - 532 Orbit
  - 660 Ovary, except by aspiration
    - 663 Aspiration
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery

Group No. Title

- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy

OPERATION INDEX (continued)

Group No. **Title**

- Closure (continued)
  - Fistula — *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy
  - 635 Ureterostomy
  - 640 Urethrostomy
- 599 Colectomy
- 568 Collapse of lung, surgical
- 619 Colonoscopy, except surgical approach
  - 609 Surgical approach (transabdominal)
- 602 Colostomy, except loop
  - 600 Loop
- 681 Colporrhaphy, except for cystocele or rectocele repair
  - 680 Cystocele or rectocele repair
- 758 Computerized axial tomography (C.A.T. scan)
- 667 Conization of cervix
- 520 Conjunctivoplasty
- 764 Consultation
- Control of hemorrhage
  - 638 Bladder
  - 581 Blood vessel
  - 569 Chest
  - 627 Laparotomy site
  - 544 Nose, except by anterior packing
    - 557 Anterior packing
  - 569 Pleura
  - 581 Postoperative, not elsewhere classified
  - 650 Prostate
  - 590 Stomach
  - 556 Tonsil
- 521 Corneal transplant
- 572 Coronary bypass
- 503 Cranioplasty
- 502 Craniotomy
- 668 Cryoconization, cervix
- 682 Culdocentesis
- 682 Culdoscopy, except for tubal ligation
  - 664 Tubal ligation
- 523 Cyclocryotherapy (eye)
- 523 Cyclodialysis
- 638 Cystectomy (bladder)
- 680 Cystocele repair
- 636 Cystoscopy
- 638 Cyctostomy
- 638 Cystotomy

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull

Group No. **Title**

- Debridement (continued)
  - 752 Nail, nail bed, nail fold
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, except of hand
    - 728 Hand
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage — *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
    - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (eletroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin

OPERATION INDEX (continued)

Group No.	Title
753	Encephalography
	Endoscopy
617	Biliary tract
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
647	Ileal conduit
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	with low forceps delivery
689	with other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
618	ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
617	Biliary tract
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
508	ESWL (extracorporeal shock wave lithotripsy)
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	with adenoids
556	Tonsil tag

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve

Group No.	Title
	Excision of lesion (continued)
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation
508	Extracorporeal shock wave lithotripsy (ESWL)
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal

OPERATION INDEX (continued)

Group No. **Title**
Fistulectomy (continued)
542 Nasolabial
546 Oroantral
609 Perirectal
556 Pharynx
640 Rectourethral
679 Rectouterine
681 Rectovaginal
638 Rectovesical
609 Rectum
562 Tracheoesophageal
523 Fistulization, sclera (for glaucoma)
741 Fitting, limb prosthesis
706 Fixation, internal, of bone, except with fracture-reduction
  with fracture-reduction — *see Fracture-reduction*
689 Forceps delivery, except low forceps
687 Low forceps
Formation
581 Arteriovenous shunt for dialysis
601 Endoileal rectal pouch
634 Ileal conduit or bladder
Fracture-reduction, except facial bone, femur, and nose
713 Closed, except with internal fixation
711 with internal fixation
713 Open, except with internal fixation
712 with internal fixation
701 Facial bone, except closed reduction
700 Closed reduction
Femur
710 Closed, except with internal fixation
708 with internal fixation
710 Open, except with internal fixation
709 with internal fixation
701 Mandible, except closed reduction
700 Closed reduction
701 Maxillofacial, except closed reduction
700 Closed reduction
544 Nose
552 Frenectomy (labial) (tongue)
557 Frenotomy (labial) (tongue)
721 Fusion, joint, except spinal
720 Spinal

508 Ganglionectomy, except of tendon
727 Tendon (of hand)
508 Gasserian ganglionectomy
593 Gastrectomy, except total
594 Total
589 Gastroscopy, except surgical approach
596 Surgical approach (transabdominal)
591 Gastrostomy
590 Gastrotomy

Group No. **Title**
699 Genioplasty
758 G.I. series x-ray
549 Gingivectomy, gingivoplasty
523 Glaucoma operation
552 Glossectomy
Graft
706 Bone, except facial and skull
702 Facial
503 Skull
749 Free, of skin
552 Lip
731 Muscle, except of hand
729 Hand
750 Pedicle, of skin
Skin
749 Free
750 Pedicle
731 Tendon, except of hand
729 Hand

573 Heart catheterization
579 Heart-lung bypass
599 Hemicolectomy
580 Hemodialysis
612 Hemorrhoidectomy
615 Hepatectomy
Herniorrhaphy
625 Diaphragmatic
624 Epigastric
622 Femoral
624 Incisional
Inguinal
621 Bilateral
620 Unilateral
623 Umbilical
624 Ventral
723 Hip replacement, except total
722 Total
576 His bundle study
763 Hyperalimentation
760 Hyperthermia, except localized
763 Localized, for treatment of malignancy and other lesions
515 Hypophysectomy
671 Hysterectomy, except radical and vaginal
673 Radical
672 Vaginal
678 Hysteropexy
679 Hysteroscopy
670 Hysterotomy, except for termination of pregnancy
693 Termination of pregnancy

602 Ileostomy, except loop
600 Loop
634 Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

OPERATION INDEX (continued)

Group No. Title

- Ligation (continued)
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lithotripsy
  - 638 Bladder
  - 646 Extracorporeal shock wave
  - 635 Kidney
  - 646 Ultrasonic
  - 635 Ureter
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 758 Magnetic resonance imaging
- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended
  - 742 Subtotal
  - 744 Radical
  - 743 Partial
- 538 Mastoidectomy, except revision
  - 539 Revision
- 745 Mastotomy
- Meatotomy
  - 635 Ureteral
  - 639 Urethral
- 690 Medical induction of labor
- 718 Meniscectomy, knee
- 686 Menstrual extraction or regulation
- 699 Mentoplasty
- 764 Monitoring, circulatory (CVP) (PCW)

Group No. Title

- 754 Myelography
- 670 Myomectomy, uterus
- 537 Myringotomy

- 631 Nephrectomy (complete)
- 632 Nephropexy
- 758 NMR (nuclear magnetic resonance imaging)

- 682 Obliteration, vagina or vaginal vault
- 751 Onychectomy
- 751 Onychoplasty
- Oophorectomy
  - 662 Bilateral
  - 661 Unilateral
- 533 Ophthalmoscopy
- 652 Orchiectomy
- 653 Orchiopexy
- 654 Orchioplasty, except suspension
  - 653 Suspension
- 705 Ostectomy, except facial bone
  - 699 Facial bone, except partial
    - 698 Partial
- 706 Osteoplasty, except facial bone
  - 699 Facial bone
- 703 Osteotomy, except facial bone
  - 699 Facial bone
- 540 Otoscopy

- 551 Palatoplasty
- 618 Pancreatectomy
- 618 Pancreatotomy
- Paracentesis
  - 626 Abdominal
  - 524 Anterior chamber (eye)
  - 576 Thoracic
- 514 Parathyroidectomy
- 550 Parotidectomy
- 673 Pelvic exenteration
- 581 Percutaneous transluminal angioplasty, except coronary
  - 575 Coronary artery (PTCA)
- 575 Pericardiocentesis
- 629 Peritoneal dialysis
- 628 Peritoneoscopy
- 557 Pharyngoscopy
- 556 Pharyngotomy
- 757 Phlebography
- 540 Piercing, ear
- 576 Pleurocentesis
- 576 Pleurodesis, chemical
- Plication
  - 644 Urethral, urethrovesical
  - 581 Vena cava
- 753 Pneumoencephalography
- 566 Pneumonectomy
- 659 Preputiotomy

OPERATION INDEX (continued)

Group No.	Title
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
575	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)

Group No.	Title
	Reduction (continued)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia —*see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	with incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint

OPERATION INDEX (continued)

Group No. Title

- Removal (continued)
  - 697 Retained placenta, manually
  - 764 Sutures
  - 764 T-tube, gallbladder
  - 764 Therapeutic device, nonoperatively
  - 529 Vitreous
- 580 Renal dialysis
- Repair
  - 630 Abdominal wall
  - 613 Anal fistula, except by excision
    - 610 Excision
  - 581 Aneurysm (arteriovenous)
  - 638 Bladder, except obstetric laceration
    - 697 Obstetric laceration
  - 518 Blepharoptosis
  - 581 Blood vessel
  - 706 Bone, except facial
    - 699 Facial
  - 745 Breast
  - 564 Bronchial fistula
  - 704 Bunion
  - 571 Cardiac septal defect
  - 669 Cervix, except obstetric laceration
    - 697 Obstetric laceration
  - 570 Chest wall
  - 551 Cleft palate
  - 520 Conjunctiva
  - 522 Cornea, except transplant
    - 521 Transplant
  - 680 Cystocele, vagina
  - 730 Diastasis recti
  - 534 Ear, external
  - 518 Ectropion or entropion, eyelid
  - 697 Episiotomy
  - 518 Eyelid
  - Fistula — *see Fistulectomy*
  - 704 Hallux valgus
  - 729 Hand
  - Hernia — *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration — *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver

Group No. Title

- Repair (continued)
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand

OPERATION INDEX (continued)

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast

Group No.	Title
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

OPERATION INDEX (continued)

Group
No. Title
Therapy (continued)
761   Shock (EST)
760   Speech
758 Thermography
576 Thoracentesis
570 Thoracoscopy, transpleural
569 Thoracotomy
515 Thymectomy
513 Thyroidectomy
552 Tongue-tie operation
553 Tonsillectomy, except with adenoidectomy
554   With adenoidectomy
548 Tooth restoration
562 Tracheostomy, except permanent
561   Permanent
760 Traction, skeletal, except with fracture-reduction
  With fracture-reduction — *see Reduction, fracture*
Transfer — *see Transplant*
Transfusion
763   Blood
763   Exchange, except intrauterine
696   Intrauterine
585   Bone marrow
763   Coagulation factor
763   Gamma globulin
763   Plasma
Transplant, transplantation
585   Bone marrow
521   Corneal
571   Heart
632   Kidney
731   Muscle, except of hand
729   Hand
731   Tendon, except of hand
729   Hand

Group
No. Title
648 TUR of prostate
543 Turbinectomy, nasal
536 Tympanoplasty, except revision
539   Revision
537 Tympanotomy

758 Ultrasound, diagnostic
635 Ureterectomy
634 Ureterostomy
633 Ureterotomy
636 Urethroscopy
642 Urethrotomy
634 Urinary diversion
764 Uroflowmetry, uroflometry

763 Vaccination
689 Vacuum extraction for delivery
686 Vaginoscopy
595 Vagotomy
577 Varicose vein operation
655 Vasectomy
656 Vasoplasty
655 Vasotomy
656 Vasovasostomy
757 Venography
504 Ventricular shunt, except revision
505   Revision
753 Ventriculography
684 Vulvectomy

X-ray — *see Radiography*

751 Z-plasty, skin